NACOmatic

Effective: 08-April-2010 Expires: 03-June-2010

Your Ad Here

~100,000 Page views/month

Contact:

Doug Ranz 248-318-0011 <u>NACOmatic@hotmail.com</u>

www.NACOmatic.com Copyright 2009. All Rights Reserved.

Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <u>http://naco.faa.gov/index.asp?xml=naco/onlineproducts</u>

Copyright

This compilation is protected by US copyright laws and international copyright treaties.

Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | | | | | | | | | |
|--|-----|----|-----|-----|----|-----|-----|----|-----|-----|----|-----|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | => | 227 | AJZ | => | | COS | => | | FTG | => | 225 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | => | | | => | | | => | | | => | 110 |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | | | => | | | => | | | => | 257 |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | 04V | => | 245 | ALS | => | 210 | CRO | => | 95 | GCN | => | 42 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | => | 255 | ANK | => | | CRQ | => | 87 | GEU | => | 40 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 05V | => | 212 | APA | => | 222 | CVH | => | 118 | GJT | => | 232 |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | 06U | => | 257 | APC | => | 143 | CVN | => | 281 | GNB | => | 231 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 07V | => | 238 | APV | => | 71 | CVS | => | 278 | GNT | => | 285 |
| $ 100 => 268 \qquad AUN => 72 \qquad DAG => 97 \qquad GUP => 21 \\ 11V => 232 \qquad AVQ => 63 \qquad DEN => 223 \qquad GWS => 22 \\ 11V => 234 \qquad AXX => 73 \qquad DGL => 34 \qquad GXY => 22 \\ 17V => 234 \qquad AXX => 276 \qquad DLO => 99 \qquad GYR => 42 \\ 18V => 235 \qquad AZC => 32 \qquad DMA => 33 \qquad HAF => 12 \\ 103 => 126 \qquad BAB => 76 \qquad DMN => 282 \qquad HDN => 22 \\ 20V => 236 \qquad BAM => 250 \qquad DPG => 312 \qquad HEQ => 22 \\ 24N => 283 \qquad BCE => 303 \qquad DRO => 227 \qquad HES => 12 \\ 229 => 253 \qquad BCE => 301 \qquad DTA => 304 \qquad HGT => 12 \\ 2V6 => 249 \qquad BDU => 212 \qquad DUG => 35 \qquad HHR => 12 \\ 2V6 => 249 \qquad BDU => 212 \qquad DUG => 35 \qquad HHR => 12 \\ 2V6 => 249 \qquad BDU => 212 \qquad DUG => 35 \qquad HHR => 12 \\ 33U => 305 \qquad BHH => 78 \qquad DV7 => 53 \qquad HHI => 74 \\ 33U => 306 \qquad BHH => 79 \qquad E26 => 288 \qquad HJO => 12 \\ 36S => 114 \qquad BKF => 213 \qquad E20 => 142 \qquad HMN => 21 \\ 36U => 308 \qquad BHH => 77 \qquad ED2 => 142 \qquad HMN => 22 \\ 40G => 42 \qquad BNG => 77 \qquad ED2 => 142 \qquad HMN => 22 \\ 40G => 42 \qquad BNG => 77 \qquad EDU => 98 \qquad HTH => 22 \\ 40U => 311 \qquad BLU => 103 \qquad E37 => 55 \qquad HND => 22 \\ 41U => 312 \qquad BTF => 302 \qquad EDW => 101 \qquad HVE => 33 \\ 41U => 312 \qquad BTF => 302 \qquad EDW => 101 \qquad HVE => 33 \\ 41U => 314 \qquad BVU => 251 \qquad EED => 143 \qquad HWD => 11 \\ 43U => 314 \qquad BVU => 251 \qquad EED => 143 \qquad HWD => 11 \\ 44A => 57 \qquad BWC => 80 \qquad EIK => 224 \qquad IGM => 24 \\ 44A => 57 \qquad BWC => 80 \qquad EIK => 229 \qquad INW => 10 \\ 6V => 309 \qquad CCR => 280 \qquad EIK => 224 \qquad ITF => 22 \\ 6V => 301 \qquad CAG => 280 \qquad EIY => 254 \qquad ITR => 22 \\ 10W => 314 \qquad BVU => 281 \qquad EKA => 104 \qquad IPL => 11 \\ 9VV => 319 \qquad BCC => 304 \qquad FAT => 103 \qquad IZX => 11 \\ 9VV => 319 \qquad CCR => 97 \qquad FCH => 103 \qquad IZX => 11 \\ 74V => 319 \qquad CCR => 97 \qquad FCH => 103 \qquad IZX => 11 \\ 74V => 319 \qquad CCR => 97 \qquad FCH => 108 \qquad KIC => 11 \\ 9V7 => 228 \qquad CFT => 30 \qquad FLY => 225 \qquad IAA => 12 \\ AEQ => 275 \qquad CIC => 89 \qquad FLX => 255 \qquad LAA => 21 \\ AEQ => 276 \qquad CRZ => 30 \qquad FHU => 323 \qquad LAA => 21 \\ AEQ => 276 \qquad CRA => 85 \qquad FMM => 230 \qquad LAS => 24 \\ AEQ => 276 \qquad CRA => 85 \qquad FMM => 230 \qquad LAS => 24 \\ AEJ => 70 \qquad CNM => 279 \qquad FOM => 306 \qquad LGF => 24 \\ AEJ => 70 \qquad CNM => 279 \qquad FOM => 306 \qquad LGF => 24 \\ CRF => 70 \qquad CNM => 279 \qquad FOM => 306 \qquad LGF => 270 \qquad CRA => 104 \qquad CRR => 300 \qquad CRF => 104$ | 08U | => | 267 | ASE | => | 211 | CXT | => | 84 | GOO | => | 112 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 017 | => | 258 | ATS | => | 277 | CXP | => | 252 | GUC | => | 233 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 10U | => | 268 | AUN | => | 72 | DAG | => | 97 | GUP | => | 285 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 11V | => | 232 | AVQ | => | 63 | DEN | => | 223 | GWS | => | 231 |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | 13Q | => | 276 | AVX | => | 73 | DGL | => | 34 | GXY | => | 233 |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | 17V | => | 234 | AXX | => | 276 | DLO | => | 99 | GYR | => | 41 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18V | => | 235 | AZC | => | 32 | DMA | => | 33 | HAF | => | 113 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 103 | => | 126 | BAB | => | 76 | DMN | => | 282 | HDN | => | 234 |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | 20V | => | 236 | BAM | => | 250 | DPG | => | 312 | HEQ | => | 235 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 24N | => | 283 | BCE | => | 303 | DRO | => | 227 | HES | => | 116 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2Q9 | => | 253 | BDG | => | 301 | DTA | => | 304 | HGT | => | 198 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | => | 249 | BDU | => | 212 | DUG | => | 35 | HHR | => | 114 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2V6 | => | 249 | BFL | => | 74 | DVO | => | 146 | HIF | => | 309 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 33U | => | 305 | BIH | => | 78 | DVT | => | 53 | HII | => | 45 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 33V | => | 248 | BJC | => | 226 | DWA | => | 98 | HJO | => | 113 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 365 | => | 114 | BKF | => | | | => | 142 | HMN | => | 286 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | => | 308 | BLH | => | 79 | | => | 288 | HMT | => | 116 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | => | | BLU | => | 103 | | => | | HND | => | 259 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | => | | BMC | => | | | => | | HOB | => | 286 |
| 41u=> 312 BTY=> 251 EED=> 143 HWD=> 123 $42u$ => 314 BUR=> 82 EEO=> 240 IFP=> $243u$ => 314 BVU=> 251 EGE=> 228 IGM=> $244a$ $44a$ => 57 BWC=> 80 EIK=> 229 INW=> $44a$ $44u$ => 319 BXK=> 28 EKA=> 104 IPL=> 123 $44v$ => 319 BXK=> 28 EKA=> 104 IPL=> 123 $49x$ => 88 CAG=> 219 EKO=> 254 ITR=> 223 $67u$ => 263 CCB=> 200 EMT=> 103 IYK=> 123 $69v$ => 309 CCR=> 95 ENV=> 323 IZA=> 123 $74v$ => 319 CDC=> 304 FAT=> 109 JAQ=> 123 $9y$ => 220 CEZ=> 97 FCH=> 108 KIC=> 123 $9v$ => 220 CEZ=> 219 FCS=> 215 KNB=> 323 $9v$ => 220 CEZ=> 30 FLG=> 36 LAA=> 223 <tr<< td=""><td></td><td>=></td><td>42</td><td>BNG</td><td>=></td><td></td><td>EDU</td><td>=></td><td></td><td>HTH</td><td>=></td><td>257</td></tr<<> | | => | 42 | BNG | => | | EDU | => | | HTH | => | 257 |
| 41u=> 312 BTY=> 251 EED=> 143 HWD=> 123 $42u$ => 314 BUR=> 82 EEO=> 240 IFP=> $243u$ $43u$ => 314 BVU=> 251 EGE=> 228 IGM=> $244u$ $44a$ => 57 BWC=> 80 EIK=> 229 INW=> $44a$ $44u$ => 319 BXK=> 28 EKA=> 104 IPL=> 123 $44v$ => 319 BXK=> 28 EKA=> 104 IPL=> 123 $49x$ => 88 CAG=> 219 EKO=> 254 ITR=> 223 $67u$ => 263 CCB=> 200 EMT=> 103 IYK=> 123 $67v$ => 309 CCR=> 95 ENV=> 323 IZA=> 123 $69v$ => 309 CCR=> 97 FCH=> 108 KIC=> 123 $94e$ => 297 CEC=> 97 FCH=> 108 KIC=> 123 $9v$ => 220 CEZ=> 219 FCS=> 215 KNB=> 323 $9v$ => 220 CEZ=> 30 FLG=> 36 LAA=> | 40U | => | 312 | BTF | => | 302 | EDW | => | 101 | HVE | => | 307 |
| 43U => 314 $BVU => 251$ $EGE => 228$ $IGM => 4$ $44A => 57$ $BWC => 80$ $EIK => 229$ $INW => 6$ $44U => 319$ $BXK => 28$ $EKA => 104$ $IPL => 12$ $49X => 88$ $CAG => 219$ $EKO => 254$ $ITR => 22$ $66V => 301$ $CAO => 280$ $ELY => 254$ $IWA => 9$ $67L => 263$ $CCB => 200$ $EMT => 103$ $IYK => 12$ $69V => 309$ $CCR => 95$ $ENV => 323$ $IZA => 18$ $74V => 319$ $CDC => 304$ $FAT => 109$ $JAQ => 12$ $94E => 297$ $CEC => 97$ $FCH => 108$ $KIC => 12$ $9V7 => 228$ $CFT => 31$ $FFZ => 49$ $L17 => 19$ $A26 => 69$ $CGZ => 30$ $FHU => 37$ $L53 => 12$ $AAT => 70$ $CHD => 30$ $FLG => 36$ $LAA => 22$ $ABQ => 275$ $CIC => 89$ $FLX => 255$ $LAM => 26$ $ACV => 72$ $CLR => 85$ $FMM => 230$ $LAS => 26$ $AEG => 276$ $CMA => 85$ $FMN => 230$ $LAS => 26$ $AEG => 276$ $CMA => 85$ $FMN => 230$ $LGB => 12$ $AEC => 70$ $CNM => 279$ $FOM => 306$ $LGF => 127$ | 41U | => | 312 | BTY | => | | EED | => | 143 | HWD | => | 115 |
| 44A => 57BWC => 80EIK => 229INW => 6 $44U => 319$ BXK => 28EKA => 104IPL => 12 $49X => 88$ CAG => 219EKO => 254ITR => 22 $66V => 301$ CAO => 280ELY => 254IWA => 16 $67L => 263$ CCB => 200EMT => 103IYK => 12 $69V => 309$ CCR => 95ENV => 323IZA => 16 $74V => 319$ CDC => 304FAT => 109JAQ => 12 $94E => 297$ CEC => 97FCH => 108KIC => 12 $9V7 => 228$ CFT => 31FFZ => 49L17 => 19 $A26 => 69$ CGZ => 30FHU => 37L53 => 12 $AAT => 70$ CHD => 30FLG => 36LAA => 22 $ABQ => 275$ CIC => 89FLX => 230LAS => 26 $AEG => 276$ CMA => 85FMM => 230LAS => 26 $AEG => 276$ CMA => 85FMN => 230LAS => 26 $AEG => 70$ CNM => 279FOM => 306LGF => 40 | 42U | => | 314 | BUR | => | 82 | EEO | => | 240 | IFP | => | 29 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 43U | => | 314 | BVU | => | 251 | EGE | => | 228 | IGM | => | 44 |
| 49x => 88CAG => 219EKO => 254ITR => 256 $66V => 301$ CAO => 280ELY => 254IWA => 256 $67L => 263$ CCB => 200EMT => 103IYK => 126 $69V => 309$ CCR => 95ENV => 323IZA => 166 $74V => 319$ CDC => 304FAT => 109JAQ => 127 $94E => 297$ CEC => 97FCH => 108KIC => 127 $99V => 220$ CEZ => 219FCS => 215KNB => 327 $9V7 => 228$ CFT => 31FFZ => 49L17 => 127 $A26 => 69$ CGZ => 30FHU => 37L53 => 127 $AAT => 70$ CHD => 30FLG => 36LAA => 227 $ABQ => 275$ CIC => 89FLX => 255LAM => 227 $AEG => 276$ CMA => 85FMM => 230LAS => 267 $AEG => 276$ CMA => 85FMN => 230LAS => 127 $AEG => 70$ CNM => 279FOM => 306LGF => 47 | 44A | => | 57 | BWC | => | 80 | EIK | => | 229 | INW | => | 67 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 44U | => | 319 | BXK | => | 28 | EKA | => | 104 | IPL | => | 119 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 49X | => | 88 | CAG | => | | EKO | => | 254 | ITR | => | 214 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 66V | => | 301 | | => | 280 | ELY | => | 254 | IWA | => | 55 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 67L | => | 263 | CCB | => | 200 | EMT | => | 103 | IYK | => | 120 |
| 94E => 297CEC $=> 97$ FCH $=> 108$ KIC $=> 12$ $99V => 220$ CEZ $=> 219$ FCS $=> 215$ KNB $=> 32$ $9V7 => 228$ CFT $=> 31$ FFZ $=> 49$ L17 $=> 12$ A26 $=> 69$ CGZ $=> 30$ FHU $=> 37$ L53 $=> 12$ AAT $=> 70$ CHD $=> 30$ FLG $=> 36$ LAA $=> 22$ ABQ $=> 275$ CIC $=> 89$ FLX $=> 255$ LAM $=> 29$ ACV $=> 72$ CLR $=> 85$ FMM $=> 230$ LAS $=> 26$ AEG $=> 276$ CMA $=> 85$ FMN $=> 284$ LAX $=> 12$ AEJ $=> 214$ CMR $=> 66$ FNL $=> 230$ LGB $=> 12$ AHC $=> 70$ CNM $=> 279$ FOM $=> 306$ LGF $=> 44$ | 69V | => | 309 | CCR | => | 95 | ENV | => | 323 | IZA | => | 185 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 74V | => | 319 | CDC | => | 304 | FAT | => | | JAQ | => | 120 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 94E | => | 297 | CEC | => | 97 | FCH | => | 108 | KIC | => | 122 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 99V | => | 220 | CEZ | => | 219 | FCS | => | 215 | KNB | => | 311 |
| A26 => 69 CGZ => 30 FHU => 37 L53 => 12 AAT => 70 CHD => 30 FLG => 36 LAA => 22 ABQ => 275 CIC => 89 FLX => 255 LAM => 26 ACV => 72 CLR => 85 FMM => 230 LAS => 26 AEG => 276 CMA => 85 FMN => 284 LAX => 13 AEJ => 214 CMR => 66 FNL => 230 LGB => 14 AHC => 70 CNM => 279 FOM => 306 LGF => 44 | 9V7 | => | | | => | | | => | 49 | | => | 190 |
| AAT => 70 CHD => 30 FLG => 36 LAA => 23 ABQ => 275 CIC => 89 FLX => 255 LAM => 23 ACV => 72 CLR => 85 FMM => 230 LAS => 26 AEG => 276 CMA => 85 FMN => 284 LAX => 13 AEJ => 214 CMR => 66 FNL => 230 LGB => 12 AHC => 70 CNM => 279 FOM => 306 LGF => 44 | A26 | => | 69 | CGZ | => | 30 | FHU | => | 37 | L53 | => | 126 |
| ABQ => 275 CIC => 89 FLX => 255 LAM => 255 ACV => 72 CLR => 85 FMM => 230 LAS => 26 AEG => 276 CMA => 85 FMN => 284 LAX => 12 AEJ => 214 CMR => 66 FNL => 230 LGB => 12 AHC => 70 CNM => 279 FOM => 306 LGF => 44 | | => | 70 | CHD | => | 30 | FLG | => | 36 | LAA | => | 237 |
| ACV => 72 CLR => 85 FMM => 230 LAS => 26 AEG => 276 CMA => 85 FMN => 284 LAX => 12 AEJ => 214 CMR => 66 FNL => 230 LGB => 12 AHC => 70 CNM => 279 FOM => 306 LGF => 44 | ABQ | => | | CIC | => | | | => | | | => | 290 |
| AEG => 276 CMA => 85 FMN => 284 LAX => 12 AEJ => 214 CMR => 66 FNL => 230 LGB => 12 AHC => 70 CNM => 279 FOM => 306 LGF => 44 | | => | | | => | | | => | | | => | 260 |
| AEJ => 214 CMR => 66 FNL => 230 LGB => 12 AHC => 70 CNM => 279 FOM => 306 LGF => 4 | | => | | | => | | | => | | | => | 130 |
| AHC => 70 CNM => 279 FOM => 306 LGF => 4 | | | | | | | | | | | | 128 |
| | | | | | | | | | | | | 44 |
| | | | | | | | | | | | | 311 |
| AJO => 96 CNY => 313 FSU => 284 LHM => 12 | | | | | | | | | | | | 124 |

| LHX => 237 OAR => 134 SCK => 189 VCU => 204 LIC => 239 OGD => 316 SDL => 59 VEL => 322 LAM => 125 OKB => 148 SDM => 173 VGT => 262 LAM => 239 OLS => 50 SEE => 176 VIS => 203 LAC => 263 ONM => 298 SEZ => 59 VNY => 203 LPC => 126 ONT => 149 SFO => 177 WHP => 132 LRU => 288 OVE => 150 SGU => 319 WJF => 123 LSB => 289 OXR => 151 SIY => 141 WLW => 207 LSN => 132 P01 => 27 SJC => 178 WAC => 270 LSN => 125 FAA => 51 SJN => 57 WVI => 203 LVX => 265 PAA => 54 SLI => 129 LVX => 289 PHX => 54 SLI => 129 LVX => 289 PHX => 54 SLI => 129 LVX => 2165 PAA => 156 SMA => 183 MAE => 133 PRB => 156 SMA => 181 MAE => 133 PRB => 156 SMA => 181 MAE => 136 PFC => 56 SMA => 181 MAE => 136 PFC => 242 SMF => 169 LWT => 264 PSO => 157 STX => 246 MAT => 136 PFC => 242 SMS => 171 MER => 136 PFC => 242 SMS => 171 MER => 136 PFC => 154 SLI => 129 MIT => 186 PFC => 317 STK => 246 MIT => 138 PRB => 156 SMA => 183 MCC => 136 PFC => 154 SPZ => 271 MHT => 186 PFC => 317 STK => 246 MIT => 138 RAL => 166 SVC => 297 MIT => 186 PFC => 317 STK => 246 MIT => 138 RAL => 166 SVC => 297 MIT => 138 RAL => 166 SVC => 297 MIT => 134 RAL => 166 TCS => 299 NFG => 174 RIF => 318 TAD => 247 MIT => 240 RHV => 179 T42 => 167 MIT => 137 RGE => 67 TAA => 199 NFG => 86 RIV => 160 TLR => 197 NFL => 138 SAC => 163 TRM => 153 NTD => 00 RNO => 270 TMT => 272 NRS => 119 RTS => 269 TRL => 272 NRS => 119 RTS => 269 TRL => 191 NUC => 139 SAF => 295 TVL => 188 NIT => 160 SAA => 171 TVT => 61 NUC => 147 RTS => 244 UDD => 153 OZ => 147 RTS => 246 UDD => 153 OZ => 147 RTS = | | | | | | | | | | | | |
|---|-----|----|-----|-----|----|-----|----------------|----|-----|-----|----|-----|
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | | | => | | | => | | | => | |
| | | => | | | => | | | => | | | => | |
| | | => | | | => | | | => | | | => | |
| $ IPC => 126 ONT => 149 SFO => 177 WIP => 132 \\ IRU => 288 OVE => 150 SGU => 319 WJF => 123 \\ IST => 132 POI => 27 SJC => 178 WIC => 273 \\ IST => 132 POI => 27 SJC => 178 WIC => 273 \\ IST => 265 PAN => 51 SJN => 57 WII => 200 \\ IUF => 46 PAO => 155 SKX => 299 ZUN => 300 \\ IVK => 125 PAA => 50 SIC => 320 \\ IVK => 238 POL => 152 SMF => 169 \\ IVX => 238 POC => 156 SMA => 184 \\ MAC => 133 PRB => 156 SMA => 181 \\ MAC => 136 PRZ => 292 SNS => 171 \\ MAE => 136 PRZ => 292 SNS => 171 \\ MER => 136 PRZ => 292 SNS => 171 \\ MER => 136 PRZ => 292 SNS => 171 \\ MER => 136 PRZ => 242 SOW => 60 \\ MEV => 264 PSP => 154 SPZ => 271 \\ MHR => 170 PTV => 159 SQL => 172 \\ MHR => 131 PUF => 157 STS => 185 \\ MIT => 140 PUB => 243 SRR => 295 \\ MIT => 138 PUT => 318 SUU => 194 \\ MIT => 133 PUT => 318 SUU => 194 \\ MIT => 133 PUT => 318 SUU => 194 \\ MIT => 134 RBL => 166 SVC => 297 \\ MIT => 134 RBL => 161 SVE => 296 \\ MTJ => 241 RDI => 162 SZU => 296 \\ MTJ => 240 RHV => 179 T42 => 167 \\ MYF => 135 RIL => 244 TCC => 300 \\ MZJ => 47 RIR => 166 TCS => 299 \\ NFG => 270 RIU => 166 TCS => 297 \\ NFI => 256 RIM => 166 TCS => 297 \\ NFI => 256 RIM => 166 TCS => 297 \\ NFI => 256 RIM => 166 TCS => 193 \\ NFG => 137 RIX => 166 TCS => 193 \\ NFG => 137 RIX => 166 TCS => 193 \\ NFG => 137 RIX => 166 TCS => 193 \\ NFG => 137 RIX => 166 TCS => 191 \\ NID => 168 RIV => 296 RIM => 153 \\ NID => 168 RIV => 266 TRK => 197 \\ NIL => 168 RIV => 266 TRK => 197 \\ NIL => 168 $ | LMO | => | 239 | | => | 50 | SEE | => | | | => | |
| | LOL | => | 263 | | => | 298 | SEZ | => | 59 | VNY | => | |
| | | => | 126 | ONT | => | 149 | SFO | => | | WHP | => | |
| | LRU | => | | OVE | => | 150 | SGU | => | | WJF | => | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | LSB | => | 289 | OXR | => | | SIY | => | | WLW | => | |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | | P01 | => | | SJC | => | | | => | |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | | PAN | => | | SJN | => | | WVI | => | 206 |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | LUF | => | 46 | | => | | | => | | ZUN | => | 300 |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | 125 | | => | | SLC | => | | | | |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | LVS | => | 289 | PHX | => | 54 | \mathtt{SLI} | => | 129 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | LWL | => | 272 | PMD | => | 152 | SMF | => | 169 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | LXV | => | 238 | POC | => | 123 | SMO | => | 184 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MAE | => | 133 | PRB | => | 156 | SMX | => | 183 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MCC | => | 167 | PRC | => | 56 | SNA | => | 181 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MCE | => | 136 | PRZ | => | 292 | SNS | => | 171 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MER | => | 136 | PSO | => | 242 | SOW | => | 60 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MEV | => | 264 | PSP | => | 154 | SPZ | => | 271 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MHR | => | 170 | PTV | => | 159 | SQL | => | 172 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MHV | => | 140 | PUB | => | 243 | SRR | => | 295 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MIT | => | 186 | PUC | => | 317 | STK | => | 246 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MLF | => | 313 | PVF | => | 157 | STS | => | 185 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MMH | => | 133 | PVU | => | 318 | SUU | => | 194 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MOD | => | 138 | RAL | => | 166 | SVC | => | 297 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MPI | => | 134 | RBL | => | 161 | SVE | => | 190 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MRY | => | 141 | RDD | => | 162 | SXU | => | 296 | | | |
| MYF=> 174 RIF=> 318 TAD=> 247 MYV=> 135 RIL=> 244 TCC=> 300 MZJ=> 47 RIR=> 166 TCS=> 299 N86=> 270 RIU=> 160 TCY=> 193 NFG=> 86 RIV=> 165 TEX=> 247 NFL=> 256 RNM=> 160 TLR=> 197 NID=> 90 RNO=> 270 TMT=> 250 NJK=> 102 ROW=> 294 TNP=> 199 NKX=> 137 RQE=> 67 TOA=> 192 NLC=> 124 RTN=> 293 TPH=> 272 NRS=> 119 RTS=> 269 TRK=> 197 NSI=> 180 RYN=> 63 TRM=> 153 NTD=> 158 SAC=> 168 TSP=> 191 NUC=> 139 SAF=> 295 TVL=> 188 NXP=> 199 SAN=> 171 TYL=> 61 NZY=> 145 SBA=> 182 UDD=> 153 O20=> 125 SBD=> 179 VBG=> 202 <td>MTJ</td> <td>=></td> <td>241</td> <td>REI</td> <td>=></td> <td>162</td> <td>SZP</td> <td>=></td> <td>184</td> <td></td> <td></td> <td></td> | MTJ | => | 241 | REI | => | 162 | SZP | => | 184 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MVI | => | 240 | RHV | => | 179 | т42 | => | 167 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MYF | => | 174 | RIF | => | 318 | TAD | => | 247 | | | |
| N86=>270RIU=>160TCY=>193NFG=>86RIV=>165TEX=>247NFL=>256RNM=>160TLR=>197NID=>90RNO=>270TMT=>250NJK=>102ROW=>294TNP=>199NKX=>137RQE=>67TOA=>192NLC=>124RTN=>269TRK=>197NSI=>180RYN=>63TRM=>153NTD=>158SAC=>168TSP=>191NUC=>173SAD=>57TUS=>64NUQ=>139SAF=>295TVL=>188NXP=>199SAN=>175TVY=>322NYL=>68SAS=>171TYL=>61NZY=>145SBA=>182UDD=>153O20=>125SBD=>172UKI=>200O46=>206SBP=>179VBG=>202 | MYV | => | 135 | RIL | => | 244 | TCC | => | 300 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | MZJ | => | 47 | RIR | => | 166 | TCS | => | 299 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | N86 | => | 270 | RIU | => | 160 | TCY | => | 193 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | 86 | RIV | => | 165 | TEX | => | 247 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | NFL | => | 256 | RNM | => | 160 | TLR | => | 197 | | | |
| NKX=>137RQE=>67TOA=>192NLC=>124RTN=>293TPH=>272NRS=>119RTS=>269TRK=>197NSI=>180RYN=>63TRM=>153NTD=>158SAC=>168TSP=>191NUC=>173SAD=>57TUS=>64NUQ=>139SAF=>295TVL=>188NXP=>199SAN=>175TVY=>322NYL=>68SAS=>171TYL=>61NZY=>145SBA=>182UDD=>153020=>125SBD=>172UKI=>200046=>206SBP=>179VBG=>202 | NID | => | 90 | RNO | => | 270 | TMT | => | 250 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | NJK | => | 102 | ROW | => | 294 | TNP | => | 199 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | NKX | => | 137 | RQE | => | 67 | TOA | => | 192 | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | | | => | 293 | | => | | | | |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | | | => | | | => | | | | |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | | => | | | => | | | => | | | | |
| NUC=> 173 SAD=> 57 TUS=> 64 NUQ=> 139 SAF=> 295 TVL=> 188 NXP=> 199 SAN=> 175 TVY=> 322 NYL=> 68 SAS=> 171 TYL=> 61 NZY=> 145 SBA=> 182 UDD=> 153 O20=> 125 SBD=> 172 UKI=> 200 O46=> 206 SBP=> 179 VBG=> 202 | | => | 158 | SAC | => | 168 | TSP | => | 191 | | | |
| NUQ=>139SAF=>295TVL=>188NXP=>199SAN=>175TVY=>322NYL=>68SAS=>171TYL=>61NZY=>145SBA=>182UDD=>153O20=>125SBD=>172UKI=>200O46=>206SBP=>179VBG=>202 | | => | | | => | 57 | | => | 64 | | | |
| NXP=>199SAN=>175TVY=>322NYL=>68SAS=>171TYL=>61NZY=>145SBA=>182UDD=>153O20=>125SBD=>172UKI=>200O46=>206SBP=>179VBG=>202 | | => | | | => | | | => | | | | |
| NYL=>68SAS=>171TYL=>61NZY=>145SBA=>182UDD=>153O20=>125SBD=>172UKI=>200O46=>206SBP=>179VBG=>202 | | => | | | => | | | => | | | | |
| NZY=>145SBA=>182UDD=>153O20=>125SBD=>172UKI=>200O46=>206SBP=>179VBG=>202 | | | | | | | | | | | | |
| O20=>125SBD=>172UKI=>200O46=>206SBP=>179VBG=>202 | | | | | | | | | | | | |
| O46 => 206 SBP => 179 VBG => 202 | | => | | | => | | | => | | | | |
| | | | | | | | | | | | | |
| | OAK | => | 147 | SBS | => | 246 | VCB | => | 201 | | | |

GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the FAA, Department of Transportation, National Aeronautical Navigation Services, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: http://nfdc.faa.gov/portal/airportchanges.do

FAA, Aeronautical Information Services, ATO–R, Rm. 626 800 Independence Ave., SW Washington, DC 20591 Telephone 1–866–295–8236 Fax 202–267–5322 Email 9–ATOR–HQ–AIS–AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

| | Airport Information | Airspace Information* |
|----------------|---------------------|-----------------------|
| Effective Date | Cut-off date | Cut-off date |
| 8 Apr 10 | 24 Feb 10 | 4 Feb 10 |
| 3 Jun 10 | 21 Apr 10 | 1 Apr 10 |
| 29 Jul 10 | 16 Jun 10 | 27 May 10 |
| 23 Sep 10 | 11 Aug 10 | 22 Jul 10 |
| 18 Nov 10 | 6 Oct 10 | 16 Sep 10 |
| 13 Jan 11 | 1 Dec 10 | 11 Nov 10 |

*Including changes to preferred routes and graphic depictions on charts.

FOR CHARTING ERRORS CONTACT: FAA, National Aeronautical Navigation Services SSMC-4 Sta. #4259 1305 East West Highway Silver Spring, MD 20910-3281 Telephone 1–800–626–3677 Email 9–AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our website at <u>http://aeronav.faa.gov</u>. See the FAQs prior to contact via toll free number.

FOR PROCUREMENT CONTACT:

I

I.

FAA, National Aeronautical Navigation Services REDIS/Distribution Team 10201 Good Luck Road Glenn Dale, MD 20769–9700 Online at <u>http://aeronav.faa.gov</u> Email 9–AMC-Chartsales@faa.gov Telephone 1–800–638–8972 Fax 301–436–6829 or any authorized chart agent.

<u>New or Changed Information</u>—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

GENERAL INFORMATION TABLE OF CONTENTS

| General Information | Inside Front Cover |
|---|--------------------|
| Abbreviations | 2 |
| Directory Legend | 4 |
| Airport/Facility Directory | |
| Arizona | 22 |
| California | 63 |
| Colorado | 201 |
| Nevada | 241 |
| New Mexico | 263 |
| Utah | 290 |
| City/Military Airport Cross Reference | 313 |
| Seaplane Landing Areas | 314 |
| Special Notices | 315 |
| Regulatory Notices | 336 |
| FAA and National Weather Service | |
| Telephone Numbers | 337 |
| Key to Aviation Weather Reports | 338 |
| Air Traffic Facilities Telephone Numbers | 340 |
| Air Route Traffic Control Centers | 342 |
| Flight Service Station Communication Frequencies | 344 |
| Flight Standards District Offices | 347 |
| Routes/Waypoints | |
| Low Altitude Directional Routes | 348 |
| High Altitude Preferred Routes | 349 |
| High Altitude Directional Routes | 354 |
| Q-Routes | 355 |
| Tower Enroute Control Routes | 358 |
| RNAV Routing Pitch and Catch Points | 370 |
| VFR Waypoints | 381 |
| VOR Receiver Check | 389 |
| | 394 |
| Parachute Jumping Areas | 394 397 |
| Aeronautical Chart Bulletins | |
| Supplemental Communication Reference | 408 |
| Airport Diagrams | 414 |
| National Weather Service (NWS) Upper Air Observing Stations | 552 |
| Enroute Flight Advisory Service (EFAS) | Inside Back Cover |

L

GENERAL INFORMATION ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example-''req'' may mean ''request'', ''requesting'', ''requested'', or ''requests'').


| | Army Air Field | | |
|--------|---------------------------------------|----------|---------------------------------------|
| AAF | Army Air Field | byd C | beyond |
| AB | Airbase | - | Commercial Circuit (Telephone) |
| abv | above | CGAF | Coast Guard Air Facility |
| ACC | Air Combat Command; Area Control | CGAS | Coast Guard Air Station |
| | Center | CIV | Civil |
| acft | aircraft | clsd | closed |
| ADCC | Air Defense Control Center | comd | command |
| AER | approach end rwy | CONUS | Continental United States |
| AFB | Air Force Base | CSTMS | Customs |
| AFHP | Air Force Heliport | ctc | contact |
| afld | airfield | ctl | control |
| AFOD | US Army Flight Operations Detachment | dalgt | daylight |
| AFRC | Armed Forces Reserve Center/Air Force | Dec | December |
| | Reserve Command | DIAP | DoD Instrument Approach Procedure |
| AFSS | Automated Flight Service Station | DoD | Department of Defense |
| AG | Agriculture | DSN | Defense Switching Network (Telephone) |
| A–GEAR | Arresting Gear | dsplcd | displaced |
| AGL | above ground level | durn | duration |
| AHP | Army heliport | eff | effective |
| ALS | Approach Light System | emerg | emergency |
| alt | altitude | EOR | End of Runway |
| AMC | Air Mobility Command | ETA | Estimated Time of Arrival |
| ANGS | Air National Guard Station | ETD | Estimated Time of Departure |
| apch | approach | exc | except |
| Apr | April | extd | extend |
| APU | Auxiliary Power Unit | FBO | fixed-base operator |
| ARB | Air Reserve Base | Feb | February |
| arpt | airport | fld | field |
| ARS | Air Reserve Station | FLIP | Flight Information Publication |
| AS | Air Station | flt | flight |
| ASDE-X | Airport Surface Detection Equipment— | flw | follow |
| | Model X | Fri | Friday |
| ASU | Aircraft Starting Unit | FSS | Flight Service Station |
| ATC | Air Traffic Control | GA | glide angle |
| Aug | August | GCA | Ground Controlled Approach |
| AUW | All Up Weight (gross weight) | GS | glide slope |
| avbl | available | haz | hazard |
| bcn | beacon | HQ | Headquarters |
| blo | below | - | |
| | | | |

CONTINUED ON NEXT PAGE


GENERAL INFORMATION

CONTINUED FROM PRECEDING PAGE

| | | FREGEDING FAGE | |
|-------|---|----------------|---------------------------------------|
| hr | hour | npi | non precision instrument |
| IAP | Instrument Approach Procedure | NS ABTMT | Noise Abatement |
| ICAO | International Civil Aviation Organization | NSTD | nonstandard |
| IFR | Instrument Flight Rules | ntc | notice |
| ILS | Instrument Landing System | obsn | observation |
| IM | Inner Marker | Oct | October |
| IMG | Immigration | OLF | Outlying Field |
| inte | - | | |
| incr | increase | opr | operate, operator, operational |
| indef | indefinite | ops | operations |
| ints | intensity | OTS | out of service |
| invof | in the vicinity of | ovrn | overrun |
| IMC | Instrument Meteorological Conditions | PAEW | personnel and equipment working |
| Jan | January | pat | pattern |
| JASU | Jet Aircraft Starting Unit | p-line | power line |
| JOAP | Joint Oil Analysis Program | PMSV | Pilot-to-Metro Service |
| JOSAC | Joint Operational Support Airlift Center | POL | Petrol, Oils and Lubricants |
| JRB | Joint Reserve Base | PPR | prior permission required |
| Jul | July | PRM | Precision Runway Monitoring |
| Jun | | PTD | , 0 |
| | June | | Pilot to Dispatcher |
| Kt | Knots | RAMCC | Regional Air Movement Control Center |
| LAA | Local Airport Advisory | req | request |
| LAHSO | Land and Hold Short Operations | rgt tfc | right traffic |
| lbs | pounds | RON | Remain Overnight |
| ldg | landing | rqr | require |
| lgtd | lighted | rstd | restricted |
| lgts | lights | RSRS | reduced same runway separation |
| LMM | Compass locator at Middle Marker ILS | rwy | runway |
| LOC | Localizer | Sat | Saturday |
| LOM | Compass locator at Outer Marker ILS | SELF | Strategic Expeditionary Landing Field |
| ltd | limited | Sep | September |
| | | | |
| MACC | Military Area Control Center | SFA | Single Frequency Approach |
| Mar | March | sfc | surface |
| MCAF | Marine Corps Air Facility | SFRA | Special Flight Rules Area |
| MCALF | Marine Corps Auxiliary Landing Field | SOAP | Spectrometric Oil Analysis Program |
| MCAS | Marine Corps Air Station | SOF | Supervisor of Flying |
| MCB | Marine Corps Base | SPB | Seaplane Base |
| med | medium | SR | sunrise |
| METRO | Pilot-to-Metro voice call | SS | sunset |
| Mil | military | std | standard |
| min | minute | Sun | Sunday |
| MLS | Microwave Landing System | SVC | service |
| MM | Middle Marker of ILS | tfc | traffic |
| Mon | Monday | thld | threshold |
| MP | Maintenance Period | Thu | |
| | | | Thursday |
| MSL | mean sea level | tkf | take-off |
| MSAW | minimum safe altitude warning | tmpry | temporary |
| NAAS | Naval Auxiliary Air Station | tran | transient |
| NADC | Naval Air Development Center | Tue | Tuesday |
| NADEP | Naval Air Depot | twr | tower |
| NAEC | Naval Air Engineering Center | twy | taxiway |
| NAES | Naval Air Engineering Station | UC | Under Construction |
| NAF | Naval Air Facility | USA | United States Army |
| NALCO | Naval Air Logistics Control Office | USAF | United States Air Force |
| NALO | Navy Air Logistics Office | USCG | United States Coast Guard |
| NALF | Naval Auxiliary Landing Field | USN | United States Navy |
| NALF | | V | |
| NAS | Naval Air Station Naval Air Warfare Center | v | Defense Switching Network (telephone, |
| | | | formerly AUTOVON) |
| NAWS | Naval Air Weapons Station | VFR | Visual Flight Rules |
| ngt | night | VIP | Very Important Person |
| NOLF | Naval Outlying Field | VMC | Visual Meteorological Conditions |
| Nov | November | Wed | Wednesday |
| | | WX | weather |
| | | | |



is considered equivalent to World Geodetic System 1984 (WGS 84).



LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Navaids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

(1) CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

2 ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

3 LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

4 OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

| A | US Army | MC | Marine Corps |
|---------|---------------------------------------|------|---|
| AFRC | Air Force Reserve Command | N | Navy |
| AF | US Air Force | NAF | Naval Air Facility |
| ANG | Air National Guard | NAS | Naval Air Station |
| AR | US Army Reserve | NASA | National Air and Space Administration |
| ARNG | US Army National Guard | Р | US Civil Airport Wherein Permit Covers |
| CG | US Coast Guard | | Use by Transient Military Aircraft |
| CIV/MIL | Joint Use Civil/Military | PVT | Private Use Only (Closed to the Public) |
| DND | Department of National Defense Canada | | |

(5) AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

6 TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC–5(–4DT). The symbol \ddagger indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (–4DT) and \ddagger will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no \ddagger symbol will be shown, i.e., April 15–Aug 31 0630–17002, Sep 1–Apr 14 0600–17002.

(7) GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

(8) CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER. IFR Gulf of Mexico West and IFR Gulf of Mexico Central will be depicted as GOMW and GOMC.

(9) INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAMS

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5–4–5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

10 AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

(11) ELEVATION

(14) EUEI

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

(12) ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

13 SERVICING—CIVIL

- S1: Minor airframe repairs.
- S2: Minor airframe and minor powerplant repairs.
- S3: Major airframe and minor powerplant repairs.
- S4: Major airframe and major powerplant repairs.
- S5: Major airframe repairs.
- S6: Minor airframe and major powerplant repairs.
- S7: Major powerplant repairs.
- S8: Minor powerplant repairs.

| FUEL | CODE | FUEL |
|---|--|--|
| Grade 80 gasoline (Red) | B+ | Jet B, Wide-cut, turbine fuel with FS-II*, FP** |
| Grade 100 gasoline (Green) | | minus 50° C. |
| 100LL gasoline (low lead) (Blue) | J4 (JP4) | (JP-4 military specification) FP** minus |
| Grade 115 gasoline (115/145 military | | 58° C. |
| specification) (Purple) | J5 (JP5) | (JP-5 military specification) Kerosene with |
| Jet A, Kerosene, without FS-II*, FP** minus | | FS-11, FP** minus 46°C. |
| 40° C. | J8 (JP8) | (JP-8 military specification) Jet A-1, Kerosene |
| Jet A, Kerosene, with FS-II*, FP** minus | | with FS-II*, FP** minus 47°C. |
| 40°C. | J8+100 | (JP-8 military specification) Jet A-1, Kerosene |
| Jet A–1, Kerosene, without FS–II*, FP** | | with FS-II*, FP** minus 47°C, with-fuel |
| minus 47°C. | | additive package that improves thermo |
| Jet A-1, Kerosene with FS-II*, FP** minus | | stability characteristics of JP-8. |
| 47° C. | J | (Jet Fuel Type Unknown) |
| Jet B, Wide-cut, turbine fuel without FS-II*, | MOGAS | Automobile gasoline which is to be used |
| FP** minus 50° C. | | as aircraft fuel. |
| | Grade 80 gasoline (Red) Grade 100 gasoline (Green) 100LL gasoline (Idwelad) (Blue) Grade 115 gasoline (115/145 military specification) (Purple) Jet A, Kerosene, without FS–II*, FP** minus 40° C. Jet A, Kerosene, with FS–II*, FP** minus 40°C. Jet A-1, Kerosene, without FS–II*, FP** minus 47°C. Jet A-1, Kerosene with FS–II*, FP** minus 47° C. | Grade 80 gasoline (Red) B+ Grade 100 gasoline (Green) 100LL gasoline (Iow lead) (Blue) J4 (JP4) Grade 115 gasoline (115/145 military specification) (Purple) J5 (JP5) Jet A, Kerosene, without FS–II*, FP** minus 40° C. J8 (JP8) Jet A, Kerosene, with FS–II*, FP** minus 40° C. J8+100 Jet A, Kerosene, with FS–II*, FP** minus 40° C. J8+100 Jet A-1, Kerosene with FS–II*, FP** minus 47° C. J Jet B, Wide-cut, turbine fuel without FS–II*, MOGAS J |

*(Fuel System Icing Inhibitor)

**(Freeze Point)

<u>NOTE:</u> Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

15 OXYGEN—CIVIL

OX 1 High Pressure OX 2 Low Pressure OX 3 High Pressure—Replacement Bottles

OX 4 Low Pressure—Replacement Bottles

16 TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

(17) AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS

U.S. CUSTOMS USER FEE AIRPORT-Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

| US Customs Air and Sea Ports, Inspectors and Agents | |
|---|--------------|
| Northeast Sector (New England and Atlantic States—ME to MD) | 407-975-1740 |
| Southeast Sector (Atlantic States—DC, WV, VA to FL) | 407-975-1780 |
| Central Sector (Interior of the US, including Gulf states—MS, AL, LA) | 407-975-1760 |
| Southwest East Sector (OK and eastern TX) | 407-975-1840 |
| Southwest West Sector (Western TX, NM and AZ) | 407-975-1820 |
| Pacific Sector (WA, OR, CA, HI and AK) | 407-975-1800 |
| | |

(18) CERTIFICATED AIRPORT (14 CFR PART 139)

8

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

14 CFR PART 139 CERTIFICATED AIRPORTS AIRPORT CLASSIFICATIONS

| Type of Air Carrier Operation | Class I | Class II | Class III | Class IV |
|---|---------|----------|-----------|----------|
| Scheduled Air Carrier Aircraft with 31 or more passenger seats | Х | | | |
| Unscheduled Air Carrier Aircraft with 31 or more passengers seats | Х | Х | | Х |
| Scheduled Air Carrier Aircraft with 10 to 30 passenger seats | Х | Х | Х | |

14 CFR-PART 139 CERTIFICATED AIRPORTS

INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

| Airport Index | Required No. Vehicles | Aircraft Length | Scheduled Departures | Agent + Water for Foam |
|------------------|-----------------------------|-----------------|-------------------------|--|
| А | 1 | <90′ | ≥1 | 500#DC or HALON 1211 or 450#DC + 100 gal H ₂ O |
| В | 1 or 2 | ≥90′, <126′ | ≥5 | Index A + 1500 gal H ₂ O |
| | | | | |
| | | ≥126′, <159′ | <5 | |
| С | 2 or 3 | ≥126′, <159′ | ≥5 | Index A + 3000 gal H ₂ O |
| | | | | |
| | | ≥159′, <200′ | <5 | |
| D | 3 | ≥159′, <200′ | | Index A + 4000 gal H ₂ O |
| | | | | |
| | | >200′ | <5 | |
| E | 3 | ≥200′ | ≥5 | Index A + 6000 gal H ₂ O |

> Greater Than; < Less Than; \geq Equal or Greater Than; \leq Equal or Less Than; H₂O–Water; DC–Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

19 NOTAM SERVICE

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

ATC Procedures for detailed description of NOTAM's. Current NOTAMs are available from Flight Service Stations at 1–800–WX-BRIEF. Real time Military NOTAMs are available using the DoD Internet NOTAM Distribution System (DINS) www.notams.jcs.mil.

20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

(21) RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as Ultralight or assault strips. Assault strips are shown by magnetic bearing.

RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt–concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat (ASPH)—Asphalt (CONC)—Concrete (DIRT)—Dirt (GRVD)—Grooved (GRVL)—Gravel, or cinders (MATS)—Pierced steel planking, landing mats, membranes (PEM)—Part concrete, part asphalt (PFC)—Porous friction courses (PSP)—Pierced steel plank (RFSC)—Rubberized friction seal coat (TURF)—Turf (TRTD)—Treated (WC)—Wire combed

RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

| CURRENT | NEW | NEW DESCRIPTION |
|---------|--------|---|
| S | S | Single wheel type landing gear (DC3), (C47), (F15), etc. |
| D | D | Dual wheel type landing gear (BE1900), (B737), (A319), etc. |
| Т | D | Dual wheel type landing gear (P3, C9). |
| ST | 25 | Two single wheels in tandem type landing gear (C130). |
| TRT | 2T | Two triple wheels in tandem type landing gear (C17), etc. |
| DT | 2D | Two dual wheels in tandem type landing gear (B707), etc. |
| TT | 2D | Two dual wheels in tandem type landing gear (B757, |
| | | KC135). |
| SBTT | 2D/D1 | Two dual wheels in tandem/dual wheel body gear type |
| | | landing gear (KC10). |
| None | 2D/2D1 | Two dual wheels in tandem/two dual wheels in tandem body |
| | | gear type landing gear (A340-600). |
| DDT | 2D/2D2 | Two dual wheels in tandem/two dual wheels in double |
| | | tandem body gear type landing gear (B747, E4). |
| TTT | 3D | Three dual wheels in tandem type landing gear (B777), etc. |
| TT | D2 | Dual wheel gear two struts per side main gear type landing |
| | | gear (B52). |
| TDT | C5 | Complex dual wheel and quadruple wheel combination |
| | | landing gear (C5). |

- AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.
- SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).
- PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
 - R Rigid
 - F Flexible
- (3) The pavement subgrade category:
 - A High
 - B Medium
 - C Low
 - D Ultra-low

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD-Light system fails to meet FAA standards.

LIRL-Low Intensity Runway Lights.

MIRL-Medium Intensity Runway Lights.

HIRL-High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL-Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS—Omni Directional Approach Lighting System.

AF OVRN-Air Force Overrun 1000' Standard

Approach Lighting System.

LDIN-Lead-In Lighting System.

MALS—Medium Intensity Approach Lighting System.

- MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.
- MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

- SALSF—Short Approach Lighting System with Sequenced Flashing Lights.
- SSALS—Simplified Short Approach Lighting System.
- SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.
- SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.
- ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.
- ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF-Sequenced Flashing Lights.

OLS—Optical Landing System.

WAVE-OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

10

- (4) The maximum tire pressure authorized for the pavement: W High, no limit
 - X Medium, limited to 217 psi
 - Y Low, limited to 145 psi
 - Z Very low, limited to 73 psi
- (5) Pavement evaluation method:
 - T Technical evaluation
 - U By experience of aircraft using the pavement

VISUAL GLIDESLOPE INDICATORS

| APAP—A sys | tem of panels, which may or may not be lighted, used fo | r alignme | nt of approach path. |
|-------------|--|-------------|---|
| PNIL | APAP on left side of runway | PNIR | APAP on right side of runway |
| PAPI—Precis | ion Approach Path Indicator | | |
| P2L | 2-identical light units placed on left side of | P4L | 4-identical light units placed on left side of |
| | runway | | runway |
| P2R | 2-identical light units placed on right side of | P4R | 4-identical light units placed on right side of |
| | runway | | runway |
| PVASI—Pulsa | ating/steady burning visual approach slope indicator, no | rmally a s | single light unit projecting two colors. |
| PSIL | PVASI on left side of runway | PSIR | PVASI on right side of runway |
| SAVASI—Sim | nplified Abbreviated Visual Approach Slope Indicator | | |
| S2L | 2-box SAVASI on left side of runway | S2R | 2-box SAVASI on right side of runway |
| | | | |
| TRCV—Tri-co | lor visual approach slope indicator, normally a single light | ht unit pro | pjecting three colors. |
| TRIL | TRCV on left side of runway | TRIR | TRCV on right side of runway |
| VASI—Visual | Approach Slope Indicator | | |
| V2L | 2-box VASI on left side of runway | V6L | 6-box VASI on left side of runway |
| V2R | 2-box VASI on right side of runway | V6R | 6-box VASI on right side of runway |
| V4L | 4-box VASI on left side of runway | V12 | 12-box VASI on both sides of runway |
| V4R | 4-box VASI on right side of runway | V16 | 16-box VASI on both sides of runway |
| NOTE: Appro | ach slope angle and threshold crossing height will be s | shown wh | en available; i.e., –GA 3.5° TCH 37'. |

PILOT CONTROL OF AIRPORT LIGHTING

| Key Mike | Function |
|--------------------------|--|
| 7 times within 5 seconds | Highest intensity available |
| 5 times within 5 seconds | Medium or lower intensity (Lower REIL or REIL-Off) |
| 3 times within 5 seconds | Lowest intensity available (Lower REIL or REIL-Off) |

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07-25, MALSR Rwy 07, and VASI Rwy 07-122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

RUNWAY SLOPE

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up, RWY 21: Pole. Rgt tfc. 0.4% down.

RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold-short operations and markings.

RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off.

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take–off run available plus the length of the stopway, if provided. LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

22 ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a-gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A-Gear which has a bi-direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A-Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

| BI-DIRECTIONAL CABLE (| | | | | | |
|----------------------------|--|---|--|--|--|--|
| TYPE | DESCRIPTION | | | | | |
| BAK–9 | Rotary friction brake. | | | | | |
| BAK-12A | Standard BAK–12 with 950 foot run out, 1–inch ca friction brake. | able and 40,000 pound weight setting. Rotary | | | | |
| BAK-12B | Extended BAK-12 with 1200 foot run, 1 ¹ / ₄ inch Cal friction brake. | ble and 50,000 pounds weight setting. Rotary | | | | |
| E28 | Rotary Hydraulic (Water Brake). | | | | | |
| M21 | Rotary Hydraulic (Water Brake) Mobile. | | | | | |
| The following device is us | sed in conjunction with some aircraft arresting system | ms: | | | | |
| BAK-14 | A device that raises a hook cable out of a slot in t for engagement by the tower on request. (In add requires up to five seconds to fully raise the cable.) | the runway surface and is remotely positioned lition to personnel reaction time, the system | | | | |
| Н | A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to one and one-half seconds to fully raise the cable.) | | | | | |
| UNI-DIRECTIONAL CABLE | | | | | | |
| TYPE | DESCRIPTION | | | | | |
| MB60 | Textile brake—an emergency one-time use, mode specially woven textile straps to absorb the kinetic | | | | | |
| E5/E5-1/E5-3 | Chain Type. At USN/USMC stations E–5 A–GEAR systems are rated, e.g., E–5 RATING–13R–1100 HW (DRY), 31L/R–1200 STD (WET). This rating is a function of the A–GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under Military Service. | | | | | |
| FOREIGN CABLE | | | | | | |
| TYPE | DESCRIPTION | US EQUIVALENT | | | | |
| 44B–3H | Rotary Hydraulic) (Water Brake) | | | | | |
| CHAG | Chain | E-5 | | | | |
| UNI-DIRECTIONAL BARRI | ER | | | | | |
| TYPE | DESCRIPTION | | | | | |
| MA-1A | Web barrier between stanchions attached to a chai | n energy absorber. | | | | |
| BAK-15 | Web barrier between stanchions attached to an en | er between stanchions attached to an energy absorber (water squeezer, rotary friction, | | | | |
| | chain). Designed for wing engagement. | | | | | |

NOTE: Landing short of the runway threshold on a runway with a BAK–15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

 TYPE
 DESCRIPTION

 EMAS
 Engineered Material Arresting System, located beyond the departure end of the runway, consisting of high energy absorbing materials which will crush under the weight of an aircraft.

23 MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

(24) JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35-1-7.)

ELECTRICAL STARTING UNITS:

| A/M32A-86 | AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack) |
|-----------|--|
| MC-1A | AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire |
| | DC: 28v, 500 amp, 14 kw |
| MD-3 | AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire |
| | DC: 28v, 1500 amp, 45 kw, split bus |
| MD-3A | AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire |
| | DC: 28v, 1500 amp, 45 kw, split bus |
| MD-3M | AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire |
| | DC: 28v, 500 amp, 15 kw |

| MD-4 | AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva, 0.8 pf, 520 amp, 2 wire | | | | | |
|--------------------------|---|--|--|--|--|--|
| AIR STARTING UNITS | | | | | | |
| AM32-95 | 150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia | | | | | |
| AM32A–95 LASS | 150 + -5 lb/min @ 49 + - 2 psia (35 + - 2 psig) | | | | | |
| MA-1A | 150 +/- 5 lb/min @ 49 +/- 2 psia 82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press | | | | | |
| MC-1 | 15 cfm, 3500 psia | | | | | |
| MC-1A | 15 cfm, 3500 psia | | | | | |
| MC-2A | 15 cfm, 200 psia | | | | | |
| MC-11 | 8,000 cu in cap, 4000 psig, 15 cfm | | | | | |
| | ELECTRICAL STARTING UNITS: | | | | | |
| AGPU | AC: 115/200v, 400 cycle, 3 phase, 30 kw gen | | | | | |
| | DC: 28v, 700 amp | | | | | |
| AM32A-60* | AIR: 60 lb/min @ 40 psig @ sea level AIR: 120 +/- 4 lb/min (1644 +/- 55 cfm) at 49 +/- 2 psia | | | | | |
| AW32A-00 | AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva | | | | | |
| | DC: 28v, 500 amp, 15 kw | | | | | |
| AM32A-60A | AIR: 150 +/- 5 lb/min (2055 +/- 68 cfm at 51 +/- psia | | | | | |
| | AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire | | | | | |
| | DC: 28v, 200 amp, 5.6 kw | | | | | |
| AM32A-60B* | AIR: 130 lb/min, 50 psia | | | | | |
| | AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw | | | | | |
| *NOTE: During com | bined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of | | | | | |
| electrical power ava | | | | | | |
| USN JASU | | | | | | |
| ELECTRICAL STARTI | NG UNITS: | | | | | |
| NC-8A/A1 | DC: 500 amp constant, 750 amp intermittent, 28v; | | | | | |
| NO 104 /41 /P/C | AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz. | | | | | |
| NC-10A/A1/B/C | DC: 750 amp constant, 1000 amp intermittent, 28v; AC: 90 kva, 115/200v, 3 phase, 400 Hz. | | | | | |
| AIR STARTING UNITS | | | | | | |
| GTC-85/GTE-85 | 120 lbs/min @ 45 psi. | | | | | |
| MSU-200NAV/A/U4 | | | | | | |
| WELLS AIR START | 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability. | | | | | |
| SYSTEM | ELECTRICAL STARTING UNITS: | | | | | |
| NCPP-105/RCPT | 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC, | | | | | |
| | 30 kva. | | | | | |
| JASU (ARMY) | | | | | | |
| 59B2-1B | 28v, 7.5 kw, 280 amp. | | | | | |
| OTHER JASU | | | | | | |
| ELECTRICAL STARTI | | | | | | |
| CE12 | AC 115/200v, 140 kva, 400 Hz, 3 phase | | | | | |
| CE13 CE14 | AC 115/200v, 60 kva, 400 Hz, 3 phase AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp | | | | | |
| CE15 | DC 22–35v, 500 amp continuous 1100 amp intermittent | | | | | |
| CE16 | DC 22–35v, 500 amp continuous 1100 amp intermittent soft start | | | | | |
| AIR STARTING UNITS | | | | | | |
| CA2 | ASA 45.5 psig, 116.4 lb/min | | | | | |
| COMBINED AIR AND CEA1 | ELECTRICAL STARTING UNITS (DND) | | | | | |
| GEAL | AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp AIR 112.5 lb/min, 47 psig | | | | | |
| ELECTRICAL STARTI | | | | | | |
| C-26 | 28v 45kw 115–200v 15kw 380–800 Hz 1 phase 2 wire | | | | | |
| С-26-В, С-26-С | 28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire | | | | | |
| E3 | DC 28v/10kw | | | | | |
| AIR STARTING UNITS | | | | | | |
| MA-1 | 40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B) 150 Air HP, 115 lb/min 50 psia | | | | | |
| MA-2 | 250 Air HP, 150 lb/min 75 psia | | | | | |
| CARTRIDGE: | | | | | | |
| MXU–4A | USAF | | | | | |
| | | | | | | |

14 @_____

DIRECTORY LEGEND

25 FUEL-MILITARY

Fuel available through US Military Base supply, DESC Into–Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into–Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into–Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into–Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at www.desc.dla.mil/Static/ProductsAndServices.asp; click on the Commercial Airports button.

See legend item 14 for fuel code and description.

| 26 SUPPORT | ING FLUIDS AND SYSTEMS—MILITARY |
|---------------|---|
| CODE | |
| ADI | Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft. |
| W | Water Thrust Augmentation—Jet Aircraft. |
| WAI | Water–Alcohol Injection Type, Thrust Augmentation—Jet Aircraft. |
| SP | Single Point Refueling. |
| PRESAIR | Air Compressors rated 3,000 PSI or more. |
| De-Ice | Anti–icing/De–icing/Defrosting Fluid (MIL–A–8243). |
| OXYGEN: | |
| LPOX | Low pressure oxygen servicing. |
| HPOX | High pressure oxygen servicing. |
| LHOX | Low and high pressure oxygen servicing. |
| LOX | Liquid oxygen servicing. |
| OXRB | Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be |
| | replenished only by replacement of cylinders.) |
| OX | Indicates oxygen servicing when type of servicing is unknown. |
| NOTE: Combina | tions of above items is used to indicate complete oxygen servicing available; |
| LHOXRB | Low and high pressure oxygen servicing and replacement bottles; |

LPOXRB Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

NITROGEN:

LPNIT — Low pressure nitrogen servicing.

HPNIT - High pressure nitrogen servicing.

LHNIT — Low and high pressure nitrogen servicing.

27 OIL-MILITARY

US AVIATION OILS (MIL SPECS):

| CODE | GRADE, TYPE |
|-----------|---|
| 0-113 | 1065, Reciprocating Engine Oil (MIL–L–6082) |
| 0-117 | 1100, Reciprocating Engine Oil (MIL–L–6082) |
| 0-117+ | 1100, O-117 plus cyclohexanone (MIL-L-6082) |
| 0-123 | 1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III) |
| 0-128 | 1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II) |
| 0-132 | 1005, Jet Engine Oil (MIL-L-6081) |
| 0-133 | 1010, Jet Engine Oil (MIL-L-6081) |
| 0-147 | None, MIL–L–6085A Lubricating Oil, Instrument, Synthetic |
| 0-148 | None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil |
| 0-149 | None, Aircraft Turbine Engine Synthetic, 7.5c St |
| 0-155 | None, MIL–L–6086C, Aircraft, Medium Grade |
| 0-156 | None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engines |
| JOAP/SOAP | Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. |
| | (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service |
| | supported program.) |

(28) TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military.

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

29 AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional Information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

30 MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11–204, AR 95–27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on aboard are designated Code 6 or higher as explained in AFJMAN 11–213, AR 95–11, OPNAVINST 3722–8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

31 WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS–3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS—Automated Weather Observing System

AWOS-A-reports altimeter setting (all other information is advisory only).

AWOS-1-reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2-reports the same as AWOS-1 plus visibility.

AWOS-3-reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP-indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.

32 COMMUNICATIONS

Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading ''COMMUNICATIONS.'' When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1–800–WX–BRIEF (1–800–992–7433). When the FSS is located on the field it will be indicated as ''on arpt''. Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation.

(See AIM, Para 4–1–9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90–42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies-Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122–126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remoted facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol (R) indicates radar approach control.

TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON-Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol (\mathbb{R}) indicates radar departure control.

CLNC DEL—Clearance Delivery.

PRE TAXI CLNC-Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous. PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or

hours of operation as "Wx obsn svc 1900–00002‡" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW—Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

33 AIRSPACE

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times. Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B-Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

AIRSPACE: CLASS C svc ''times'' ctc APP CON other times CLASS E:

or

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

AIRSPACE: CLASS C svc ''times'' ctc APP CON other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS D svc ''times'' other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS E svc ''times'' other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.


Class E 700' AGL (shown as magenta vignette on sectional charts) and 1200' AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700'/1200' AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)

(34) RADIO AIDS TO NAVIGATION

The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Navigation Services Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANS. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDs.

NAVAID information is tabulated as indicated in the following sample:



Restriction within the normal altitude/range of the navigational aid (See primary alphabetical listing for restrictions on VORTAC and VOR/DME).

Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information.

HIWAS—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETs and urgent PIREPs. HIWAS is presently broadcast over selected VOR's throughout the U.S.

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part-time hours of operation will be shown.

RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

| SSV Class | Altitudes | Distance |
|-------------------|--------------------|-------------|
| | | <u>(NM)</u> |
| (T) Terminal | 1000' to 12,000' | 25 |
| (L) Low Altitude | 1000' to 18,000' | 40 |
| (H) High Altitude | 1000' to 14,500' | 40 |
| | 14,500' to 18,000' | 100 |
| | 18,000' to 45,000' | 130 |
| | 45,000' to 60,000' | 100 |
| | | |

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

| AB | Automatic Weather Broadcast. |
|---------|---|
| DF | Direction Finding Service. |
| DME | UHF standard (TACAN compatible) distance measuring equipment. |
| DME(Y) | UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME. |
| GS | Glide slope. |
| Η | Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes). |
| нн | Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes). |
| H-SAB | |
| ILS | Instrument Landing System (voice, where available, on localizer channel). |
| IM | Inner marker. |
| ISMLS | Interim Standard Microwave Landing System. |
| LDA | Localizer Directional Aid. |
| LMM | Compass locator station when installed at middle marker site (15 NM at all altitudes). |
| LOM | Compass locator station when installed at outer marker site (15 NM at all altitudes). |
| MH | Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes). |
| MLS | Microwave Landing System. |
| MM | Middle marker. |
| OM | Outer marker. |
| S | Simultaneous range homing signal and/or voice. |
| SABH | Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts. |
| SDF | Simplified Direction Facility. |
| TACAN | UHF navigational facility-omnidirectional course and distance information. |
| VOR | VHF navigational facility-omnidirectional course only. |
| VOR/DME | Collocated VOR navigational facility and UHF standard distance measuring equipment. |
| VORTAC | Collocated VOR and TACAN navigational facilities. |
| W | Without voice on radio facility frequency. |
| Ζ | VHF station location marker at a LF radio facility. |

ILS FACILITY PEFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A – 4 NM prior to runway threshold, B – 3500 ft prior to runway threshold, C – glide angle dependent but generally 750–1000 ft prior to threshold, T – runway threshold, D – 3000 ft after runway threshold, and E – 2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:

ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.

ILS Facility Performance

Classification Code

FREQUENCY PAIRING PLAN AND MLS CHANNELING

| MLS | VHF | TACAN | MLS | VHF | TACAN | MLS | VHF | TACAN |
|------------|-----------|---------|---------|-----------|------------|------------|-----------|------------|
| CHANNEL | FREQUENCY | CHANNEL | CHANNEL | FREQUENCY | CHANNEL | CHANNEL | FREQUENCY | CHANNEL |
| 500 502 | 108.10 | 18X | 568 | 109.45 | 31Y 32Y | 636 638 | 114.15 | 88Y 89Y |
| | 108.30 | 20X | 570 | 109.55 | | | 114.25 | |
| 504 | 108.50 | 22X | 572 | 109.65 | 33Y | 640 | 114.35 | 90Y |
| 506 | 108.70 | 24X | 574 | 109.75 | 34Y | 642 | 114.45 | 91Y |
| 508 | 108.90 | 26X | 576 | 109.85 | 35Y | 644 | 114.55 | 92Y |
| 510 | 109.10 | 28X | 578 | 109.95 | 36Y | 646 | 114.65 | 93Y |
| 512 | 109.30 | 30X | 580 | 110.05 | 37Y | 648 | 114.75 | 94Y |
| 514 | 109.50 | 32X | 582 | 110.15 | 38Y | 650 | 114.85 | 95Y |
| 516 | 109.70 | 34X | 584 | 110.25 | 39Y | 652 | 114.95 | 96Y |
| 518 | 109.90 | 36X | 586 | 110.35 | 40Y | 654 | 115.05 | 97Y |
| 520 | 110.10 | 38X | 588 | 110.45 | 41Y | 656 | 115.15 | 98Y |
| 522 | 110.30 | 40X | 590 | 110.55 | 42Y | 658 | 115.25 | 99Y |
| 524 | 110.50 | 42X | 592 | 110.65 | 43Y | 660 | 115.35 | 100Y |
| 526 | 110.70 | 44X | 594 | 110.75 | 44Y | 662 | 115.45 | 101Y |
| 528 | 110.90 | 46X | 596 | 110.85 | 45Y | 664 | 115.55 | 102Y |
| 530 | 111.10 | 48X | 598 | 110.95 | 46Y | 666 | 115.65 | 103Y |
| 532 | 111.30 | 50X | 600 | 111.05 | 47Y | 668 | 115.75 | 104Y |
| 534 | 111.50 | 52X | 602 | 111.15 | 48Y | 670 | 115.85 | 105Y |
| 536 | 111.70 | 54X | 604 | 111.25 | 49Y | 672 | 115.95 | 106Y |
| 538 | 111.90 | 56X | 606 | 111.35 | 50Y | 674 | 116.05 | 107Y |
| 540 | 108.05 | 17Y | 608 | 111.45 | 51Y | 676 | 116.15 | 108Y |
| 542 | 108.15 | 18Y | 610 | 111.55 | 52Y | 678 | 116.25 | 109Y |
| 544 | 108.25 | 19Y | 612 | 111.65 | 53Y | 680 | 116.35 | 110Y |
| 546 | 108.35 | 20Y | 614 | 111.75 | 54Y | 682 | 116.45 | 111Y |
| 548 | 108.45 | 21Y | 616 | 111.85 | 55Y | 684 | 116.55 | 112Y |
| 550 | 108.55 | 22Y | 618 | 111.95 | 56Y | 686 | 116.65 | 113Y |
| 552 | 108.65 | 23Y | 620 | 113.35 | 80Y | 688 | 116.75 | 114Y |
| 554 | 108.75 | 24Y | 622 | 113.45 | 81Y | 690 | 116.85 | 115Y |
| 556 | 108.85 | 25Y | 624 | 113.55 | 82Y | 692 | 116.95 | 116Y |
| 558 | 108.95 | 26Y | 626 | 113.65 | 83Y | 694 | 117.05 | 117Y |
| 560 | 109.05 | 27Y | 628 | 113.75 | 84Y | 696 | 117.15 | 118Y |
| 562 | 109.15 | 28Y | 630 | 113.85 | 85Y | 698 | 117.25 | 119Y |
| 564 | 109.25 | 29Y | 632 | 113.95 | 86Y | | | |
| 566 | 109.35 | 30Y | 634 | 114.05 | 87Y | | | |
| | | | | | | | | |

FREQUENCY PAIRING PLAN AND MLS CHANNELING


The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

| TACAN Channel | VHF Frequency | MLS Channel | TACAN Channel | VHF Frequency | MLS Channel | TACAN Channel | VHF Frequency | MLS Channel |
|------------------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|----------------|
| 2X | 134.5 | - | 19Y | 108.25 | 544 | 25X | 108.80 | - |
| 2Y | 134.55 | - | 20X | 108.30 | 502 | 25Y | 108.85 | 556 |
| 11X | 135.4 | - | 20Y | 108.35 | 546 | 26X | 108.90 | 508 |
| 11Y | 135.45 | - | 21X | 108.40 | - | 26Y | 108.95 | 558 |
| 12X | 135.5 | - | 21Y | 108.45 | 548 | 27X | 109.00 | - |
| 12Y | 135.55 | - | 22X | 108.50 | 504 | 27Y | 109.05 | 560 |
| 17X | 108.00 | - | 22Y | 108.55 | 550 | 28X | 109.10 | 510 |
| 17Y | 108.05 | 540 | 23X | 108.60 | - | 28Y | 109.15 | 562 |
| 18X | 108.10 | 500 | 23Y | 108.65 | 552 | 29X | 109.20 | - |
| 18Y | 108.15 | 542 | 24X | 108.70 | 506 | 29Y | 109.25 | 564 |
| 19X | 108.20 | - | 24Y | 108.75 | 554 | 30X | 109.30 | 512 |

| TACAN Channel | VHF Frequency | MLS Channel | TACAN Channel | VHF Frequency | MLS Channel | TACAN Channel | VHF Frequency | MLS Channel |
|------------------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|----------------|
| 30Y | 109.35 | 566 | 63X | 133.60 | GRANNEL | 95Y | 114.85 | 650 |
| 31X | 109.33 | - | 63Y | 133.65 | | 96X | 114.90 | - |
| 31Y | 109.45 | 568 | 64X | 133.70 | _ | 96Y | 114.95 | 652 |
| 32X | 109.50 | 514 | 64Y | 133.75 | - | 97X | 115.00 | - |
| 32Y | 109.55 | 570 | 65X | 133.80 | - | 97Y | 115.05 | 654 |
| 33X | 109.60 | - | 65Y | 133.85 | - | 98X | 115.10 | - |
| 33Y | 109.65 | 572 | 66X | 133.90 | - | 98Y | 115.15 | 656 |
| 34X | 109.70 | 516 | 66Y | 133.95 | - | 99X | 115.20 | - |
| 34Y | 109.75 | 574 | 67X | 134.00 | - | 99Y | 115.25 | 658 |
| 35X | 109.80 | - | 67Y | 134.05 | - | 100X | 115.30 | - |
| 35Y | 109.85 | 576 | 68X | 134.10 | - | 100Y | 115.35 | 660 |
| 36X | 109.90 | 518 | 68Y | 134.15 | - | 101X | 115.40 | - |
| 36Y | 109.95 | 578 | 69X | 134.20 | - | 101Y | 115.45 | 662 |
| 37X | 110.00 | - | 69Y | 134.25 | - | 102X | 115.50 | - |
| 37Y | 110.05 | 580 | 70X | 112.30 | - | 102Y | 115.55 | 664 |
| 38X | 110.10 | 520 | 70Y | 112.35 | - | 103X | 115.60 | - |
| 38Y | 110.15 | 582 | 71X | 112.40 | - | 103Y | 115.65 | 666 |
| 39X | 110.20 | - | 71Y | 112.45 | - | 104X | 115.70 | - |
| 39Y | 110.25 | 584 | 72X | 112.50 | - | 104Y | 115.75 | 668 |
| 40X 40Y | 110.30 110.35 | 522 586 | 72Y 73X | 112.55 112.60 | - | 105X 105Y | 115.80 115.85 | 670 |
| 401 41X | 110.35 | - 080 | 73X 73Y | 112.60 | - | 105 P | 115.85 | 670 |
| 41X 41Y | 110.45 | - 588 | 74X | 112.05 | - | 106X 106Y | 115.95 | 672 |
| 411 42X | 110.43 | 524 | 74X 74Y | 112.75 | - | 107X | 116.00 | 072 |
| 42X 42Y | 110.55 | 590 | 741 75X | 112.75 | - | 107X 107Y | 116.05 | 674 |
| 43X | 110.60 | - | 75Y | 112.85 | _ | 108X | 116.10 | - |
| 43Y | 110.65 | 592 | 76X | 112.90 | - | 108Y | 116.15 | 676 |
| 44X | 110.70 | 526 | 76Y | 112.95 | - | 109X | 116.20 | - |
| 44Y | 110.75 | 594 | 77X | 113.00 | - | 109Y | 116.25 | 678 |
| 45X | 110.80 | - | 77Y | 113.05 | - | 110X | 116.30 | - |
| 45Y | 110.85 | 596 | 78X | 113.10 | - | 110Y | 116.35 | 680 |
| 46X | 110.90 | 528 | 78Y | 113.15 | - | 111X | 116.40 | - |
| 46Y | 110.95 | 598 | 79X | 113.20 | - | 111Y | 116.45 | 682 |
| 47X | 111.00 | - | 79Y | 113.25 | - | 112X | 116.50 | - |
| 47Y | 111.05 | 600 | 80X | 113.30 | - | 112Y | 116.55 | 684 |
| 48X | 111.10 | 530 | 80Y | 113.35 | 620 | 113X | 116.60 | - |
| 48Y | 111.15 | 602 | 81X | 113.40 | - | 113Y | 116.65 | 686 |
| 49X | 111.20 | - | 81Y | 113.45 | 622 | 114X | 116.70 | - |
| 49Y | 111.25 | 604 | 82X | 113.50 | | 114Y | 116.75 | 688 |
| 50X | 111.30 | 532 | 82Y | 113.55 | 624 | 115X | 116.80 | - |
| 50Y | 111.35 | 606 | 83X | 113.60 | - | 115Y | 116.85 | 690 |
| 51X | 111.40 | - | 83Y | 113.65 | 626 | 116X | 116.90 | - |
| 51Y 52X | 111.45 111.50 | 608 534 | 84X 84Y | 113.70 113.75 | 628 | 116Y 117X | 116.95 117.00 | 692 |
| 52X 52Y | 111.55 | 610 | 85X | 113.80 | 020 | 117X 117Y | 117.00 | 694 |
| 53X | 111.60 | 010 | 85Y | 113.85 | 630 | 118X | 117.10 | - |
| 53Y | 111.65 | 612 | 86X | 113.90 | - | 118Y | 117.15 | 696 |
| 54X | 111.70 | 536 | 86Y | 113.95 | 632 | 119X | 117.20 | - |
| 54Y | 111.75 | 614 | 87X | 114.00 | - | 119Y | 117.25 | 698 |
| 55X | 111.80 | - | 87Y | 114.05 | 634 | 120X | 117.30 | - |
| 55Y | 111.85 | 616 | 88X | 114.10 | - | 120Y | 117.35 | - |
| 56X | 111.90 | 538 | 88Y | 114.15 | 636 | 121X | 117.40 | - |
| 56Y | 111.95 | 618 | 89X | 114.20 | - | 121Y | 117.45 | - |
| 57X | 112.00 | - | 89Y | 114.25 | 638 | 122X | 117.50 | - |
| 57Y | 112.05 | - | 90X | 114.30 | - | 122Y | 117.55 | - |
| 58X | 112.10 | - | 90Y | 114.35 | 640 | 123X | 117.60 | - |
| 58Y | 112.15 | - | 91X | 114.40 | - | 123Y | 117.65 | - |
| 59X | 112.20 | - | 91Y | 114.45 | 642 | 124X | 117.70 | - |
| 59Y | 112.25 | - | 92X | 114.50 | - | 124Y | 117.75 | - |
| 60X | 133.30 | - | 92Y | 114.55 | 644 | 125X | 117.80 | - |
| 60Y | 133.35 | - | 93X | 114.60 | - | 125Y | 117.85 | - |
| 61X | 133.40 | - | 93Y | 114.65 | 646 | 126X | 117.90 | - |
| 61Y | 133.45 | - | 94X | 114.70 | - | 126Y | 117.95 | - |
| 62X 62Y | 133.50 133.55 | - | 94Y 95X | 114.75 114.80 | 648 | | | |
| 021 | 100.00 | - | 907 | 114.00 | - | | | |


35 COMM/NAV/WEATHER REMARKS:

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.



HIWAS.

BISBEE DOUGLAS INTL (See DOUGLAS BISBEE)




 RWY 17: Thid dsplcd 600'. Bidg. Rgt tfc.
 RWY 35: Thid dsplcd 150'. Road.


 AIRPORT REMARKS: Attended 1500–2300Z. Parachute Jumping. Extensive agricultural spraying ops invof arpt. Rwy 17 and Rwy 35 dsplcd thid arrows NSTD size and type.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE EED.


NEEDLES (H) VORTAC 115.2 EED Chan 99 N34°45.96′ W114°28.45′ 301° 10.2 NM to fld. 620/15E. HIWAS.







CHANDLER

| CHANDLER MUNI (CHD) 3 SE UTC-7 N33°16.15' W111°48.6 1243 B S4 FUEL 100LL, JET A 0X 3, 4 TPA—2200(957) RWY 04R-22L: H4870X75 (ASPH) S-30 MIRL | | PHOENIX L—5B, A IAP, AD |
|--|----------------------------|-------------------------------|
| RWY 04R: REIL PAPI(P4L)—GA 3.0° TCH 37'. Rgt tfc. RWY 22L: REIL. PAPI(P4L)—GA 3.0° TCH 42'. RWY 04L-22R: H4401X75 (ASPH) S-30 MIRL RWY 04L: PAPI(P4L)—GA 3.5° TCH 40'. Tree. RWY 22E: PAPI(P4L)—GA 3.0° TCH 40'. Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1200-0000Z, Sat-Sun 1200-2230Z. Large birds soar all year. Wildlife occasionally crossing rwys and twys. Antenna 85'AGL located ¼ mile north of Rwy 22R. P-line mono-poles running N to S approximately 1.5 miles W of arpt, height 135'AGL. No obstruction lighting on structures. P-line mono-poles running E to W approximately 1 mile S of arpt, height 135' AGL. Aerobatic practice areas approximately 5 miles SE of arpt from surface to 3500' AGL. Hot air balloon ops 1 mile W of arpt. Avoid overflight of high school 2 NM SW of arpt. Rwy 02L. PAPI Rwy 04R, Rwy 22L, Rwy 04L and Rwy 22R, REIL Rwy 04R and Rwy 22L, Rwy 04L and twy lgts on until 0500Z, after 0500Z ACTIVATE—126.1. | Helipad H1: 100 X 100 T | dential Area |
| WEATHER DATA SOURCES: AWOS-3 128.325 when twr cisd. (480) 814-9952. COMMUNICATIONS: CTAF 126.1 ATIS 128.325 UNICOM 122.95 (R) PHOENIX APP/DEP CON 123.7 TOWER 133.1 Arr S&E, Dep Rwy 04R-22L 126.1 Arr N&W, Dep Rwy (AIRSPACE: CLASS D svc 1300-0400Z other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE IWA. WILLIE (L) VORTACW 113.3 IWA Chan 80 N33°18.19' W111°39. 1370/13E. HIWAS. NDB (MHW) 407 CHD N33°15.99' W111°48.47' at fid. NOTAM FI HELIPAD H1: H100X100 (CONC) | 09' 243° 8.3 NM to fld. | |










1200–1400Z. Unusable 060°–090° byd 25 NM blo 17000′ 330°–030° byd 25 NM blo 17000′ ILS 109.3 I–DMA Rwy 30. Back course unusable. No NOTAM MP Tue, Thu 1400–1600Z. PAR No NOTAM MP 1100–1300Z. Weekdays 1900–0500Z or termination of A10 flying (contact scheduling for times at DSN–228–5777).

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.






| ERIC MARCUS MUNI | (See AJO) |
|--------------------|----------------|
| ERNEST A. LOVE FLD | (See PRESCOTT) |
| ESTRELLA SAILPORT | (See MARICOPA) |



FLYING J RANCH (See PIMA)

 FORT HUACHUCA
 N31°35.13' W110°20.34'
 NOTAM FILE FHU.
 PHOENIX

 (T) TACAN Chan 53
 ARH (111.6)
 at Sierra Vista Muni—Libby AAF. 4659/12E. Unmonitored when twr clsd, no NOTAM MP 1st Wed of month 1500–2300Z. TACAN unusable 105°–250° byd 10 NM, 250°–300° byd 20 NM.
 H–4J, L–5C



- assault strip located 5 NM NE. Non-scheduled arriving acft require assistance ctc EOC 533–2291. All acft using military transient parking sign in at base ops prior to leaving flight line. Wx observation/forecast Mon–Fri 1400–06002, except holidays, ASOS other times. Libby wx avbl on 122.95. DSN 879–2865/2859 (2520–2865) (2520–280) (2520
- $C520-538-2865/2859. \ Remote briefing svc avbl 25th operational weather squadron Davis-Monthan AFB DSN \\ 228-6598/6599/6588, call C520-228-6598/6599/6588, and C1-877-451-8367, ext 1, or \\ HTTPS://250WS.DM.AF.MIL. A Libby Base OPS opr Mon-Fri 1400-2359Z, except holidays other times 72 hr \\ \label{eq:stars}$

PPR. DSN 879-2860/2862, C520-538-2860/2862.

WEATHER DATA SOURCES: ASOS 119.675 (520) 459-7316

- COMMUNICATIONS: CTAF 124.95 ATIS 134.75 265.7 UNICOM 122.95
- R LIBBY AAF GCA APP/DEP CON 127.05 254.35 (Mon-Fri 1400-0600Z) other times ctc
- **(R)** ALBUQUERQUE CENTER APP/DEP CON 134.45 327.15

LIBBY TOWER 124.95 284.75 (Mon-Fri 1400-0600Z) other times ctc ALBUQUERQUE CENTER. GND CON 121.7 268.7 LIDRY DOG 422.07


LIBBY OPS 122.95

AIRSPACE: CLASS D svc Mon-Fri 1400-0600Z, or other times by advanced NOTAM, other times Class G.


CONTINUED ON NEXT PAGE


SW, 08 APR 2010 to 03 JUN 2010

CONTINUED FROM PRECEDING PAGE




CONTINUED FROM PRECEDING PAGE







| GOODYEAR | |
|---|---|
| PHOENIX GOODYEAR (GYR) 1 SW UTC-7 N33°25.42' W112°22 | P.47' PHOENIX |
| 968 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM F | ILE GYR H-4I, L-5B, A |
| RWY 03-21: H8500X150 (ASPH) S-75, D-200, DT-270 MIRL | IAP, AD |
| RWY 03: REIL. PAPI(P2L)—GA 3.0° TCH 45'. 0.3% up. | |
| RWY 21: REIL. PAPI(P2L)—GA 3.5° TCH 45'. Thid dspicd 2100'. | |
| Building. Rgt tfc. | |
| AIRPORT REMARKS: Attended 1300–0400Z. E-W power lines 100 feet | |
| AGL ½ mile S approach end Rwy 03 unmarked and unlighted some | - 12","==" |
| NSTD marking. Numerous large acft parked approximately 500' W | · · · · · · · · · · · · · · · · · · · |
| of Rwy 03–21. Mountains SE at 6 miles to 4500'. Military jet tfc 5 | Air Carrier |
| miles west of arpt. Acft departing Rwy 03 assigned right | Parking |
| crosswind climb straight ahead to Litchfield Road or passing | |
| 1032' AGL before starting right turn. Noise abatement in effect | |
| ctc 602–273–4300. Noise sensitive neighborhood 1–3 miles | |
| NNE-NE of arpt. TPA -1968(1000) light acft and non-turbo jets; | |
| 2468(1500) heavy acft and turbo jets; 1468(500) helicopters. For | * |
| MIRL Rwy 03–21 or REIL Rwy 03 and Rwy 21 during dalgt hrs ctc | |
| twr or arpt on 623–932–4550. After SS MIRL Rwy 03–21 are on. | |
| PAPI Rwy 03 and Rwy 21 opr continuously, REIL Rwy 03 and Rwy | |
| 21 turned off when twr clsd. Fee for all charters; travel clubs and | |
| certain revenue producing acft. NOTE: See Special | X |
| Notices—Aerobatic Operations. | |
| WEATHER DATA SOURCES: LAWRS. | |
| COMMUNICATIONS: CTAF 120.1 ATIS 118.35 UNICOM 122.95 | |
| PHOENIX RCO 122.6 122.2 (PRESCOTT RADIO) | |
| (R) LUKE APP/DEP CON 125.45 Mon-Thu 1330-0530Z, Fri 1330-0130Z, clo | osed weekends and holidays, other times |
| contact | |
| (R) PHOENIX APP/DEP CON 120.7 | |
| GOODYEAR TOWER 120.1 (1300-0400Z) GND CON 121.7 | |
| AIRSPACE: CLASS D svc 1300-0400Z other times CLASS G. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE PRC. | 0/ 000° 00 7 NM to fiel 4000 /445 |
| BUCKEYE (L) VORTAC 110.6 BXK Chan 43 N33°27.21' W112°49.4 | 8' 080° 22.7 NM to fld. 1060/14E. |

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not available at twr.




| GRAND CANYON BAR TEN AIRSTRIP (See WHITMORE) |
|--|
| GRAND CANYON CAVERNS (See PEACH SPRINGS) |
| GRAND CANYON WEST (See PEACH SPRINGS) |
| GREENLEE CO (See CLIFTON-MORENCI) |
| H. A. CLARK MEM FLD (See WILLIAMS) |





DSN 899–2241, C928–328–2241/2014. C–130 and larger acft are prohibited from making U-turns on rwy unless rar for emergency or congestion and must be approved by Base OPS. No ops permitted when afid clsd. **CAUTION** Intense opr on Cibola Range 1 NM N of airfield. Intense parachute drop opr vicinity 5 NM of airfield year round. Wildlife hazard, wild horses and burrow may be on airfield, use extreme caution during night opr. **TFC PAT** TPA—1911(1478) fixed wing, 1111(678) rotary wing. **MISC** Late arrival ctc Base Ops DSN 899–2014/2241, C928–328–2014/2241, and after duty hours call C928–920–1928. Rental car avbl thru Base OPS. **WEATHER DATA SOURCES:** AWOS–3 128.225 (928) 328–5238. **COMMUNICATIONS: CTAF** 126 2 242 175


YUMA APP CON 124.7 374.8 YUMA DEP CON 125.55 281.0 GND CON 121.8 229.4 RANGE 119.0 248.4 (Airfield advisory 126.2 242.175) YUMA RCO 122.2 (PRESCOTT RADIO) YUMA RCO 122.6 (SAN DIEGO RADIO) AFLD ADVISORY 126.2 242.175 RADIO AIDS TO NAVIGATION: NOTAM FILE SAN. BARD (H) VORTAC 116.8 BZA Chan 115 N32°46.09' W114°36.17' 048° 11.8 NM to fld. 130/14E.



LAUGHLIN/BULLHEAD INTL (See BULLHEAD CITY)


| LIBBY N31°3 | 35.38' W110°21.30' NOTAM FILE FHU. | PHOENIX |
|---------------|--|------------|
| (T) VOR 113.6 | 6 FHU at Sierra Vista Muni—Libby AAF. Unmonitored when twr clsd. | H–4J, L–5C |
| No NOTA | M MP 2 nd Tue of month 1500–1900Z. Unusable: 110°–225° byd 15 NM. | |


I IIKF AFR (LUF)(KLUF) AF 7 W UTC-7 N33°32.10' W112°22.98' PHOFNIX 1085 B TPA—See Remarks NOTAM FILE LUE Not insp H-41 I-5B A RWY 03L-21R: H10012X150 (ASPH) ΠΙΔΡ ΔΠ PCN 42 R/C/W/T HIRL RWY 03L: PAPI(P4L)-GA 3.0° TCH 50'. RWY 21R: PAPI(P4L)-GA 3.0° TCH 47'. Rgt tfc. RWY 03R-21L: H9904X150 (CONC) PCN 62 R/B/W/T HIRL RWY 03R: ALSF1. PAPI(P4L)-GA 3.0° TCH 51'. RWY 21L: ALSF1. PAPI(P4L)-GA 3.0° TCH 47'. Rgt tfc. ARRESTING GEAR/SYSTEM RWY 03L HOOK BAK-9(B) (22' OVRN) HOOK BAK-12A(B) (1444') HOOK BAK-12A(B) (1519') HOOK BAK-9(B) (36' OVRN) RWY 21R RWY 03R HOOK BAK-9(B) (50' OVRN) HOOK BAK-12A(B) (1413') HOOK BAK-12A(B) (1453') HOOK BAK-9(B) (30'OVRN) RWY 21L MILITARY SERVICES: LGT Rwy 21L ALSF1 NSTD. PAPI GS 3° with touchdown point approximately 945' past thid on all rwy. Rwy 03R-21 ILS and PAPI GS not coincidental all rwy thId lighting is gated. A-GEAR Rwy 03L-21R apch and departure end BAK-12A in raised position with 8 point tie-downs. Rwy 03R-21L dep end BAK-12A in raised position. Rwy 03R-21L apch end BAK-12A in raised position with 30 min prior notice. During extended single rwy opr, app and dep end BAK-12A and BAK-9 in raised position for the open rwy. Rwy 03L-21R apch and departure end BAK-9 in raised position (located in overrun/underrun). Rwy 03R-21L departure BAK-9 in raised JASU 2(AM32A-60A) 2(MC-1A) FUEL J8 FLUID SP PRESAIR LPOX LOX position (located in overrun). nII 0-128 Packaged only, rgr hand transfer; 133-148-156 SOAP TRAN ALERT Ltd tran parking. Expect up to 4 hr syc delay. Follow me syc avbl on request. No fleet syc avbl. No F16 GE engine tran support avbl. MILITARY REMARKS: Special Air Traffic Rules-Part 93, see Regulatory Notices. Opr Mon-Thu 1330-0530Z, Fri 1330-0130Z; clsd weekends and holidays. See FLIP AP/1 Supplementary Arpt Remarks RSTD PPR all acft except Aero-Medical Evacuation mission, ctc Base OPS DSN 896-7131, C623-856-7131/7132, Acft must adhere to PPR arrival block time +/- 30 min of scheduled ldg. Tran acft will make full stop ldg during local training period. Minimum 24 hr advance coordination for acft with gross weight of 135,000 lb or more. No local sorties will be flown out by tran acft. All acft larger than KC-135 PPR from afld manager prior to utilizing Rwy 03L-21R. AV-8 acft may not conduct hover ldg without specific permission of Luke Twr. All acft will file a flight plan prior to departure. No practice apch for civil acft at Luke AFB and auxiliary fld due to student training. Twy F closed until further notice. CAUTION Extensive student jet tfc. Pilots should use extreme caution when flying Rwy 03-21 final apch course due to VFR flyways. High potential for hydroplaning on both rwy during wet conditions. 100' unlit obstruction (trees) located 2940' from thId Rwy 03L, 1389' east of extended rwy centerline. Men and equipment located on clsd portion of Twy A in Rwy 21R apch end clear zone daily Fri-Sun. Instrument and VFR hold mark intersection on Twy Bravo at the intersection of Rwy 03R-21L. Apron lgt pole located 1200' SE from Rwy 03R-21L centerline, 456' and 676' from Rwy 21L thId and apron Igt pole located 1430' SW from Rwy 03R-21L centerline, 676' from Rwy 21L thld. Various 90' Igt poles located near fire training facility located 1358.3' from Rwy 21R centerline. TFC PAT Overhead 300 KIAS, 3000' until 5 DME then 2600'. Rwy 03R/L left tfc. Conventional 2100'. Rwy 03L/R left tfc with base leg position to avoid Phoenix-Goodyear Arpt Tfc Area 4 NM south. Rwy 21R/L rgt tfc with base leg outside housing area 1 NM east. NS ABTMT Extremely noise sensitive area 5 NM northeast. MISC First 3600' of Rwy 03L and first 1000' Rwy 21R is concrete mid 5400' asphalt. Four engine acft will if authorized, shut-down outboard engine prior to taxi after ldg. KC135 or larger acft expect back taxi procedure after Idg Rwy 21L/R. Classified storage for tran aircrews is no longer avbl at Afld Management Ops, please contact Command Post for storage at DSN 896-5600 or COMM (623) 856-5600. WEATHER DATA SOURCES: ASOS (623) 856-4361. COMMUNICATIONS: ATIS 134.925 269.9 C623-856-2361/2362 PTD 372.2 APP/DEP 118.15 363.12 (Mon-Thu 1330-0530Z, Fri 1330-0130Z; clsd weekends and holidays) TOWER 119.1 379.9 (Mon-Thu 1330-0530Z, Fri 1330-0130Z; clsd weekends and holidays) GND CON 133.175 335.8 CLNC DEL 126.25 273.475 COMD POST (RAYMOND 18) 349.4 PMSV METRO 267.4 (Mon-Thu 1330-0530Z, Fri 1330-0130Z, clsd wkend and hol. Trans acft wx briefing svc ctc 25 OWS, Davis Monthan AFB, DSN 228-6598/6599/6588, Augmented ASOS in use during afld hrs. ASOS observations avbl at DSN 896-4361 or C623-856-4361. AIRSPACE: CLASS D svc Mon-Thu 1330-0530, Fri 1330-0130Z, closed weekends and holidays, other times CLASS G. RADIO AIDS TO NAVIGATION: (L) TACAN Chan 77 LUF (113.0) N33°32.26'W112°22.91' at fld. 1108/13E. No-NOTAM MP Sun 1500-1900Z, Wed 1000-1300Z. Opr 1330-0530Z, monitor by Luke RAPCON during opr hr. TACAN unusable: 130°-160°byd 29 NM blo 9,000' 235°-305° byd 38 NM 235°-305° byd 19 NM blo 8,000' 305°-320° byd 34 NM blo 8,000' 235°-305° byd 27 NM blo 12,000' IIS 108 7 Rwy 03R. Back course unusable. No NOTAM MP; Tue, Thu 1000-1300Z. I-LUF IIS 110 9 Rwy 21L. Back course unusable. No NOTAM MP; Tue, Thu 1000-1300Z. I-EMJ




 $\gamma_{\mu\nu}$

| IARICOPA Estrella sailf | ORT (E68) 6 W | UTC-7 | N33°05.12' W112°09.66' | PHOENIX |
|---|---|--|---|--|
| 1273 NOT | AM FILE PRC | | | |
| RWY 07-25: 374 | 0X20 (DIRT) | | | |
| RWY 07: Brus | h. RWY 25: Bru | ish. | | |
| RWY OGR-24L: H RWY OGR: Rgt | 2520X30 (ASPH) tfc. | | | |
| 0 | 995X25 (DIRT) | | | |
| RWY OGC: Bru | () | NY 24C: Brus | sh. | |
| | 910X25 (DIRT) | | | |
| RWY 06L: Tre | . , | | | |
| - | | - | v ctc (520) 568–2318. Hills NW, W, SW. Power Powered aircraft are requested to use rwy no | |
| of runways; Powered ac aerobatic b Paved rwy f COMMUNICATION | glider pattern is N of t be alert for heavy ox is active from 160 or tkf only. | f runways. glider tfc op | v ctc (520) 568–2318. Hills NW, W, SW. Power Powered aircraft are requested to use rwy no berating without communication within 5 NM one square mile around the PXR194023. He: | t in use by gliders. of Estrella Sailport. An |
| of runways; Powered ac aerobatic b Paved rwy f COMMUNICATION EADVIEW PEARCE FERRY 2941 NOT | glider pattern is N c t be alert for heavy ox is active from 160 or tkf only. 5: CTAF 122.9 (L25) 3 N UT AM FILE PRC DOX110 (DIRT) | f runways. glider tfc op 00–0100Z, | Powered aircraft are requested to use rwy no perating without communication within 5 NM | t in use by gliders. of Estrella Sailport. An |






PARKER AVI SUQUILLA (P2Ø) 1 E UTC-7 N34°08.99' W114°16.07' PHOENIX 458 B S4 FUEL 100LL, JET A TPA-1258(800) NOTAM FILE PRC H-41. L-5A RWY 01-19: H6250X100 (ASPH) S-30, D-50 MIRL IΔP RWY 01: PAPI(P4L). Rgt tfc. Pole. RWY 19: PAPI(P4L)-GA 3.0° TCH 21'. Tree. AIRPORT REMARKS: Attended 1500-0500Z. Service fee for fuel when arpt is unattended. Minimum altitude over Colorado River 1500'AGL, ACTIVATE MIRL Rwy 01-19 and twy lgts-CTAF. WEATHER DATA SOURCES: AWOS-3 132.75 (928) 669-2160. 1 0 **COMMUNICATIONS: CTAF/UNICOM** 122.725 ¢ L.A. CENTER APP/DEP CON 128.15 11 10 RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. 6250+, PARKER (H) VORTAC 117.9 PKE Chan 126 N34°06.12' W114°40.93' 067° 20.8 NM to fld. 1000/15E.




| URAND GF | ANTON G | AVERNS | (L37) | 9 E | UIC-7 | N35°31.62 | W113* | 14.85 | | PHOENIX |
|----------|-------------|-------------|------------|---------|-----------|---------------|-----------|----------------|--------------------------|---------|
| 5386 | NOTAM | I FILE PRC | | | | | | | | |
| RWY 05- | 23: 5100 | X45 (GRVL | .) | | | | | | | |
| RWY 0 | 5: Fence. | RV | VY 23: Fen | ce. | | | | | | |
| AIRPORT | REMARKS: | Attended | dalgt hou | rs. Elk | on and in | vof arpt. Pra | rie dog h | noles within 5 | ' of rwy edge full lengt | h. |
| Rwy (| 05–23 2– | -3' brush v | vithin 10 | of rwy | edge full | length. | | | | |
| COMMUN | ICATIONS: 0 | CTAF/UNICON | 122.8 | | | | | | | |
| | | | | | | | | | | |

| 4825 Class III, ARFF Index A NOTAM FILE PRC RWY 17-35: H5058X60 (ASPH) RWY 17: Rgt tfc. RWY 35: Road. AIRPORT REMARKS: Attended dalgt hrs. Use extreme care tfc in and around vicinity of the arpt. Arpt not avbl fo | - |
|---|--|
| | FILE PRC. PHOENX If to Kingman. 4760/15E. HIWAS. H-4I, L-8F |
| PEARCE FERRY (See MEADVIEW) | |
| 1580 FUEL 100LL NOTAM FILE PRC RWY 05C-23C: 4200X100 (DIRT) RWY 05C: ThId dsplcd 490'. Road. Rgt tfc. RWY RWY 05L-23R: 4200X100 (DIRT) RWY 05L: ThId dsplcd 480'. Road. Rgt tfc. RWY 23R: ThI RWY 05R-23I: 4200X100 (DIRT) RWY 14-32: 2400X100 (DIRT) RWY 14-32: 2400X100 (DIRT) RWY 14: ThId dsplcd 280'. Road. Rgt tfc. RWY 32: ThIC AIRPORT REMARKS: Attended 1600-0000Z. Aerobatic acti on and invof arpt. Powered acft preferred Rwy 23R- with balls across thIds. BIdg and parked acft located separations do not meet minimum standards, simul underground gas pipelines located 240' from end of with white chalk and small white tires. Ctc FB0 on 1 COMMUNICATIONS: CTAF 122.9 | 4' W112°15.04' PHOENIX 23C: Thid dsplcd 200'. Road. d dsplcd 63'. Road. Rgt tfc. 23L: Thid dsplcd 240'. Road. d dsplcd 300'. Road. ivity on and invof arpt. Extensive glider and ultralight activity 05L. Rwy 23C, Rwy 23R and Rwy 23L +24' P-line marked d 120' South of Rwy 05R-23L approximately midpoint. Rwy Itaneous ops not authorized on any two rwys. Shallow f runway 23L, 23C, and 23R. Dsplcd thids on all rwys marked 22.9. |
| PHOENIX N33°25.98' W111°58.21' NOTAM FILE PR (H) VORTACW 115.6 PXR Chan 103 260° 2.1 NM VORTAC unusable: 360°-015° byd 33 NM blo 11,000' 345°-034° byd 10 NM blo 6,000' 090°-100° byd 15 NM blo 8,000' 190°-230° byd 20 NM blo 10,000' VOR unusable: 345°-360° byd 33 NM blo 10,000' DME unusable: 345°-360° byd 33 NM blo 10,000' DME unusable: 345°-360° byd 33 NM blo 11,000' RC0 122.6 122.2 (PRESCOTT RADIO) PROVINCE PROV | C. PHOENIX to Phoenix Sky Harbor Intl. 1182/12E. HIWAS. H–4I, L–5B, A 345°–034° byd 20 NM blo 8,000′ 185°–190° byd 30 NM blo 8,000′ 185°–190° byd 38 NM blo 9,000′ 015°–034° byd 33 NM blo 10,000′ |


PHOENIX GOODYEAR (See GOODYEAR)





HELIPAD H1: H60X60 (CONC) HELIPORT REMARKS: Helipad H1 weight bearing capacity 12,000 lbs gross weight.


near our nemation. Herpoor her weight bearing capacity 12,000 his gloss weight.



PLEASANT VALLEY (See PEORIA)

| | ' W110°25.40' DENVE |
|--|---|
| 5573 TPA—6398(825) NOTAM FILE PRC | L-8 |
| RWY 04-22: H4200X50 (ASPH) LIRL | |
| RWY 04: Brush. RWY 22: Brush. | |
| | condition, has numerous cracks and holes. Rwy 04–22 has 1–3' |
| | h of rwy. Road crossing rwy. Wash in safety zone. This arpt |
| | ots need to be aware of all restrictions and check for any NOTAMS |
| in advance of flying through the MOA. | |
| COMMUNICATIONS: CTAF 122.9 | |
| RADIO AIDS TO NAVIGATION: | |
| TUBA CITY (H) VORTAC 113.5 TBC Chan 82 | N36°07.28' W111°16.18' 100° 45.7 NM to fld. 4960/15E. |
| PRESCOTT | |
| ERNEST A. LOVE FLD (PRC) 7 N UTC-7 | V34°39.27' W112°25.18' PHOENI |
| 5045 B S4 FUEL 100LL, JET A TPA—S | ee Remarks Class I, ARFF Index A H-4I, L-8 |
| NOTAM FILE PRC | IAP, A |
| RWY 03R-21L: H7616X150 (ASPH-PFC) S-63, [| 0-80, ST-101, |
| DT-100 MIRL 1.0% up SW | Rwy 12-30: 4408 X 75 |
| RWY 03R: REIL. PAPI(P4L)—GA 4.0° TCH 45'. Th | |
| Road. Rgt tfc. | |
| RWY 21L: MALSR. REIL. PAPI(P4L)-GA 3.0° TCF | 45', Ret tfc. |
| | IRL 0.8% up SW |
| RWY 03L: PAPI(P2L)—GA 3.0° TCH 40'. Thid dsp | |
| RWY 21R : PAPI(P2L)—GA 3.0° TCH 40'. Rgt tfc. | India |
| RWY 12–30: H4408X75 (ASPH) S–12.5 MIRI | . 0.6% up SE |
| RWY 12: REIL. PAPI(P2L)—GA 3.0° TCH 48'. Th | |
| RWY 30: REIL. PAPI(P2L)—GA 3.0° TCH 40'. | |
| LAND AND HOLD SHORT OPERATIONS | 1.00 00 144 |
| | AVBL |
| | |
| AIRPORT REMARKS: Attended 1100–0700Z. Fuel avt | |
| 928-443-9333. After hrs avbl per advance re | august Bury 0.2L 21B |
| CLOSED 0500–1300Z. Wildlife invof rwys and | turne Apft departing |
| Rwy 21L continue rwy heading until across hig | |
| immediate left turn. 20' drop off 300' from ap | |
| | ed to acft 12,500 pounds or less. Overnight parking fee. Ldg |
| | ater based upon maximum certificated ldg weight. TPA for light |
| | I turbo prop/jet and high performance acft all rwys 6545(1500). |
| | tt—ctc arpt opr 928–771–1150. After 0500Z ACTIVATE MIRL |
| | 30 frequency 128.75. NOTE: See Special Notices—Extensive |
| Flight Training in the vicinity of Ernest A. Love | |
| WEATHER DATA SOURCES: ASOS (928)717–1287. | Telu, Prescoll, AZ. |
| | N 400 0F |
| | DM 122.95 |
| PRESCOTT RC0 122.4 122.2 (PRESCOTT RADIO) | |
| ALBUQUERQUE CENTER APP/DEP CON 128.45 | N 404 7 |
| | N 121.7 |
| AIRSPACE: CLASS D svc (1300–0500Z) other times (| lass E. |
| RADIO AIDS TO NAVIGATION: NOTAM FILE PRC. | |
| DRAKE (H) VORTACW 114.1 DRK Chan 88 | N34°42.15' W112°28.82' 120° 4.2 NM to fld. 4963/14E. |
| ILS/DME 108.5 I-PRC Chan 22 Rwy 21 | |
| COMM/NAV/WEATHER REMARKS: Ctc Prescott Radio for | airport advisory service on 125.3 when twr is clsd. |
| ROBLES N32°04.44′ W111°21.62′ NOTAM FIL | E PRC. PHOENI |
| NDB (MHW) 220 RBJ 070° 10.2 NM to Ryan F | ld. L–5 |
| | |
| ROLLE AIRFIELD (See SAN LUIS) | |
| RYAN FLD (See TUCSON) | |

RYAN FLD (See TUCSON)



SAN CARLOS APACHE (See GLOBE)

COMMUNICATIONS: CTAF/UNICOM 122.8 RCO 122.1R 112.3T (PRESCOTT RADIO) Albuquerque center App/Dep con 124.325 Radio AIDS to Navigation: Notam File SJN.

WEATHER DATA SOURCES: ASOS 134,225 (928) 337-3061.

284° 13.0 NM to fld. 6840/12E.

(H) VORTAC 112.3 SJN Chan 70 N34°25.44' W109°08.61'

SAN LUIS

 ROLLE AIRFIELD
 (44A)
 5 ENE
 UTC-7
 N32°30.98' W114°41.90'
 PHOENIX


 163
 NOTAM FILE PRC
 RWY 17-35:
 H2800X60 (ASPH)


 AIRPORT REMARKS: Unattended. Arpt unlgtd-frequent ngt military flights conducted. Arpt fenced and locked-inaccessible from ground. For access ctc arpt manager 928-726-5882. 0il treated area surrounding existing paved rwy is heavily rutted. Mil ops require prior permission. Call 928-726-5882 ext 156.
 COMMUNICATIONS: CTAF 122.9

C


 \sim

a








SW, 08 APR 2010 to 03 JUN 2010




SIERRA VISTA MUNI-LIBBY AAF (See FORT HUACHUCA-SIERRA VISTA)










VALLE See (GRAND CANYON)





WHITMORE

 GRAND CANYON BAR TEN AIRSTRIP
 (1Z1)
 60 SE
 UTC-7
 N36°15.39' W113°13.85'
 LAS VEGAS


 4100
 FUEL
 JETA
 NOTAM FILE PRC
 RWY 16-34: 4600X40 (DIRT)
 RWY 16-34: 4600X40 (DIRT)
 RWY 16-B4: 4600X40 (DIRT)
 RWY 34: Hill.
 AIRPORT REMARKS: Attended May-Oct dalgt hrs. Nov-Apr unattended. For arpt information ctc arpt manager
 435-628-4010. Watch for livestock on rwy. Rwy 16 first 2500' paved with chip seal. Ldg fee.


 COMMUNICATIONS: CTAF 122.9






WILLIAMS







PHOENIX

| WILLIE N33°18.19' W111°39.09' NOTAM FILE IWA. | PHOENIX |
|---|------------|
| (L) VORTACW 113.3 IWA Chan 80 at Phoenix-Mesa Gateway. 1370/13E. HIWAS. | H-41, L-5B |
| VOR unusable: | |
| 320°–300° byd 20 NM blo 7,500' | |
| 300°–320° byd 25 NM blo 7,500' | |
| DME unusable: | |
| 020°-055° byd 30 NM blo 12,000'. | |






```
ARIZONA
```



CALIFORNIA

| ABETA N40°57.88' W124°05.92' NOTAM FILE ACV. NDB (LMM) 233 CV at Arcata. Unusable: 005°-100° byd 10 NM 100°-155° byd 5 NM 155°-170° byd 10 NM | KLAMATH FALLS L-2 |
|--|---|
| ADIN (A26) 1 SW UTC-8(-7DT) N41°11.19' W120°57.26' 4229 TPA—5029(800) NOTAM FILE RIU RWY 09-27: H2850X40 (ASPH) S-12 RWY 12: Thid dsplcd 286'. Road. AIRPORT REMARKS: Unattended. Rwy 09-27 severe cracks in pavement. COMMUNICATIONS: CTAF 122.9 | KLAMATH FALL: |
| AGUA CALIENTE (L54) 1 NE UTC-8(-7DT) N32°57.34' W116° 1220 TPA—2020(800) NOTAM FILE SAN RWY 11-29: H2500X60 (ASPH-ASFC) S-12 RWY 11: Mountain. RWY 29: Rgt tfc. AIRPORT REMARKS: Unattended. Wind permitting, use of Rwy 29 for landin 460' hill ½ mile west of arpt. Rwy cracking with some pavement breat COMMUNICATIONS: CTAF 122.9 | g and Rwy 11 for dep recommended due to |
| AGUA DULCE (LTØ) 2 E UTC-8(-7DT) N34°30.15' W118°18.88 2660 FUEL 100LL TPA—3460(800) NOTAM FILE RAL RWY 04-22: H4600X50 (ASPH) RWY 04-22: H4600X50 (ASPH) RWY 22: Thid dspicd 580'. Building. RWY 22: Thid dspicd 583'. Fence. Rgt tfc. AIRPORT REMARKS: Attended 1600-0200Z‡. Arpt unattended Christmas Day, Thanksgiving Day and New Years Day. Fuel is self svc. Arpt CLOSED SS-SR. All night ops prohibited by local restrictions. Formation arr and dep prohibited. No touch and go Idgs. No aerobatics permitted. 10-25' wide ditch at 170' along SE edge of rwy. Avoid flying within 1000' of school approximately one mile SW. Rwy 04 dep avoid flying over homes 2000' NE of rwy end. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE PMD. PALMDALE (M) VORTAC 114.5 PMD PALMDALE (M) VARIA 114.5 PMD V118°03.83' 223° 14.6 NM to fid. 2498/15E. | LOS ANGELE L-3E, 4G, 7/ |







ANGELS CAMP N38°01.40' W120°35.40'


RCO 122.3 (RANCHO MURIETA RADIO)


SAN FRANCISCO H-3B. L-3B







ARMITAGE FLD (See CHINA LAKE NAWS)








ILS/DME 111.9 I-BFL Chan 56 Rwy 30R. ILS unmonitored when twr clsd.



| BEALE AFB (BAB)(KBAB) AF 6 E UTC-8(-7DT) N39°08.17' W121°26.19' | SAN FRANCISCO |
|---|--------------------|
| 113 B TPA—See Remarks NOTAM FILE BAB Not insp. | H–3B, L–2G, 3A |
| RWY 15-33: H12000X300 (CONC-GRVD) PCN 76 R/B/W/T HIRL | DIAP, AD |
| RWY 15: ALSF1. PAPI(P4L). RWY 33: ALSF1. PAPI(P4L). | |
| MILITARY SERVICE: JASU (AM32A-60A) (A/M32A-86) 7(MC-1A) (MC-2A) FUEL J8 FLUID W SP LPO | X LOX |
| OIL 0-128-133-148 TRAN ALERT Svc avbl Mon-Fri 1500-0000Z‡ except federal holidays. Acft | that arrive after |
| 2300Z‡ will not be svc until next duty day. Fleet svc avbl, 24 hr prior notice rqr. | |
| MILITARY REMARKS: Opr Mon-Thu 1500-0600Z‡, Fri 1500-0200Z‡, CLOSED weekends and holidays | . See FLIP AP/1 |
| Supplementary Arpt Remark. RSID PPR 24 hr prior notice, ctc Base OPS DSN 368-2002/9120, | |
| C530-634-2002/9120. Issued PPR valid 1 hr +/- ETA, early/late arr/dep must be re-coordina | ated. Ctc |
| Command Post DSN 368–5700 for acft practice apch approval. No transient acft practice apch | |
| 1400–0200Z [‡] , other times transient acft can expect local training to receive priority. Transient | acft with PPR |
| number authorized single apch to full stop ldg. Limited parking avbl. Twy M rstd to daytime VFR | ops only. CAUTION: |
| Beale AFB is located on a major migratory bird flyway. Security fence and Igts located less than | 200' fm Twy F |
| centerline. Runway 300' wide marked at 150'. Full 300' width useable. TFC PAT TPA-Rectangula | ar pattern 1100 |
| (987), overhead pattern 2100 (1987). Fighter type acft fly rgt tfc Rwy 15. CSTMS/AG/IMG 24 hr price | or notice rqr for |
| Customs and Agriculture. MISC Transient acft expect progressive taxi. No COMSEC material avbl | . Transient |
| aircrew should plan to arrive with appropriate COMSEC to complete entire mission. AFRC 940th | Command Post, |
| DSN 368-1901, C530-634-1901. | |
| COMMUNICATIONS: ATIS 273.5 (Opr during Wing ops) PTD 140.875 372.2 (140.875 for use only wit | hin 16.2 NM, |
| 15,000' or blo) | |
| (R) NORCAL APP/DEP CON125.4 259.1 | |
| TOWER 119.4 276.15 (Mon-Thu 1500-0600Z‡, Fri 1500-0200Z‡. clsd weekends and holidays. |) |
| GND CON 121.6 257.75 | |
| WING COMMAND POST 321.0 311.0 (321.0 Inbound acft ctc Command Post 35 min prior ETA with in | itentions.) |
| 940th COMMAND POST (TAHOE CON) 256.025 PMSV METRO 239.8 (Full svc avbl during hrs of sched | Juled ops, limited |
| svc other times.) PMSV svc avbl only when Wx Flight on duty. Wx obsn avbl 24 hr via auto obs | n system; wx |
| flight on duty during normal wing flying hr or forcast severe wx DSN 386-9134, C530-634-9 | 134. During Wx |
| Flight closures remote briefing svc avbl from 25 Op Wx Squadron DSN 228–6598/6599/658 | 8. When auto |
| obsn system inoperable, obstruction from 325°–060°, 080°–220° and 245°–280° may impac | t prevailing |
| visibility." SOF 139.6 240.225 | |
| AIRSPACE: CLASS C continuous etc APP CON. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE BAB. | |
| (H) TACAN Chan 23 BAB (108.6) N39°08.09' W121°26.44' at fld. 90/16E. No NOTAM MP | Thu |
| 1200–1800Z‡. | |
| ILS 109.5 I-BAB Rwy 15. No NOTAM MP Tue 1200–1800Z‡. | |
| ILS 109.5 I-MIZ Rwy 33. No NOTAM MP Tue 1200-1800Z‡. | |
| ASR/PAR PAR Tue-Thu 1800-2200Z‡. PAR No NOTAM MP Mon -Fri 1500-1730Z‡. | |
| BEAVER N32°52.79' W118°26.45' NOTAM FILE NSD. | LOS ANGELES |
| (W) TACAN Chan 86 NSD (113.9) at San Clemente Island NALF. 2000/14E. | H-4H, L-4G |
| TACAN unusable 240°–290°, 325°–020° | |
| mont and able 240 - 250 , 525 - 520 | |


| BECCA N33°45.40' W118°04.64' NOTAM FILE LGB. | LOS ANGELES |
|---|--|
| NDB (LOM) 233 LG 301° 5.2 NM to Long Beach (Dau | herty Fld). Unmonitored 0745–1415Z‡ COPTER |
| (when LGB twr clsd). | L-3E, 4G, A |





 BIG SUR
 N36°10.88' W121°38.53'
 NOTAM FILE OAK.
 SAN FRANCISCO

 (L) VORTACW 114.0
 BSR
 Chan 87
 104° 22.7 NM to Tusi AHP (Hunter Liggett). 4085/16E.
 H-46, L-3C

 DME portion unusable 320°-085° byd 35 NM blo 9,000'
 SAN FRANCISCO
 H-46, L-3C









BORREGO VALLEY (See BORREGO SPRINGS)

BRACKETT FLD (See LA VERNE)



BRIDGE BAY RESORT SPB (See REDDING)



| 778 B S4 F | | DT) N34°12.03' W118 | | LOS ANGEL |
|--|--|--|---|--|
| DWW AF AA HAAAAFY | | DGAS OX 1, 3 LRA | | NOTAM FILE BUR COPT |
| | 150 (ASPH-GRVD) | S-30, D-180, ST-175, | DT-300 MIRL | H-4H, L-3E, 4G, 7B |
| 1.2% up NW | | | | IAP, |
| | . , | 42'. Thid dsplcd 909'. | | |
| Railroad. Rgt tfc. | | | | SI XX |
| | | 61'. Thid dspicd 350'. P | | |
| | | S-30, D-180, ST-175, | | Cor XX |
| | 0.5% up W | ULZE/ Deed Dat to | | |
| RWY 26: REIL, POI | PAPI(P4L)—GA 3.0° TC | H /5'. Road. Rgt ttc. | | a l |
| LAND AND HOLD SHORT | | | 1 | 6 |
| LAND AND HOLD SHORT | HOLD SHORT POINT | DIST AVBL | | 1 1 2 |
| RWY 15 | 08–26 | 4250 | | i 113 |
| ARRESTING GEAR/SYSTE | | 4250 | | |
| RWY 08: EMAS | | | AS a 3 5800 | 2 X 150 ≯ |
| AIRPORT REMARKS: Att | ended continuously. F | Rwy 08 CLOSED tkf | ∞1 | |
| | , | der activity between 5 ar | nd L, 🔍 🔍 🐙 🖷 | |
| 10 NM N of arpt | 6000' AGL SR-SS. Bi | rd activity N end Rwy 15 | -33 +++++ | |
| and W end Rwy (| 8–26. Helicopter and | fixed wing acft operatin | g i i i i i i i i i i i i i i i i i i i | 1 |
| 2503' MSL (150 | 0 AGL) and below at V | Vhiteman Arpt 5 miles N | .w. | 000 |
| Turbulent condition | ons near arpt at times | s of high winds from N a | nd E. | 0000 |
| Downdrafts/wind | shear may occur at li | iftoff or final. Helicopter | | |
| arrivals restricte | d to Rwy 08–26 and R | wy 15-33. Auto-coupled | d apchs not authorized blo | 977' MSL 0.42 NM |
| to AER. Rwy 15 \ | ASI unusable byd 5° (| of centerline. Rwy 08 rur | nway visual range touchdo | wn. 8' blast fence |
| 260' from depar | ure end of Rwy 26. 14 | 4' blast fence 256' from | departure end of Rwy 08 | 14' blast fence 35' |
| | nd of Rwy 15. 14' bla | st fence 93' from depart | ture end of Rwy 33. Twy A | restricted to acft with |
| | | | an of 95 ft or less. Twy B r | |
| wingspan of 171 | or less beginning 300 | | ntinuing north. Nstd blue t | |
| wingspan of 171 wingspan of 79′ | | | when directed by twr. No ; | teneral aviation acft |
| wingspan of 171 wingspan of 79' the west end of | Twy Delta used to bypa | ass the ILS critical area | | - |
| wingspan of 171 wingspan of 79' the west end of parking at termir | Twy Delta used to bypa al ramp. Restrictions | and fines effective 0600 | 0–1500Z‡ for stage 2 jets | , certain props, |
| wingspan of 171 wingspan of 79' the west end of parking at termir run-ups and fligh | Twy Delta used to bypa nal ramp. Restrictions t training activities, ca | and fines effective 0600 | 0–1500Z‡ for stage 2 jets re operating. Pilots should | , certain props, |
| wingspan of 171 wingspan of 79' the west end of parking at termir run-ups and fligh noise rules 818- | Twy Delta used to bypa nal ramp. Restrictions t training activities, ca 840–8840. | and fines effective 0600 all 818–840–8840 befor | , , | , certain props, |
| wingspan of 171 wingspan of 79' the west end of parking at termir run-ups and fligh noise rules 818- WEATHER DATA SOURCE | Twy Delta used to bypa nal ramp. Restrictions t training activities, ca :840–8840. (\$: ASOS (818) 841–13 | and fines effective 0600 all 818–840–8840 befor 384. LAWRS. | re operating. Pilots should | , certain props, call ahead for arpt |
| wingspan of 171 wingspan of 79' the west end of parking at termir run-ups and fligh noise rules 818- WEATHER DATA SOURCE COMMUNICATIONS: D-A | Twy Delta used to bypa nal ramp. Restrictions t training activities, ca 840–8840. (S: ASOS (818) 841–11 (S: 134.5 (818) 843–6 | and fines effective 0600 all 818–840–8840 befor 384. LAWRS. 6633 135.125 (Arr via F | re operating. Pilots should | , certain props, |
| wingspan of 171 wingspan of 79' the west end of parking at termir run-ups and fligh noise rules 818- WEATHER DATA SOURCE COMMUNICATIONS: D-A DURBANK RCO 122. | Twy Delta used to bypa all ramp. Restrictions t training activities, ca 840–8840. Si: ASOS (818) 841–1: TIS 134.5 (818) 843–6 35 (HAWTHORNE RAD | and fines effective 0600 all 818-840-8840 befor 384. LAWRS. 6633 135.125 (Arr via F 010) | re operating. Pilots should | , certain props, call ahead for arpt UNICOM 122.95 |
| wingspan of 171 wingspan of 79' the west end of ' parking at termir run-ups and fligh noise rules 818- WEATHER DATA SOURCE COMMUNICATIONS: D-A BURBANK RCO 122 (R) SOCAL APP/DEP CON | Twy Delta used to byp: al ramp. Restrictions t training activities, ca 840–8840. S: ASOS (818) 841–1: IN: 134.5 (818) 843–6 35 (HAWTHORNE RAD 135.05 (BUR 050°–1 | and fines effective 0600 all 818-840-8840 befor 384. LAWRS. 6633 135.125 (Arr via F 010) | re operating. Pilots should | , certain props, call ahead for arpt UNICOM 122.95 |
| wingspan of 171 wingspan of 79' the west end of ' parking at termir run-ups and fligh noise rules 818- WEATHER DATA SOURCE COMMUNICATIONS: D-A BURBANK RCO 122. (R) SOCAL APP/DEP CON 120.4 (VNY 28 | Fwy Delta used to byp; al ramp. Restrictions t training activities, ca 840–8840. S: ASOS (818) 841–1: IIS 134.5 (818) 841–1: IIS 134.5 (818) 843–6 35 (HAWTHORNE RAD 135.05 (BUR 050°–1 30°–BUR 050°) | and fines effective 0600 all 818–840–8840 befor 384. LAWRS. 5633 135.125 (Arr via Fi 500) .50°), 134.2 (VNY 160°- | re operating. Pilots should IM/PMD VORTAC only.) -280°), 124.6 (S between | , certain props, call ahead for arpt UNICOM 122.95 |
| wingspan of 171 wingspan of 79' the west end of ' parking at termin run-ups and fligh noise rules 818- WEATHER DATA SOURCE COMMUNICATIONS: D-A BURBANK RCO 122. (R) SOCAL APP/DEP COM 120.4 (VNY 22 TOWER 118.7 (HE | Twy Delta used to byp: Iar ramp. Restrictions t training activities, cr. 840-8840. 35. ASOS (818) 841-1: TIS 134.5 (818) 843-6 35 (HAWTHORNE RAD 135.05 (BUR 050°-1 30°-BUR 050°) LICOPTERS) 132.325 | and fines effective 0600 all 818–840–8840 befor 384. LAWRS. 5633 135.125 (Arr via Fi 500) .50°), 134.2 (VNY 160°- | re operating. Pilots should | , certain props, call ahead for arpt UNICOM 122.95 |
| wingspan of 171 wingspan of 79' the west end of parking at termin run-ups and fligh noise rules 818- WEATHER DATA SOURCE COMMUNICATIONS: D-A BURBANK RCO 122. (R) SOCAL APP/DEP COM 120.4 (VNY 28 TOWER 118.7 (HE AIRSPACE: CLASS C sv | Twy Delta used to byp: Iar ramp. Restrictions t training activities, cr. 840-8840. 35. ASOS (818) 841-1: TIS 134.5 (818) 843-6 35 (HAWTHORNE RAD 135.05 (BUR 050°-1 30°-BUR 050°) LICOPTERS) 132.325 | and fines effective 0600 all 818-840-8840 befor 384. LAWRS. 5633 135.125 (Arr via F 010) .50°), 134.2 (VNY 160°- GND CON 123.9 CLM | re operating. Pilots should IM/PMD VORTAC only.) -280°), 124.6 (S between | , certain props, call ahead for arpt UNICOM 122.95 |

ILS 109.5 I-BUR Rwy 08. Class IA. LMM VINEE NDB. Localizer unusable LMM inbound.

BUTTE VALLEY (See DORRIS)

BUTTONWILLOW

ELK HILLS-BUTTONWILLOW (L62) 3 S UTC-8(-7DT) N35°21.21' W119°28.78' 326 TPA-1126(800) NOTAM FILE RIU

RWY 11–29: H3260X50 (ASPH) S–10

RWY 11: Ret tfc.


AIRPORT REMARKS: Unattended. Arpt CLOSED to night ops. Radio controlled model acft below 800' AGL invof arpt. Crop dusting ops prohibited except by PPR arpt manager 661–391–1800.


COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE BFL.

 SHAFTER (H) VORTACW 115.4
 EHF
 Chan 101
 N35°29.07'

 W119°05.84'
 233° 20.3 NM to fld. 548/14E.
 HIWAS.







CABLE (See UPLAND)


CALAVERAS CO-MAURY RASMUSSEN FLD (See SAN ANDREAS)

LOS ANGELES





CALIFORNIA PINES (See ALTURAS)




cheveroned area east of Rwy 26 thld. TPA-877(800) single engine, 1077(1000) multiengine and jets. When twr clsd ACTIVATE MIRL Rwy 08-26 and REIL Rwy 08 and Rwy 26-CTAF. WEATHER DATA SOURCES: ASOS (805) 384-9294. COMMUNICATIONS: CTAF 128.2 ATIS 126.025 (805) 484-3351. (R) POINT MUGU APP/DEP CON 124.7 (1500-0700Z±)

(R) LA. CENTER APP/DEP CON 135.5 other times ctc POINT MUGU CLNC DEL 120.75 (0500–0700Z‡) TOWER 128.2 (1500-0500Z±) GND CON 121.8 CLNC DEL 121.8 AIRSPACE: CLASS D svc 1500-0500Z[±] other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CMA. (L) VORW/DME 115.8 CMA Chan 105 N34°12.75' W119°05.66' at fld 62/15E VOR/DME unusable: 301°-045° 046°-245° byd 20 NM blo 14,000'

276°-300° byd 20 NM blo 14,000'

CAMERON AIRPARK (See CAMERON PARK)



RWY 03: PAPI(P4R)—GA 3.38° TCH 58'.

RWY 21: SALSF. PAPI(P4L)—GA 3.5° TCH 52'. Rgt tfc.

 MILITARY SERVICE: JASU NC-8/NC-10 prior arrangement rqr with MCAS OPS DSN 365-4562/4563

 C760-725-4562/4563.
 FUEL J5.

 TRAN ALERT Ltd tran svc, no maintenance, hangar or tie-down parking

avbl. Tran crews responsible for cold refueling of their own acft. MILITARY REMARKS: Opr Mon and Fri 1600–01002‡, Tue–Thu 1600–0700Z (DT 1500–0700Z), CLOSED Sat, Sun and holidays . Frequent opr hr modifications, check NOTAM. MCAS Fit Clnc manned 1 hr prior opr hr DSN 365–8016/3804, C760–725–8016/3804. High density tfc in Class D Airspace 1900–23002‡, tenant acft have priority for local pattern opr. See FLIP AP/1 Supplementary Arpt Remarks. **RSID** PPR 24 hr prior notice except for hot refueling or pattern work, MCAS OPS DSN 365–4562/4563, C760–725–4562/4563, Mon–Fri 1600–01002‡. Ltd ramp space, acft PPR strictly enforced for all passengers, parts, cargo and tran acft. Heavy Fixed Wing acft (C5, C141, C17) ctc MCAS OPS concerning weight bearing capacity. Heavy acft, full stop Idg only. For use of MCB Range Facilities (L2/DZ/CAL Site/vertical and short take–off and landing aircraft, etc.) ctc MCB Range CON schedule DSN 365–4219/3510, C760–725–4219/3510. CAUTION Numerous hazards to fit/gnd opr. Extensive VFR tfc in Class D Airspace. **TFC PAT** TPA—Fixed Wing 1100(1022), Rotary/Wing 600(522), rising terrain all quadrants to 3200'. All acft use Idg Igt in tfc pattern after SS and in IMC. **NS ABTMT** Avoid overfit MCB Ranch House located 2000' NE aoch end Rwv 21. **MISC** Wx or 24 hr DSN 365–3327. C760–725–3327.

COMMUNICATIONS: ATIS 267.6 (Mon and Fri 1600-0100Z[‡], Tue-Thu 1600-0700Z (DT 1500-0700Z), clsd Sat, Sun and holidays.)

R SOCAL APP/DEP CON 127.3 323.0

 TOWER 128.775 271.6 340.2 (Mon and Fri 1600-0100Z⁺, Tue-Thu 1600-0700Z (DT 1500-0700Z), clsd Sat, Sun and holidays.)
 GND CON 128.775 360.2
 CLNC DEL 126.2 271.6
 RADAR 128.45 236.3

 PMSV METRO 342.4 (opr 24 hr. Wx forecast avbl 2 hr prior notice)
 BASE OPS 265.0

MCB RANGE CON (LONG RIFLE) 123.2 301.9

AIRSPACE: CLASS D svc Mon and Fri 1600–0100Z‡, Tue–Thu 1600–0700Z (DT 1500–0700Z) except Sat, Sun and holidays other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CRQ.


 OCEANSIDE (H) VORTAC 115.3
 OCN
 Chan 100
 N33°14.44' W117°25.06'
 O26° 4.8
 NM to fid. 53/15E.

 (T) TACAN
 Chan 55
 NFG (111.8)
 N33°16.48' W117°23.18'
 O32° 2.2
 NM to fid. 558/13E.
 NOTAM FILE


 NFG. Unmonitored when arpt clsd. No NOTAM MP Fri 2100–0100Z‡.


 NOTAM Pri 2100–0100Z‡.

ASR/PAR (Mon and Fri 1600-0100Z‡, Tue-Thu 1600-0700Z (DT 1500-0700Z), clsd Sat, Sun and holidays.) COMM/NAV/WEATHER REMARKS: Radar See Terminal FLIP for Radar Minima.



CATALINA (See AVALON)





SW, 08 APR 2010 to 03 JUN 2010

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.


• •


. .

.


HELIPAD H1: 64X64 (CONC) S-35


| IA LAKE NAWS (ARMITAGE FLD) (NID) NAS 3 N | W UTC-8(-7DT) | LOS ANGELES |
|---|--|---------------------|
| N35°41.13' W117°41.52' | | H–4H, L–7C |
| 283 B NOTAM FILE NID | Not insp. | DIAP, AD |
| WY 03-21: H9993X150 (PEM) PCN 54 R/C/W/T M | IRL | |
| RWY 21: OLS. 0.8% up. | | |
| WY 14-32: H9013X150 (PEM) PCN 64 R/C/W/T H | IRL | |
| RWY 14: OLS. RWY 32: OLS. | | |
| YY 08-26: H7702X150 (PEM) PCN 76 R/C/W/T M | IRL 0.5% up SW | |
| Rwy 08: PAPI(P4L)—GA 3.0° TCH 50'. RWY 26: OLS. | PAPI(P4L)—GA 3.0° TCH 50'. | |
| RESTING GEAR/SYSTEM | | |
| RWY 03 HOOK E28 (B) (2669') | HOOK E28 | (B) (3384') RWY 21 |
| RWY 14 HOOK E28 (B) (1501') | HOOK E28 | (B) (1201') RWY 32 |
| RWY 08 HOOK E28 (B) (2713') | | |
| LITARY SERVICE: LGT All rwys marked 150' wide, Igtd 200 | ' wide. A-GEAR E-28 (B) Rwy 08-26 nor | rmal derigged 15 |
| minutes notice rqr to rig. JASU 3(GTC-85) 5(NC-10 | A1) 1(NC-10B) 1(NC-10C), (AM32A-108) | , 4 (A/M47A–4), |
| 4 (MSU-200). FUEL J8 Avbl Mon-Thu 1400-0700Z | ‡, alternate Thu-Fri 1400-0400Z‡, Sun 2 | 200–0500Z‡. |
| Clsd Sun preceeding a Mon hol and alternate Fri. | FLUID-SP PRESAIR LHOX LOX AvbI Mon-Fri | 1400-2300Z‡, |
| clsd alternate Fri-Sat-Sun-hol. OXRB. 0IL 0-133-1 | L56. TRAN ALERT Expect svc delay. Ltd tra | an svc avbl |
| Mon–Fri 1530–0030Z‡. | | |
| LITARY REMARKS: Opr Mon-Fri 1430-0630Z‡ CLOSED al | ternate Fri and first working/non-holiday N | Non of month. |
| Sat-Sun opr by PPR/local use only. See FLIP AP/1, F | t Haz R2508 and China Lake NAWS Supp | lementary Arpt |
| Remarks. RSTD PPR DSN 437-5475. All PPR issued w | eekdays only 1430–0630Z‡. PPR civil acf | t official |
| business. Arpt subject to no notice closure. CAUTION B | ird hazard near golf course, within Class [| D Airspace |
| Oct-Apr. TFC PAT Reduced rwy separation standards in | effect USN/USMC acft. NS ABTMT Dep avoi | id overflight China |
| Lake and city of Ridgecrest 2 NM SSE. | | |
| CSTMS/AG/IMG Customs not avbl. Acft entering from fore | ign countries must clear Customs prior ar | rrival. |
| MISC Tran acft to/from China Lake NID must ctc R250 | 8 Complex Control Board for schedule/bri | ief prior to |
| obtaining a PPR. Ltd passenger svc avbl. Portions of | apch end Rwy 26 and adjacent twy not vis | ible from twr. |
| IMMUNICATIONS: ATIS 322.375 | | |
| JOSHUA APP/DEP CON 133.65 348.7 | | |
| TOWER 120.15 340.2 (Mon-Fri 1430-0630Z‡, clsd alt | ernate Fri and first working/non-holiday M | Ion of month. |
| Sat-Sun opr by PPR/local use only.) | <u>,</u> | |
| GND CON 360.2 CLNC DEL 274.7 | | |
| | | |
| | mate Fri.) | |
| PMSV METRO 343.15 (Mon-Fri 1300-0700Z‡, clsd alter | , | R2508, Ctc |
| PMSV METRO 343.15 (Mon-Fri 1300-0700Z‡, clsd alter VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (| , | R2508. Ctc |
| PMSV METRO 343.15 (Mon-Fri 1300-0700Z‡, clsd alte VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (Joshua APP CON.) | Provided to all pilots opr within adjacent F | |
| PMSV METRO 343.15 (Mon-Fri 1300-0700Z‡, clsd alte VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (Joshua APP CON.) RSPACE: CLASS D svc Mon-Fri 1430-0630Z‡, except alte | Provided to all pilots opr within adjacent F | |
| PMSV METRO 343.15 (Mon-Fri 1300-0700Z‡, clsd alter VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (Joshua APP CON.) RSPACE: CLASS D svc Mon-Fri 1430-0630Z‡, except alter Sat-Sun opr by PPR/local use only. | Provided to all pilots opr within adjacent F | |
| PMSV METRO 343.15 (Mon-Fri 1300-0700Z‡, clsd alter VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (Joshua APP CON.) RSPACE: CLASS D svc Mon-Fri 1430-0630Z‡, except alter Sat-Sun opr by PPR/local use only. JDI AIDS TO NAVIGATION: NOTAM FILE NID. | Provided to all pilots opr within adjacent F rnate Fri and first working/non–holiday Mo | on of month. |
| PMSV METR0 343.15 (Mon-Fri 1300-0700Z‡, clsd alter VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (Joshua APP CON.) RSPACE: CLASS D svc Mon-Fri 1430-0630Z‡, except alter Sat-Sun opr by PPR/local use only. DIO AIDS TO NAVIGATION: NOTAM FILE NID. (L) TACAN Chan 53 NID (111.6) N35°41.28' W117 | Provided to all pilots opr within adjacent F rnate Fri and first working/non–holiday Mo | on of month. |
| PMSV METR0 343.15 (Mon-Fri 1300-0700Z‡, clsd alter VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (Joshua APP CON.) RSPACE: CLASS D svc Mon-Fri 1430-0630Z‡, except alter Sat-Sun opr by PPR/local use only. DIO AIDS TO NAVIGATION: NOTAM FILE NID. (L) TACAN Chan 53 NID (111.6) N35°41.28' W117 Opr 1430-0630Z‡. | Provided to all pilots opr within adjacent F rnate Fri and first working/non–holiday Mo | on of month. |
| PMSV METR0 343.15 (Mon-Fri 1300-0700Z‡, clsd alter VFR ADVISORY SVC 133.65 126.55 127.5 291.6 348.7 (Joshua APP CON.) RSPACE: CLASS D svc Mon-Fri 1430-0630Z‡, except alter Sat-Sun opr by PPR/local use only. DIO AIDS TO NAVIGATION: NOTAM FILE NID. (L) TACAN Chan 53 NID (111.6) N35°41.28' W117 | Provided to all pilots opr within adjacent F rnate Fri and first working/non–holiday Mo | on of month. |






SW, 08 APR 2010 to 03 JUN 2010








VOR and DME unusable 090°-115° byd 10 NM blo 3,500'

L-2F, 3A, A










Chan 79 223° 12.2 NM to Barstow-Daggett. 1760/15E. HIWAS.

(L) VORTACW 113.2 DAG

RC0 122.2 (RIVERSIDE RADIO)




DAVIS/WOODI AND/WINTERS







SAN FRANCISCO



DEATH VALLEY NATIONAL PARK





 DESERT CENTER
 (L64)
 5 NE
 UTC-8(-7DT)
 N33°44.86' W115°19.52'


 559
 TPA—1559(1000)
 NOTAM FILE RAL

 RWY 05-23: H4200X50 (ASPH)
 S-45, D-80, DT-140

 AIRPORT REMARKS: Unattended.
 COMMUNICATIONS: CTAF 122.9

 RADIO AIDS TO NAVIGATION: NOTAM FILE BLH.
 BLYTHE (H) VORTACW 117.4
 BLH
 Chan 121
 N33°35.76'

 W114°45.68'
 274° 29.7
 NM to fild. 410/14E.
 HIWAS.
 Image: March 100 file March 100 fi



LOS ANGELES

KLAMATH FALLS

L-41. 5A

 DINSMORE
 (D63)
 1 E
 UTC-8(-7DT)
 N40°29.52' W123°35.89'

 2375
 TPA-3275(900)
 NOTAM FILE OAK


 RWY 09-27:
 H2510X48 (ASPH)

 RWY 09:
 Thid dspicd 80'. Trees. Rgt tfc.
 RWY 27:

 AIRPORT REMARKS:
 Unattended. Day use only; CLOSED ngts. Mountains with high trees invof arpt.

 COMMUNICATIONS: CTAF 122.9


93



| EDWARDS AFB (EDW)(KEDW) AF (NASA) 6 SW UTC-8(-7DT) N34°54.98' W117°51.75' LOS ANGEI |
|--|
| 2312 B NOTAM FILE EDW Not insp. H-4H, L- |
| RWY 04R-22L: H15024X300 (CONC) PCN 70 R/B/W/T HIRL DIAP, RWY 04R: PAPI(P4L). RWY 22L: REIL. PAPI(P4L). DIAP, |
| RWY 04L-22R: H12000X200 (ASPH) PCN 54 F/A/W/T |
| RWY 06-24: H8000X50 (CONC) PCN 6 R/D/W/T |
| RWY 06: PAPI(P4L)—GA 3.0° TCH 50'. |
| RWY 24: PAPI(P4L)—GA 3.0° TCH 50'. |
| ARRESTING GEAR/SYSTEM |
| RWY 04R HOOK BAK-12B(B) (1518') HOOK BAK-12B(B) (1559') RWY |
| MILITARY SERVICE: LGT Rwy 04R, Rwy 22L, portable and flood lgts. ILS and PAPI not coincidental. JASU (MD-3) |
| (MD-3M) 2(C-26) 8(AM32A-60) (MA-1A) (MC-1A) 2(MC-11). FUEL 2 hr refuel delay can be expected. 100 |
| avbl thru prior arrangement with Aero Club only DSN 525-8321, C661-275-8321; J5, J8 can no longer |
| refuel/defuel with J4. FLUID SOAP W SP PRESAIR LHOX LOX. OIL 0-128-133-148 |
| TRAN ALERT Svc avbl weekday 1400–0600Z‡, weekend 1400–0200Z‡ and holidays with 24 hr prior notice. Transportation svc avbl weekdays 1400–2330Z‡. Expect svc delay on weekends and holidays. Limited fleet sv |
| avbl. No priority basis. |
| MILITARY REMARKS: Opr Mon-Fri 1400-0600Z‡, weekends by NOTAM, CLOSED holiday and every third Sun for |
| construction and maintenance. See FLIP AP/1, Flight Hazards and Supplementary Arpt Remarks. RSTD Official |
| Business Only on weekends and holidays, PPR always. Ctc Base OPS DSN 527-2222/3571, |
| C661-277-2222/3571 for PPR number. PPR and airspace briefing ror for all acft (no exceptions), transient |
| should be prior coordination in advance with airspace manager DSN 527–2446 or sport remote communication |
| facility DSN 527–3928. All PPR rqr minimum 24 hr prior notice, no same day PPR avbl. PPR will not be issued |
| more than 5 days prior to arrival. All PPR valid $+/-$ 30 minutes PPR time. Telephone coordination rqr for PPR |
| outside of block time. Practice apch to Edwards AFB main base rwy, North Base rwy and lake bed rwy prohibite |
| when twr clsd. Contact NASA flight ops call 661–276–3213 except for PPR. Non–NASA registered acft must contact NASA to park on NASA ramp. South Base Rwy 06–24 CLOSED from official SS to official SR. South base |
| Rwy 06–24 is ltd to light acft (12,500 lbs gross weight or less), no turbojets. Rwy 04L–22R daylight only ops. |
| Cargo and passenger service–(1) cargo acft requiring support must arrive prior to 02002‡. Cargo and passenger |
| service-(2) space A travel into Edwards AFB is not recommended due to limited services. Edwards AFB does not |
| have a passenger terminal or base taxi for space A passengers. Prior transportation arrangements from the |
| base are mandatory. No dining, lodging, or transportation services within walking distance. Main gate is 6 mile |
| away and nearest civilian facilities (Lancaster, CA) are 35 miles away. CAUTION VFR initial flown 1215' N or rwy |
| centerline due to steep straight-in simulated flame out and shuttle apch to rwy. Pay careful attention to acft |
| alignment on final to preclude inadvertent ldg on S base Rwy 24. Numerous unmarked/unlgtd obstructions |
| surround arpt. Observer visibility restricted SW-N due building obstructing vision. Use caution for UAS arrivals/departures from Rwy 04L-22R, south base Rwy 06-24, north base Rwy 06-24, the Rogers/Rosamond |
| Lakebed Runway complex and within R–2515. Contact ATC for UAS flight activities. NS ABTMT Rwy 22L and Rwy |
| 22R: All IFR dep exc low performance acft (C12, T1, etc.) whose initial turn is SW–N, fly rwy heading until 12 |
| DME before turning on course. CSTMS/AG/IMG Customs avbl to military acft only, 24 hr prior notice rgr. MISC |
| Transient acft may expect IFR separation delays entering R-2508 Complex. Transient acft expect extensive |
| refuel delays. Acft with Distinguished Visitor inbound ctc PTD 40 NM out. No COMSEC avbl; aircrew limited to |
| own resources on arrival or in case of extensive delay. Multiple acft rqr 24 hr prior notice. UHF equipped acft |
| must UHF (not VFH) in pattern. No RVR capabilities. Cargo acft requiring support must arrive prior to 02002‡. I |
| space A passenger support available. |
| COMMUNICATIONS: ATIS 269.9 (1400-0600Z‡) PTD 372.2 |
| (R) SPORT APP/DEP CON 132.75 343.7 (Opr std time Mon-Fri 1500–0100Z weekends as rqr, opr dalgt time Mon-Fri 1400–0200Z weekends as rqr), other times ctc |
| (R) JOSHUA APP/DEP CON 133.15 269.2 (E) 126.1 290.3 (S) 133.65 348.7 (W and N) |
| TOWER 120.7 318.1 353.6 (Mon–Fri 1400–0600Z ⁺ , clsd holiday and every third Sun for construction and |
| maintenance.) GND CON 121.8 225.4 |
| COMD POST (CONFORM) 304.0 PMSV METRO 342.4 (Full svc 1300-0600Z‡, clsd Federal holidays) |
| NASA 135.825 373.15 |
| AIRSPACE: CLASS D svc Mon-Fri 1400-0600Z‡, weekends by NOTAM, clsd holidays and every third Sun for |
| construction and maintenance other times CLASS E. |
| RADIO AIDS TO NAVIGATION: NOTAM FILE EDW. |
| (L) VORTAC 116.4 EDW Chan 111 N34°58.94' W117°43.96' 223° 7.5 NM to fld. 2354/15E. |
| TACAN unusable: 090°-150° byd 15 NM. |
| COMM/NAV/WEATHER REMARKS: Ctc NASA Flight Ops point of contact C661-276-3213, except for PPR. After hours |
| weather briefings/updates available from the 25 Operational Weather Squadron at DSN 228–6958/6599/658 |
| or toll free 877-451-8367 X1. |
| |

95

| | 8(-7DT) N32°49.75' W115°40.30' | LOS ANGELES |
|---|---|--|
| -42 B NOTAM FILE NJK | Not insp. | H-4H, L-4I |
| RWY 08-26: H9503X200 (PEM) PCN 62 R/C/W/T | HIRL | DIAP, AD |
| RWY 08: OLS. RWY 26: OLS. RWY 12-30: H6824X200 (PEM) PCN 35 R/D/W/T | HIRL | |
| RWY 30: OLS. | IIIILE | |
| ARRESTING GEAR/SYSTEM | | |
| RWY 08 HOOK E28 (1485') | НООК | E28 (1500') RWY 26 |
| RWY 12 HOOK E28 (1570') | НООК | E28 (1245') RWY 30 |
| C760–339–2425. Hot refueling avbl most acft Mor CLOSED Sun and holidays. Hot refueling hrs subject | lelay without prior arrangement DSN 658–2 n–Thu 1630–0430Z‡, Fri 1600–0200Z‡, Sa ct to short notice change, refer to NOTAM. | 425, at 1630–2300Z‡, Fluid HPOX |
| | 0700–1500Z‡. Tran maintenance extremel | |
| inbound with ordnance advise twr on initial ctc. Tra | | - |
| acft prior to hotpitting, T–line cannot safety or pin t DSN 658–2655. | tran acft. Ltd svc avbl for large passenger a | icft rqr 48 hr notice |
| MILITARY REMARKS: Opr Mon–Thu 1500–0700Z‡, Fri 150 | 00-02007+ Sat 1500-23007+ CLOSED Si | un and holidays |
| See FLIP AP/1 Supplementary Arpt Remark. RSTD A | | |
| DSN 658-2507/2601, C760-339-2507/2601 du | | |
| caution to avoid R2510 located 5 NM NW due to A | ir/Ground weapons opr and parachute drop | s. Extreme mid-air |
| potential due to high density VFR general aviation t | fc and crop dusters in vicinity. Avoid Imperi | ial Co arpt 4.5 NM |
| E uncontrolled, blo 3000' AGL. Bird activity mid De | | |
| of the arpt. Parachuting Activities/Exercises are co | - | |
| VORTAC 240/12. TFC PAT Dense fld carrier ldg prac | | |
| USN/USMC acft. NS ABTMT Avoid overflight housing | | , , |
| end Rwy 30. Avoid overflight town of El Centro app located thru-out area, avoid overflight at low altitu | | |
| sooner. Air Traffic Control Tower in non-radar envir | | |
| avbl Rwy 08 and Rwy 26. | onment with high volume of an tie. Improve | |
| COMMUNICATIONS: ATIS 269.275 | | |
| TOWER 119.1 360.2 (Mon-Thu 1500-0700Z‡, Fri 1 | 500-0200Z‡, Sat 1500-2300Z‡, CLOSED | Sun and holidays.) |
| GND CON 121.9 254.35 | | |
| CLNC DEL 340.2 PMSV METRO 348.3 | | |
| AIRSPACE: CLASS D svc Mon-Thu 1500-0700Z‡, Fri 150 | 0-0200Z‡, Sat 1500-02300Z‡, CLOSED S | Sun and holidays, |
| other times CLASS G. | | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE IPL. | | |
| | 2°44.93' W115°30.52' 286° 9.6 NM to | , |
| | 115°40.87' at fld49/13E. NOTAM FILE | NJK. Monitored |
| only during arpt opr hr. | | |
| TACAN azimuth and DME unusable: 090°-095° byd 20 NM | 260°-270° byd 30 NM | |
| 095°-240° byd 10 NM | 270°–360° byd 30 NM | |
| 240°–260° byd 30 NM | 360°–050° byd 25 NM | |
| | | |
| | 23.54' W121°19.85' | SAN FRANCISCO |
| 54 TPA—1000(946) NOTAM FILE RIU | | |
| RWY 11-29: H2769X35 (ASPH) S-12 LIRL RWY 11: Trees. RWY 29: Trees. | | |
| AIRPORT REMARKS: Unattended. Twys and taxilanes NST | D width Land Rwy 29 depart Rwy 11 Rwy | 29 safety area |
| NSTD length. CLOSED to helicopter training. CLSD | | |
| marked with orange balls 1140' from rwy thld; not | | |
| 11-29 with white letters. ACTIVATE LIRL Rwy 11-2 | 9—122.9. | |
| COMMUNICATIONS: CTAF 122.9 | | |
| (R) NORCAL APP/DEP CON 125.25 (Southeast-Northwest) | 127.4 (North-East) | |
| ELK HILLS—BUTTONWILLOW (See BUTTONWILLOW |) | |
| ELLS FIELD-WILLITS MUNI (See WILLITS) | | |
| | | |



EUREKA N40°48.29' W124°07.05' RCO 122.35 (OAKLAND RADIO)


KLAMATH FALLS L—2H

| EUREKA EUREKA MUNI (033) 2 W UTC-8(-7DT) N40°46.85' W124°1 20 TPA—820(800) LRA NOTAM FILE OAK RWY 16-34: H2700X60 (ASPH) S-10 RWY 16: Rgt tfc. AIRPORT REMARKS: Unattended. Day use only; CLOSED ngts. Ultralight a COMMUNICATIONS: CTAF 122.9 | |
|---|---|
| KNEELAND (019) 10 SE UTC-8(-7DT) N40°43.14' W123°55 2737 TPA-3537(800) NOTAM FILE OAK RWY 15-33: H2270X50 (ASPH) S-13 RWY 15-31: H2270X50 (ASPH) S-13 RWY 15: Thid dspicd 60'. Trees. RWY 33: Thid dspicd 40'. Tree AIRPORT REMARKS: Unattended. Day use only; CLOSED ngts. 500' drop of from Rwy 33 thid. COMMUNICATIONS: CTAF 122.9 | 25. |
| MURRAY FLD (EKA) 3 E UTC-8(-7DT) N40°48.20' W124°06 O7 B S4 FUEL 100LL TPA—807(800) NOTAM FILE OAK RWY 12-30: H3000X75 (ASPH) S-19 MIRL RWY 12: SAVASI(S2L)—GA 3.0° TCH 26'. REV 30: VASI(V2L)—GA 4.0° TCH 26'. RE tfc. AIRPORT REMARKS: Attended 1630-013027. Deer occasionally on rwy. ACTIVATE MIRL Rwy 12-30, VASI Rwy 30 SAVASI Rwy 12—CTAF. Flight Notification Service (ADCUS) avbl. COMMUNICATIONS: CTAF/UNICOM 122.7 EUREKA RC0 122.35 (OAKLAND RADIO) (R) SEATTLE CENTER APP/DEP CON 124.85 RADIO AIDS TO NAVIGATION: NOTAM FILE ACV. FORTUNA (L) VORTACW 114.0 FOT Chan 87 N40°40.28' W124°14.07' 016° 9.7 NM to fild. 386/19E. | .77' KLAMATH FALLS L-2H IAP |
| EXECC N38°26.99' W121°32.78' NOTAM FILE SAC. NDB (LOM) 356 SA 019° 4.5 NM to Sacramento Executive. | SAN FRANCISCO L-2F, 3A |
| EXETER (063) 3 S UTC-8(-7DT) N36°14.55' W119°08.98' 340 S4 TPA—1140(800) NOTAM FILE RIU RWY 13-31: 2800X40 (ASPH-TRTD) RWY 13: Thid dspicd 400'. Trees. RWY 31: Thid dspicd 200'. R AIRPORT REMARKS: Attended daigt hours. After hours call 559-562-263 13-31 CLOSED indef. Rwy 13 +10' road 80'-200' from rwy end 12 | 3 or 559–562–6433 or 559–786–7887. Rwy 25' left 105' right. Rwy 31 +10' road 0'–100' |

from rwy end 40' left 125' right. Rwy 13–31 numbers only, dsplcd thld marked with white tires. Rwy 13 is not marked. Rwy 31 is not marked. Rwy 13–31 narrowest width is 50'.

COMMUNICATIONS: CTAF 122.9

| CALIFORNIA | 99 |
|--|--|
| | of rwy. MIRL Rwy 18–36 med ints only 5.06' 036° 10.8 NM to fld. 90/15E. |
| FALL RIVER MILLS (089) 1 N UTC-8(-7DT) N41°01.13' W121' 3323 B S4 FUEL 100LL TPA—4123(800) NOTAM FILE RIU RWY 02-20: H5000X75 (ASPH) S-12.5 MIRL AIRPORT REMARKS: Unattended. Parachute Jumping. Arpt CLOSED periodically winter months due to snow, call arpt manager 530-225-5661 for current conditions. Crop dusters working invof arpt Feb-Oct. ACTIVATE MIRL Rwy 02-20—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RC0 122.4 (RANCHO MURIETA RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE RDD. REDDING (T) VOR/DME 108.4 RDD Chan 21 N40°30.27' W122°17.50' 033° 49.8 NM to fid. 490/18E. | 26.00' KLAMATH FALLS H-3B, L-2H, 11A |



CALIFORNIA 101 **FORT BIDWELL** (A28) 1 N UTC-8(-7DT) N41°52.59' W120°08.80' KIAMATH FALLS 4602 TPA-5402(800) NOTAM FILE RNO RWY 16-34: 3660X50 (GRVL) RWY 34 Brush RWY 16 Road AIRPORT REMARKS: Unattended. No snow removal. Rwy not regularly maintained, gravel and rocks up to 4 inch diameter on rwy. +4' fence, 120' East of rwy centerline for entire length of rwy. **COMMUNICATIONS: CTAF** 122.9 FORT JONES SCOTT VALLEY (A3Ø) 3 S UTC-8(-7DT) N41°33.47' W122°51.30' KLAMATH FALLS 2728 B FUEL 100LL TPA-3528(800) NOTAM FILE RIU L-21 RWY 16-34: H3700X50 (ASPH) S-12 MIRL <u>a</u>G n . 3 RWY 34: Thid dspicd 200'. Tree. RWY 16: Tree. Rgt tfc. 01 0,0 AIRPORT REMARKS: Unattended. Rwy 34 lgtd thid relocated 200' for ngt ops. 3500' of Rwy 16-34 usable at ngt. ACTIVATE MIRL Rwy 16-34-CTAF α **COMMUNICATIONS: CTAF/UNICOM** 122.8 RADIO AIDS TO NAVIGATION. NOTAM FILE RILL FORT JONES (L) VOR/DME 109.6 FJS Chan 33 N41°26 98' W122°48 39' 322° 6.8 NM to fld. 4900/19E. HIWAS. è \sim \sim 34 C ß FORT JONES N41°26.98' W122°48.39' NOTAM FILE RIU. **KLAMATH FALLS** (L) VOR/DME 109.6 FJS Chan 33 322° 6.8 NM to Scott Valley, 4900/19E. HIWAS. 1-21 VOR portion unusable: 080°-135° byd 9-19 NM blo 13,000' 200°-300° byd 8 NM blo 14,000' 080°-135° byd 19 NM 200°-300° byd 19 NM DME unusable: 120°-180° byd 35 NM blo 12,000' 020°-060° byd 30 NM blo 12,000' 060°-120° byd 20 NM blo 16.000' 180°-290° byd 20 NM blo 16,000' RCO 122.1R 109.6T (RANCHO MURIETA RADIO) FORTUNA ROHNERVILLE (FOT) 3 SE UTC-8(-7DT) N40°33.24' W124°07.96' KLAMATH FALLS 393 B TPA-1193(800) NOTAM FILE OAK I-2H RWY 11-29: H4005X100 (ASPH) S-30 MIRL 1.3% up SE IΔP RWY 11: REIL. VASI(V4R)—GA 3.0° TCH 45'. Rgt tfc. RWY 29: REIL. AIRPORT REMARKS: Unattended. Deer invof runways. REIL Rwy 29 OTS indef. ACTIVATE MIRL Rwy 11-29-CTAF. **COMMUNICATIONS: CTAF** 122.9 CRESCENT CITY RCO 122.3 (OAKLAND RADIO) SEATTLE CENTER APP/DEP CON 124.85 RADIO AIDS TO NAVIGATION: NOTAM FILE ACV. FORTUNA (L) VORTACW 114.0 FOT Chan 87 N40°40.28' W124°14.07' 127° 8.4 NM to fld, 386/19E. FORTUNA N40°40.28' W124°14.07' NOTAM FILE OAK. **KLAMATH FALLS** (L) VORTACW 114.0 FOT Chan 87 015° 9.7 NM to Murray Fld. 386/19E. H-3A, L-2H VOR portion unusable: 060°-095° byd 35 NM blo 9,500' 280°-295° byd 20 NM all alts. 135°-175° byd 20 NM blo 6.500' 295°-350° byd 20 NM blo 3.000'.


315°-325° byd 15 NM blo 5,500'

DME portion unusable


050°-070° byd 35 NM blo 9500'

150°-200° byd 20 NM blo 5000'


| FRANKLIN FIELD (F72) 4 SE UTC-8(-7DT) N38°18.24' W121°25.76' 21 TPA—1021(1000) NOTAM FILE RIU RWY 18-36: H3240X60 (ASPH) S-30 | SAN FRANCISCO L–2F, 3A |
|---|---------------------------|
| RWY 18: Fence. RWY 36: Thid dspicd 255'. Rgt tfc. | |
| RWY 09–27: H3100X60 (ASPH) S–30 | |
| RWY 09: P-line. Rgt tfc. RWY 27: Thld dsplcd 70'. P-line. | |
| AIRPORT REMARKS: Unattended. Ultralights activity invof arpt. Monitor 122.9 within 5 miles. Exten | sive student |
| helicopter and fixed wing training in area. Conduct helicopter training N of Rwy 09 and W of F | Rwy 36. Avoid |
| overflight of detention facility on E side of arpt except in emerg. Calm wind Rwy 18. All rwys I | limited to 15,000 |
| lbs gross weight. | |
| COMMUNICATIONS: CTAF 122.9 | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE SAC. | |
| SACRAMENTO (H) VORTACW 115.2 SAC Chan 99 N38°26.62′ W121°33.10′ 128° 10.2 HIWAS. | 2 NM to fld. 10/17E. |
| nimas. | |
| FRAZIER LAKE AIRPARK (See HOLLISTER) | |
| FREDRICK SHERMAN FLD (See SAN CLEMENTE ISLAND NALF) | |
| FRENCH VALLEY (See MURRIETA/TEMECULA) | |
| | |
| FRESNO CHANDLER EXECUTIVE (FCH) 2 W UTC-8(-7DT) N36°43.93' W119°49.22' | SAN FRANCISC |
| 279 B S2 FUEL 100LL NOTAM FILE FCH | L-3C, 9 |
| RWY 12-30: H3630X75 (ASPH) S-17 MIRL RWY 12: REIL. VASI(V2L). Thid dspicd 418'. Road. Rgt tfc. | IAP, A |
| RWY 30: REIL. PAPI(P4R). Thid dspied 540'. Road. Rgt tie. | |
| AIRPORT REMARKS: Attended 1600–0100Z‡. Numerous birds in vicinity | |
| of arpt. Rwy 30 calm wind rwy when wind reported by AWOS less | |
| than 5 knots. Practice landings and low apchs and touch and go | |
| ldg or stop-and-go ops authorized only between 1500-0600Z‡. | |
| Rwy 12 practice landings and low apchs and touch and go ldg or | |
| stop-and-go ops not permitted due to noise sensitive residential | |
| areas SE of arpt. After tkf climb on rwy heading until passing 800' | |
| MSL, for safety and noise abatement initial climb out at best | |
| rate-of-climb recommended. Fee for acft over 12,500 pounds | ▲ // ≯ |
| gross weight. ACTIVATE MIRL Rwy 12R–30L, REIL Rwy 12R and | |
| Rwy 30L and taxiway Igts—CTAF. | XŇ |
| WEATHER DATA SOURCES: AWOS-3 135.225 (559) 488-1040. | 30 |
| COMMUNICATIONS: CTAF/UNICOM 123.0 | |
| (R) APP CON 119.0 119.6 (R) DEP CON 119.0 | 0 A |
| | ⁶³ 63 |
| • | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE FAT. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE FAT. Clovis (H) Vortac 112.9 CZQ Chan 76 N36°53.06' | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE FAT. | C |



FRICK (See TWENTYNINE PALMS)



| 356 TPA—1156(800) NOTAM FILE OAK RWY 06-24: H2990X50 (ASPH) S-12 RWY 06: Thid dspicd 500'. Trees. RWY 24: Thid of AIRPORT REMARKS: Unattended. Arpt CLOSED SS-SR. No r | 4' W123°59.09' KLAMATH FA dsplcd 490'. Trees. night op authorized. Arpt in canyon, high mountains and ongly recommended. Private driveway to south of rwy centerline. |
|--|---|
| GAVIOTA N34°31.88' W120°05.47' NOTAM FILE HHR (L) VORTACW 113.8 GVO Chan 85 277° 20.3 NM VORTAC unusable: 117°-137° byd 35 NM all altitudes 310°-095° byd 10 NM blo 8500' 360°-095° byd 20 NM blo 12,500' | R. LOS ANGE 1 to Lompoc. 2616/16E. H-4G, L-3D, 4F |
| GENERAL WM J. FOX AIRFIELD (See LANCASTER) | |
| GEORGETOWN (E36) 2 NW UTC-8(-7DT) N38° 2623 B S3 FUELL 100LL TPA3423(800) RWY 16-34: H2980X60 (ASPH) S-22 MIRL RWY 16: Trees. RWY 34: Trees. AIRPORT REMARKS: Attended 1600-0100Z‡. ACTIVATE MIR COMMUNICATIONS: CTAF/UNICOM 123.05 123.05 | °55.26' W120°51.89' SAN FRANCI NOTAM FILE RIU RL Rwy 16–34—CTAF. |
| GILLESPIE FLD (See SAN DIEGO (EL CAJON)) | |
| GNOSS FLD (See NOVATO) | |
| GOFFS N35°07.87' W115°10.59' NOTAM FILE RAL. (L) V0RTAC 114.4 GFS Chan 91 020° 22.9 NM to VORTAC unusable: 200°-235° beyond 30 NM below 8700' | to Searchlight, NV. 4000/15E. |
| 235°-260° beyond 25 NM below 7400' 260°-290° beyond 25 NM below 8000' RCO 122.05R 114.4T (RIVERSIDE RADIO) | 320°-010° beyond 30 NM below 8500' |
| 4920/16E. | . LOS ANGE A to General Wm. J. Fox Airfield. H–4H, L–3D, 4G |
| VORTAC unusable: | 255°-280° beyond 20 NM below 10,500' |




RWY 09-27: H3625X50 (ASPH) S-12 MIRL 1.1% up SE IAP RWY 09: VASI(V2L)-GA 4.5° TCH 16'. Trees. RWY 27: PAPI(P2L)-GA 4.0° TCH 37'. Trees. Rgt tfc. AIRPORT REMARKS: Unattended. Fuel 24 hr self-service. Arpt advisories unavailable through UNICOM. Deer on and invof arpt at all times. Electrified 6' high frangible deer fence on both sides of rwy between rwy and twy. PAPI Rwy 27 unusable byd 7° left and right of centerline. ACTIVATE MIRL Rwy 09-27-CTAF. Fee for overnight parking. Transient parking avbl. **COMMUNICATIONS: CTAF** 122.9 **OAKLAND CENTER APP/DEP CON 121.25** RADIO AIDS TO NAVIGATION: NOTAM FILE MOD. MODESTO (H) VOR/DME 114.6 MOD Chan 93 N37°37.64' W120°57.47' 052° 39.7 NM to fld. 90/17E.


| GUADALUPE N34°57.14′ W120°31.29′ NOTAM FILE HHR. | LOS ANGELES |
|--|--------------|
| (T) VOR 111.0 GLJ 119° 4.5 NM to Santa Maria Pub/Capt G Allan Hancock Fld. | L—3D, 4F, 7A |
| VOR unusable 300°-325° beyond 10 NM below 3000'. | |
| RCO 122.1R 111.0T (HAWTHORNE RADIO). | |

GUALALA

| OCEAN RIDGE (E55) 3 N | UTC-8(-7DT) | N38°48.10' W123°31.84' | SAN FRANCISCO |
|-----------------------------|----------------------|---|--------------------------------|
| 940 NOTAM FILE OAK | | | |
| RWY 13-31: H2500X50 (ASPI | H) S–8 LIRL | | |
| RWY 13: Thid dspicd 400'. | Trees. RWY | 31: Thid dsplcd 300'. Trees. Rgt tfc. | |
| AIRPORT REMARKS: Unattended | d. Arpt avbl for use | from 1400-0600Z‡ only, CLOSED all c | other hours. Deer frequently |
| on rwy. Rwy 13–31 CLOS | ED at night. Rwy 1 | 3-31 CLOSED to jets and ultralights. R | wy 13–31 CLOSED to acft over |
| 8,000 lbs. Rwy 13-31 Cl | OSED to touch an | d go landings. Rwy 13 +60–90' trees 0- | -200' from thId, 125' left and |
| rgt, and Rwy 31 +60–90' | trees 0-200' from | n thld, 125' left and rgt. Acft not visible | from opposite ends of rwy |
| due to downward sloping | terrain from rwy m | idpoint south to rwy apch end of Rwy 3: | 1 (approximately 15' drop). |
| Full stop landings only, ir | ntersection takeoff | s prohibited. Rwy safety areas have pro | truding or depressed drainage |
| areas. Safety area South | end has 100+ ft o | Iropoff. Rwy 13–31 undulated. Extreme | turbulence in windy |
| conditions. Calm wind Rv | vy 31. Rwy 13–31 | NSTD dsplcd thld markings yellow. NST | D rwy lgts for emergency use |
| only call 707–884–3573 | /3579. | | |
| COMMUNICATIONS: CTAF/UNICOM | 122.8 | | |

COMMUNICATIONS: CTAF/UNICOM 122.8





HARRIS RANCH (See COALINGA)

HAWTHORNE

JACK NORTHROP FLD/HAWTHORNE MUNI (HHR) 1 E UTC-8(-7DT) N33°55.37' W118°20.11' LOS ANGELES 66 B S4 FUEL 100LL, JET A OX 2, 3, 4 TPA—See Remarks NOTAM FILE HHR COPTER RWY 07-25: H4956X100 (CONC) S-30, D-45, DT-90 MIRI L-3E. 4G. 7B. A RWY 07: VASI(V2R)-GA 3.25° TCH 25'. Thid dspicd 971'. Road. Rgt tfc. IAP. AD RWY 25: ODALS. REIL. VASI(V4R)-GA 3.5° TCH 25'. Thid dspicd Rwy 7-25 : 4956 X 100 463' Pole AIRPORT REMARKS: Attended 1500-0400Z[‡]. 100LL fuel avbl 24 hrs self svc. Jet A fuel avbl 1300-0800Z‡ daily, call 310-676-4673. Arpt CLOSED to acft with explosives. CAUTION: 8' blast fence AER 25. Residential Area Numerous flocks of birds on and invof arpt. Helicopter flight training ops prohibited. Helicopter multiple approaches/traffic pattern ops prohibited. Touch and go landings, stop and go Residentia landings and low apch ops for all acft including helicopters limited 5 to 1800-0100Z[‡]. No multi-engine simulated engine-out procedures authorized in tfc pat. No taxi-back ops Mon-Fri 3 0600-1600Z[‡], Sat-Sun 0600-1800Z[‡]. TPA for lgt acft/helicopter 1100 (1034), turbine/high performance acft 1600 (1534). For noise abatement info ctc arpt engineer 310-349-1637 or 1636. North Twy designated non-movement area. Rwy 25 runup on South Twy 900' west of AER. When twr clsd ACTIVATE MIRL Rwy 07-25 and ODALS Rwy 25-CTAF. WEATHER DATA SOURCES: ASOS (310) 973-8930 COMMUNICATIONS: CTAF 121.1 ATIS 118.4 (310) 675-7945 HAWTHORNE RCO 122.0 122.2 122.5 (HAWTHORNE RADIO) (R) SOCAL APP CON 124.3 (146°-245°) 124.9 (069°-145°) 125.2 (246°-342°) 128.5 (343°-068°) (R) SOCAL DEP CON 124.3 HAWTHORNE TOWER 121.1 (1400-0400Z[±]) GND CON 125.1 AIRSPACE: CLASS D svc 1400-0400Z[‡] other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE LAX.

LOS ANGELES (H) VORTACW 113.6 LAX Chan 83 N33°55.99' W118°25.92' 082° 4.9 NM to fid. 182/15E. ILS 109.1 I–HHR Rwy 25. (LOC only). LOC unusable beyond 15° north of LOC course and from 0.8 NM inbound. ILS unmonitored when twr clsd.

108

HAYFORK (F62) 1 S UTC-8(-7DT) N40°32.82' W123°10.77'

RWY 25: Tree. Rgt tfc. AIRPORT REMARKS: Unattended. High terrain all quadrants. Noise abatement procedures in effect N, NE and S of arpt. Intermittently closed winters due to snow. Ctc county transportation office for information 530-623-1365. ACTIVATE MIRL Rwy 07-25-CTAF.

FORTUNA (L) VORTACW 114.0 FOT Chan 87 N40°40.28'

W124°14.07' 079° 48.8 NM to fld. 386/19E.


2321 B S2 TPA-3321(1000) NOTAM FILE RIU

RWY 07-25: H4115X60 (ASPH) S-12.5 MIRL

RWY 07. Tree


COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ACV.

KLAMATH FALLS I-2H




HAYWARD EXECUTIVE (HWD) 2 W UTC-8(-7DT) N37°39.54' W122°07.31' SAN FRANCISCO 52 B S4 FUEL 100LL, JET A OX 1, 3 TPA—See Remarks NOTAM FILE HWD H-3A, L-2F, 3B, A RWY 10R-28L: H5694X150 (ASPH) S-30, D-75, ST-95 MIRL 0.4% up E IAP. AD RWY 10R: REIL. VASI(V4R)-GA 3.0° TCH 25'. Thid dspicd 816'. Helipad H1: 110 X 110 Tree, Rgt tfc. RWY 28L: REIL, VASI(V4L)-GA 4.0° TCH 35', Thid dspicd 676'. Residential RWY 10L-28R: H3107X75 (ASPH) S-13 MIRL 0.3% up SE. n Area RWY 10L: PAPI(P4L)-GA 3.0°. Tree. c RWY 28R: PAPI(P4L)-GA 3.0°. Rgt tfc. AIRPORT REMARKS: Attended 1600-0100Z[±]. When tower clsd Rwv 10L-28R CLOSED. Flocks of birds feeding along the shoreline, creek areas and at the golf course to the north, on occasion may fly across various parts of the arpt. Noise abatement procedures in effect ctc arpt for noise rules on 510-293-8678. TPA-652(600) Rwy 10R-28L, 852(800) Rwy 10L-28R, Rwy 10R has ldg distance remaining signs (lgtd) north side of rwy. Rwy 28L has ldg distance remaining signs (lgtd) south side of rwy. When twr clsd MIRL Rwy 10R-28L preset low ints, to increase ints ACTIVATE-CTAF. When twr clsd VASI Rwy 10R and Rwy 28L opr Residentia dusk to dawn, PAPI Rwy 10L, PAPI Rwy 28R and REIL Rwy 10R and Area Rwy 28L unavailable WEATHER DATA SOURCES: ASOS (510) 786-3052. COMMUNICATIONS: CTAF 120.2 ATIS 126.7 (510)786-3988 **IINICOM** 122 95 (R) NORCAL APP CON 124.4 125.35 134.5 R NORCAL DEP CON 124.4 CLNC DEL 128.05 TOWER 120.2 118.9 (1500-0500Z±) GND CON 121.4 AIRSPACE: CLASS D svc 1500-0500Z[‡] other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE OAK. OAKLAND (H) VORTACW 116.8 OAK Chan 115 N37°43.56' W122°13.42' 113° 6.3 NM to fld. 10/17E. AWIH ILS/DME 111.5 I-HWD Chan 52 Rwy 28L. LOC only. LOC unmonitored when twr clsd. COMM/NAV/WEATHER REMARKS: For IFR clearances or Class C airspace information ctc Oakland Twr 127.2. HELIPAD H1: H110X110 (ASPH) MIRL

| HEALDSBURG MUNI (HES) 3 NW UTC-8(-7DT) N38°39.16' | |
|---|--|
| 278 S4 FUEL 80, 100 TPA—1278(1000) NOTAM FILE OA RWY 13-31: H2707X60 (ASPH) S-12.5 MIRL RWY 13: Road. Rgt tfc. RWY 31: Hill. | |
| AIRPORT REMARKS: Attended 1600–0100Z‡. Noise abatement, touch a apch end. ACTIVATE MIRL Rwy 13–31—CTAF. | nd go limited to 4 acft day. Rwy 31 downdrafts |
| WEATHER DATA SOURCES: AWOS-A 122.8 (617) 262-3825. 3 clicks for Communications: CTAF/UNICOM 122.8 | weather. Plus visibility. |
| HECTOR N34°47.82' W116°27.78' NOTAM FILE RAL. | LOS ANGELES |
| (H) VORTAC 112.7 HEC Chan 74 267° 16.4 NM to Barstow-D | aggett. 1853/15E. H-4H, L-7D |
| VOR portion unusable: 340°–055° byd 15 NM blo 10,000' | 090°–200° byd 30 NM blo 13,000' |
| 340°-055° byd 28 NM blo 14,000′ | 200°–231° byd 25 NM blo 9,000° |
| 055°–090° byd 25 NM blo 9,000′ | 200°-231° byd 32 NM blo 12,000' |
| 090°-200° byd 18 NM blo 11,000' | 231°-240° byd 30 NM blo 10,000' |
| | 240°-270° byd 28 NM blo 9,000' |
| DME portion unusable: 340°-055° byd 15 NM blo 10.000' | 090°-200° byd 30 NM blo 13.000' |
| 340°-055° byd 28 NM blo 14,000′ | 200°-231° byd 20 NM blo 15,000' |
| 055°–090° byd 25 NM blo 9,500' | 231°-240° byd 20 NM blo 11,000' |
| 090°-200° byd 18 NM blo 11,000' | 240°-270° byd 28 NM blo 9,000' |
| RCO 122.1R 112.7T (RIVERSIDE RADIO) | |
| | |
| HEMET-RYAN (HMT) 3 SW UTC-8(-7DT) N33°44.04' W117 | |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA | AM FILE RAL COPTER |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL | |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA | AM FILE RAL COPTER L-4H |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. | AM FILE RAL COPTER L-4H |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04-22: H2045X25 (ASPH) | AM FILE RAL COPTER L-4H |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04-22: H2045X25 (ASPH) Rwy 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925–7618. | AM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04-22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925–7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service | AM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05–23: H4314X100 (ASPH) S–80, D–130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04–22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925–7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern | AM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05-Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 24: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951-925-7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest Service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam | AM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04-22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925–7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders | AM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05-Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 24: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951-925-7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest Service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam | AM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 04-22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925–7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders operating N of arpt. Rwy 04–22, glider rwy CLOSED indef. | MM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05-Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 24: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951-925-7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders operating N of arpt. Rwy 04-22, glider rwy CLOSED indef. ACTIVATE MIRL Rwy 05-23 and taxiway lights—CTAF. WEATHER DATA SUBRCES: AWOS-3 118.375 (951) 925-6886. COMMUNICATIONS: CTAF/UNICOM 123.0 | MM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04-22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925-7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders operating N of arpt. Rwy 04-22, glider rwy CLOSED indef. ACTIVATE MIRL Rwy 05-23 and taxiway lights—CTAF. WEATHER DATA SOURCES: AWOS-3 118.375 (951) 925–6886. COMMUNICATIONS: CTAF/UNICOM 123.0 R MARCH APP/DEP CON 133.5 (1500–0700Z‡) clsd holidays, other | AM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05-73: H4314X100 (ASPH) S-80, D-130 MIRL RWY 04-22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925-7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders operating N of arpt. Rwy 04–22, glider rwy CLOSED indef. ACTIVATE MIRL Rwy 05–23 and taxiway lights—CTAF. WEATHER DATA SOURCES: AWOS–3 118.375 (951) 925–6886. COMMUNICATIONS: CTAF/UNICOM 123.0 MARCH APP/DEP CON 133.5 (1500–0700Z‡) clsd holidays, other times ctc | MM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05: Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04-22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925-7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders operating N of arpt. Rwy 04-22, glider rwy CLOSED indef. ACTIVATE MIRL Rwy 05-23 and taxiway lights—CTAF. WEATHER DATA SOURCES: AWOS-3 118.375 (951) 925–6886. COMMUNICATIONS: CTAF/UNICOM 123.0 R MARCH APP/DEP CON 133.5 (1500–0700Z‡) clsd holidays, other | MM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05-Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 04-22: H2045X25 (ASPH) RWY 22: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951–925–7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May–Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders operating N of arpt. Rwy 04-22, glider rwy CLOSED indef. ACTIVATE MIRL Rwy 05–23 and taxiway lights—CTAF. WEATHER DATA SOURCES: AWOS-3 118.375 (951) 925–6886. COMMUNICATIONS: CTAF/UNICOM 123.0 MARCH APP/DEP CON 133.5 (1500–0700Z‡) clsd holidays, other times ctc SOCAL APP/DEP 134.0 | MM FILE RAL COPTER L-4H IAP |
| 1512 B S4 FUEL 100LL, JET A TPA—2512(1000) NOTA RWY 05-23: H4314X100 (ASPH) S-80, D-130 MIRL RWY 05-Tree. Rgt tfc. RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. RWY 24: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hours. Fee for fuel after hours call 951-925-7618. Watch for United States Forest Service fire fighting acft. Air tanker activity May-Nov. Forest service firefighting acft frequently fly the conventional rectangular pattern with four 90° clearing turns entering the down wind leg abeam midpoint of rwy. All powered acft tfc patterns to S. Gliders operating N of arpt. Rwy 04-22, glider rwy CLOSED indef. ACTIVATE MIRL Rwy 05-23 and taxiway lights—CTAF. WEATHER DATA SUBRCES: AWOS-3 118.375 (951) 925-6886. COMMUNICATIONS: CTAF/UNICOM 123.0 R MARCH APP/DEP CON 133.5 (1500-0700Z‡) clsd holidays, other times ctc S SUCAL APP/DEP 134.0 RADID AIDS TO NAVIGATION: NOTAM FILE RAL. | MM FILE RAL COPTER L-4H IAP |



111




| 1250 TPA—2050(800) NOTAM FILE OAK | .11' KLAMATH FAL |
|--|--|
| RWY 14–32: H2980X60 (ASPH) S–12 | |
| RWY 14: Trees. Rgt tfc. RWY 32: Thid dspicd 700'. Trees. | |
| AIRPORT REMARKS: Unattended. Arpt CLOSED nights except for emerger | ncy medical use. High terrain all quadrants. |
| Intermittently closed winters due to snow. Ctc county transportation | on office for information 530–623–1365. |
| NSTD MIRL for emerg medical use only, public use not authorized. | |
| COMMUNICATIONS: CTAF/UNICOM 122.8 | |
| IMPERIAL BEACH NOLF (REAM FLD) (NRS) NAF 1 S UTC-80 | |
| N32°34.00' W117°07.00' | L |
| 24 B NOTAM FILE NRS Not insp. RWY 09-27: H4999X340 (PEM) S-55, T-72, ST-91 HIRL | DI |
| RWY 09–27: H4999X340 (PEM) S–55, T–72, ST–91 HIRL RWY 27: Ols. | |
| RWY 08-26: H2241X150 (CONC) S-32, T-51 | |
| MILITARY SERVICE: FUEL J5 (Mon-Thu 1900-0500Z‡, Fri 1800-0200Z‡) | |
| MILITARY REMARKS: Opr Mon-Thu 1600-0630Z (1500-0600Z DT) and F | ri 1600–0200Z‡. CLOSED from 0200Z‡ day |
| prior until 1600Z‡ day following government holiday; except pre-c | oordinated flt of opr necessity. Ctc NOLF ATC |
| DSN 577-9414/9415 for opr inquires. RSTD Official Business Only | - PPR fixed wing acft, ctc NASNI ODO DSN |
| 735-8233/8234, C619-545-8233/8234. Practice apch not auth | orized Rwy 09. CAUTION Extensive helicopter |
| training. MISC Rwy 08–26 avbl for dalgt VFR helicopter use only. | |
| WEATHER DATA SOURCES: ASOS DSN 577-9890, (C619) 437-9890. | |
| COMMUNICATIONS: ATIS 276.2 R Socal App/dep con 125.15 317.55 | |
| TOWER 120.65 239.25 (Mon-Thu 1600-0630Z (1500-0600Z DT) a | and Fri 1600–02007† Clsd from 02007† day |
| | 285.575 RADAR 318.8 |
| AIRSPACE: CLASS D svc Mon-Thu 1600–0630Z (1500–0600Z DT) and F | |
| until 1600Z‡ day following government holiday, other times CLASS | S G. |
| RADIO AIDS TO NAVIGATION: NOTAM FILE NRS. | |
| | at fld. 20/14E. Opr only during fld opr hr. |
| Unusable 225°–230°. | |
| | |
| PAR COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima | |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima | |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 | .72' LOS ANGEL |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L- |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L- |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL II |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L- MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38'. P-line. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38', P-line. RWY 26: PAPI(P4L)—GA 3.0° TCH 38', P-line. RWY 26: TATE REMARKS: Attended 1600–01002 [±] . Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; ctc NAF Twr 119.1 | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-PAPI(P2L)—GA 3.0° TCH 38'. Peline. RWY 26: PAPI(P2L)—GA 3.0° TCH 38'. Poline. RWY 26: PAPI(P4L)—GA 3.0° TCH 38'. Poline. RWY 26: PAPI(P4L)—GA 3.0° TCH 38'. Poline. AIRPORT REMARKS: Attended 1600–01002‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; etc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38', Pole. Rgt tfc. RWY 08: PAPI(P2L)—GA 3.0° TCH 38', Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-01002‡. Avoid NAF El Centro tfc; act depart Rwy 26 rgt turn-stay below 1000'; ct NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF El | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 12; Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38'. P-line. RWY 26: PAPI(P2L)—GA 3.0° TCH 38'. Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-01002‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turm-stay below 1000'; tc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF EI Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 13-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-60, Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-0100Z‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; ctc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF EI Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-27, H4500X75 (ASPH) S-60, D-80 MIRL RWY 08-28: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-27, H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-27, H4500X75 (ASPH) S-50, D-50 MIRL RWY 18-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 18-27, H4500X75 (ASPH) S-50, D-50 MIRL RWY 19-27, H4500X75 (ASPH) S-50, D-50 MIRL RWY 19-119, 107 Navy tfc advisory. Radio antenna +70 located on control twr at midfield Rwy 14-32 and 500' W rwy centerline. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38', Pole. Rgt tfc. RWY 08: PAPI(P2L)—GA 3.0° TCH 38', Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-01002‡. Avoid NAF El Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; ctc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF El Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on control twr at midfield Rwy 14-32 and 500' W rwy centerline. TPA—946(1000) conventional acft, 1446(1500) jet acft. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38', Polie. Rgt tfc. AIRPORT REMARKS: Attended 1600-0100Z‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turm-stay below 1000'; ct NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF EI Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on control twr at midfield Rwy 14-32 and 500' W rwy centerline. TPA—946(1000) conventional acft, 1446(1500) jet acft. Overnight tiedown fee. ACTIVATE MIRL Rwys 08-26 and | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38', Pole. Rgt tfc. RWY 08: PAPI(P2L)—GA 3.0° TCH 38', Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-01002‡. Avoid NAF El Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; ctc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF El Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on control twr at midfield Rwy 14-32 and 500' W rwy centerline. TPA—946(1000) conventional acft, 1446(1500) jet acft. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 32: PAPI(P2L)—GA 3.0° TCH 38'. P-line. RWY 32: PAPI(P2L)—GA 3.0° TCH 38'. Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-0100Z‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; ctc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF EI Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on control twr at midfield Rwy 14–32 and 500' W rwy centerline. TPA—946(1000) conventional acft, 1446(1500) jet acft. Overnight tiedown fee. ACTIVATE MIRL Rwys 08–26 and 14–32—CTAF. | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L- MIRL III MIRL IIII Company Residential Area |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-60, Pale. RWY 18-26: H4500X75 (ASPH) S-60, Pale. RWY 18-26: H4500X75 (ASPH) S-60, D-80 MIRL RWY 08-26: H4500X75 (ASPH) S-60, D-50 MIRL RWY 19-26: H4500X75 (ASPH) S-60, D-50 MIRL RWY 19-26: H4500X75 (ASPH) S-60, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-60, D-50 MIRL RWY 08-26 AD1 SOUTH S-200 MIRL RWY 19-200 MIRL RWY 19-200 MIRL RWY 19-200 MIRL RWY 08-26 AD1 SOUTH S-200 MIRL RWY 19-200 MIRL RWY 08-26 AD1 SOUTH S-200 MIRL RWY 08-200 MIRL RWY 08-26 AD1 SOUTH S-200 MIRL RWY 08-26 A | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L- MIRL III MIRL IIII Company Residential Area |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38'. P-line. RWY 26: PAPI(P2L)—GA 3.0° TCH 38'. Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-01002‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; tc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF EI Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on control twr at midfield Rwy 14-32 and 500' W rwy centerline. TPA—946(1000) conventional acft, 1446(1500) jet acft. Overnight tiedown fee. ACTIVATE MIRL Rwys 08-26 and 14–32—CTAF. WEATHER DATA SURCES: ASOS 132.175 (760) 355–2851. COMMUNICATIONS: CTAF/UNICOM 122.7 RC0 122.1R 115.9T (SAN DIEGO RADIO) RC0 122.5 (SAN DIEGO RADIO) | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08-26: H4500X75 (ASPH) S-60, P-100. RWY 26: PAPI(P2L)—GA 3.0° TCH 38'. Polie. RWY 26: PAPI(P2L)—GA 3.0° TCH 38'. Polie. RWY 26: PAPI(P4L)—GA 3.0° TCH 38'. Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-01002‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; ctc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF EI Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on control twr at midfield Rwy 14-32 and 500' W my centerline. TPA—946(1000) conventional acft, 1446(1500) jet acft. Overnight tiedown fee. ACTIVATE MIRL Rwys 08-26 and 14-32—CTAF. WEATHER DATA SOURCES: ASOS 132.175 (760) 355-2851. COMMUNICATIONS: CTAF/UNICOM 122.7 RC0 122.1R 115.9T (SAN DIEGO RADIO) RC0 122.5 (SAN DIEGO RADIO) LA. CENTER APP/DEP CON 128.6 | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |
| COMM/NAVWEATHER REMARKS: Radar see Terminal FLIP for Radar Minima IMPERIAL CO (IPL) 1 S UTC-8(-7DT) N32°50.05' W115°34 -54 B S4 FUEL 100LL, JET A TPA—See Remarks Class RWY 14-32: H5304X100 (ASPH-PFC) S-60, D-80, ST-102, DT-130 RWY 14: Fence. RWY 32: VASI(V4L)—GA 3.0° TCH 47'. Road. Rgt tfc. RWY 08-26: H4500X75 (ASPH) S-50, D-50 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 38'. P-line. RWY 26: PAPI(P2L)—GA 3.0° TCH 38'. Pole. Rgt tfc. AIRPORT REMARKS: Attended 1600-01002‡. Avoid NAF EI Centro tfc; acft depart Rwy 26 rgt turn-stay below 1000'; tc NAF Twr 119.1 for advisory. Frequent high-speed military jet traffic transits Imperial Co traffic area westbound descending VFR to NAF EI Centro. Avoid 2500' to 3500' MSL near Imperial Co. Contact NAF Twr 119.1 for Navy tfc advisory. Radio antenna +70' located on control twr at midfield Rwy 14-32 and 500' W rwy centerline. TPA—946(1000) conventional acft, 1446(1500) jet acft. Overnight tiedown fee. ACTIVATE MIRL Rwys 08-26 and 14–32—CTAF. WEATHER DATA SURCES: ASOS 132.175 (760) 355–2851. COMMUNICATIONS: CTAF/UNICOM 122.7 RC0 122.1R 115.9T (SAN DIEGO RADIO) RC0 122.5 (SAN DIEGO RADIO) | .72' LOS ANGEL III, ARFF Index A. NOTAM FILE IPL H-4H, L-) MIRL I |

| INDEPENDENCE (207) 1 N UTC-8(-7DT) N36°48.98' W118°12.30' SAN FRAN 3908 TPA—4708(800) NOTAM FILE RAL NUTL RWY 14-32: H3533X60 (ASPH) S-20 MIRL RWY 14-52: H3533X60 (ASPH) S-20 MIRL RWY 32: Trees. Rgt tfc. RWY 05-23: 1498X30 (DIRT) STAR FRANCE STAR FRANCE STAR FRANCE | ICISCO L–9A |
|--|-----------------------|
| RWY 05: Road. RWY 23: Fence. AIRPORT REMARKS: Unattended. Rwy 05–23 restricted can be used only during extreme crosswind conditions. Tfc pattern indicators for Rwy 14–32 only. Rwy 05–23 marked with an R on each end, no numbers or centerline markings. ACTIVATE MIRL Rwy 14–32—CTAF. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE BIH. BISHOP (T) YORW/OME 109.6 BIH Chan 33 N37°22.62' W118°21.99' 152° 34.5 NM to fid. 4117/15E | |
| INYOKERN (IYK) 1 NW UTC-8(-7DT) N35°39.52' W117°49.77' LAS 2457 B S2 FUEL 100LL, JET A TPA—3457(1000) Class III, ARFF Index A NOTAM FILE IYK H-4H RWY 15-33: H7100X75 (ASPH) S-24 MIRL 0.4% up NW RWY 12-20: H6275X75 (ASPH) S-30, D-50, DT-80 MIRL 0.4% up S RWY 02: PAPI(P2L)—GA 3.3° TCH 40'. RWY 02: PAPI(P2L)—GA 3.3° TCH 40'. RWY 02: PAPI(P2L)—GA 3.3° TCH 40'. RWY 10-28: H4150X75 (ASPH) S-24 MIRL 1.0% up W RWY 28: Thild dspicd 103'. AIRPORT REMARKS: Attended Mon-Fri 1500-0100Z‡, Frequent glider ops on weekends. After 2200Z‡ callout fee for service call 760-382-3383. Monitor 122.8 in fto pattern. ACTIVATE MIRL Rwy 02-20, Rwy 10-28, Rwy 15-33 and VASI Rwy 20—CTAF. PAPI Rwy 02 and Rwy 33 opr continuously. COMMUNICATIONS: CTAF/AUNICOM 122.8 (R) JOSHUA APP/DEP CON 133.65 RADIO AIDS TO NAVIGATION: NOTAM FILE EDW. EUWARDS (I) VORTAC 116.4 EDW Chan 111 N34°58.94' W117°43.96' 338° 40.8 NM to fid. 2354/15E. COMMUNIAV/WEATHER REMARKS: Automated UNICOM-3 clicks for arpt advisory and wx or dial 617-262-3825, 4 clicks for radio check. | |
| JACK MCNAMARA FLD (See CRESCENT CITY) | |
| JACK NORTHROP FLD/HAWTHORNE MUNI (See HAWTHORNE) | |
| JACKSON WESTOVER FIELD AMADOR CO (JAQ) 2 NW UTC-8(-7DT) N38°22.61' W120°47.64' SAN FRAN 1690 B S4 FUEL 100LL TPA—2690(1000) NOTAM FILE RIU RWY 01-19: H3401X60 (ASPH) 12.5 MIRL RWY 01: REIL. VASI(V2L)—GA 3.0° TCH 25'. RWY 19: REIL. VASI(V2L)—GA 4.0° TCH 32'. Tree. AIRPORT REMARKS: Attended 1700-01002‡. Rwy 19 is the preferred rwy. ACTIVATE MIRL Rwy 01-19—122.8. WEATHER DATA SOURCES: AWOS-3 121.125 (209) 257-1292. COMMUNICATIONS: CTAF/UNICOM 123.075 (R) NORCAL APP CON 125.1 (R) NORCAL DEP CON 125.1 (R) NORCAL DEP CON 127.4 RADIO AIDS TO NAVIGATION: NOTAM FILE RIU. LINDEN (H) VORTAC 114.8 LIN Chan 95 N38°04.48' W121°00.23' 012° 20.7 NM to fid. 260/17E. | ICISCO L–3A IAP |
| JACQUELINE COCHRAN RGNL (See PALM SPRINGS) | |
| JACUMBA (L78) 1 E UTC-8(-7DT) N32°36.95' W116°09.92' LOS AN 2844 TPA—3644(800) NOTAM FILE SAN RWY 07-25: 2508X100 (GRVL) S-12 RWY 25: Mountains. Rgt tfc. AUPROFILE France August 10, 25, 250, 250, 250, 250, 250, 250, 250 | |

AIRPORT REMARKS: Unattended. Wind permitting, recommend land Rwy 07 and dep Rwy 25 due to 480' hill 1 mile east of arpt. International boundary loc 750' south of Rwy 07–25. COMMUNICATIONS: CTAF 122.9

JOHN WAYNE AIRPORT/ORANGE CO (See SANTA ANA)

| JOINT FORCES TRAINING BASE JFTB (See LOS ALAMITOS AAF) | |
|--|--|
| JOSHUA TREE ROY WILLIAMS (L8Ø) 3 NE UTC-8(-7DT) N34°09.25' W116°15.13' 2464 B FUEL 100LL TPA—3464(1000) NOTAM FILE RAL RWY 06-24: H2493X50 (ASPH) LIRL (NSTD) RWY 24: Thild dspicd 177'. RWY 12-30: 2355X100 (ASPH–DIRT) RWY 12: Thild dspicd 305'. Road. RWY 30: Thild dspicd 630'. P-line. AIRPORT REMARKS: Attended continuously. Rwy 06–24 loose rocks and sand on rwy. Arpt advisory r Idg. Radio ctc recommended before Idg for advisory and altimeter setting. Unigtd mountains 2 and 3 miles S 3800'. Rwy 12–30 SE end 420' by 50' asph, remainder of rwy dirt. Rwy 12–30 steep edges and abrupt transitions at asphalt/dirt section in center of rwy. Rwy 24 NSTD dsp are yellow. Lead-in arrows are missing. Rwy 12 non-standard markings on conc pad adjacent 30 non-standard number markings on pad left side of rwy 1000' from rwy end. Rwy 06–24 I | 2½ miles E 3070' rough surface with lcd thld markings to rwy end. Rwy |
| system. ACTIVATE LIRL Rwy 06–24 and rotating bcn—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 JOTLY N37°49.90' W121°08.12' NOTAM FILE SCK. NDB (LOM) 271 SC 290° 6.1 NM to Stockton Metropolitan. | SAN FRANCISCO |
| JULIAN N33°08.43' W116°35.16' NOTAM FILE SAN. (L) VORTACW 114.0 JLI Chan 87 047° 15.1 NM to Borrego Valley. 5560/15E. RC0 123.65 (SAN DIEGO RADIO) | LOS ANGELES H-4H, L-41 |
| KANAN N38°02.79' W122°02.01' NOTAM FILE CCR. NDB (LOM) 335 CC 181° 3.6 NM to Buchanan Fld. | SAN FRANCISCO |
| KEARN N39°16.55′ W123°14.43′ NOTAM FILE UKI. NDB (LOM) 371 UK 151° 9.2 NM to Ukiah Muni. | SAN FRANCISCO |
| KERN VALLEY (See KERNVILLE) | |
| KERNVILLE KERN VALLEY (LØ5) 3S UTC-8(-7DT) N35°43.69' W118°25.18' 2614 S2 TPA3614(1000) NOTAM FILE RIU RWY 17-35: H3500X50 (ASPH) S-12.5 RWY 17: Trees. Rgt tfc. AIRPORT REMARKS: Attended dalgt hrs. No ngt ops. Fly-in campground on arpt. COMMUNICATIONS: CTAF/UNICOM 122.8 | LOS ANGELES L-3D, 7B |
| RADIO AIDS TO NAVIGATION: NOTAM FILE BFL Shafter (H) Vortacw 115.4 EHF Chan 101 N35°29.07' W119°05.84' 052° 36.2 NN Hiwas. | I to fld. 548/14E. |



LANCASTER

 GENERAL WM. J. FOX AIRFIELD
 (WJF)
 4 NW
 UTC-8(-7DT)
 N34°44.46' W118°13.12'
 LOS ANGELES

 2351
 B
 S4
 FUEL
 100LL, JET A
 OX 2
 TPA--3151(800)
 NOTAM FILE WJF
 H-4H, L-3E, 46, 7B

 RWY 06-24:
 H7201X150 (ASPH-RFSC)
 S-50, D-68, ST-86, DT-117
 MIRL
 IAP, AD

RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 26'. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 26'. Rgt tfc. AIRPORT REMARKS: Attended continuously. Lgtd radio towers 4 mi SE. Numerous birds SE of arpt. PAEW adjacent ramp area btn fuel island and terminal bldg

WEATHER DATA SOURCES: ASOS (661) 949–2840.

COMMUNICATIONS: CTAF 120.3 ATIS 126.3 Inicom 122 95

LANCASTER RCO 122.2 (RIVERSIDE RADIO) (R) Joshua App/dep con 126.1

FOX TOWER 120.3 (1500-0500Z‡) GND CON 121.7 AIRSPACE: CLASS D svc 1500-0500Z‡ other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE PMD.

 PALMDALE (H) VORTAC 114.5
 PMD
 Chan 92
 N34°37.88'


 W118°03.83'
 296° 10.1
 NM to fid. 2498/15E.

 NDB (MHW) 282
 GWF
 N34°44.32' W118°13.01'
 at fid.

 NOTAM FLE WJE. Unmonitored.
 NOTAM FLE WJE.
 NOTAM FLE WJE.
 NOTAM FLE WJE.



LA VERNE






117


SW, 08 APR 2010 to 03 JUN 2010

| LEMOORE NAS (REEVES FLD) (NLC) NAS 7 W UTC-8(-7DT) N36°19.98' W119°57.12' | SAN FRANCISCO |
|---|-----------------------|
| 232 B NOTAM FILE NLC Not insp. | H–4G, L–3C |
| RWY 14L-32R: H13500X200 (CONC) PCN 51 R/C/W/T HIRL | DIAP, AD |
| RWY 14L: OLS. REIL. RWY 32R: OLS. REIL. | |
| RWY 14R-32L: H13497X200 (CONC) PCN 56 R/C/W/T HIRL CL RWY 14R: OLS. REIL. RWY 32L: ALSF2. SF. OLS. WAVE-OFF. REIL. | |
| ARRESTING GEAR/SYSTEM | |
| | 3 (1756') RWY 32R |
| | B (3495') RWY 32L |
| MILITARY SERVICE: LGT Precision Approach and Landing System unavbl weekends. Rotating bcn not op | () |
| | GTC-85) |
| 2(NC-5) 2(NC-8) 1(NCPP-105) FUEL J5 FLUID SP PRESAIR OXRB (LOX avbl Mon-Fri 1600-C | 0000Z‡ only.) |
| OIL 0-128-133-156 TRAN ALERT Ltd transient svc/maintenance avbl during arpt opr hr. High-s | peed fuel lanes |
| not avbl to transient acft. | |
| MILITARY REMARKS: Attended Mon-Thu 1600-0800Z‡, Fri 1600-0200Z‡, Sat 1800-0200Z‡, Sun 21 | |
| FLIP AP/1 Supplementary Arpt Remark for holiday schedule. Field hrs subject to change via NOT | |
| DSN 949–1023, C559–998–1023 except AIREVAC. Civilian acft ldg permits required. Prior coorr advisory required for AMC and scheduled airlifts. 24 hr prior notice required for acft with hazard | - |
| CAUTION Bird hazard. High intensity jet opr 25 NM radius 0–15,000' Mon–Fri. Black top areas adj | |
| hanger for erosion control only, will not support acft. TFC PAT Heavy acft executing practice instru | |
| limited to low apch. Reduced rwy separation standard in effect USN/USMC acft. MISC Prior coord | |
| transient practice instrument apch DSN 949-1099, C559-998-1099. Data link frequency 323. | 5, TRN-28 |
| monitor system Chan 13. | |
| WEATHER DATA SOURCES: AWOS-3 (C559) 998-2336. | |
| COMMUNICATIONS: ATIS 121.575 267.6 | |
| (R) APP CON 124.1 (N) 118.15 (S) 286.0 | |
| TOWER 128.3 340.2 (Rwy 14L, 32L) 360.2 (Rwy 14R, 32R) (Mon-Thu 1600-0800Z‡, Fri 1600-0 1800-0200Z‡, Sun 2100-0500Z‡) GND CON 121.65 305.2 CLNC DEL 124.1 380.8 | 2002‡, Sat |
| 1800–0200Z‡, Sun 2100–0500Z‡) GND CON 121.65 305.2 CLNC DEL 124.1 380.8 (R) DEP CON 118.15 318.8 (Rwy 14L/R) 124.1 318.8 (Rwy 32L/R) | |
| BASE OPS 299.3 PSMV METRO 317.0 MOA ADVISORY 134.225 290.325 | |
| AIRSPACE: CLASS D svc Mon-Thu 1600–0800Z‡, Fri 1600–0200Z‡, Sat 1800–0200Z‡, Sun 2100–05 | 00Z± other |
| times CLASS E. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE NLC. | |
| (H) TACAN Chan 80 NLC (113.3) N36°20.65′ W119°57.98′ at fld. 229/16E. | |
| TACAN azimuth unusable: | |
| 180°–200° byd 6 NM blo 6,000′ 180°–200° byd 25 NM blo 1 | 5,000' |
| 180°-200° byd 15 NM blo 10,000′ ASR/PAR | |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. | |
| | |
| LINCOLN RGNL/KARL HARDER FLD (LHM) 3 W UTC-8(-7DT) | SAN FRANCISCO |
| N38°54.55′ W121°21.08′ 121 B S4 FUEL 100LL, JET A TPA—1121(1000) NOTAM FILE RIU | H–3B, L–2G, 3A IAP |
| 121 B S4 FUEL 100LL, JET A TPA—1121(1000) NOTAM FILE RIU RWY 15-33: H6001X100 (ASPH) S-30, D-60 MIRL | IAF |
| RWY 15: MALSR. PAPI(P4L)—GA 3.0° TCH 44'. Tree. | |
| RWY 33: PAPI(P4R)—GA 3.0° TCH 29'. Trees. | |
| AIRPORT REMARKS: Attended Mon-Fri 1400-0230Z‡. For Jet A and | |
| 100LL fuel truck ctc (916) 257–4854, 1400–0230Z‡. Self svc | |
| fuel avbl 24 hrs. Parachute Jumping. ACTIVATE MIRL Rwy 15–33, 🛛 🔸 🏌 | - \ |
| MALSR Rwy 15—CTAF. PAPI Rwy 15 and Rwy 33 turned on during | |
| dalgt hrs, after dark ACTIVATE—CTAF. | |
| WEATHER DATA SOURCES: AWOS–3 124.25 (916) 645–0698. | ```\ 7 |
| R NORCAL APP/DEP CON 125.4 | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE MYV. | |
| MARYSVILLE (T) VOR/DME 110.8 MYV Chan 45 N39°05.92' | |
| W121°34.38' 122° 15.4 NM to fld. 62/16E. | ₽ \ |
| ILS/DME 108.75 I-LHM Chan 24(Y) Rwy 15. Class IT. | |
| ILS unmonitored. | |
| | |
| 33 | U IV |
| | |

| LINDEN N38°04.4 | 8' W121°00.23' | NOTAM FILE RIU. | SAN FRANCISCI |
|------------------|----------------|--------------------------------|----------------|
| (H) VORTAC 114.8 | LIN Chan 95 | 285° 14.7 NM to Lodi. 260/17E. | H–3B, L–2F, 3I |

CO 3b





Rwy 12–30 markings extremely faded, Rwy 30 dsplcd thid marked with thid bar only, no numbers, no centerline. For LIRL Rwy 12–30 key 122.8 5 times.


_ _ _ _ _ _ _ _ _ _

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE RIU.

LINDEN (H) VORTAC 114.8 LIN Chan 95 N38°04.48' W121°00.23' 257° 16.9 NM to fid. 260/17E.

SW, 08 APR 2010 to 03 JUN 2010



| LONE PINE (026) 1 SE UTC-8(-7DT) N36°35.30' W118°03.12' | SAN FRANCISCO |
|--|-----------------|
| 3680 B FUEL 100LL, JET A TPA—4480(800) NOTAM FILE RAL | L—9A |
| RWY 16-34: H4000X60 (ASPH) S-8 MIRL | |
| RWY 16: Tree. RWY 34: Fence. Rgt tfc. | |
| RWY 13-31 GLIDER: 2400X100 (DIRT) | |
| RWY 13 GLIDER: Thid dspied 625'. Trees. Rgt tfc. RWY 31 GLIDER: Fence. | |
| AIRPORT REMARKS: Attended irregularly. Fuel 100LL avbl 24 hrs by credit card. Jet A from truck 1600-0. | 100Z‡. After |
| hrs callout. Pilots be on alert to possible wind shear over trees while on apch Rwy 16 with SE wind | is 15 knot or |
| greater. Rwy 13–31 Glider restricted to gliders only except PPR—CTAF. Hang glider activity invof a | rpt. Helicopter |
| tfc apch arpt from E along twy to helipad. Rwy 13 Glider and Rwy 31 Glider no numbers, thIds and | dsplcd thid |
| Rwy 13 Glider marked with tires painted white, white R's both ends of rwy left side. Arpt bcn OTS i | ndef. |
| ACTIVATE MIRL Rwy 16–34 and bcn—CTAF. | |
| COMMUNICATIONS: CTAF/UNICOM 122.8 | |
| BISHOP RCO 122.6 (N) (RIVERSIDE RADIO) | |
| RAND MOUNTAIN RCO 122.4 (S) (RIVERSIDE RADIO) | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE BIH. | |
| BISHOP (T) VORW/DME 109.6 BIH Chan 33 N37°22.62' W118°21.99' 147° 49.6 NM to fld. 4 | 117/15E. |
| • | • • • • |
| HELIPAD H1: H30X30 (ASPH) | |

LONG BEACH (DAUGHERTY FLD) (LGB) 3 NE UTC-8(-7DT) N33°49.07' W118°09.10' INS ANGELES 60 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index C NOTAM FILE LGB COPTER RWY 12-30: H10000X200 (ASPH-GRVD) S-30, D-200, ST-175, DT-300 CL H-4H, L-3E, 4G, A HIRL RWY 12: REIL. VASI(V4L)—GA 3.0° TCH 47'. Thid dspicd 1350'. Fence. 0.4% down. IAP AD RWY 30: MALSR. TDZL. PAPI(P4L) —GA 3.0° TCH 70'. Thid dspicd 2000'. Tree. 0.3% up. RWY 07L-25R: H6192X150 (ASPH-PFC) S-30, D-70, ST-89, DT-110 MIRL 0.3% up W RWY 07L: Thid dspicd 1305'. Pole. RWY 25R: REIL. VASI(V4L)-GA 4.0° TCH 70'. Thid dspicd 531'. Road. Rgt tfc. RWY 07R-25L: H5423X150 (ASPH) S-30, D-75, ST-95 HIRL 0.4% up W RWY 07R: Tower, Rgt tfc. RWY 25L: REIL, PAPI(P4L)-GA 4.0° TCH 38', Thid dsplcd 1520', Trees. RWY 16R-34L: H4470X75 (ASPH) S-12.5 RWY 16R: VASI(V4L)-GA 4.0° TCH 36'. Thid dspied 310'. Fence, Rgt tfc. RWY 341 · Road RWY 16L-34R: H3975X75 (ASPH) S-12.5 RWY 16L: Thid dspicd 415'. Fence. RWY 34R: Thid dsplcd 1406'. Road. Rgt tfc. LAND AND HOLD SHORT OPERATIONS LANDING HOLD SHORT POINT DIST AVBI **RWY 12** 16L-34R 4100 **RWV 25R** 12_30 3/100 07L-25R **RWY 30** 5850 RUNWAY DECLARED DISTANCE INFORMATION RWY 30: TORA-10000 TODA-10000 ASDA-9414 LDA-7424 AIRPORT REMARKS: Attended continuously. All rwys CLOSED 0600-1500Z‡ except Rwy 12-30. Rwy 16L-34R OTS indef. Birds on and invof arpt. Airships moored in infield and operating invof arpt. Rwy 07R lgtd twr 152' AGL 2500' W and 500' S of rwy thld. 6' Igtd chain link fence located 130' S of centerline of Twy F. Fence begins NW corner of twr and extends 400' to W. 11' lgtd fence located 77' south of centerline Twy D at D2. Prior notice requested for military jets and civilian Non-Stage III Jets, ctc Noise Abatement 562-570-2635 or frequency 122.85 Mon-Fri 1530-0030Z[‡]. Noise limits (decibels single event noise exposure level), Rwy 25R tkf 92.0-ldg 88.0; Rwy 07L tkf 88.0-ldg 92.0; Rwy 25L tkf 95.0 ldg 93.0; Rwy 07R tkf 95.0 ldg 92.0. Rwy 12 and 30 1500-0600Z± tkf 102.5 ldg 101.5; 1400-1500Z± and 0600-0700Z± tkf 90.0 ldg 90.0; 0700-1400Z± tkf 79.0 ldg 79.0. Touch and go, stop and go, low apch only permitted 1500-0300Z[‡] weekdays and 1600-2300Z[‡] weekends and holidays only on Rwy 07L-25R and Rwy 07R-25L unless weather conditions require twr to direct such ops to Rwy 16R-34L and Rwy 16L-34R. Rwy 12-30 maximum Idg weights A-330 347,000 pounds; A-340 379,000 pounds; DC-10-10, DC 10 30/40 and MD-11 379,000 pounds; L-1011 354,000 pounds. Rwy 12-30 maximum tkf weights DC-10 30/40 and MD-11 588.000 pounds: C-17 538.600 pounds. Maximum ldg weight for C-17 at or byd glide slope or rwy aiming point marking 538,600 pounds. Rwy 30 ldg prior to rwy aiming point marking 344,000 pounds. Taxiways D3 and L3 weight limits A-340, DC-10 30/40 and MD-11 541,000 pounds, C-17 450,000 pounds. No twy access to Rwy 07L W of Twy D, 4897' remaining on Rwy 07L from Twy D. Engine run-ups other than preflight are limited to hours of 1500-0500Z[‡] weekdays and 1700-0500Z[‡] weekends and holidays. REIL Rwy 25L OTS indef. PAPI Rwy 25L OTS indef. ACTIVATE MALSR Rwy 30 when tower clsd—CTAF. Rwy 12-30 HIRL lighted during hours tower clsd. REIL Rwy 12, Rwy 25R, and Rwy 25L, MIRL Rwy 07L-25R, HIRL Rwy 07R-25L, CL TDZL Igts Rwy 12-30 not avbl when ATCT clsd. VASI Rwy 25R and PAPI Rwy 25L opr 1500-0600Z‡ only. VASI Rwy 12 and PAPI Rwy 30 opr continuously. Rwy 30 PAPI lgts will flash to indicate the presence of an acft or vehicle in activation zones; tkf hold position of Rwy 30 (Twy L1/L2 and Twy D1 intersection); mid-field departure position (Twy J, Rwy 16L-34R, Twy C intersection); Twy G intersection. NOTE: See Special Notices — Air Carrier Operations Vicinity of Long Beach (Daugherty Fld), CA. WEATHER DATA SOURCES: ASOS (562) 424-0572. COMMUNICATIONS: CTAF 119.4 ATIS 127.75 (562) 595-8564 **IINICOM** 122 95 **R** SOCAL APP CON 124.65 (R) SOCAL DEP CON 127.2 LONG BEACH TOWER 119.4 (Rwy 30 apch, Rwy 12 dep) 120.5 (Rwy 12 apch, Rwy 30 dep) (1415-0745Z‡) GND CON 133.0 CINC DEL 118 15 AIRSPACE: CLASS D svc 1415-0745Z[±] other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE HHR. SEAL BEACH (L) VORTACW 115.7 SLI Chan 104 N33°47.00' W118°03.29' 278° 5.3 NM to fld. 23/15E. **HIWAS** BECCA NDB (LOM) 233 LG N33°45.40' W118°04.64' 301° 5.2 NM to fld. ILS 110.3 I-LGB Rwy 30. Class IT. LOM BECCA NDB. Unmonitored when twr clsd. MM unmonitored. HELIPAD H1: H20X20 (ASPH) HELIPAD H4: H20X20 (ASPH) HELIPAD H2: H20X20 (ASPH) HELIPAD H5: H20X20 (ASPH) HELIPAD H3. H20X20 (ASPH) HELIPAD H6: H20X20 (ASPH) HELIPORT REMARKS: Training helipads H1, H2, H3 and H4 located N of Rwy 12-30 midfield between Taxiways G and K. Training helipads H5 and H6 located south of Rwy 12–30 between Twy D and Twy J for hover work only.

LONNIE POOL FLD/WEAVERVILLE (See WEAVERVILLE)

| LOS ALAMITOS AAF JOINT FORCES TRAINING BASE (JFTB) (SLI)(KSLI) A ARNG (AR) 1 SE LOS ANGELES |
|--|
| UTC-8(-7DT) N33°47.40' W118°03.09' COPTER |
| 32 B NOTAM FILE SLI Not insp. H–4H, L–3E, 4H, A |
| RWY 04R-22L: H8001X200 (ASPH-CONC) PCN 36 R/C/W/T HIRL CL DIAP, AD |
| RWY 22L: SALSF. PAPI(P4L)—GA 3.0° TCH 75'. |
| RWY 04L-22R: H5902X150 (PEM) PCN 36 F/C/W/T MIRL |
| MILITARY SERVICE: LGT HIRL elevation 1' and located 5' from edge of rwy. JASU 4(E3) 2(AGPU) 2(AM32A-60B |
| without DC power) FUEL J8 |
| MILITARY REMARKS: Sat-Mon 1600-0000Z‡, Tue-Fri 1500-0600Z‡, closed holidays. RSTD PPR ctc afld ops DSN |
| 972–2571, C562–795–2571; http://www.calguard.ca.gov/SLI. |
| NS ABTMT Procedure in effect. All dep rqr briefings. MISC To exceed weight bearing capacity ctc Afld ops. See AP/1 |
| Route and Area Rstd and Supplementory Arpt Remark. Winds are accurate to within +/- 4 knots. USAR OPS Opr |
| Mon-Fri 1530-0030Z‡, except holidays. DSN 972-2232, C562-795-2232. ARNG AASF OPS Opr Mon-Fri, |
| 1530–2330Z‡, except holidays. DSN 972–2006, C562–795–2006 http://www.calguard.ca.gov/aasf1 |
| COMMUNICATIONS: ATIS 118.875 379.975 |
| (R) SOCAL APP/DEP CON 124.65 316.125 |
| TOWER 123.85 251.15 Sat-Mon 1600-0000Z‡, Tue-Fri 1500-0600Z‡, clsd holidays. GND CON 126.95 |
| 257.95 AFLD OPS ADVSY SVC 126.2 237.2 USAR OPS 139.05 230.9 ARNG AASF OPS 233.8 41.5 |
| (Mon and Fri 1530–2330Z‡, Tue–Thu 1530–0600Z‡, except holidays) |
| AIRSPACE: CLASS D svc Sat-Mon 1600-0000Z‡, Tue-Fri 1500-0600Z‡, other times CLASS G. |
| RADIO AIDS TO NAVIGATION: NOTAM FILE HHR. |
| SEAL BEACH (L) YORTACW 115.7 SLI Chan 104 N33°47.00' W118°03.29' at fld. 23/15E. HIWAS. |
| BECCA NDB (LOM) 233 LG N33°45.40' W118°04.64' 019° 2.4 NM to fld. NOTAM FILE LGB. Unmonitored |
| 0745–1415Z‡. |
| ASR/PAR |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. |

LOS ANGELES

LOS ANGELES INTL (LAX) 9 SW UTC-8(-7DT) N33°56.55' W118°24.43'

125 B S4 FUEL JET A OX 1, 4 LRA Class I, ARFF Index E NOTAM FILE LAX RWY 07L-25R: H12091X150 (CONC-GRVD) PCN 70 R/A/W/T HIRL CL

RWY 07L: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 59'. Rgt tfc. RWY 25E: MALSR. Thid dsplcd 957'. Railroad. 0.3% up.

RWY 07R-25L: H11095X200 (CONC-GRVD) PCN 75 R/A/W/T HIRL CL

RWY 07R: MALSR. PAPI(P4L)—GA 3.0° TCH 57'. Pole. Rgt tfc. RWY 25L: ALSF2. TDZL. Railroad. 0.3% up.

RWY 06R-24L: H10285X150 (CONC-GRVD) PCN 70 R/A/W/T HIRL CL

 $RWY \ 06R:$ MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 78'.Thid dspicd 331'. Pole.

RWY 24L: MALSR. PAPI(P4R)-GA 3.0° TCH 79'. Rgt tfc.

RWY 06L-24R: H8925X150 (CONC-GRVD) PCN 70 R/A/W/T HIRL CL

RWY 06L: MALSR. PAPI(P4L)-GA 3.0° TCH 77'. Pole.

RWY 24R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 73'. Sign. Rgt tfc. AIRPORT REMARKS: Attended continuously. Rwy 25L preferred emerg rwy. Numerous birds on and invof airport. Turbulence may be deflected upward from the blast fence 180' E of Rwy 25R. ASDE-X Surveillance System in use: Pilots should operate transponders with Mode C on all twys and rwys. Tom Bradley International

L CL H-4H, L-3E, 4G, 7B, A IAP, AD Rwy 7R-25L: 11095 X 200 Rwy 7R-25R: 12091 X 150 Rwy 6R-24L: 10285 X 150 Helipad H3: 63 X 63

INS ANGELES

COPTER

Gates: check LAWA (Los Angeles World Airport) rules and regulations for latest operating procedures. Ctc LAX airfield ops (310) 646-4265 for B747-400/B-777-300 and 300ER/A340-600 acft ops restrictions. Practice instrument approaches and touch and go landings are prohibited. Noise sensitive arpt. On westerly tkfs no turns before crossing shoreline. Over-ocean apchs utilized 0800-1430Z[‡]. Rwy 24R ALSF2 operates as SSALR till weather goes below VFR. Rwy 25L ALSF2 operates as SSALR until weather goes below VFR. Westbound B747-400 acft on Twy C prohibited from southbound turns onto Twy P. (Twy C-7, C-8, C-9 north of Twy C) and Twy D-7 south of Twy E will not accommodate B747 acft. Twy D between Twy D-7 and D-8 (north of terminal one) restricted to B-767-300 and smaller acft. Twy AA between Rwy 24IL and Rwy 24R, A340-600, B777-300/300ER and longer acft prohibited from holding short of Rwy 24L and 24R on Twy AA between rwys due to fuselage length exceeding avbl holding area. Twy E-12, prohibited to A340-600, B777-300/300ER and larger acft. Twy E-17, A340-600, B777-300/300ER and larger acft northbound turn onto Twy E-17 from westbound Twy E prohibited. Twy E, A340-600, B777-300/300ER and larger acft westbound turn onto Twy E from southbound Twy BB prohibited. Twy C, A340-600, B777-300/300ER and larger acft eastbound turn onto Twy C from southbound Twy O prohibited. Twy C-8, A340-600, B777-300/300ER and larger acft prohibited on Twy C-8 between Twy B and Twy C. Twy C-9, A340-600, B777-300/300ER and larger acft prohibited on Twy C-9 between Twy B and Twy C. A-380 ops ctc aftd ops for taxi information. West remote gates: acft use of open gates as taxi path is prohibited (gates 206, 207, 208, 209). A 700'X500' clearway has been reestablished at west end of Rwy 24R. Touchdown, midpoint and rollout runway visual range avbl Rwy 06L, Rwy 24R, Rwy 06R, Rwy 24L, Rwy 07R, Rwy 25L, Rwy 07L, Rwy 25R. Simultaneous acft ops prohibited on Twy T and Twy H9 between Rwy 07L-25R and Rwy 07R-25L. Simultaneous acft ops prohibited on Twy H2 and Twy G between Rwy 07L-25R and Rwy 07R-25L. Overnight storage fee. Flight Notification Service (ADCUS) available. NOTE: See Special Notices-Noise Abatement Procedures, Continuous Power Facilities.

WEATHER DATA SOURCES: ASOS (310) 568-1486.

COMMUNICATIONS: D-ATIS ARR 133.8 D-ATIS DEP 135.65 (310) 646-2297 UNICOM 122.95

(R) SOCAL APP CON 128.5 (045°-089°), 124.9 (090°-224°), 124.5 (225°-044°) 124.3 (App from west) TOWER 133.9 (N. complex), 120.95 (S. complex), 119.8


GND CON 121.75 (S. complex), 121.65 (N. complex) CLNC DEL 121.4 120.35

(R) SOCAL DEP CON 125.2 (225°-044°) 124.3 (045°-224°) (Dep to west)


AIRSPACE: CLASS B See VFR Terminal Area Chart.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE




CONTINUED FROM PRECEDING PAGE



| LOST HILLS-KERN CO (L84) 1 NE UTC-8(-7DT) N35°37.49' W119°41.17' 274 TPA-1274(1000) NOTAM FILE RIU RWY 15-33: H3020X60 (ASPH) S-12 RWY 33: Poles. Rgt tfc. AIRPORT REMARKS: Unattended. No agriculture flights except by PPR arpt manager 661-392 COMMUNICATIONS: CTAF 122.9 | LOS ANGELES L-3D, 7B L-1800. |
|--|---|
| RADIO AIDS TO NAVIGATION: NOTAM FILE RIU. Avenal (H) Vortacw 117.1 AVE Chan 118 N35°38.82' W119°58.72' 079°14.4 | 1 NM to fld. 710/16E. |
| LOST ISLE SPB (See STOCKTON) | |
| MAAGG N33°41.33' W117°51.63' NOTAM FILE SNA. NDB (LMM) 337 NA at John Wayne Airport/Orange Co. Unmonitored indef. Unusable 010°–090° byd 10NM blo 6000'. | LOS ANGELES |
| MADERA MUNI (MAE) 3 NW UTC-8(-7DT) N36°59.32' W120°06.75' 255 B S4 FUEL 100LL, JETA OX 3, 4 TPA—1255(1000) NOTAM FILE MAE RWY 12-30: H5545X150 (ASPH) S-30 MIRL RWY 12-30: H5545X150 (ASPH) GA 3.0° TCH 34'. Rgt tfc. RWY 07-25: H3702X150 (ASPH) S-30 RWY 07-26: H3702X150 (ASPH) S-30 RWY 07: Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1500-00302‡. Fuel avbl 24 hours with automated credit card. Jet A single point pressure refueling avbl via truck. Parachute Jumping. Ultralight activity on and invof arpt. Rwy 07-25 restricted for agriculture use only. Rwy 12 200'X150' ovrn ASPH. Rwy 30 200'X150' ovrn ASPH. ACTIVATE MIRL Rwy 12–30 PAPI Rwy 12 and Rwy 30 and MALSF Rwy 30 and wind tee—CTAF. WEATHER DATA SOURCES: ASOS 134.725 (559) 674–1781. COMMUNICATIONS: CTAF/UNICOM 122.8 R FRESNO APP/DEP CON 119.45 RADIO AIDS TO NAVIGATION: NOTAM FILE FAT. CLOVIS (H) VORTAC 112.9 CZQ Chan 76 N36°53.06' W119°48.91' 279° 15.6 NM to fid. 360/15E. | SAN FRANCISCO H-3B, L-3C IAP |
| NAMMOTH LAKES MAMMOTH YOSEMITE (MMH) 6 E UTC-8(-7DT) N37°37.44' W118°50.33' 7135 B S8 FUEL 100LL, JET A 0X 1 TPA8007(872) Class I, ARFF Index NOTAM FILE MH RWY 09-27: H7000X100 (ASPH-GRVD) S-85, D-115 PCN 30 F/B/X/T MIRL 1. RWY 27: REIL. PAPI(P4L)-GA 3.0° TCH 45'. Tree. Rgt tfc. AIRPORT REMARKS: Attended 1600-03002±. 100LL fuel avbl 24 hours. Image: Content of the second secon | SAN FRANCISCO B H-3B, L-SA IAP O% up W |

AIRPORT REMARKS: Attended 1600–0300Z[‡]. 100LL fuel avbl 24 hours, card lock system. Ngt flying not recommended without knowledge of local terrain. No snow removal during night time hrs. CLOSED to air carrier ops with more than 30 passenger seats except 24 hour PPR call arpt manager 760-934-3813. Ridge 3 miles from apch end Rwy 09. Ridge at Rwy 27 is 304' above rwy and 1200' north of centerline with hazard beacons. 33' pole located 400' west of apch end of Rwy 27 and 375' south of Rwy 27 centerline. Arpt located in mountainous terrain with occasional strong winds and turbulence. Lgtd windsock avbl at rwy ends and centerfield. With southerly crosswinds in excess of 15 knots, expect turbulence and possible windshear along first 3000' of Rwy 27. Noise abatement: acft arriving from the south, or departing to the south remain east of highway 395. ACTIVATE MIRL Rwy 09-27 and REIL Rwy 27-CTAF. Ldg fee. WEATHER DATA SOURCES: AWOS-3 118.05 (760) 934-6020.


COMMUNICATIONS: CTAF/UNICOM 122.8 MAMMOTH RC0 122.15 (RIVERSIDE RADIO) OAKLAND CENTER APP/DEP CON 125.75 AIRSPACE: CLASS E svc continuous. RADIO AIDS TO NAVIGATION: NOTAM FILE BIH.




BISHOP (T) VORW/DME 109.6 BIH Chan 33 N37°22.62' W118°21.99' 288° 27.0 NM to fld. 4117/15E.

SW, 08 APR 2010 to 03 JUN 2010

| | DTAM FILE SCK. D2° 4.8 NM to Stockton Metro. 48/17E. HIWA | SAN FRANCISCI S. H–3B, L–2F, 3I |
|---|---|---|
| VOR unusable: 015°-025° byd 5 NM 032°-034° byd 10 NM 055°-065° 075°-090° byd 5 NM 115°-125° byd 9 NM | 126°-180° 200°-224° 251°-254° 300°-310° byd 5 345°-360° byd 1 | |
| MARCH ARB (See RIVERSIDE) | | |
| RWY 11-29: H3483X75 (ASPH) S-20, D- RWY 29: Rgt tfc. AIRPORT REMARKS: Attended 1600-0100Z‡. F Wildlife invof Rwy 11-29. Ultralight and PAEW vicinity of ramps and taxiways ind overflight of noise sensitive residential a | L37(1000) NOTAM FILE OAK Not insp. 50 MIRL Fuel avbl 24 hours, by credit card lock syster skydiving activity on and invof arpt. Skydiving ef. Rwy 29 calm wind rwy. Depart Rwy 29 exk | g activity on SE side of arpt. ecute 45° rgt turn to avoid |
| SALINAS (H) VORTACW 117.3 SNS Cha Hiwas. | an 120 N36°39.83' W121°36.19' 261 | ° 7.7 NM to fld. 101/17E. |
| 2254 B S4 FUEL 100LL TPA—32 RWY 08-26: H3306X60 (ASPH) S-12 M RWY 08: PAPI(P2L)—GA 4.0° TCH 37'. Tre Airport Remarks: Attended Apr-Nov 1600-0 | 01007‡, Dec-Mar 1700-00007‡. Rwy 08 ter L Rwy 08-26—CTAF. PAPI Rwy 08 and PAPI f) 966-2912. | rain drops along both sides |
| MARKLEEVILLE ALPINE CO (M45) 3 N UTC-8(-7DT) 5867 TPA-6667(800) NOTAM FILE F RWY 17-35: H4443X50 (ASPH) RWY 17: HIII. RWY 35: Rgt tfc. | RNO | SAN FRANCISCI L-9) |
| wet conditions. Call public works for add edge of rwy off graded surface. Rwy 17– COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. | oval, arpt CLOSED when snow on rwy. Soil co ititional information 530-694-2140 extensio 35 ltd by arpt opr to 4,800 lbs single wheel, in 126 N39°31.88' W119°39.37' 170°4 | n O. Large stones along |
| | NOTAM FILE MYV. Yuba Co. 62/16E. ETA RADIO) | SAN FRANCISCI L–2g, 3/ |





MESA DEL REY (See KING CITY)

 METRE
 N38°47.70' W121°35.96'
 NOTAM FILE SMF.

 NDB (LOM) 230
 SM
 159° 6.0 NM to Sacramento Intl.

METROPOLITAN OAKLAND INTL (See OAKLAND)


129

SAN FRANCISCO


| MIRAMAR MCAS (NKX)(KNKX) MC 3 N UTC-8 | 8(-7DT) N32°52.10' W117°08.50' | LOS ANGELES |
|--|---|------------------------|
| 477 B NOTAM FILE NKX | Not insp. | H-4H, L-4H |
| RWY 06L-24R: H12000X200 (CONC) PCN 66 R/B/V | | DIAP, AD |
| | % up. | |
| RWY 24R: ALSF1. OLS. PAPI(P4L)—GA 3.0° TCH 55' | | |
| RWY 06R-24L: H8001X200 (PEM) PCN 62 R/B/W/ | | |
| | % up. | |
| RWY 24L: OLS. PAPI(P4L)—GA 3.0° TCH 47'. | | |
| RWY 10–28 : H2802X200 (CONC) PCN 64 R/B/W/T | T HIRL 0.4% up SW | |
| RWY 28: OLS. | | |
| ARRESTING GEAR/SYSTEM | | |
| RWY 06L HOOK E28(B) (2490') | HOOK E28(| B) (2300') RWY 24R |
| RWY 06R HOOK E28(B) (1052') | | B) (2301') RWY 24L |
| | | 098' OVRN) RWY 28 |
| MILITARY SERVICE: LGT ACTIVATE HIRL, centerline Igts R | | |
| 133.475. PAPI Rwy Reference Point not coinciden | | |
| | Short fld A-gear Rwy 24R normal de-rigged. | , |
| JASU (A/M47A-4) (NC-10A1) (NC-10C) FUEL J5 | 0,00 | FRAN ALERT No |
| shuttle svc avbl. All VIP acft ctc Afld OPS on PTD 1 | | |
| all AMC flt. Limited transient svc, no tie-down, oil | | |
| MILITARY REMARKS: Opr Mon-Thu 1530-0800Z‡, Fri 15 | | |
| national holidays and national holiday weekends. | See FLIP/AP/1 Supplementary Arpt Remarks. | . RSTD PPR for all |
| tran acft ctc Visiting Acft Line DSN 267-4284/42 | 85, C858-577-4284/4285 (PPR rstd to 30 r | min before/after |
| approved time, PPR not valid outside of this windo | ow and must be re-coordinated prior to arriva | I). Prior |
| coordination rqr for AMC/NALO mission with AfId (| OPS DSN 267-4419/4277, C858-577-4419 | /4277. After |
| normal working hrs ctc DSN 267-4028/4029/42 | 77, C858-577-4028/4029/4277. 24 hr prio | or notice for acft |
| with haz cargo. All acft detachments will rqr a hos | t unit and Station Commander approval 90 da | ays prior. For |
| staging (local training flt) or VIP acft ctc Visiting Ac | cft Line DSN 267-4284/4285, C858-577-4 | 284/4285. All |
| acft detachments will require a host unit and Stati | ion Commander approval 90 days prior. CAUTI | ON High mid–air |
| potential, exercise extreme vigilance. Water on the | e rubber build–up areas of the rwy may produ | ce poor traction |
| and/or breaking action and standing water on rwy | may produce hydroplaning condition. Extensi | ve general |
| aviation traffic all altitudes, all directions near afle | d. High volume civilian VFR traffic along coast | t W of airfield. All |
| acft arr/dep VFR via corridor rules to/from coastlin | ne are advised to exercise extreme caution to | o avoid hang |
| glider activity near Torrey Pines golf course. NKX F | R-280/5 DME. TFC PAT Reduced rwy separatio | n standards in |
| effect USN/USMC acft opr on parallel rwy 700' ap | art. Multi practice apch Rwy 06L and Rwy 06 | R not authorized. |
| Radar vectors to final apch, expect steep descent | | |
| enforced, mandatory procedure and course rules. | 8 | Abatement form |
| with flt planning. MISC Ordinance, live or inert, not | permitted to remain on RON transient acft. | |
| COMMUNICATIONS: SFA ATIS 352.0 PTD 335.625 | | |
| (R) SOCAL APP CON 132.2 269.1 288.325 (288.325 Act | | |
| TOWER 135.2 298.925 340.2 (Mon-Thu 1530-080 | | |
| CLOSED national holidays and national holiday | weekends. GND CON 128.625 307.325 C | LNC DEL 125.975 |
| 254.325 | | |
| (R) SOCAL DEP CON 119.6 363.1 (West) 132.2 269.1 (E | ast) | |
| PMSV METRO 342.4 | | |
| AIRSPACE: CLASS B See VFR Terminal Area Chart. | | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE SAN. | | |
| (L) TACAN Chan 33 NKX (109.6) N32°52.18' V | , | |
| ILS 111.15 I–NKX Rwy 24R. Radar require | ia. | |
| ASR/PAR | er Deder Minime | |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP fo | or Radar Minima. | |
| MIRO FLD (See RIALTO MUNI) | | |
| MISSION BAY N32°46.93′ W117°13.53′ NOTAM F | ILE SAN. | LOS ANGELES |
| | NM to Montgomery Fld. 12/15E. | H-4H, L-4H |
| VOR unusable: | | |
| 090°–100° byd 28 NM | 190°-219° byd 20 NM | |
| 100°-130° byd 17 NM | 308°-350° byd 20 NM blo | 8,000′ |
| 130°-190° byd 14 NM | | |
| DME unusable: | | |
| 210° 250° byd 20 NM blo 6000' | 210° 250° byd 20 NM blo | 10.000/ |

310°-350° byd 30 NM blo 10,000'

310°-350° byd 20 NM blo 6000'



| IOFFETT FEDERAL AIRFIELD (NUQ)(KNUQ) NASA (ANG | |
|--|---|
| N37°24.97' W122°02.95' | H-3A, L-2F, 3B |
| 32 B TPA—See Remarks NOTAM FILE NUQ | Not insp. DIAP, |
| | 4, SBTT-410, TDT-528, TRT-390 HIRL CL |
| RWY 14L: TDZL. PAPI(P4L)—GA 3.0° TCH 52'. 0.3% up. | |
| RWY 32R: ALSF1. TDZL. PAPI(P4L)—GA 3.0° TCH 52'. | |
| | 5, TT–300, DDT–609, TDT–814 HIRL |
| RWY 14R: 0.4% up. RWY 32L: Thid dsplcd 605'. | |
| MILITARY SERVICE: LGT When twr clsd, ACTIVATE HIRL Rwy 141 | |
| (AM32A-86). FUEL J8 Mon-Fri 1700-0200Z‡, Itd svc | |
| | oport equipment avbl. Ltd terminal svc avbl. |
| MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Rema | |
| 359-9213/14, C650-603-9213/4. Recommend Stand | |
| vectors. Twy C clsd during dalgt hrs. CAUTION Possible st | |
| side of afld. Rwy 14R-32L prefer rwy for ldg heavy weigh | |
| TPA—1000(968) Rwy 14L/R, 1500(1468) Rwy 32L/R. I | , o |
| Ltd transient practice apch/touch-and-go. Transient jet | |
| NS ABTMT No jet dep Rwy 14L/R between hrs of 0700-13 | |
| avbl only by prior notice Mon-Fri 1700-0100Z‡ except h | holidays. MISC Acft rqr support svc must be sponsored b |
| resident/tenant activity. Update ETA +15 minutes at lea | ast 2 hr prior arr. Twr frequency monitor by NASA |
| Fire/Security. Flight plan svc provided by Base OPS. ANG | |
| C650–603–9357. Comd Post DSN 359–9333, Comd Po | ost 650–603–9333. All ANG C130 and H60 acft ctc |
| 129th OSF/OSA for ramp/rstd area access and parking. | . Ltd fuel and maintenance svcs. No passenger, lodging |
| or transportation svcs avbl. Tran acft parking Itd ctc 129 | 9th OSF/OSA DSN 359–9357 for access. |
| WEATHER DATA SOURCES: ASOS 124.175 283.0 (C650) 604-1 | 529. |
| COMMUNICATIONS: SFA CTAF 119.55 ATIS 124.175 283.0 | |
| (R) NORCAL APP CON 120.1 133.95 134.5 135.2 290.25 317 | .6 338.2 |
| | N 121.85 336.4 CLNC DEL 380.8 |
| (R) NORCAL DEP CON 120.1 135.65 270.35 310.8 | |
| | SQ OPS call MOFFETT RESCUE. 5711 Upper Side Band |
| AIRSPACE: CLASS D svc 1500-0700Z‡, other times CLASS E. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE OAK. | |
| | 3.55' W122°16.88' 066° 11.2 NM to fld. 2270/17E |
| (L) TACAN Chan 123 NUQ (117.6) N37°25.94' W122 | 2°03.45' 140° 1.1 NM to fld. 4/17E. |
| TACAN unusable: | |
| 040°-095° byd 20 NM blo 5,500' | 150°-280° byd 10 NM blo 3,500' |
| 130°-150° byd 20 NM blo 4,000' | 340°-040° byd 35 NM blo 5,500' |
| | 0–1500Z‡. Radar or DME required. |
| ILS/DME 110.35 I-MNQ Rwy 14L. LOC only. LOC | unusable byd 25° rgt side of course. Unmonitored |
| 0700–1500Z [‡] . Radar required for holding. | |



| SISKIYOU CO (SIY) 3 NE UTC-8(-7DT) N41°46.89' W122°28.09' 2648 B S4 FUEL 100LL, JET A TPA—3648(1000) NOTAM FILE SIY RWY 17-35: H7484X150 (ASPH) S-60, D-180, ST-175, DT-270 MIRL RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Road. RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Road. RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Rgt tfc. AIRPORT REMARKS: Attended Sun-Fri 1600–01002‡. Migratory flocks of waterfowl invof arpt during spring and fall. Be alert for glider ops May-Sept. US Forest Service fire ops May-Sep. ACTIVATE MIRL Rwy 17–35, PAPI Rwy 17 and Rwy 35, REIL Rwy 17 and Rwy 35—CTAF. Ldg fee. WEATHER DATA SOURCES: ASOS 121.125 (530) 459–0267. COMMUNICATIONS: CTAF/UNICOM 123.0 ANTELOPE MOUNTAIN RC0 122.4 (RANCHO MURIETTA RADIO) (R) SEATTLE APP/DEP C0N 124.85 RADIO AIDS TO NAVIGATION: NOTAM FILE RIU. FORT JONES (L) VOR/DME 109.6 FJS Chan 33 N41°26.98' W122°48.39' 018° 25.1 NM to fid. 4900/19E. HIWAS. MONTAGUE NDB (MHW) 404 MOG N41°43.63' W122°28.91' 352° 3.3 NM to fid. NOTAM FILE SIY. Unmonitored. Unusable: 190°–200° byd 10 NM all altitudes. | KLAMATH FALLS H-3A, L-2I IAP |
|--|--|
| MONTEREY PENINSULA (MRY) 3 SE UTC-8(-7DT) N36°35.22' W121°50.58' 257 B S4 FUEL 100LL, JET A OX 2, 4 TPA—1757(1500) Class I, ARFF Index B NOTAM FILE MRY | SAN FRANCISCO H-3A, L-3B IAP, AD |
| RWY 10R-28L: H7616X150 (ASPH-GRVD) S-100, D-160, ST-175, DT-300 HIRL 1.3% u RWY 10R: MALSR. PAPI(P4L)-GA 3.0° TCH 50′. | рЕ |
| RWY 28L: REIL. VASI(V4L)—GA 3.5° TCH 47′. Thid dspicd 1000′. Bush. Rgt tfc. RWY 10L-28R: H3513X60 (ASPH) S-12.5 MIRL 1.7% up E | |
| RWY 10L-28R: H3513X60 (ASPH) S-12.5 MIRL 1.7% up E RWY 28R: Rgt tfc. | |
| RUNWAY DECLARED DISTANCE INFORMATION | |
| RWY 10R: TORA-7616 TODA-7616 ASDA-7616 LDA-7616 | |
| RWY 28L: TORA-7616 TODA-7616 ASDA-7616 LDA-6616 | |
| AIRPORT REMARKS: Attended continuously. Self service fuel avbl 24 hrs with credit card. Services, | |
| between 0500-1300Z‡ by prior arrangement call 831-373-4151 or 831-373-3201. Rotary | 0 1 |
| follow fixed wing pattern to rwy ldg. On departure no turns blo 900' unless twr directed. Mon | terey radar is |

between 0500–13002‡ by prior arrangement call 831–373–4151 or 831–373–3201. Rotary wing acft expect to follow fixed wing pattern to rwy ldg. On departure no turns blo 900' unless twr directed. Monterey radar is unreliable when landing on Rwy 28R and Rwy 28L from 1½ miles east of Monterey arpt to touchdown. Twr non–visibility area Twy A east holding bay. Rwy 10R runway visual range touchdown and rollout avbl. Acft with wingspan greater than 95' may not taxi past the terminal on Twy Alpha when an MD–80 or larger acft is parked at terminal. Acft with wingspan greater than 95' may not taxi past the terminal on Twy Alpha when an MD–80 or larger acft is parked at terminal. Acft with wingspan greater than 90' prohibited on Twy Bravo west of Twy Delta. Noise abatement procedures in effect 0700–15002‡. Phone arpt ops for current noise abatement brief and PPR 831–648–7000. Overnight tiedown fee at FBO, ldg fee charged for acft over 6,000 lbs. Ltd transient parking PPR for large and turbine powered multi–engine acft, non FBO transient only 831–648–7000 ext. 217. When twr clsd ACTIVATE HIRL Rwy 10R–28L, MALSR Rwy 10R, PAPI Rwy 10R, and REIL Rwy 28L–118.4. When twr clsd RWy 10L–28R unlighted. VASI Rwy 28L opr continuously. **WEATHER DATA SUBRCES**. ASOS (831) 642–0241.

```
COMMUNICATIONS: CTAF 118.4 ATIS 119.25 (831-375-7433) UNICOM 122.95

(R) NORCAL APP/DEP CON 133.0 (360°-150°) 127.15 (151°-359°)

TOWER 118.4 (1400-05002‡) GND CON 121.9 CLNC DEL 135.45

AIRSPACE: CLASS C svc 1400-05002‡ ctc APP CON other times CLASS G.

RADIO ALDS TO MAVIGATION: NOTAM FILE SNS.

SALINAS (H) VORTACW 117.3 SNS Chan 120 N36°39.83' W121°36.19' 231° 12.5 NM to fid. 101/17E.
```

HIWAS. Munso NDB (LOM) 385 Mr N36°37.25′ W121°56.32′ 099° 5.1 Nm to fid. Notam File Mry.

ILS/DME 110.7 I-MRY Chan 44 Rwy 10R. Class IA. LOM MUNSO NDB (ILS/DME unmonitored when twr clsd.) LOC unusable from middle marker inbound, 0.52 NM from threshold.

ILS/DME 110.7 I-MTB Chan 44 Rwy 28L. LOC only. LOC unusable abv 2,000' MSL, 2 DME inbound to thId. DME unusable byd 16 DME, blo 5,000'MSL. (LOC/DME unmonitored when twr clsd.) LOC/DME not avbl when twr clsd.

MONTGOMERY FLD (See SAN DIEGO)


134

| GALIFURNIA | 130 |
|---|---|
| MORRO BAY N35°15.14' W120°45.57' NOTAM FILE HHR. (L) VORTACW 112.4 MQO Chan 71 083° 5.9 NM to San Luis Co 1463/16E. VOR portion unusable: 290°–315° byd 7 NM bio 4,000' 297°–315° byd 13 NM bio 7,000' 315°-090° byd 7 NM bio 7,000' 315°-090° byd 7 NM bio 7,000' 315°–090° | LOS ANGELES Rgnl. H-4G, L-3D, 7A |
| MOUNTAIN VALLEY (See TEHACHAPI) | |
| MOUNTAIN VIEW N37°19.13′ W122°08.81′ RCO 122.5 (Oakland Radio) | SAN FRANCISCO H-3A, L-2F |
| MOUNT SHASTA MHS N41°19.00' W122°19.00'/3538. ASOS 530–926–1613. | KLAMATH FALLS L-21 |
| MOUNT TAMALPAIS N37°55.65′ W122°35.32′ RCO 122.35 (Oakland Radio) | SAN FRANCISCO H-3A, L-2F, A |
| MUNN FLD (See CAMP PENDLETON MCAS) | |
| MUNSO N36°37.25′W121°56.32′ NOTAM FILE MRY. NDB (LOM) 385 MR 099°5.1 NM to Monterey Peninsula. | SAN FRANCISCO |
| MURRAY FLD (See EUREKA) | |
| MURRIETA/TEMECULA FRENCH VALLEY (F7Ø) 2 NE UTC-8(-7DT) N33°34.45' W117°C 1350 B S4 FUEL 100LL, JETA 0X2 TPA-2350(1000) NC RWY 18-36: H6000X75 (ASPH) S-30 MIRL RWY 18-36: H6000X75 (ASPH) S-30° TCH 36'. Road. RWY 38: REIL. PAPI(P2L)-GA 3.0° TCH 40'. Rgt tfc. AIRPORT REMARKS: Attended 1400-02002‡. Self service 100LL fuel avbl. For jet fuel after hours call 951-694-7960. Ultralight activity in vicinity of arpt. All departures-noise sensitive areas to N and S, best rate of climb to TPA before departing the pattern. Calm wind—use Rwy 18. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and Rwy 36, REIL Rwy 18 and Rwy 36 and taxiway lights—CTAF. WEATHER DATA SUBRES: AWOS-3 119.025 (951)696-1018. COMMUNICATIONS: CTAFUNICOM 122.8 ® MARCH APP/DEP CON 133.5 (1500-07002‡) clsd holidays, other times ctc ® SOGAL APP/DEP CON 134.0. RADIO AIDS TO NAVIGATION: NOTAM FILE CRQ. OCEANSIDE (H) VORTAC 115.3 OCN Chan 100 N33°14.44' W117°25.06' 021° 24.8 NM to fld. 53/15E. COMM/NAV/WEATHER REMARKS. March provides Ground Control App (GCA) radar. When March GCA clsd ctc SOCAL for CLNC DEL at 1-800-448-3724 | DTAM FILE RAL COPTER H-4H, L-4H IAP |

NAPA

LAKE BERRYESSA SPB (E20) 20 NE UTC-8(-7DT) N38°35.49' W122°15.57' SAN FRANCISCO 440 FUEL MOGAS TPA-1240(800) NOTAM FILE OAK WATERWAY 14-32: 13000X2000 (WATER) WATERWAY 32: Hill. WATERWAY 15-33: 10500X1500 (WATER) WATERWAY 15: Hill. WATERWAY 33: Hill. WATERWAY 13-31: 7000X2000 (WATER) WATERWAY 31: Hill. SEAPLANE REMARKS: Unattended. All Idgs must be at least 1000' from shore. No Idgs authorized on exposed roads on dry lake bed. Floating debris exercise care. Overnight moorage at marinas only. No training flights allowed. PPR for use of resorts facilities. **COMMUNICATIONS: CTAF** 122.9 _ _ _ _ _ _ _ _ _ _ _ _ _

SW, 08 APR 2010 to 03 JUN 2010



AIRPORT REMARKS: Attended 1600-0100Z‡. Arpt attended by Paradice Aviation 760-326-5263. ACTIVATE MIRL Rwy 11-29 and Rwy 02-20, REIL Rwy 11 and Rwy 29-CTAF, PAPI Rwy 11, Rwy 29, Rwy 02 and Rwy 20 opr continuously.

WEATHER DATA SOURCES: ASOS 128,325 (760) 326-4281.

COMMUNICATIONS: CTAF/UNICOM 123.0


RC0 122.1R 115.2T (PRESCOTT RADIO) R L.A. CENTER APP/DEP CON 134.65 AIRSPACE: CLASS E svc 1600-0000Z[‡] other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE EED. (H) VORTAC 115.2 EED Chan 99 N34°45.96' W114°28.45' 255° 7.4 NM to fld. 620/15E. HIWAS.

VOR unusable: 100°-130° beyond 27 NM below 6600' 220°-280° beyond 35 NM below 6800' 170°-220° beyond 20 NM below 5800'

NERVINO (See BECKWOURTH)

NEVADA CO AIR PARK (See GRASS VALLEY) NEW COALINGA MUNI (See COALINGA)

136



NORMAN Y. MINETA SAN JOSE INTL (See SAN JOSE)

| N32°41.89' W117°12.79' | (NZY)(KNZY) | NAS (ARNG) | 3 SW | UTC-8(-7DT) | LOS ANGELES H-4H, L-4H |
|--|--|---|--|--|--|
| 26 B NOTAM FILE NZY | | Not in | SD. | | DIAP, AD |
| RWY 18-36: H8001X200 (PEM) | PCN 80 R/B/W/ | | | | |
| RWY 18: REIL. PAPI(P4L). | RWY 36: SALSF. F | REIL. PAPI(P4L) | | | |
| RWY 11-29: H7500X300 (PEM) | PCN 77 R/F/B/ | W/T HIRL | CL | | |
| RWY 29: ALSF1. | | | | | |
| ARRESTING GEAR/SYSTEM | | | | | |
| RWY 18: HOOK E28(B) (1850') RWY 11: HOOK E28(B) (1500') | | | | HOOK E28 | 8(B) (1700') RWY 36 8(B) (2600') RWY 29 |
| MILITARY SERVICE: A-GEAR Short fid / JASU 2(GTC-85) 2(NC-8) FUE 0-128-148-156 Restricted oi weekdays and 1600-0600Z w weekends). No transient maint | L 100LL, J5. Exp I analysis avbl, p eekends (Dayligh | ect refueling de rior coordinatio t Saving Time 1 | lays. n require .300–05 | FLUID SP PRESAIR. 0 ed. TRAN ALERT Opr 14 00Z weekdays and 150 | 00–0600Z 0–0500Z |
| provide technical direction/ass passenger svc req to lineman. | sistance in servic | ing. Air termina | l/tran lir | ne coordinate all refuel | req. Arriving acft |
| arrival. | | | | | |
| MILITARY REMARKS: Opr Mon 1430Z 0200Z‡ day prior to 1430Z‡ RSTD Call Operations Duty Offic overnight prohibited. CAUTION E: NM SE. Light civil acft climb/d Airspace VFR corridor. Avoid ce traffic cross Twy L and A. Bird rwy edge lines and rwy edge Ig should exercise caution transit exterior Igt blo 10,000' within avbl. Tran acft section apch no | ay following all Fe er DSN 735–823 etensive VFR helin escent thru Rwy 2 enterline Igt durin hazard May–Oct, ts, approximately ing the area betv 10 NM. All transi t authorized. Rec IMG Customs avb | ederal holidays. (3/34, C619–5- copter opr surfa 29 final apch co g Rwy 29 arres particularly at o 50' on either s veen the rwy ed ent acft limited duced rwy sepai I with 2 hr notic | See FLI 45-8233 ace-500 burse byo tment to dep end l side, is c ge lines to full s ration sta ce Mon-5 | P AP/1 Supplementary 3/34 for PPR. Local fligt 0' vicinity of arpt and su d 6 DME enter/dep San prevent tailhook bounc Rwy 29. Rwy 11–29 sfc racked and has loose g and rwy edge lgts. IFC 1 top only. Touch–and–go andard in effect USN/U | Airport Remarks. ht during remain urface—2000' 8 Diego Class B ise. Heavy vehicle area between the gravel. Pilots PAT Use maximum y/low apch not SMC acft. NS ABTMT |
| 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo | -0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡ 55 n 1430Z‡–Sat 06 | 5–0101. at 0600Z‡, Sat day following al 600Z‡, Sat 160 | 1600Z‡ I Federal | 1 0600Z‡, Sun 1600Z‡ | /1 Supplementary -Mon 0600Z‡. |
| rqr 0100–1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (® SOCAL APP/DEP CON 125.15 317.1 TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to | -0101, C619-54 (Mon 1430Z‡-S prior to 1430Z‡ 55 n 1430Z‡-Sat 06 1430Z‡ day foll | 5–0101. at 0600Z‡, Sat day following al 600Z‡, Sat 160 owing all Feder | 1600Z‡ I Federal 0Z‡–Sur al holida | holidays. See FLIP AP/ 0600Z‡, Sun 1600Z‡ | /1 Supplementary -Mon 0600Z‡. |
| rqr 0100–1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (® SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. GND CON 118.0 | -0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡ 55 n 1430Z‡–Sat 06 1430Z‡ day foll 363.25 CLNC D | 5–0101. at 0600Z‡, Sat day following al 600Z‡, Sat 160 owing all Feder. IEL 128.4 288.2 | 1600Z‡ I Federal 0Z‡–Sur al holida 25 | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp | /1 Supplementary -Mon 0600Z‡. |
| rqr 0100-1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. CND CON 118.0 PMSV METRO 342.36 BASE OPS | 0101, C619-54 (Mon 1430Z‡-S prior to 1430Z‡ 55 n 1430Z‡-Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 01 | 5–0101. at 06002‡, Sat day following al 6002‡, Sat 16C owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 | 1600Z‡ I Federal 0Z‡–Sur al holida 25 .42.95 2 | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 | '1 Supplementary-Mon 0600Z‡.olementary Airport |
| rqr 0100–1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 02002‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. GND CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 14302: | 0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡ 55 n 1430Z‡–Sat 0(1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 0) E–Sat 0600Z‡, Sa | 5-0101. at 0600Z‡, Sat day following all 600Z‡, Sat 160 owing all Feder. IEL 128.4 288.2 PS (RAID OPS) 1 at 1600Z‡-Sun | 1600Z‡ I Federal 0Z‡–Sur al holida 25 .42.95 2 0600Z‡ | holidays. See FLIP AP/ n 06002‡, Sun 16002‡ ys. See FLIP AP/1 Supp 33.8 ;, Sun 16002‡-Mon 060 | -Mon 0600Z‡. olementary Airport 00Z‡, except |
| rqr 0100–1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. GND CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z 0200Z‡ day prior to 1430Z‡ d | 0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡–S 55 n 1430Z‡–Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 01 –Sat 0600Z‡, S: ay following all Fe | 5-0101. at 0600Z‡, Sat day following all 600Z‡, Sat 160 owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 at 1600Z‡-Sun ederal holidays. | 1600Z‡ I Federal 0Z‡–Sur al holida 25 .42.95 2 0600Z‡ | holidays. See FLIP AP/ n 06002‡, Sun 16002‡ ys. See FLIP AP/1 Supp 33.8 ;, Sun 16002‡-Mon 060 | -Mon 0600Z‡. olementary Airport 00Z‡, except |
| rqr 0100–1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (® SOCAL APP/DEP CON 125.15 317.1 TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. END CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z 0200Z‡ day prior to 1430Z‡ d Supplementary Airport Remarks | 0101, C619-54 (Mon 1430Z‡-S prior to 1430Z‡ 55 n 1430Z‡-Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 00 t-Sat 0600Z‡, S: ay following all Fe s. Other times Cl | 5-0101. at 0600Z‡, Sat day following all 600Z‡, Sat 160 owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 at 1600Z‡-Sun ederal holidays. | 1600Z‡ I Federal 0Z‡–Sur al holida 25 .42.95 2 0600Z‡ | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 ;, Sun 1600Z‡-Mon 060 | -Mon 0600Z‡. olementary Airport 00Z‡, except |
| rqr 0100-1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (® SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. END CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z ⁻ 0200Z‡ day prior to 1430Z‡ 0200Z‡ day prior to 1430Z‡ Supplementary Airport Remark RADIO AIDS TO NAVIGATION: NOTAM FI | 0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡–S 55 n 1430Z‡–Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 01 5-Sat 0600Z‡, S3 ay following all Fe s. Other times CL LE NZY. | 5-0101. at 06002‡, Sat day following al 5002‡, Sat 16C owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 at 16002‡-Sun aderal holidays. _ASS G. | 1600Z‡ I Federal 0Z‡–Sur al holida 25 42.95 2 0600Z‡ 0ther ti | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 ., Sun 1600Z‡–Mon 06 mes CLASS G. See FLIF | -Mon 0600Z‡. olementary Airport 00Z‡, except > AP/1 |
| rqr 0100-1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. GND CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z‡ 0200Z‡ day prior to 1430Z‡ d Supplementary Airport Remark RADIO AIDS TO NAVIGATION: NOTAM FI (L) TACAN Chan 117 NZY (11 1500-1700Z‡. | 0101, C619-54 (Mon 1430Z‡-S prior to 1430Z‡ 55 n 1430Z‡-Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 00 t-Sat 0600Z‡, S: ay following all Fe s. Other times Cl | 5-0101. at 06002‡, Sat day following al 5002‡, Sat 16C owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 at 16002‡-Sun aderal holidays. _ASS G. | 1600Z‡ I Federal 0Z‡–Sur al holida 25 42.95 2 0600Z‡ 0ther ti | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 ;, Sun 1600Z‡-Mon 060 | -Mon 0600Z‡. olementary Airport 00Z‡, except > AP/1 |
| rqr 0100-1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735. COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (® SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. END CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z‡ 0200Z‡ day prior to 1430Z‡ 0200Z‡ day prior to 1430Z‡ dSupplementary Airport Remark RADIO AIDS TO NAVIGATION: NOTAM FI (L) TACAN Chan 117 NZY (11 1500-1700Z‡. TACAN unusable: 180°-230° byd 20 NM blo | 0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡–S 55 n 1430Z‡–Sat 06 1430Z‡ day foll 363.25 CLRC D 355.5 ARNG 01 t–Sat 0600Z‡, Si ay following all Fe s. Other times CI LE NZY. 7.0) N32°42.1 3,000' | 5-0101. at 06002‡, Sat day following al 5002‡, Sat 16C owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 at 16002‡-Sun aderal holidays. _ASS G. | 16002‡ I Federal 0Z‡–Sur al holida 25 42.95 2 06002‡ 06002‡ 0ther ti | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 ., Sun 1600Z‡–Mon 06 mes CLASS G. See FLIF | '1 Supplementary -Mon 0600Z‡. olementary Airport 00Z‡, except AP/1 MP Sun |
| rqr 0100-1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. GND CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z 0200Z‡ day prior to 1430Z‡ d Supplementary Airport Remark RADIO AIDS TO NAVIGATION: NOTAM FI (L) TACAN Chan 117 NZY (11 1500-1700Z‡. TACAN unusable: | 0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡–S 55 n 1430Z‡–Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 01 E–Sat 0600Z‡, Sa ay following all Fe s. Other times CI LE NZY. 7.0) N32°42.1 3,000' 3,000' | 5-0101. at 06002‡, Sat day following al 5002‡, Sat 16C owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 at 16002‡-Sun aderal holidays. _ASS G. | 16002‡ I Federal 0Z‡–Sur al holida 25 42.95 2 06002‡ 06002‡ 0ther ti | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 ;, Sun 1600Z‡–Mon 060 mes CLASS G. See FLIF id. 25/14E. No NOTAM | '1 Supplementary -Mon 0600Z‡. olementary Airport 00Z‡, except AP/1 MP Sun |
| rqr 0100-1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to CLOSED 0200Z‡ day prior to Remarks. CND CON 118.0 PMSV METRO 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z‡ 0200Z‡ day prior to 1430Z‡ d Supplementary Airport Remark RADIO AIDS TO NAVIGATION: NOTAM FI (L) TACAN Chan 117 NZY (11 1500-1700Z‡. TACAN unusable: 180°-230° byd 20 NM blo 230°-300° byd 15 NM blo | 0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡–S 55 n 1430Z‡–Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ANNG 01 55.5 ANNG 01 55.5 ANNG 01 E-Sat 0600Z‡, Sa ay following all Fe s. Other times CI LE NZY. 7.0) N32°42.1 3,000' 3,000' 5,000' 3,000' LOC only. | 5-0101. at 06002‡, Sat day following al 5002‡, Sat 16C owing all Feder IEL 128.4 288.2 PS (RAID OPS) 1 at 16002‡-Sun aderal holidays. _ASS G. | 16002‡ I Federal 0Z‡–Sur al holida 25 42.95 2 06002‡ 06002‡ 0ther ti | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 ;, Sun 1600Z‡–Mon 060 mes CLASS G. See FLIF id. 25/14E. No NOTAM | '1 Supplementary -Mon 0600Z‡. olementary Airport 00Z‡, except AP/1 MP Sun |
| rqr 0100-1600Z‡. MISC VIP/log ARNG Army Base OPS DSN 735- COMMUNICATIONS: SFA ATIS 317.8 0600Z‡. CLOSED 0200Z‡ day Airport Remarks. (R) SOCAL APP/DEP CON 125.15 317. TOWER 135.1 336.4 340.2 (Mo CLOSED 0200Z‡ day prior to Remarks. GND CON 118.0 ° PMSV METR0 342.36 BASE OPS AIRSPACE CLASS D svc. Mon 1430Z‡ 0200Z‡ day prior to 1430Z‡ d Supplementary Airport Remark RADIO AIDS TO NAVIGATION: NOTAM FI (L) TACAN Chan 117 NZY (11 1500-1700Z‡. TACAN unusable: 180°-230° byd 20 NM blo 230°-300° byd 15 NM blo ILS 110.9 I-UBR Rwy 18 ILS 110.9 I-SAN Rwy 29 | 0101, C619–54 (Mon 1430Z‡–S prior to 1430Z‡–S 55 n 1430Z‡–Sat 06 1430Z‡ day foll 363.25 CLNC D 355.5 ARNG 01 –Sat 0600Z‡, Si ay following all Fe s. Other times CL LE NZY. 7.0) N32°42.1 3,000' 3,000' LOC only. LOC only. | 5–0101. at 06002‡, Sat day following al 600Z‡, Sat 160 owing all Feder FL 128.4 288.2 PS (RAID OPS) 1 at 16002‡–Sun at 16002‡–Sun SS G. 5' W117°12.97 | 16002‡ I Federal 02‡–Sur al holida 25 42.95 2 06002‡ 06002‡ 0000r ti 300 | holidays. See FLIP AP/ n 0600Z‡, Sun 1600Z‡ ys. See FLIP AP/1 Supp 33.8 ;, Sun 1600Z‡–Mon 060 mes CLASS G. See FLIF id. 25/14E. No NOTAM 0°–340° byd 30 NM blo | <pre>/1 Supplementary -Mon 0600Z‡. olementary Airport 00Z‡, except > AP/1 MP Sun 3,000'</pre> |

| GNOSS FLD (DVO) 3 N UTC-8(-7DT) N38°08.62' W122°33.37' | SAN FRANCISC |
|---|---|
| 2 B S4 FUEL 100LL, JET A TPA—1002(1000) NOTAM FILE OAK | L—2F, 3A, |
| RWY 13-31: H3300X75 (ASPH) S-26 MIRL | IA |
| RWY 13: PAPI(P2R)—GA 3.5° TCH 28'. Tree. RWY 31: PAPI(P2L)—GA 4.0° TCH 5 | 56'. Hill. Rgt tfc. |
| wind and traffic permit. Helicopters apch from E and depart to E, remain N of radio t rwy. Rwy 13 has paved 125' overrun. Rwy 31 has 100' overrun. Mountains South ar area SE of arpt. Avoid straight-out departures on Rwy 13 and straight-in Idgs on Rw WEATHER DATA SOURCES: AWOS-3 120.675 (415) 897-2236. COMMUNICATIONS: CTAF/UNICOM 123.075 OAKLAND CENTER APP/DEP CON 127.8 RADIO AIDS TO NAVIGATION: NOTAM FILE APC. SCAGGS ISLAND (L) VORTACW 112.1 SGD Chan 58 N38°10.76' W122°22.39' 23 | nd West. Noise sensitive |
| HELIPAD HI: H60X60 (CONC) HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. | |
| | |
| HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. NUT TREE (See VACAVILLE) OAKDALE (027) 3 SE UTC-8(-7DT) N37°45.38' W120°48.01' | SAN FRANCISC |
| HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. NUT TREE (See VACAVILLE) OAKDALE (027) 3 SE UTC-8(-7DT) N37°45.38' W120°48.01' 237 B S4 OX 1, 3 TPA—1234(1000) NOTAM FILE RIU | L—2F, 3 |
| HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. NUT TREE (See VACAVILLE) DAKDALE (027) 3 SE UTC-8(-7DT) N37°45.38' W120°48.01' 237 B S4 0X 1, 3 TPA—1234(1000) NOTAM FILE RIU RWY 10-28: H3013X75 (ASPH) S-20 MIRL 0.4% up SE | L—2F, 3 |
| HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. NUT TREE (See VACAVILLE) DAKDALE (027) 3 SE UTC-8(-7DT) N37°45.38' W120°48.01' 237 B S4 0X 1, 3 TPA—1234(1000) NOTAM FILE RIU RWY 10-28: H3013X75 (ASPH) S-20 MIRL 0.4% up SE RWY 10: REIL. VASI(V2L)—GA 2.5° TCH 22'. | L—2F, 3 |
| HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. NUT TREE (See VACAVILLE) DAKDALE (027) 3 SE UTC-8(-7DT) N37°45.38' W120°48.01' 237 B S4 0X 1, 3 TPA—1234(1000) NOTAM FILE RIU RWY 10-28: H3013X75 (ASPH) S-20 MIRL 0.4% up SE | L–2F, ; I/ th side of rwy damaged and |
| HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. NUT TREE (See VACAVILLE) OAKDALE (OAKDALE (OAKDALE <th< td=""><td>L–2F, I th side of rwy damaged and</td></th<> | L–2F, I th side of rwy damaged and |
| HELIPORT REMARKS: Approach 050°/230° magnetic. Rwy visibility value avbl. NUT TREE (See VACAVILLE) OAKDALE (027) 3 SE UTC-8(-7DT) N37°45.38' W120°48.01' 237 B S4 0X 1, 3 TPA—1234(1000) NOTAM FILE RIU RWY 10-28: H3013X75 (ASPH) S-20 MIRL 0.4% up SE RWY 10-28: H3013X75 (ASPH) S-20 MIRL 0.4% up SE RWY 10: REIL. VASI(V2L)—GA 2.5° TCH 22'. RWY 28: REIL. VASI(V2L)—GA 3.0° TCH 33'. AIRPORT REMARKS: Attended dalgt hours. Nights on call 1–800–868–8750. Apron on sou unusable. ACTIVATE MIRL Rwy 10–28. REIL Rwy 10 and Rwy 28—CTAF. VASI Rwy 10 continuously. | L-2F, I th side of rwy damaged and |



METROPOLITAN OAKLAND INTL (OAK) 4 S UTC-8(-7DT) N37°43.28' W122°13.24' 9 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks LRA

SAN FRANCISCO H–3A, L–2F, 3B, A IAP, AD

NOTAM FILE OAK Class I, ARFF Index D RWY 11-29: H10000X150 (ASPH-GRVD) PCN 71 F/A/W/T HIRL CL

RWY 11: MALSR. PAPI(P4L)-GA 2.75° TCH 65'. Rgt tfc.


RWY 29: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 71'.

RWY 09R-27L: H6213X150 (ASPH-GRVD) PCN 97 F/B/W/T HIRL RWY 09R: REIL. PAPI(P4R)—GA 3.0° TCH 50′. Tree. RWY 27L: PAPI(P4L)—GA 3.0° TCH 71′.

- RWY 09L-27R: H5454X150 (ASPH-GRVD) PCN 69 F/C/W/T HIRL RWY 09L: PAPI(P4R)-GA 3.0° TCH 49'.
- RWY 27R: MALSR. PAPI(P4L)—GA 2.9° TCH 57'. Building. Rgt tfc. RWY 15-33: H3372X75 (ASPH) S-12.5 MIRL RWY 33: Rgt tfc.

AIROPAT REMARKS: Attended continuously. Rwy 15–33 CLOSED to air carrier acft. Birds on and invof arpt. Acft with experimental or limited certification having over 1,000 horsepower or 4,000 pounds are restricted to Rwy 11–29. Noise abatement: 24 hr restriction turboprop acft over 17,000 lbs, all jet acft and 4 engine piston acft prohibited from tkf Rwys 27L, 27R or Idg Rwys

09L, 09R. For noise abatement information ctc noise abatement



office at 510–563–6463. Intersection of Twy B, Twy W and Twy V not visible from twr. Twy M E between Rwy 33 and Twy D and portions of Twy D not visible from twr. Preferential rwy use program in effect 0600–14002‡. North fld preferred arrival Rwy 27L, north fld preferred departure Rwys 09R or 27R. If these Rwys unacceptable for safety or twr instruction then Rwy 11–29 must be used. Noise prohibitions not applicable in emerg or whenever Rwy 11–29 is closed due to maintenance, safety, winds or weather. 400' blast pad Rwy 29 and 500' blast pad Rwy 11. Rwys 29, 27R and 27L distance remaining signs left side. TPA—Rwy 27L 606(597), TPA—Rwy 27R 1006(997). Ldg fee may apply for Rwy 11–29, rwy commercial ops and tiedown, ctc afld ops 510–563–3361. Flight Notification Service (ADCUS) avbl.

```
WEATHER DATA SOURCES: ASOS (510) 383-9514. HIWAS 116.8 OAK.
 COMMUNICATIONS: D-ATIS 133.775 (510) 635-5850 (N and S Complex)
                                                                   IINICOM 122 95
   OAKLAND RCO 122.0 122.2 122.5 129.4 131.95 (OAKLAND RADIO)
R NORCAL APP CON 125.35 (East) 135.65 (South) 135.1 (West) 134.5 120.9
R NORCAL DEP CON 135.1 (West) 120.9 (Northwest)
   OAKLAND TOWER 118.3 (N Complex) 127.2 (S Complex) 124.9
   GND CON 121.75 (S Complex) 121.9 (N Complex)
                                                  CLNC DEL 121.1
 AIRSPACE: CLASS C svc continuous ctc APP CON
 RADIO AIDS TO NAVIGATION: NOTAM FILE OAK.
   OAKLAND (H) VORTACW 116.8 OAK
                                     Chan 115 N37°43.56' W122°13.42'
                                                                             at fld. 10/17E. HIWAS.
   ILS 111.9
              I–AAZ
                       Rwy 11.
                                  Class IC.
```

```
ILS 109.9 I-OAK Rwy 27R. Class 1E.
```

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr. Emerg frequency 121.5 not avbl at FSS. Rwy 11 glide slope deviations are possible when critical areas are not required to be protected. Acft operating invof glide slope transmitter.


| OAKLAND N37°43.56′ W122°13.42′ N | OTAM FILE OAK. | SAN FRANCISCO |
|---|---------------------------------------|--------------------------|
| (H) VORTACW 116.8 OAK Chan 115 | at Metropolitan Oakland Intl. 10/17E. | HIWAS. H–3A, L–2F, 3B, A |
| VOR unusable: | | |
| 035°-045° byd 35 NM blo 7,000' | 318°–360° | byd 26 NM blo 5000' |
| 307°-318° byd 10 NM | | |
| 318°-360° byd 10 NM blo 4000' | | |
| DME unusable: | | |
| 040°-065° byd 30 NM blo 4,100' | 330°-360° | byd 34 NM blo 7,500' |
| 307°-323° byd 30 NM blo 1,500' | 350°–030° | byd 20 NM blo 3,500' |
| 330°-360° byd 26 NM blo 5,000' | | |
| RCO 122.0 122.2 122.5 129.4 131.95 (0 | DAKLAND RADIO) | |

| OCEAND CO (L52) 1 W UTC-8(-7DT) N35°06.09' W120°37.34' 14 B FUEL 100LL TPA—1000(986) NOTAM FILE HHR RWY 11-29: H2325X50 (ASPH) S-12.5 MIRL RWY 11: Brush. Ref tfc. RWY 29: Brush. AIRPORT REMARKS: Attended Wed-Mon 1600-0100Z‡. Unattended Tue and Christmas day. Self sw. Ultralight activity on and invof arpt. Recurring flocks of waterfowl on and invof arpt. Be alert fc beach 1/2 mile west of rwy. Unsurfaced areas soft and unusable. Taxilanes very narrow near parked acft. Extremely noise sensitive arpt and community, for tkf Rwy 29 pilots are requeste heading until crossing the shoreline. ACTIVATE MIRL Rwy 11-29—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.7 T T T | or kites flown along buildings and |
|--|---------------------------------------|
| OCEAN RIDGE (See GUALALA) | |
| OCEANSIDE N33°14.44' W117°25.06' NOTAM FILE CRQ. (H) VORTAC 115.3 OCN Chan 100 097° 3.6 NM to Oceanside Muni. 53/15E. VOR unusable 227°-265° byd 20NM. RC0 122.1R 115.3T (SAN DIEGO RADIO) | LOS ANGELES H-4H, L-4H |
| OCEANSIDE MUNI (0KB) 2 NE UTC-8(-7DT) N33°13.08' W117°21.09' 28 B FUEL 100LL TPA—1028(1000) NOTAM FILE 0KB RWY 06-24: H2712X75 (ASPH) S-12 MIRL RWY 06-24: H2712X75 (ASPH) S-12 MIRL RWY 06-26: Attended 1800-02002‡. Fuel avbl 1400-05002‡. Touch and Go Landings not authorized. Flocks of geese, waterfowl and seagulls on and invof arpt. Rwy has no pavement marking or edge lights byd dsplcd thid. All tfc patterns to N. Mountains W, NW, SW Rwy 06 up to 280' MSL. Unlgtd mountain 160' MSL in apch zone 3500' from W end of pavement Rwy 06. Do not confuse road south of arpt with the rwy. Noise abatement: Dep Rwy 24, remain over river and canyon until harbor before turning. Departing Rwy 06 start left turn speed and altitude permitting to avoid school and homes E of arpt. +40-+90' trees 75'-125' N of rwy centerline; fence and road within primary surface N side. MIRL Rwy 06-24 preset low ints, to increase ints ACTIVATE—CTAF. WEATHER DATA SOURCES: ASOS 127.8 (760) 439-9683. COMMUNICATIONS: CTAF/UNICOM 123.0 ROD ADS TO NAVIGATION: NOTAM FILE CRQ. (H) VORTAC 115.3 OCN Chan 100 N33°14.44' W117°25.06' 097° 3.6 NM to fid. 53/15E. | LOS ANGELES L-4H JAP |
| OCOTILLO WELLS OCOTILLO (L9Ø) ON UTC-8(-7DT) N33°08.87' W116°07.90' 160 TPA—960(800) NOTAM FILE SAN RWY 13-31: 4210X150 (DIRT) RWY 13-11: RWY 31: Road. Rgt tfc. RWY 09-27: 2475X150 (DIRT) RWY 09-27: 2475X150 (DIRT) RWY 09: Hill. Rgt tfc. RWY 27: Hill. AIRPORT REMARKS: Unattended. Fld unusable when wet. Rwy 09 and Rwy 27, Rwy 13 and Rwy 31 tf white paving blocks. All rwy intersections marked by white paving blocks. Dune buggies and m driven on and across rwys. Ultralight ops within 2 NM radius, surface to 4000' mean sea leve COMMUNICATIONS: CTAF 122.9 | notorcycles are |

| - | |
|---|---|
| | DNTARIO INTL (ONT) 2 E UTC-8(-7DT) N34°03.36' W117°36.07' LOS ANGELES 944 B S4 FUEL 100LL, JET A OX 3, 4 Class I, ARFF Index D NOTAM FILE ONT COPTER RWY 08L-26R: H12197X150 (CONC-GRVD) S-30, D-200, ST-175, DT-560, DDT-850 H-4H, L-3E, 4H, 7C, A IAP, AD |
| | RWY 08L: MALSR. TDZL. Thid dsplcd 997'. Railroad. RWY 08L: MALSR. TDZL. Thid dsplcd 997'. Railroad. RWY 08R-Z6L: H10200X150 (CONC-GRVD) S-30, D-200, ST-175, DT-560, DDT-850 HIRL CL RWY 08R: PVASI(PSIL)—GA 3.0° Rgt tfc. RWY 28L: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 50'. Pole. AIRPORT REMARKS: Attended continuously. Wildlife hazard management plan in effect; potential bird hazards may exist on and invof arpt; be alert to large numbers of starlings and crows possible on approach to Rwy 26L and Rwy 26R, hawks, eagles, falcons and owls spotted on occasion. Acft parking and contract ground svc are Itd for non-scheduled ops. For scheduling information call afld ops (909) 975–5344. Pilots should use judgmental oversteer on Twy A, Twy M, Twy H, Twy J, Twy S-3 and Twy S-4. No access to Rwy 08R from Twy A. Twy W south of Twy S is a non-movement area, all acft ctr ramp ctl 131.325 for access. Twy H restricted to acft with wingspan of 124' or smaller acft when Gate 35A occupied by B747 or larger acft. Twy J restricted to acft with wing span of 108' or smaller. Twy M, Twy A, Twy S-3 and Twy S-4 restricted to acft with wingspan 117' or smaller. Eastbound B747, B777, A330, A340 or larger acft on Twy S prohibited from northbound turns onto Twy K. B747, B777, A330, |
| | A340 or larger acft on Twy S prohibited from northbound turns onto Twy P. Twy S south of centerline btn Twy S2 and Twy S3, and the southern half of Twy S3 are not visible from twr. Rwy 08L and Rwy 26R, Rwy 08R and Rwy 26L touchdown, midfield, and rollout runway visual range avbl. Runway visibility value Rwy 08L and Rwy 26R avbl. Runway visibility value Rwy 08R and Rwy 26L avbl. All military and general aviation (fixed or rotor wing) acft opr are rstd to FBO facilities with advance coordinationg overnight tiedown and parking fee. FBO's on frequencies 130.7 and 131.6. Noise abatement procedures in effect; full–length turbojet departures encouraged, nightly preferential rwy usage, 0500–14002‡. NOTE: See Special Notices–Continuous Power Facilities. |
| | WEATHER DATA SOURCES: ASOS (909) 937-2186. LAWRS. COMMUNICATIONS: D-ATIS 124.25 (909) 605-0056. ® SOCAL APP/DEP CON 135.4 (S-SW) 134.0 (E-S) 127.25 (N-NE) 125.5 (SW-N) 119.65 (NE-E) TOWER 120.6 GND CON 121.9 CINC DEL 118.1 AIRSPACE: CLASS C svc tc APP CON RADIO AIDS TO NAVIGATION: NOTAM FILE POC. POMONA (L) VORTAC 110.4 POM Chan 41 N34°04.70' W117°47.22' 083° 9.4 NM to fid. 1273/15E. PETIS NDB (HW) 397 SB N34°03.39' W117°21.97' 256° 11.7 NM to fid. NOTAM FILE ONT. LIS/OME 109.7 I-ONT Chan 34 Rwy 26R. Class IA. Glide path unusable for coupled approach below 1.520'. |
| | IIS/MME 111 35 L-TWO Chap 50(V) Rww 261 Class IIIE |

 ILS/DME 111.35
 I-TWO
 Chan 50(Y)
 Rwy 26L.
 Class IIIE.

 ILS 109.7
 I-AOD
 Rwy 08L.
 Class IE.




OROVILLE


LAKE OROVILLE LANDING AREA SPB (0Ø6) 5 NE UTC-8(-7DT) N39°33.99' W121°28.06' SAN FRANCISCO 900 FUEL MOGAS TPA—1700(800) NOTAM FILE RIU

C3[⊺]

WATERWAY ALL WAY: 9000X9000 (WATER)

SEAPLANE REMARKS: Unattended. For lake information ctc marina 530–589–3152. Lake elevation varies from 700'–900' MSL. Waterway all way ldg area located in center of main body of lake. Waterway all way ldg zone is a 9,000 ft diameter circular area in center of main body of lake. COMUNICATIONS: CTAF 122.9





| PACOIMA N34°15.58' W118°24.81' NOTAM FILE HHR. | LOS ANGELES |
|--|-------------|
| NDB (MHW) 370 PAI at Whiteman. (VFR only). | Copter |
| PAJAR N36°54.81' W121°48.48' NOTAM FILE WVI. | LOS ANGELES |
| NDB (MHW) 327 PDG 017° 1.6 NM to Watsonville Muni. NDB unusable 270°-110° byd 15 NM. | L-3B |

PALMDALE RGNL/USAF PLANT 42

(PMD)(KPMD) CIV/MIL 3 NE UTC-8(-7DT) 2543 B TPA—See Remarks NOTAM FILE PMD N34°37.76' W118°05.07'

H_4H 1_3F

RWY 04-01:01:03:00 down. RWY 20: PAPI(PAL). Rgt ttc. RWY 04-22: H12001X150 (CONC) S-83, D-173, DT-315, DDT-778 PCN 73 R/C/W/T HIRL


RWY 04: Hill. Rgt tfc. 0.6% down. **RWY 22:** PAPI(P4L). 0.3% up.

KWY ZZ: PAPI(P4L). 0.3% up.

RWY 072-252: H6000X75 (CONC) ST–175 PCN 132 R/B/W/T MILITARY SERVICES: Svc normally associated with an AFB are not avbl at this industrial installation. No Base OPS — FIt plans must be activated/clsd with FSS. LGT Gated thld lgt Rwy 07–25 and Rwy 04–22.

AIRPORT REMARKS: Attended 1230–0500Z‡, other times clsd to all tfc without approval. Official business only. Military arpt. Civil use requires USAF approval and DD form 2400/01/02. Call 661–272–6708 during duty hrs, 661–272–6600 after duty hrs. Limited fueling avbl to government acft only 1530–0130Z‡. Call plant office to arrange. Rwy 04–22 CLOSED Mon–Thu 1400–0000Z‡ indef. Bird hazard. When twr clsd arpt CLOSED to all tfc without written approval. Primarily training 747–707–727.

Unlighted obstructions surround airfield. Rwy 07, Rwy 04 and Rwy 22 3' wooden box at 150' from thld. Parking ramp C located south




of Rwy 22 and Twy V not visible from twr. ACTIVATE HIRL Rwy 04–22 and Rwy 07–25, PAPI Rwy 22 and Rwy 25—CTAF. Ldg fee.

MILITARY REMARKS: Official business only, Military arpt civil use requires USAF approval and DD form 2400/01/02. Plant Office open weekdays 1530–23592‡ only. See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** Official Business Only. PPR for all full stop Idg and touch and go. Call C661–272–6715 during duty hrs, OT C661–272–6600 after duty hrs. Rwy 072–252 used as a military assault strip. Assault Idg zone located 1st 6000' east end of Twy B, assault landing zone open to C-130 acft, PPR only; call C661–272–6715. Assault Landing Zone one way landing assault landing zone 05 only. **CAUTION** Rwy 07–25 1000' asph overrun each end, overrun poor condition emergency use only. Rwy 04–22 1150' asph overrun each end, overrun poor condition, emergency use only. Rwy edge Igt located 30' from outside side stripe. 60' AGL string of utility poles violate Rwy 22 Clear Zone sfc N of extended centerline. **IFC PAT** TPA overhead 4043(1500). Fighter and trainer type acft 4043(1500). All others, rectangular 4543(2000). Acft less than 50,000 pounds 4043(1500). **MISC** Winds are estimated due to FMQ–13 wind sensors being accurate to within only +/- 2 Kt. ATC/Wx will not include/relay wind correction into forecasts/phraseology. Therefore, aircrews will incorporate a +/- 2 Kt accuracy into their decision making process for flying opr.

| WEATHER DATA SOURCES: ASOS 118.275 (661) 272-3798. | |
|--|---------------------------------|
| COMMUNICATIONS: CTAF 123.7 | |
| R JOSHUA APP/DEP CON 124.55 363.0 | |
| TOWER 123.7 317.6 (1330-0600Z‡) GND CON 121.9 348.6 | |
| AIRSPACE: CLASS D svc (1330-0600Z‡) other times CLASS G. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE PMD. | |
| (H) VORTAC 114.5 PMD Chan 92 N34°37.88' W118°03.83' | at fld. 2498/15E. |
| VOR portion unusable: | |
| 010°-020° | 110°–160° byd 35 NM blo 11,600' |
| 160°-235° byd 30 NM blo 8,100' | |
| TACAN azimuth unusable: | |
| 110°-145° byd 20 NM blo 15,500' | 345°-355° byd 35 NM |
| 145°-235° byd 20 NM blo 14,500' | |
| TACAN azimuth and DME unusable: | |
| 120°-145° byd 20 NM blo 15,500' | 145°–150° byd 20 NM blo 14,500' |
| ILS 110.7 I-PMD Rwy 25. Class IE. | |

LOS ANGELES

H–4H, L–3E, 4G, 7C IAP, AD




| PALM SPRINGS INTL (PSP) 2 E UTC-8(-7DT) N33°49 477 B S4 FUEL 100LL, JET A OX 4 TPA—See Rem: NOTAM FILE PSP | |
|--|--|
| RWY 13R-31L: H10001X150 (ASPH-PFC) S-105, D-200, ST- | 175, DT–330, DDT–800 HIRL |
| RWY 13R: REIL. VASI(V6L)—Upper GA 3.25° TCH 73'. Lower G | A 3.0° |
| TCH 42'. Thid dsplcd 3000'. 1.0% down. | the the the test of test o |
| RWY 31L: REIL. VASI(V6L)-Upper GA 3.25° TCH 103'. Lower (| GA A A A A A A A A A A A A A A A A A A |
| 3.0° TCH 56'. Thid dsplcd 1500'. Rgt tfc. 0.7% up. | |
| RWY 13L-31R: H4952X75 (ASPH) S-12.5 D-60 MIRL | |
| 0.8% up NW | |
| RWY 13L: REIL. PAPI(P4L)-GA 3.5°. | |
| RWY 31R: REIL. PAPI(P4L)—GA 3.5°. Rgt tfc. | |
| RUNWAY DECLARED DISTANCE INFORMATION | |
| RWY 13R: TORA-10000 TODA-10000 ASDA-9857 LDA | -6857 |
| RWY 31L: TORA-10000 TODA-10000 ASDA-10000 LDA | -8500 |
| AIRPORT REMARKS: Attended continuously. Do not mistake center | |
| (Twy C) as rwy. Rwy 13R designated calm wind rwy. No forma | |
| Idgs or tkfs and no overhead manuevers. Do not use VASI R | |
| 31L byd 3 NM or byd Cathedral City due to high terrain. VAS | |
| 31L operates on request through twr. U.S. Customs user fee | * |
| Noise sensitive area all quadrants, exercise quiet flight | |
| procedures. For further information ctc duty supervisor | 311 |
| 760–318–3820. TPA—1977(1500) large acft, 1477(1000) | small |
| acft. Rwy 13L–31R MIRL and Twy E not lgtd from 0700–140 | |
| 13R–31L—CTAF. VASI and REIL Rwys 13R and 31L, PAPI an | |
| Customs avbl 24 hrs, 4 hrs prior notification required call 76 | |
| WEATHER DATA SOURCES: ASOS (760) 320–7645. LAWRS. | |
| COMMUNICATIONS: CTAF 119.7 ATIS 118.25 (760) 327–2770 | UNICOM 122.95 |
| RC0 122.1R 115.5T (RIVERSIDE RADIO) | |
| (R) SOCAL APP/DEP CON 126.7 (W-N) 135.275 (NE-SW) (1400- | 07007+) |
| (R) L.A. CENTER APP/DEP CON 128.15 (0700-1400Z‡) | (10024) |
| TOWER 119.7 (1400-0700Z‡) GND CON 121.9 CLNC DEL 1 | 28.35 |
| AIRSPACE: CLASS D svc 1400–0700Z‡ other times CLASS G. | 20100 |
| TRSA svc ctc APP CON 15 NM out. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE TRM. | |
| THERMAL (H) VORTAC 116.2 TRM Chan 109 N33°37.69' N | W116°09 61/ 292° 21 1 NM to fld -87/13F |
| | 25.79' 225° 4.5 NM to fld. 1600/13E. NOTAN |
| FILE PSP. | 23.79 223 4.3 NW to Nu. 1000/13L. NOTAW |
| VORTAC unusable: | |
| 135°-215° byd 20 NM blo 10,200' | 278°-320° byd 25 NM blo 13,000' |
| 215°-270° byd 15 NM blo 12,800′ | 320°-090° byd 15 NM blo 7,300' |
| ZTO -ZLO DÂN TO IMM DIO TS'000 | 220 -030 byu T3 MM bio 1,300 |

| RWY 13-31: H2443X70 (ASPH) S-12.5 MIRL RWY 13. REIL. PAPI(P2L)—GA 4.0° TCH 29'. Berm. RWY 31: REIL. PAPI(P2L)—GA 4.0° TCH 29'. Berm. Rgt tfc. AIRPORT REMARKS: Attended Thu-Tue 1600-020024, Wed 1500-050024. Arpt rstd by arpt operator to acft with maximum certificated weight of 12,500 lbs or less. Self-fueling avbl continuously. P-line SE. Birds on and in vicinity of arpt. +100' transmission towers east of arpt. Be alert for pedestrians crossing a dike road 8' high and 300' from end Rwy 13. Continuous pedestrian, vehicle activity on acft taxi lanes not designated as twy movement areas. Noise sensitive area southeast thru west of arpt. Landing not authorized for pure jet and surplus military acft except those acft meeting FAR 36 stage 3 noise criteria. Recommend acft ldg at Palo Alto Arpt fly at or above 1500' until crossing the Bayshore Freeway. Recommend acft depart Rwy 31 turn 10° right after tkf until reaching Dumbarton Auto Bridge. On apch to Rwy 31 be alert to possible strong updraft from wind tunnel located on west side of Moffett Federal Airfield. TPA-1004(1000) west, and 804(800) east. Arpt security procedures in effect. WEATHER DATA SOURCES: LAWRS. COMMUNICATIONS: CTAF 118.6 ATIS 135.275 (650) 858-0606 UNICOM 122.95 R NORCAL APP CON 121.3 133.95 134.5 R NORCAL DEP CON 121.3 | NOTAM FILE PAO | SAN FRANCISCO L-2F, 3B, A IAP, AD |
|--|------------------------------|---|
| TOWER 118.6 (1500–0500Z‡) GND CON 125.0 AIRSPACE: CLASS D svc 1500–0500Z‡ other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE OAK. WOODSIDE (L) VORTACW 113.9 OSI Chan 86 N37°23.55' W12 COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at tower. | 2°16.88′ 046° 8.9 NM to fld. | 2270/17E. |
| PANOCHE N36°42.93' W120°46.72' NOTAM FILE RIU. (L) VORTAC 112.6 PXN Chan 73 332° 21.3 NM to Los Banos N VOR unusable 230°-280° byd 7 NM blo 9000' RC0 122.1R 112.6T (RANCHO MURIETA RADIO) | Muni. 2060/16E. | SAN FRANCISCO H-3B, L-3C |
| PARADISE N33°55.10' W117°31.80' NOTAM FILE RAL. (H) VORTAC 112.2 PDZ Chan 59 287° 6.3 NM to Chino. 1432/ VORTAC unusable: 130°-145° byd 25 NM blo 5,000' 145°-190° blo 8000' 190°-230° all distances blo 10,000' VOR portion unusable: 145°-190° blo 8,000' 145°-190° blo 8,000' 145°-190° blo 8,000' 145°-190° blo 8,000' | | 00' 00' |

| PARKER N34°06.12' W114°40.93' NOTAM FILE RAL. | | LOS ANGELES |
|--|--------------------------------|----------------|
| (H) VORTAC 117.9 PKE Chan 126 067° 20.7 NM to Avi Suqu | illa AZ. 1000/15E. | H—4I, L—4J, 5A |
| VOR portion unusable: | | |
| 090°-110° beyond 25 NM below 3800' | 230°-240° beyond 33 NM below 5 | 5900′ |
| 110°-140° beyond 8 NM below 4200' | 260°-290° beyond 29 NM below 5 | 5900' |
| 140°-155° beyond 20 NM below 4200' | 290°-300° beyond 33 NM below 6 | 3800′ |
| 155°-170° beyond 25 NM below 4900' | 300°-315° beyond 25 NM below 6 | 800′ |
| 170°-185° beyond 30 NM below 4900' | 325°-335° beyond 25 NM below 5 | 5300′ |
| DME portion unusable: | | |
| 090°-167° | 260°-290° byd 29 NM blo 5900' | |
| 167°-170° byd 25 NM blo 4900' | 290°-300° byd 33 NM blo 6800' | |
| 170°-185° byd 30 NM blo 4900' | 300°-315° byd 25 NM blo 6800' | |
| 230°-240° byd 33 NM blo 5900' | 325°-335° byd 25 NM blo 5300' | |
| RCO 122.1R 117.9T (RIVERSIDE RADIO) | | |

PARSONS HERMITAGE (See GROVELAND)



 PERRIS VALLEY
 (L65)
 1 SE
 UTC-8(-7DT)
 N33°45.88' W117°13.14'
 LOS ANGELES

 1413
 S4
 FUEL 100LL, JET A
 TPA—2413(1000)
 NOTAM FILE RAL
 Not insp.
 COPTER

 RWY 15-33: H5100X50 (ASPH)
 H-4H, L-4H, A
 H-4H, L-4H, A
 H-4H, L-4H, A
 H-4H, L-4H, A


RWY 15: Thid dspicd 1900'. Trees. Rgt tfc. RWY 33: Thid dspicd 144'.

AIRPORT REMARKS: Attended dawn-dusk. Fuel available for emergency use only. Parachute Jumping. Extensive ultralight and parachuting activities daily, do not overfly arpt, avoid airspace adjacent East. Ultralights on and in vicinity of arpt. Ultralight and parachuting activities can be monitored on frequency 122.775. Rwy 15–33 north 1000' CLOSED indef. Rwy 15–33 north 1900' asph poor condition, remaining 3200' asphalt fair condition.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. PARADISE (H) VORTAC 112.2 PDZ Chan 59 N33°55.10'

W117°31.80' 106° 18.1 NM to fld. 1432/15E.




SW, 08 APR 2010 to 03 JUN 2010

| PETALUMA MUNI (069) 1 NE UTC-8(-7DT) N38°15.47' W 90 B S4 FUEL 100LL, JET A 0X 2, 3, 4 TPA—1090(10 RWY 11-29: H3601X75 (ASPH) S-12.5 MIRL 0.4% up W RWY 11: Trees. RWY 29: PAPI(P4L)—GA 3.0° TCH 39'. Rgt tf AIRPORT REMARKS: Attended 1600-0100Z‡. Noise abatement procedu out climb to 1500' MSL for departures, downwind stay outside A Historic Park. ACTIVATE PAPI Rwy 29—CTAF. WEATHER DATA SOURCES: AWOS-3 132.325 (707)773–1529. COMMUNICATIONS: CTAF/UNICOM 122.7 (R) DAKLAND CENTERA APP/DEP CON 127.8 RADIO AIDS TO NAVIGATION: NOTAM FILE APC. SCAGGS ISLAND (L) VORTACW 112.1 SGD Chan 58 N38°10.76' | 00) NOTAM FILE OAK c. ure 800' MSL before crosswin dobe Road, avoid overflights (| _ |
|--|--|------------------------------------|
| PETIS N34°03.39' W117°21.97' NOTAM FILE ONT. NDB (HW) 397 SB 056° 6.9 NM to San Bernardine Intl. | | LOS ANGELE Copte L-4H, 7C, |
| PINE MOUNTAIN LAKE (See groveland) | | |
| PLACERVILLE (PVF) 3 E UTC-8(-7DT) N38°43.45' W120°. 2585 B S4 FUEL 80, 100LL, JET A TPA-3385(800) N RWY 05-23: H4201X75 (ASPH) S-26 MIRL RWY 05-23: H4201X75 (ASPH) S-26 MIRL RWY 23: SAVASI(S2L)-GA 3.0° TCH 27'. Rgt tfc. RWY 23: SAVASI(S2L)-GA 3.8° TCH 25'. AIRPORT REMARKS: Attended 1600-0100Z‡. Fuel avbl 24 hrs by crediticard. Deer on and invof rwy especially ngts. Rwy safety areas are non-standard length, severe drop off 100' byd end of Rwy 05 an Rwy 23. PPR for touch and go ldgs for acft over 12,500 pounds. Noise abatement procedures no mid-field departures, no turns V or N prior to 3400 MSL or clear of noise sensitive area. Rwy 23 after tkf make 10° left turn at end of rwy to avoid noise sensitive residential areas. ACTIVATE MIRL Rwy 05-23 and VASI Rwy 05 and SAVASI Rwy 23-CTAF. WEATHER DATA SOURCES: AWOS-3 128.125 (530)622-5698. COMMUNICATIONS: CTAF/UNICOM 122.8 HANGTOWN RC0 122.1R 115.5T (RANCHO MURIETA RADIO) (R) NORCAL APP/DEP CON 127.4 RADID AIDS TO NAVIGATION: NOTAM FILE RIU. HANETOWN (L) V0R/DME 115.5 HNW Chan 102 N38°43.48' W120°44.96' at fid. 2583/17E. | OTAM FILE RIU | SAN FRANCISC L-3 IA |
| HELIPAD H1: H50X50 (CONC) HELIPAD REMARKS: Helipad located on N side of Rwy 23 end, tfc patter POGGI N32°36.62' W116°58.75' NOTAM FILE SDM. (L) VORTACW 109.8 PGY Chan 35 167° 2.3 NM to Brown Fid | | edures apply. LOS ANGELE L-4 |
| VOR unusable 060°–080° beyond 27 NM below 8000'. DME unusable: 005°–010° byd 35 NM. | 060°–070° byd 27 NM 070°–110° | |
| POINT ARENA N38°57.28′ W123°44.43′ RCO 122.6 (OAKLAND RADIO) | | SAN FRANCISC |

| POINT MUGU NAS (NAVAL BASE VENTURA CO) (NTD)(KNTD) NAS (ANG) O N UTC- N34°07.22' W119°07.26' | -8(-7DT) LOS ANGELES H-4g, L-3e, 4g, 7b |
|--|--|
| 13 B NOTAM FILE NTD Not insp. | DIAP, AD |
| RWY 03–21: H11102X200 (ASPH) PCN 62 R/C/W/T HIRL | , |
| RWY 03: SALSF. OLS. VASI(V4L)—GA 3.0° TCH 47'. | |
| RWY 21: MALSF. OLS. RAIL. VASI(V4R)—GA 3.0° TCH 45'. | |
| RWY 09–27: H5502X200 (ASPH) PCN 64 F/B/W/T HIRL | |
| RWY 27: OLS. | |
| ARRESTING GEAR/SYSTEM | |
| | DOK E28(B) (2502') RWY 21 |
| | DOK E28(B) (1252') RWY 27 |
| MILITARY SERVICE: JASU 3(NCPP-105) 8(A/M47A-4) 9(GTC-85) FUEL J5, J8 FLUID SP LH | |
| 0–128–148 TRAN ALERT Opr weekdays 1400–0200Z‡; clsd alternate Fri, Sat, Sun an | |
| tran acft outside these hrs without PPR. | |
| MILITARY REMARKS: Opr 1500–0700Z‡. See FLIP AP/1 Supplementary Arpt Remarks and AP, | 14 RSTD PPR OPS Duty |
| Officer DSN 351-8521, C805-989-8521. Prior coordination or fit advisory rgr AMC/N | |
| Extreme mid-air potential due to high density VFR general aviation tfc in vicinity. Civilia | |
| uncontrolled 0500–1500Z [±] daily. High terrain to 1567' E of fld. Bird hazard. Hang glid | |
| Mt 4 NM NE SR–SS. IFC PAT Reduced rwy separation standards in effect USN/USMC ac | , , |
| commence turns until 500' and ½ NM offshore. Rwy 27 dep do not commence turns un | |
| populated areas when possible due to extreme noise sensitive area. Procedure in effe | |
| Rwy 03 arr on Rwy 21 dep between 0200–1600Z‡ and 24 hr weekdays, alternate Fri, S | |
| Holidays. CSTMS/AG/IMS Customs, Agriculture, Immigration avbl during opr hr with 24 hr p | |
| Islands ANGB PPR DSN 893–7577, C805–986–7577. | nor notice. And channel |
| COMMUNICATIONS: SFA ATIS 125.55 363.05 | |
| FILLMORE RCO 122.1R 112.5T (HAWTHORNE RADIO) | |
| (R) APP/DEP CON 128.65 307.275 (1500–0700Z‡) | |
| (R) L.A. CENTER APP/DEP CON 135.5 327.1 (0700–1500Z‡) | |
| TOWER 124.85 135.175 290.375 340.2 (1500–0700Z [‡] , clsd holidays other times ctc | A Center Ann/Den |
| Con) GND CON 121.6 360.2 CLNC DEL 120.75 279.55 | LA. Conter App/ Dep |
| PMSV METRO 386.35 OTS indef. BASE OPS 267.5 ANG OPS 305.6 | |
| AIRSPACE: CLASS D svc 1500–0700Z‡ other times CLASS G. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE PRC. | |
| | 5 NM to fld. 2200/15E. |
| | M FILE OXR. Unmonitored |
| 0700-1500Z‡. TACAN unusable 060°-110° byd 15 NM blo 5,000′ | |
| ILS/DME 109.3 I–RRG Chan 30 Rwy 21. Unmonitored 0700–1500Z‡. | |
| ASR/PAR (1500–0700Z‡) | |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. Expanded Radar Sv | c—All flt conducted under |
| positive control. Inbound acft not opr under ATC or Plead (132.425 306.6), ctc APP CO | |
| | 11 20 Hill Out. |
| POINT REYES N38°04.79' W122°52.07' NOTAM FILE OAK. | SAN FRANCISCO |
| (H) VORTACW 113.7 PYE Chan 84 057° 15.4 NM to Gnoss Fld. 1340/17E. | H–3A, L–2F, 3A, A |
| San Francisco Intl ATIS avbl. | |
| VOR unusable 135°-305° beyond 20 NM below 3000' | |
| · · · · · · · · · · · · · · · · · · · | |
| POMONA N34°04.70' W117°47.22' NOTAM FILE POC. | LOS ANGELES |
| (L) VORTAC 110.4 POM Chan 41 at Brackett Fld. 1273/15E. | COPTER |
| VORTAC unusable: | H-4H, L-3E, 4H, 7C, A |
| 300°-045° byd 20 NM | |
| VOR unusable: | |
| 280°-300° byd 20 NM blo 13,000' | |
| | |

RC0 123.65 (RIVERSIDE RADIO)



| PRIEST N36°08.42' W120°39.90' NOTAM FILE OAK. | SAN FRANCISCO |
|--|---------------|
| (L) VORW 110.0 ROM 267° 23 NM to Mesa Del Rey. | L–3C |
| PROBERTA N40°06.84' W122°14.25' NOTAM FILE RBL. | KLAMATH FALLS |
| NDB (HW) 338 PBT 327° 2.3 NM to Red Bluff Muni. Unmonitored. Unusable byd 15 NM. | L—2H |
| QUINCY N39°56.43' W120°55.73' | SAN FRANCISCO |

L-11A

I-11A


RC0 122.4 (RANCHO MURIETA RADIO)

(See FAMOSO)

NUINCA

GANSNER FLD (201) 1 N UTC-8(-7DT) N39°56.63' W120°56.72' SAN FRANCISCO 3415 B FUEL 100LL TPA-4415(1000) NOTAM FILE RIU RWY 06-24: H4105X60 (ASPH) S-12.5 MIRL RWY 24: VASI(V2L). Rgt tfc. RWY 06: Highway. AIRPORT REMARKS: Unattended. 24 hr 100LL fuel by credit card. CAUTION-Due to proximity of terrain normal opr are: for s dep/touch and go Rwy 06 only; ldgs on Rwys 06 and 24. Ultralights on and invof arpt, Firefighting acft invof arpt Mav-Oct, a C α G C Rapidly rising terrain with 100' trees on north side of rwy. Arpt 4105 X 60 rstd by arpt opr to acft maximum certificated tkf weight of 12,500 Ibs or less. Rotating bcn located 2000' N of arpt on top of hill. 6 Secondary white bcn 3 miles S of arpt. ACTIVATE MIRL Rwy \sim ٦Ċ3 ß 06-24-CTAF. a **COMMUNICATIONS: CTAF/UNICOM** 122.7 QUINCY RC0 122.4 (RANCHO MURIETA RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE TVL. SQUAW VALLEY (L) VORW/DME 113.2 SWR Chan 79 N39°10.82' W120°16.18' 310° 55.5 NM to fld. 8850/16E. HIWAS. Residentia Area


| RAMONA (RNM) 2 W UTC-8(-7DT) N33°02.35' W116°54.92' 1395 B S4 FUEL 100LL JET A TPA—See Remarks NOTAM FILE RNM RWY 09-27: H5001X150 (ASPH) S-75, D-95, DT-170 MIRL | LOS ANGELES H-4H, L-4H IAP, AD |
|--|---|
| RWY 09: PAPI(P2L)—GA 3.5° TCH 49'. RWY 27: REIL. PAPI(P2L)—GA 3.5° TCH 49'. RWY 27: REIL. PAPI(P2L)—GA 3.5° TCH 32'. AIRPORT REMARKS: Attended 1600–02002‡. Be alert for birds year-round, various species, large and small. Helipads N of rwy not open to public. Ultralights not authorized. Forest Service fire fighting act on and invof arpt. Air tankers in vicinity May–Nov frequently fly NSTD pattern entries. Voluntary jet curfew 0600–15002‡. Noise abatement, tkf climb on rwy heading until 1900' MSL. TPA—2395(1000) single engine, 2895(1500) multi–engine. For information regarding fire fighting activity call arpt manager 760–788–3366. Rwy 27 calm wind rwy. ACTIVATE MIRL Rwy 09–27, REIL Rwy 27 and twy Igts—CTAF, PAPI Rwy 09–27 ops 24 hrs. WEATHER DATA SOURCES: ASOS 132.025 (760) 789–0736. UNICOM 122.95 ® SOCAL APP CON 132.2 ® SOCAL DEP CON 127.3 TOWER 119.875 IG00–04002‡) GND CON 121.65 AIRSPACE: CLASS D svc 1600–04002‡) GND CON 121.65 AIRSPACE: CLASS D svc 1600–04002‡ other times CLASS G. RADIO AIDS TO MAVIGATION: NOTAM FILE SAN. JULIAN (L) VORTACW 114.0 JLI Chan 87 N33°08.43' W116°35.16' 235° 17.7 NM to fl HIWAS. HELIPAD H1: H340X66 (ASPH–CONC) HELIPAR TREMARKS: Helipad use is not authorized when tower clsd. | d. 5560/15E. |
| RANCHO MURIETA (RIU) 1 W UTC-8(-7DT) N38°29.21' W121°06.17' 141 FUEL 100LL, JET A TPA—941(800) NOTAM FILE RIU Not insp. RWY 04-22: H3800X75 (ASPH) RWY 04: VASI(V2L)—GA 3.0° TCH 12'. Road. Rgt tfc. RWY 22: VASI(V2L)—GA 3.0° TCH AIRPORT REMARKS: Attended 1600-0100Z‡. Arpt CLOSED at night. Deer on and invof rwy. Unmark trees SE and parallel to Rwy 04-22. +65' trees, +30' power lines parallel to Rwy 04-22. All comply with FAR 103 and have an operating acft radio. All transient acft rqrd to park in designare. Rwy 04 VASI OTS indef. Arpt Igts opr 1600-0100Z‡. COMMUNICATIONS: CTAF/UNICOM 122.8. RC0 122.2 121.5 (RANCHO MURIETA RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE SAC. SACRAMENTO (H) VORTACW 115.2 SAC Chan 99 N38°26.62' W121°33.10' 066° 21.3 HIWAS. | ked and unlit 65' ultralights must gnated transient 3 NM to fld. 10/17E. |
| RAND MOUNTAIN N35°20.31' W117°41.02' RCO 122.4 (Riverside Radio) | LOS ANGELES L-70 |
| RAVENDALE (039) 0 N UTC-8(-7DT) N40°48.20' W120°21.97' 5299 TPA—6099(800) NOTAM FILE RNO RWY 17-35: H2920X30 (ASPH) RWY 35: Thid dspicd 900'. Pole. AIRPORT REMARKS: Unattended. Unpaved areas extremely soft when wet. Rwy 17-35 has numero gravel. COMMUNICATIONS: CTAF 122.9 | KLAMATH FALLS |
| REAM FLD (See IMPERIAL BEACH NOLF) | |




1281' AGL before turning. Rwy 15–33 thid Igts are NSTD, being 13' short of the rwy thid. ACTIVATE MIRL Rwy 15–33—CTAF. PAPI Rwy 15 and Rwy 33 opr continuously.

COMMUNICATIONS: CTAF/UNICOM 122.8

| BRIDGE BAY RESORT SPB (H77) 11 N | UTC-8(-7DT) N40°45.46' W122°19.40' | KLAMATH FALLS |
|---------------------------------------|------------------------------------|---------------|
| 1065 FUEL MOGAS TPA-1865(800) | | |
| WATERWAY NE-SW: 10000X4000 (WATER) | | |
| SEAPLANE REMARKS: Attended dawn-dusk. | | |
| COMMUNICATIONS: CTAF 122.9 | | |
| | | |



| REEDLEY MUNI (032) 4 N UTC-8(-7DT) N36°40.26' W119°27.06' 383 B S4 FUEL 100LL, JET A TPA—1383(1000) NOTAM FILE RIU RWY 15-33: H3300X60 (ASPH) S-12 MIRL RWY 15: REIL. PAPI(P2L)—GA 3.0° TCH 41'. Trees. | SAN FRANCISCO L–3C, 9A |
|--|---|
| RWY 33: REIL. PAPI(P2R)—GA 4.0° TCH 49'. Tree. Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-01002‡. Self svc fuel 24 hrs computerized credit card number beside pumps; 7 days 1600-01002‡. Rwy 15-33 PAEW adjacent rwy 2300-03002‡ ACTIVATE MIRL Rwy 15-33, REIL Rwys 15 and 33, and PAPI Rwys 15 and 33 and twy Igts—C WEATHER DATA SOURCES: AWOS-3 120.175 (559) 637-9453. COMMUNICATIONS: CTAF/UNICOM 122.7 RADIO AIDS TO NAVIGATION: NOTAM FILE RIU. FRIANT (L) VORTACW 115.6 FRA Chan 103 N37°06.27' W119°35.73' 148° 26.9 NM to HIWAS. | every Mon. TAF. |
| REEVES FLD (See LEMOORE NAS) | |
| REID-HILLVIEW OF SANTA CLARA CO (See SAN JOSE) | |
| REIGA N37°41.53' W121°41.05' NOTAM FILE LVK. NDB (MHW/LOM) 374 LV 255° 6.5 NM to Livermore Muni. | SAN FRANCISCO L–2F, 3B |
| RIALTO MUNI (MIRO FLD) (L67) 3 NW UTC-8(-7DT) N34°07.73' W117°24.09' 1455 B S4 FUEL 100LL, JET A OX 4 TPA—See Remarks NOTAM FILE RAL RWY 06-24: H4500X100 (ASPH) D-60 MIRL 0.5% up SW RWY 06-74: H4500X100 (ASPH) D-60 MIRL 0.5% up SW RWY 06-74: H4500X100 (ASPH) D-60 MIRL 0.5% up SW RWY 06-74: H2650X50 (ASPH) D-60 MIRL 0.5% up SW RWY 17-35: H2650X50 (ASPH) S-12.5 MIRL 1.6% up N RWY 17: Trees. Rgt tfc. RWY 35: PAPI(P2L)—GA 3.5° TCH 40'. AIRPORT REMARKS: Attended 1600-01002‡. After departure, no turn below 2455' MSL. Helicopters maintain 2000' MSL until N of Base line road, for clsd pattern remain N of Base line road. Avoid overflying residential areas west of arpt for noise abatement. Avoid overflying schools .5 mile east of arpt on turn from | LOS ANGELES COPTER L-4H, 7C, A IAP |
| Avoid overlying schools .5 mile east of alpt o | 24 |
| RIO LINDA (L36) 1 S UTC-8(-7DT) N38°40.50' W121°26.73' 45 B S4 FUEL 100LL 0X 1, 3 TPA—845(800) NOTAM FILE RIU RWY 17-35: H2625X42 (ASPH) S-12 LIRL RWY 35: Trees. RWP 17: TRCV(TRIL)—GA 3.5° TCH 7'. Trees. Rgt tfc. RWY 35: Trees. AIRPORT REMARKS: Attended 1600-0100Z‡. Heavy jet tfc vicinity McClellan AFB. Tree lines east, v arpt—unlighted. Touch and go landings not authorized. Ultralights not authorized. For noise a right turn to heading 215° after tkf to avoid overflight of school. Rotating beacon and VASI of ACTIVATE LIRL Rwy 17-35 and TRCV Rwy 17 key 122.9 7 times. COMMUNICATIONS: CTAFUNICOM 123.0 | abatement Rwy 17 |



may use apron area W of Rwy 14-32. Helicopter tfc to W apron remain W of arpt 500'.


| MARCH ARB 1536 B | | | | | |
|---|---|--|---|---|---|
| 1536 B | (RIV)(KRIV) CIV/MII | | , | 2.92' W117°15.54' | LOS ANGEL |
| | | NOTAM FILE RIV | Not insp. | | COPT |
| | 113300X200 (CONC) | PCN 45 R/B/W/T | | | H-4H, L-4H |
| | API(P4L)—GA 2.5° TCH | | L ALSF1. TDZL. PA | API(P4L)—GA 3.0° TCH 73'. | DIAP, |
| | , , | PCN 23 F/A/W/T | | | |
| ARRESTING GI | | | | | |
| | OOK BAK-12B(B) (1500 | D') | | HOOK BAK-12B(B) | (1500') RWY |
| MILITARY SER | | | | | |
| | -2A) (A/M32–86) (AM32 | | | LOX LHNIT. OIL SOAP avbl only | on reserve |
| | | Opr Mon-Sat 1500 | | • | |
| | | | | 00Z‡ and on holidays rstd to K | |
| | | | | ng, balloonist and ultralight act | |
| | | | | rpt, 15 NM southeast of March | - |
| , | , | | 0 | Club, CSTMS acft, and tran cop | |
| | , , | | , . | C951-655-4404. Tran acft no | |
| | | | | attern west of Rwy 01L-19R (c | |
| 0, | | , , | 0 | ctc Command Post 24 hr prior | |
| ,, , | | 0 | | to executing a Visibility Climp (| |
| | | | | l 447–2944 weekdays. Twy A p king rows Mary 9 and Mary 10 | |
| | | | | wed to taxi on Lima parking row | |
| | | 0 | | lian pilots are reminded to che | |
| | | | | .html. NSTD rwy marking–assa | |
| | | | | tangular 3000 (1464), overhea | |
| | | - | | coordination rgr with initial ctc | |
| | | | | only. Wx station opr 24 hrs. Fo | |
| | | | | 6698, C520–228–6698, toll fr | |
| | 51-8367 ext 1. | t Davis Monthan Ai | D, AZ DON 220-0 | 0000, 0020-220-0000, ton in | |
| | | upplementary Arnt I | Info RSTD Twy C cl | sd beginning 100' from edge o | of intersection |
| | | | - | guished visitor ctc Command P | |
| - | - | | | r ldg pad clsd. Tran acft with o | |
| | , , | · | | -two small open trenches with | |
| | 0 0 | , , , , , , , , , , , , , , , , , , , | , , | shoulders. East portion of Twy | |
| | | - | | Shoulders. East portion of Tw | |
| construct | | | | | |
| construct cargo pa | d on Twy C can be ente | | - | limited due to high surroundir | - |
| construct cargo pao COMMUNICAT | d on Twy C can be ente IONS: ATIS 134.75 239.0 | 05 PTD 372.2 (Re | - | limited due to high surroundir | - |
| construct cargo pao COMMUNICATI HOMELAND | d on Twy C can be enter IONS: ATIS 134.75 239.0 RCO 122.1R 113.4T (RI | 05 PTD 372.2 (Re IVERSIDE RADIO) | ception extremely | - | - |
| construct cargo par COMMUNICATI HOMELAND (R) APP/DEP C | d on Twy C can be enter IONS: ATIS 134.75 239.0 RCO 122.1R 113.4T (RI ON 119.25 133.5 284.0 | 05 PTD 372.2 (Re IVERSIDE RADIO) | ception extremely | - | - |
| construct cargo par COMMUNICATI HOMELAND R APP/DEP C R SOCAL APP | d on Twy C can be enter IONS: ATIS 134.75 239.0 RCO 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 | 05 PTD 372.2 (Rev IVERSIDE RADIO) 0 324.1 1500–070 | ception extremely | rs, other times ctc | - |
| construct cargo par COMMUNICATI HOMELAND R APP/DEP C R SOCAL APP TOWER 12 | d on Twy C can be enter IONS: ATIS 134.75 239.0 RCO 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON | 05 PTD 372.2 (Rev IVERSIDE RADIO) 0 324.1 1500–070 121.75 335.8 | Ception extremely 202‡, clsd holiday CLNC DEL 121.75 3 | s, other times ctc 335.8 | ng terrain.) |
| construct cargo par Communicati Homeland R App/dep C R Socal App Tower 12 Comd Post | d on Twy C can be enter IONS: ATIS 134.75 239.0 RCO 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON I 311.0 349.4 PMSV | PTD 372.2 (Reinstand) IVERSIDE RADIO) 0 324.1 1500–070 1 121.75 335.8 METRO 239.8. Wx Signal | Ception extremely 202‡, clsd holiday CLNC DEL 121.75 3 | rs, other times ctc | ng terrain.) |
| construct cargo par communicati homeland R app/dep c B socal app tower 12 comd post dsn 2: | d on Twy C can be enter IONS: ATIS 134.75 239.0 RCO 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON I 311.0 349.4 PMSV 28–6598, C520–228–6 | 05 PTD 372.2 (Re IVERSIDE RADIO) 0 324.1 1500-070 1 121.75 335.8 METRO 239.8. Wx S 6598. | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. | s, other times ctc 335.8 During evacuation of WT, ctc : | ng terrain.) |
| construct cargo par communicati homeland R app/dep c R socal app tower 12 comd posi dsn 2: Airspace: CL | d on Twy C can be enter IONS: ATIS 134.75 239.0 RCO 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON I 311.0 349.4 PMSV | PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500-070 1 121.75 335.8 METRO 239.8. Wx S 6598. ‡, clsd holidays, otl | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. | s, other times ctc 335.8 During evacuation of WT, ctc : | ng terrain.) |
| Construct cargo pau Communicati Homeland R App/dep C R Socal App Tower 12 Comd Pus DSN 2: Airspace: Cl Radio Aids ti | d on Twy C can be enter IONS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON I 311.0 349.4 PMSV 28–6598, C520–228–6 ASS C svc 1500–070023 | D5 PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500-070 1 121.75 335.8 METRO 239.8. WX S 6598. ‡, clsd holidays, ctl. E RAL. | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. | s, other times ctc 335.8 During evacuation of WT, ctc : D. | ng terrain.) 25 OWS at |
| CONSTRUCT CATEGO DATA COMMUNICATI HOMELAND (R) APP/DEP C (R) SOCAL APP TOWER 12 COMD POST DSN 2: AIRSPACE: CL RADIO AIDS TI PARADISE (C | d on Twy C can be enter IONS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI ON 119.25 133.5 284.0 YOEP 134.0 278.3 7.65 253.5 GND CON 7.311.0 349.4 PMSV 28–6598, C520–228–6 ASS C svc 1500–070027 D NAVIGATION: NOTAM FILL | D5 PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500-070 1 121.75 335.8 METRO 239.8. Wx S 6598. ‡, clsd holidays, ctl. E RAL. | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS 3°55.10' W117°3 | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80′ 084° 13.7 NM to fid. | ng terrain.) 25 OWS at |
| CONSTRUCT CATEGO DATA COMMUNICATI HOMELAND (R) APP/DEP C (R) SOCAL APP TOWER 12 COMD POST DSN 2: AIRSPACE DSN 2: AIRSPACE AIRSPACE HOMELAND | d on Twy C can be enter INS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI ON 119.25 133.5 284.0 OXP 134.0 278.3 7.65 253.5 GND CON I 311.0 349.4 PMSV 28-6598, C520-228-6 ASS C svc 1500-07002; D NAVIGATION: NOTAM FILL H) VORTAC 112.2 PDZ (L) VOR 113.4 HDF | PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500–070 1121.75 335.8 METRO 239.8. Wx S 6598. ‡, clsd holidays, otl. E RAL. Z Chan 59 N33°46.58' W11' | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS 3°55.10' W117°3 7°11.12' 315° | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80′ 084° 13.7 NM to fid. 7.3 NM to fid. 1414/14E. | ng terrain.) 25 OWS at 1432/1! |
| CONSTRUCT CATEGO PARA COMMUNICATI HOMELAND R APP/DEP C R SOCAL APP TOWER 1.2 COMD POSI DSN 2: AIRSPACE: CL RADIO AIDS TI PARADISE (HOMELAND (L) TACAN (| d on Twy C can be enter IONS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 I 311.0 349.4 PMSV 28–6598, C520–228–6 ASS C svc 1500–070023 D NAVIGATION: NOTAM FILL H) VORTAC 112.2 PD2 Chan 77 RIV (113.0) | PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500–070 1121.75 335.8 I METRO 239.8. Wx S 6598. +, clsd holidays, otl. E RAL. Z Chan 59 N33°46.58' W11' N33°54.40' W2' N33°54.40' W2' | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS 3°55.10' W117°3 7°11.12' 315° | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80′ 084° 13.7 NM to fid. | ng terrain.) 25 OWS at 1432/1! |
| CONSTRUCT CATEGO PARA COMMUNICATI HOMELAND R APP/DEP C R SOCAL APP TOWER 12 COMD POSI DSN 2: AIRSPACE: CL RADIO AIDS TI PARADISE (HOMELAND (L) TACAN (Fri 150 | d on Twy C can be enter INS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI ON 119.25 133.5 284.0 OXP 134.0 278.3 7.65 253.5 GND CON I 311.0 349.4 PMSV 28-6598, C520-228-6 ASS C svc 1500-07002; D NAVIGATION: NOTAM FILL H) VORTAC 112.2 PDZ (L) VOR 113.4 HDF | PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500–070 1121.75 335.8 I METRO 239.8. Wx S 6598. +, clsd holidays, otl. E RAL. Z Chan 59 N33°46.58' W11' N33°54.40' W2' N33°54.40' W2' | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS 3°55.10' W117°3 7°11.12' 315° | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80′ 084° 13.7 NM to fid. 7.3 NM to fid. 1414/14E. | ng terrain.) 25 OWS at 1432/1! |
| CONSTRUCT CATEGO DAVA COMMUNICATI HOMELAND (R) APP/DEP C (R) SOCAL APP TOWER 12 COMD POST DSN 2: AIRSPACE: CL RADIO AIDS TI PARADISE (HOMELAND (L) TACAN (Fri 15C TACAN | d on Twy C can be enter IONS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI M 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON T 311.0 349.4 PMSV 28-6598, C520-228-6 ASS C svc 1500-070022 D NAVIGATION: NOTAM FILL H) VORTAC 112.2 PDZ (L) VOR 113.4 HDF Chan 77 RIV (113.0) 90-1700Z‡ (1500 3+1) | D5 PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500-070 1 121.75 335.8 METRO 239.8. Wx S 6598. ‡, clsd holidays, otl. E RAL. Z Chan 59 N33°46.58' W11' D) N33°54.40' W2). | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS 1 3°55.10' W117°3 7°11.12' 315° 117°16.56' 14 | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80′ 084° 13.7 NM to fid. 7.3 NM to fid. 1414/14E. | ng terrain.) 25 OWS at 1432/1! No NOTAM M |
| CONSTRUCT CATEGO DATA COMMUNICATI HOMELAND (R) APP/DEP C (R) SOCAL APP TOWER 12 COMD POST DSN 2: AIRSPACE: CL RADIO AIDS TI PARADISE (HOMELAND (L) TACAN (FTI 15C) TACAN (035° | d on Twy C can be enter IONS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI 0N 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON G 311.0 349.4 PMSV 28–6598, C520–228–6 D AVIGATION: NOTAM FILL H) VORTAC 112.2 PDZ (L) VOR 113.4 HDF Chan 77 RIV (113.0] VO-1700Z‡ (1500 3+1) unusable: | D5 PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500-070 0 324.1 1500-070 1121.75 335.8 IL1.75 335.8 IMETRO 239.8. Wx S 6598. +, clsd holidays, otl ±, clsd holidays, otl E RAL. Z Chan 59 N33°46.58' W11') N33°54.40' W2'). L7,500' | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS 3°55.10' W117°3 7°11.12' 315° 117°16.56' 14 | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80' 084° 13.7 NM to fid. 7.3 NM to fid. 1414/14E. 11° 1.7 NM to fid. 1540/14E. | ng terrain.) 25 OWS at 1432/1 No NOTAM M 000' |
| CONSTRUCT CATEGO PARA COMMUNICATI HOMELAND R APP/DEP C R SOCAL APP TOWER 12 COMD POSI DSN 2: AIRSPACE: CL RADIO AIDS TI PARADISE (HOMELAND (L) TACAN (SASS) 210° | d on Twy C can be enter IONS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI ON 119.25 133.5 284.0 OTEP 134.0 278.3 7.65 253.5 GND CON [311.0 349.4 PMSV 28–6598, C520–228–6 ASS C svc 1500–07002; ASS C svc 1500–07002; O NAVIGATION: NOTAM FILI (H) VORTAC 112.2 PDZ (L) VOR 113.4 HDF Chan 77 RIV (113.0) 100–1700Z‡ (ISO 3+1) unusable: -055° byd 30 NM blo 1 | PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500–070 1121.75 335.8 IMETRO 239.8. Wx S 6598. ‡, clsd holidays, otl. E RAL. Z Chan 59 N33 N33°46.58' W11' N33°54.40' W2). 2.7,500' 10,000' | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS 3°55.10' W117°3 7°11.12' 315° 117°16.56' 14 | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80' 084° 13.7 NM to fid. 7.3 NM to fid. 1414/14E. 11° 1.7 NM to fid. 1540/14E. 1 305°–330° byd 30 NM bio 13, | ng terrain.) 25 OWS at 1432/15 No NOTAM M 000' 000' |
| CONSTRUCT CATEGO PARA COMMUNICATI HOMELAND R APP/DEP C R SOCAL APP TOWER 12 COMD POSI DSN 2: AIRSPACE: CL RADIO AIDS TI PARADISE (HOMELAND (L) TACAN (SASS) 210° | d on Twy C can be enter ONS: ATIS 134.75 239.0 RC0 122.1R 113.4T (RI ON 119.25 133.5 284.0 /DEP 134.0 278.3 7.65 253.5 GND CON T 311.0 349.4 PMSV 28-6598, C520-228-6 ASS C svc 1500-070022 O NAVIGATION: NOTAM FILL H) VORTAC 112.2 PDZ (L) VOR 113.4 HDF Chan 77 RIV (113.0) 00-1700Z‡ (1500 3+1) unusable: -055° byd 30 NM bio 1 -227° byd 30 NM bio 1 | PTD 372.2 (Rei IVERSIDE RADIO) 0 324.1 1500–070 1121.75 335.8 IMETRO 239.8. Wx S 6598. ‡, clsd holidays, oti. E RAL. Z Chan 59 N33 N33°54.40' W2 N33°54.40' W2 . 17,500' .0,000' 3,000' | ception extremely DOZ‡, clsd holiday CLNC DEL 121.75 3 tation opr 24 hrs. her times CLASS I 3°55.10' W117°3 7°11.12' 315° 117°16.56' 14 | s, other times ctc 335.8 During evacuation of WT, ctc : D. 1.80′ 084° 13.7 NM to fid. 7.3 NM to fid. 1414/14E. 11° 1.7 NM to fid. 1540/14E. I 305°-330° byd 30 NM bio 13, 330°-350° byd 15 NM bio 17, | ng terrain.) 25 OWS at 1432/1 No NOTAM N 000' 000' 000' |


| | narks NOTAM FILE RAL COPTER |
|--|--|
| RWY 16-34: H2850X50 (ASPH) S-40, D-50, DT-80 MIRL 0.8% up N RWY 16: Pole. Rgt tfc. RWY 34: PAPI(P2L)—GA 3.0° TCH 36'. Tree. AIRPORT REMARKS: Attended 1500-0200Z‡. For fuel after hrs call 951-689-1160. Numerous power lines 1780'-2887' N of Rwy 16 thid at or blo 80' AGL. Rwy 09 drain 8' deep at 100' from rwy end. Rwy 27 -20' ditch 50' from rwy end. Rwy 16-34 limited by arpt operator to 12,500 pounds single wheel gear. Power plant 3000' N of Rwy 16 thid producing thermal plume, avoidance advised. Noise abatement procedures in effect ctc arpt manager 951-351-6113. TPA—1819(1000) light acft, 2319(1500) jet and all other acft. Acft departing Rwy 09 and Rwy 27 not visible to acft at other end of rwy. S 1400' of Rwy 34 and Twy J and Twy B not visible from twr. REIL Rwy 27 OTS indef. ACTIVATE MIRL Rwy 09-27 and Rwy 16-34, MALSR Rwy 09, Twy Igts and helipad perimeter Igts—121.0. PAPI Rwy 09, Rwy 27, and Rwy 34 opr continuously. WEATHER DATA SOURCES: ASOS (951) 352-4392. LAWRS. COMMUNICATIONS: CTAF 121.0 ATIS 128.8 (951) 688-7257 UNICOM 122.95 RIVERSIDE RC0 122.2 122.05 (RIVERSIDE RADIO) (® SOCAL APP/DEP CON 135.4 TOWER 121.0 (1500-0400Z‡) GND CON 121.7 AIRSPAGE: CLASS D svc 1500-0400Z‡ other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. PARADISE (H) VORTAC 112.2 PDZ Chan 59 N33°55.10' W117°31 (J) V0R 112.4 RAL N33°57.31' W117°26.99' at fld. | Helipad H1: 60 X 60 Rwy 16-34: 2850 X 50 91 91 91 91 91 91 91 91 91 91 91 91 91 |
| ILS 110.9 I-RAL Rwy 09. Class IB. ILS unmonitored whe course. COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbi at FSS. HELIPAD H1: H60X60 (ASPH) HELIPAD REMARKS: ACTIVATE perimeter lgts Helipad H1—121.0. | en twr clsd. LOC unusable byd 10° left of |
| RIVERSIDE (RUBIDOUX) FLABOB (RIR) 3 NW UTC-8(-7DT) N33°59.33' W117°24.60' 764 S4 FUEL 80, 100LL TPA—See Remarks NOTAM FILE RA RWY 06-24: H3200X50 (ASPH) S-4 MIRL (NSTD) RWY 24: Trees. AIRPORT REMARKS: Attended Mon-Fri 1630-0030Z‡. Mountain 1340' MS TPA—1464(700). Night TPA—1764(1000) around the mountain. Avo RWY 06-24 on tkf. Dep to the S ctc Riverside Twr. Rwy 24 after tkf t wind rwy 06-24 on tkf. Dep to the S ctc Riverside Twr. Rwy 24 after tkf t wind rwy 06-24 on tkf. Dep to the S ctc Riverside Twr. Rwy 24 after tkf t wind rwy 06-24 on tkf. Dep to the S ctc Riverside Twr. Rwy 24 after tkf t wind rwy 06-24 NSTD MIRL, or ACTIVATE MIRL Rwy 06-24 -CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. PARADISE (H) VORTAC 112.2 PDZ Chan 59 N33°55.10' W117°32 | L-4H, A L ¾ mile SE of arpt, +20' cross on top. oid over flight of trailer park 1000' east of urn 10°; stay N of riverbed. Rwy 24 calm one red/green Igt each side of thId. |
| RWY 06-24: H3200X50 (ASPH) S-4 MIRL (NSTD) RWY 06: Trees. RWY 24: Trees. AIRPORT REMARKS: Attended Mon-Fri 1630-0030Z‡. Mountain 1340' MS TPA—1464(700). Night TPA—1764(1000) around the mountain. Ava Rwy 06-24 on tkf. Dep to the S ctc Riverside Twr. Rwy 24 after tkf t wind rwy. Helicopter fit training prohibited. Rwy 06-24 NSTD MIRL, or ACTIVATE MIRL Rwy 06-24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. | L-4H, A AL ¾ mile SE of arpt, +20' cross on top. oid over flight of trailer park 1000' east of urn 10°; stay N of riverbed. Rwy 24 calm one red/green Igt each side of thId. |

ROGERS FLD (See CHESTER)


ROHNERVILLE (See FORTUNA)

| | 2.23' W118°12.33' LOS ANGELES |
|--|---|
| 2415 B FUEL 100LL TPA—See Remarks NOTAM FILE F | RAL L–3D, 7B |
| RWY 08-26: H3600X50 (ASPH) LIRL (NSTD) RWY 08: Thid dspicd 300'. Rgt tfc. RWY 26: Thid dspicd AIRPORT REMARKS: Unattended. Hill NE of arpt. Terrain approximat northwest of arpt. Arpt use restricted by arpt manager to acf 12,500 lbs or less. Ctc arpt manager for additional informat | tely 3200' MSL 2 miles northeast and 3 miles t having a maximum certificated gross tkf weight of |
| helicopters tic pattern N of rwy. Powered acti only may use S 0600–1500Z‡. Avoid over flight of schools 1 mile E and 2 m gliders 2915(500). Maintain rwy heading until reaching arpt rwy. ACTIVATE LIRL Rwy 08–26 and bcn—CTAF. COMMUNICATIONS: CTAF 122.9 | S traffic pattern. No touch and go landings between iles W. Calm wind use Rwy 26. TPA—3215(800); |
| RADIO AIDS TO NAVIGATION: NOTAM FILE PMD. Palmdale (H) vortac 114.5 PMD Chan 92 N34°37.88' V | V118°03.83' 319° 15.9 NM to fld. 2498/15E. |
| ROUND VALLEY (See COVELO) | |
| RUTH (T42) 7 S UTC-8(-7DT) N40°12.69' W123°17.8 | 6′ KLAMATH FALLS |
| 2781 TPA—3781(1000) NOTAM FILE RIU RWY 13-31: H3500X50 (ASPH) S-12 | L—2H |
| RWY 13: Berm. RWY 31: Hill. | |
| AIRPORT REMARKS: Unattended. Arpt CLOSED ngt. Intermittently cl office for information 530–623–1365. High terrain all quadra | |
| COMMUNICATIONS: CTAF/UNICOM 122.8 | and. |
| RADIO AIDS TO NAVIGATION: NOTAM FILE RBL. | 2/ W4 2004 4 4 2/ |
| RED BLUFF (H) VORTACW 115.7 RBL Chan 104 N40°05.9 HIWAS. | 3' W122°14.18' 260° 49.3 NM to fld. 322/18E. |
| ROY WILLIAMS (See JOSHUA TREE) | |
| SACRAMENTO | |
| MC CLELLAN AIRFIELD (MCC)(KMCC) P (CG) 6 NE UTC-8 77 B S4 0X 1, 2 FUEL 100LL, JET A, A+ NOTAM FILE | (-7DT) N38°40.06' W121°24.04' SAN FRANCISCO MCC H-3B, L-2G, 3A |
| | 175, SBTT–620, DT–500, DDT–840 IAP, AD |
| HIRL(NSTD) RWY 16: SSALR. PAPI(P4L)—GA 3.0° TCH 51'. Rgt tfc. | RWY 34: PAPI(P4L)—GA 3.0° TCH 52'. Tower. |
| MILITARY SERVICE: FUEL A+ (C916–641–8970) | KWI 34: PAPI(P4L)—GA 3.0 TCH 32. TOWEL |
| AIRPORT REMARKS: Attended continuously. Self-svc 100LL fuel we good. Rwy 16–34 marked for 150' width. Strict compliance r | |
| the east, no services west side. NSTD HIRL located 25' from SSALR Rwy 16 and twy lgts—CTAF. PAPI Rwy 16 and Rwy 34 | |
| commercial ops. MILITARY REMARKS: RSTD C5 touch and go prohibited. Tran acft PPF | R for USCG ramp C916–643–7659, with crew list for |
| arr/dep passengers. | |
| WEATHER DATA SOURCES: AWOS-3 125.975 (916) 641-1272. Communications: CTAF/Unicom 122.975 | |
| (R) NORCAL APP/DEP CON 127.4 317.5 CLNC DEL 119.825 | |
| | 3 5696 8984 11201 (Opr 0500-1100Z‡.) |
| USCG SACRAMENTO 167.9 237.9. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE MCC. | 1904.05/ |
| RADIO AIDS TO NAVIGATION: NOTAM FILE MCC. (T) VORW/DME 109.2 MCC Chan 29 N38°40.04' W121 0030-1600Z‡. | °24.25' at fld. 72/17E. Unmonitored |
| RADIO AIDS TO NAVIGATION: NOTAM FILE MCC. (T) VORW/DME 109.2 MCC Chan 29 N38°40.04' W121 | ^o 24.25' at fld. 72/17E. Unmonitored 170°-340° beyond 5 NM blo 5,000' |
| RADIO AIDS TO NAVIGATION: NOTAM FILE MCC. (T) VORW/DME 109.2 MCC Chan 29 N38°40.04' W121 0030-1600Z‡. VOR portion unusable: | 170°–340° beyond 5 NM blo 5,000' 170°–340° byd 15 NM blo 7,000' 280°–340° byd 5 NM blo 5,000' |
| VORW/ONE NOTAM FILE MCC. (T) VORW/ONE 109.2 MCC Chan 29 N38°40.04' W121 0030-1600Z‡. VOR portion unusable: 090°-150° blo 3,000' 090°-150° blo 3,000' 090°-150° byd 10 NM blo 5,000' 090°-150° byd 15 NM blo ,7000' DME portion unusable: 090°-150° <td>170°–340° beyond 5 NM blo 5,000′ 170°–340° byd 15 NM blo 7,000′</td> | 170°–340° beyond 5 NM blo 5,000′ 170°–340° byd 15 NM blo 7,000′ |
| RADIO AIDS TO NAVIGATION: NOTAM FILE MCC. (T) VORW/DME 109.2 MCC Chan 29 N38°40.04' W121 0030-16002‡. VOR portion unusable: 090°-150° blo 3,000' 090°-150° blo 3,000' 090°-150° byd 10 NM blo 5,000' 090°-150° byd 15 NM blo ,7000' 090°-150° byd 15 NM blo ,7000' | 170°–340° beyond 5 NM blo 5,000' 170°–340° byd 15 NM blo 7,000' 280°–340° byd 5 NM blo 5,000' |





| S | ACRAMENTO MATHER (MHR) 10 E UTC-8(-7DT) N38°33.32′ W121°17.84′ SAN FRANCIS |
|---|--|
| | 99 B S4 FUEL 100LL, JET A OX 2 TPA-See Remarks NOTAM FILE MHR H-3B, L-2G, |
| | RWY 04R-22L: H11301X150(ASPH-CONC) S-160, D-280, ST-175, DT-500 (SWL 65/PSI640) HIRL IAP, |
| | RWY 04R: VASI(V4L)—GA 3.0° TCH 50'. Rgt tfc. |
| | RWY 22L: MALSR. VASI(V4L)—GA 3.0° TCH 55'. |
| | RWY 04L-22R: H6040X150 (ASPH) S-90, D-105, ST-133, DT-190 |
| | MIRL AFFICIAL |
| | RWY 22R: Rgt tfc. |
| | AIRPORT REMARKS: Attended Mon 1300–Sat 0500Z‡, Sun |
| | 1300–0500Z‡. Birds invof arpt. Be alert for large transport acft |
| | tkfs and ldgs and high performance military T–38 jets. Avoid noise |
| | sensitive residential areas North/East of Rwy 22L ILS final apch |
| | course. Turbojet nighttime noise abatement arrival and departure |
| | procedures in effect 0600–1500Z [‡] . Pilot information on noise |
| | abatement 916–874–0800. Rwy 22L calm wind rwy. TPA for |
| | piston acft 1099 (1000); Turbine 1899 (1800). Acft entering Rwy |
| | 22R tfc pattern from the north should expect to fly base leg |
| | extended 2 miles from rwy thId. Twy D limited to acft with |
| | maximum gross weight 50,000 lbs or less. Twy D1 limited to acft |
| | with maximum gross weight 17,000 lbs or less. When twr closed |
| | ACTIVATE MIRL Rwy 04L–22R, HIRL Rwy 04R–22L, VASI Rwy 04R, |
| | 22L and MALSR Rwy 22L—CTAF. |
| | WEATHER DATA SOURCES: AWOS-3 (916) 231-0103. SAWRS |
| | COMMUNICATIONS: CTAF 120.65 ATIS 118.325 UNICOM 123.075 |
| | SACRAMENTO RCO 122.05 (RANCHO MURIETA RADIO) |
| 1 | (R) NORCAL APP/DEP CON 127.4 GND CON 121.85 CLNC DEL 121.85 |
| | TOWER 120.65 (Mon 1300Z‡–Sat 0500Z‡, Sun 1300–0500Z‡) |
| | AIRSPACE: CLASS D svc Mon 1300Z+-Sat 0500Z+ and Sun 1300-0500Z+, other times CLASS E. |
| | RADIO AIDS TO NAVIGATION: NOTAM FILE SAC. |
| | SACRAMENTO (H) VORTACW 115.2 SAC Chan 99 N38°26.62' W121°33.10' 044° 13.7 NM to fid. 10/17E. |
| | HIWAS. |
| | ILS 110.7 I–MHR Rwy 22L. ILS unmonitored when twr clsd. |
| | |
| | HELIPAD H1: H30X30 (ASPH) |
| | HELIPAD H2: H100X100 (ASPH) |




| CALIFORNIA | 165 |
|---|--|
| SAN BERNARDINO INTL (SBD) 2 SE UTC-8(-7DT) N34°05.73' W2 1159 B S4 FUEL 100LL, JET A OX 1 TPA—1959(800) LRA NOTAM FILE RAL RWY 06-24: H10001X200 (CONC-GRVD) S-97, D-265, DT-890, DDT-9 RWY 06-PAPI(P4L) GA 3.0° TCH 52', Rgt Ifc. 0.7% up. | Class IV, ARFF Index A COPTER H-4H, L-4H, 7C, A |
| RWY 24: PAPI(P4L)—GA 3.0° TCH 50′. 0.8% down. AIRPORT REMARKS: Attended 1600–0100Z‡. After hours general aviation access and fuel available with PPR call fixed base operator 909–382–0101. Periodic live firefighting training producing smoke and light emissions approximately 6000′ northeast of Rwy 06 thid. Rwy 06 designated calm wind rwy. High terrain N and E of arpt. Rwy 06–24 strength rated for the A380 at 1,300,000 lbs. Fire fighting acft ct US Forest Svc tanker base on ground frequency 123.975. 24 hr PPR for air carrier acft operating under FAR Part 121 or Part 380, ctc arpt manager via pager at 909–426–4324, ARFF avbl with 24 hr prior permission only. Twy F lgts OTS indef. Rwy 24 PAPI unusable byd 4 NM due to high terrain. HIRL preset low ints, to increase ints ACTIVATE—CTAF. PAPI Rwy 06 and Rwy 24 operate continuously. WEATHER DATA SOURCES: AWOS–3 124.175 UNICOM 122.975 (F) SOCAL APP/DEP CON 135.4 (S–SW) 134.0 (E–S) 127.25 (N–NE) 125.5 (SW–N) 119.65 (NE–E) TOWER 119.45 (1500–05002‡) GND CON 121.8 AIRSPACE: CLASS D svc 1500–05002‡ other times CLASS G. RADISE (H) VORTAC 112.2 PDZ Chan 59 N33°55.10′ W117°31.8 PETIS NDB (HW) 397 SB N34°03.39′ W117°21.97′ 056° 6.9 NM t ILS 109.3 I–SBD Rwy 06. ILS unmonitored 0500–15002‡. | |
| SAN CARLOS (SQL) 2 NE UTC-8(-7DT) N37°30.71' W122°14.91 5 B S4 FUEL 100LL, JET A 0X 1, 3, 4 TPA—805(800) NOT RWY 12-30: H2600X75 (ASPH) S-12.5 MIRL RWY 12: REIL. VASI(V2L)—GA 3.0° TCH 25'. Pole. RWY 30: REIL. VASI(V2L)—GA 3.0° TCH 25'. Levee. Rgt tfc. AIRPORT REMARKS: Attended 1500-0500Z‡. Migratory bird activity on and in vicinity of arpt. 100' steel transmission towers and powerlines located 750' west and parallel to Rwy 12-30. 7' lighted dike located in rwy safety area on apch end Rwy 30. Calm wind Rwy 12. No touch and go landings, or stop and go landings, when twr clsd. Noise sensitive areas south through northeast of arpt. For noise abatement procedures ctc arpt manager 650-573-3700. When twr clsd, ACTIVATE MIRL Rwy 12-30 and REIL Rwy 30—119.0. WEATHER DATA SOURCES: AWOS-3 125.9 (650) 593-0613. Plus precipitation. LAWRS. COMMUNICATIONS: CTAF 119.0 ATIS 125.9 (650) 593-0613 UNICOM 122.95 (R) NORCAL APP CON 133.95 135.65 (R) NORCAL DEP CON 135.65 (R) NORCAL DEP CON 135.65 (R) NORCAL DEP CON 135.65 | AM FILE SQL L-2F, 3B, A IAP, AD Levee Levee Levee Levee Levee |

RADIO AIDS TO NAVIGATION: NOTAM FILE OAK.

WOODSIDE (L) VORTACW 113.9 OSI Chan 86 N37°23.55' W122°16.88' 355° 7.3 NM to fld. 2270/17E. COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at tower.

| SAN CLEMENTE ISLAND NALF (FREDRICK SHERMAN FLD) (NUC) NAF 0 NW UTC-8(-7 | DT) LOS ANGELI |
|--|---|
| N33°01.36' W118°35.31' | H-4H, L-4 |
| 184 B NOTAM FILE NUC Not insp. | DIAP, |
| RWY 05-23: H9301X200 (CONC) PCN 68 R/C/W/T HIRL | |
| RWY 05: REIL. RWY 23: OLS. REIL. 1.0% down. | |
| ARRESTING GEAR/SYSTEM | |
| | 28(B) (2025') RWY |
| MILITARY SERVICE: JASU 1(GTC-85) 1(A-4). FUEL J5. FLUID SP. | TD DDD for aivil ooft |
| MILITARY REMARKS: Opr Mon-Thu 1600-0200Z ⁺ , Fri 1600-0000Z ⁺ , CLOSED Sat, Sun and hol. RS at all times and mil other times, DSN 524-9240. Reg to use NUC as BINGO fld for carrier op | |
| notice and special air opr after normal opr hr require 72 hr prior notice thru San Clemente Is | |
| 524–9240. CAUTION Extensive missile and off-shore bombardment in vicinity of San Clement | |
| TACAN NSD Chan 86 located 11 NM S of NUC TACAN Chan 123. Perimeter road in close pro | ximity to airfield, |
| use extreme caution. Hold short mark 100' from rwy edge. Expect hold short instructions from | |
| Reduced rwy separation standard in effect USN/USMC acft. MISC Acft desiring radar advisory | |
| out. No search and rescue facility normally avbl (crash boat and helicopter). Fit planning svc | |
| transition W291 ctc Beaver Control 120.85 266.9. ACTIVATE 5 step HIRL Rwy 05–23, 1 ste | p REIL Rwy 05–23 |
| after normal working hrs for emergencies 119.55. COMMUNICATIONS: ATIS 268.6 (Mon-Thu 1600–0200Z‡, Fri 1600–0000Z‡, clsd Sat, Sun and holi | (ave) |
| TOWER 126.75 278.8 340.2 (Mon-Thu 1600-02002‡, Fri 1600-00002‡, clsd Sat, Sun and I | |
| GND CON 119.55 251.05 | ionidajon, |
| R RADAR ADVISORY SERVICE (BEAVER CONTROL) 120.85 266.9 (Ctc twr 20 NM out). | |
| AIRSPACE: CLASS D svc Mon-Thu 1600-0200Z‡, Fri 1600-0000Z‡ except Sat, Sun and holidays | other times CLASS |
| G. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE NUC. | |
| BEAVER (W) TACAN Chan 86 NSD(113.9) N32°52.79' W118°26.45' 305° 11.3 NM to fld | |
| (L) TACAN Chan 123 NUC (117.6) N33°01.62' W118°34.78' at fld. 161/15E. Opr on Class D Airspace. | ly during NOTAM hi |
| ASR/PAR PAR may not be avbl due to scheduled MP on Tue 1800–2000Z‡. | |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. | |
| SAN DIEGO N33°08.43' W116°35.16' RCO 122.4 122.2 (SAN DIEGO RADIO) | LOS ANGE |
| KGU 122.4 122.2 (SAN DIEGO RADIO) | |
| | L- |
| | Ŀ |
| DIEGO | |
| DIEGO | LOS ANGEL |
| DIEGO Brown FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' | LOS ANGEL |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A OX 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 26R: Rgt tfc. | LOS ANGEL Dm H-4H, L- |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34'W116°58.81' 526 B S4 FUEL 100LL, JET A OX 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 26R: Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W | LOS ANGEL Dm H-4H, L- |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A OX 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 26R: Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R: Rgt tfc. Rgt tfc. Gamma Sector Gamma Sector | LOS ANGEL Dm H-4H, L- |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A OX 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-Rgt tfc. RWY 08R: Rgt tfc. . . . AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after . . | LOS ANGEL DM H-4H, L- IAP, |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-86L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-86L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-86L: Ktc. Attended Mon-Fri 1600-04002‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel 7972 X | LOS ANGEL DM H-4H, L- IAP, |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A OX 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R- Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222. Parachute Jumping on arpt and 3 | LOS ANGEL DM H-4H, L- IAP, Surfoce Anterr Sourfoce Anterr |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-86L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-86L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-86L: Ktc. Attended Mon-Fri 1600-04002‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel 7972 X | LOS ANGEL DM H-4H, L- IAP, Surface Anteni Surface Anteni So Array |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R- Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-0400Z‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222. Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from | LOS ANGEE DM H-4H, L- IAP, Surfoce Anten Sourfoce Anten |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A OX 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L: H3180X7 | LOS ANGEE DM H-4H, L- IAP, Surfoce Anten Sourfoce Anten |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 26R: Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L: H3180X75 (ASPH) S-16 0.5% up W RWY 08R-26L: H3180X | LOS ANGEE DM H-4H, L- IAP, Surfoce Anten Sourfoce Anten |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R- Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222. Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface | LOS ANGEL DM H-4H, L- IAP, Surfoce Anterr Sourfoce Anterr |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 26R: Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L op -671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, fee for callout. Not fee for fuel avbl by calling 619-671-922, fee for callout. Military fuel avbl by calling 61 | LOS ANGEE DM H-4H, L- IAP, Surfoce Anten Sourfoce Anten |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 26R: Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L dig 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9220. Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican,/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps | LOS ANGEE DM H-4H, L- IAP. Surface Antenn Surface Antenn Sourface Antenn Sourf |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26k: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-Rgt tfc. RWY 08R-26k: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26k: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-0400Z‡. For fuel after hours call FBO's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222. Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx Mexico/ | LOS ANGEL DM H-4H, L- IAP, Surface Antern Sourface Antern Strate |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L on permits only 12000 hs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx observation facility. TPA—1526(1000) Rwy 08L-26R, 1126(600) | LOS ANGEE DM H-4H, L- IAP. Surface Antenn Surface Antenn Sourface Antenn Sourf |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L op permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx observation facility. TPA—1526(1000) Rwy 08L-26R, 1126(600) Rwy 08R-26L. Flight Notification Service (ADCUS) available. | LOS ANGEL DM H-4H, L- IAP, Surface Antern Sourface Antern Strate |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No verflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx observation facility. TPA—1526(1000) Rwy 08L-26R, 1126(600) Rwy 08R-26L. Hight Notification Service (ADCUS) available. NOTE: See Special Notices—Extensive Parachute Drop Activities | LOS ANGEL DM H-4H, L- IAP, Surface Antern Sourface Antern Strate |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-Rgt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-Rgt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L op permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx observation facility. TPA—1526(1000) Rwy 08L-26R, 1126(600) Rwy 08R-26L. Flight Notification Service (ADCUS) available. | LOS ANGEL DM H-4H, L- IAP, Surface Antern Sourface Antern Strate |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L: 1016 - 671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 08R-26L. Hight Notification Service (ADCUS) available. NOTE: See Special Notices—Extensive Parachute Drop Activities San Diego, California, U.S. Special Customs Requirement. | LOS ANGE DM H-4H, L- IAP, Surface Antern Sourface Antern Sourface Antern Sourface Antern Sourface Antern |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B 54 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-8gt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-8gt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FB0's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No verflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx observation facility. TPA—1526(1000) Rwy 08L-26R, 1126(600) Rwy 08R-26L. Hight Notification Service (ADCUS) available. NOTE: See Special Notices—Extensive Parachute Drop Activities San Diego, California, U.S. Special Customs Requirement. WEATHER DATA SOURCES: ASOS (619) 661–8297. COMMUNICATIONS: CTAF 126.5 ATIS 132.35 (619) 661–0152 UNICOM 122.95 (P) SOCAL APP CON 124.35 | LOS ANGE DM H-4H, L- IAP, Surface Antern Sourface Antern Sourface Antern Sourface Antern Sourface Antern |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-8R tft. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-8R tft. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FBO's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222. Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx observation facility. TPA-1526(1000) Rwy 08L-26R, 1126(600) Rwy 08R-26L. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—Extensive Parachute Drop Activities San Diego, California, U.S. Special Customs Requirement. WEATHER DATA SURCES: ASOS (619) 661-8297. COMMUNICATIONS: CTAF 126.5 ATIS 132.35 (619) 661-0152 UNICOM 122.95 (P) SOCAL APP CON 124.35 (P) SOCAL APP CON 124.35 | LOS ANGEL DM H-4H, L- IAP, Surface Antern Sourface Antern Strate |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-8gt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-8gt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FBO's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222. Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 08R-26L. Hight Notification Service (ADCUS) available. NOTE: See Special Notices—Extensive Parachute Drop Activities San Diego, California, U.S. Special Customs Requirement. WEATHER DATA SOURCES: ASOS (619) 661-8297. COMMUNICATIONS: CTAF 126.5 ATIS 132.35 (619) 661-0152 UNICOM 122.95 (P) SocaL APP CON 124.35 (P) SOCAL DEP CON 124.35 (P) SOCAL DEP CON 124.35 (P) SOCAL DEP CON 125.15 TOWER 126.5 (128.25 Rwy 08R-26L) (1600-04002‡) GND CON 124.4 CLNC DEL 124.4 | LOS ANGEL DM H-4H, L- IAP, Surface Antern Sourface Antern Strate |
| DIEGO SROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26k: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-8gt tfc. RWY 08R-26k: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-8gt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-0400Z‡. For fuel after hours call FBO's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222, Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 26R. Rwy 08R-26L dalgt hrs only. No engine ops on ramps except as necessary for arrivals and departures. Local Wx observation facility. TPA—1526(1000) Rwy 08L-26R, 1126(600) Rwy 08R-26L. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—Extensive Parachute Drop Activities San Diego, California, U.S. Special Customs Requirement. WEATHER DATA SOURCES: ASOS (619) 661–8297. COMMUNICATIONS: CTAF 126.5 ATIS 132.35 (619) 661–0152 UNICOM 122.95 (I) Social DEP CON 124.35 (I) SOCIA DEP CON 124.35 (I) SOCIA DEP CON 124.35 (I) SOCIA DEP CON 125.15 TOWER 126.5 (128.25 Rwy 08R-26L) (1600–04002‡) GND CON 124.4 CLNC DEL 124.4 AIRSPACE: CLASS D svc 1600–0400Z‡ other times CLASS G. | LOS ANGEL DM H-4H, L- IAP, Surface Antern Sourface Antern Strate |
| DIEGO BROWN FLD MUNI (SDM) 13 SE UTC-8(-7DT) N32°34.34' W116°58.81' 526 B S4 FUEL 100LL, JET A 0X 1, 2 TPA—See Remarks LRA NOTAM FILE S RWY 08L-26R: H7972X150 (ASPH-CONC) S-80, D-110, ST-140, DT-175 MIRL RWY 08R-8gt tfc. RWY 08R-26L: H3180X75 (ASPH) S-14 0.5% up W RWY 08R-8gt tfc. AIRPORT REMARKS: Attended Mon-Fri 1600-04002‡. For fuel after hours call FBO's at 619-671-9222, fee for callout. Military fuel avbl by calling 619-671-9222. Parachute Jumping on arpt and 3 miles east. CAUTION: Arpt boundry one mile north from Mexican/USA international border. CAUTION advised when departing on Rwy 08L at night due to rising terrain to the east. Be alert to high terrain 3,566' MSL 6 miles east of arpt. Rwy 08R-26L opr permits only 12000 lbs. Noise sensitive area approximately 2 miles west of arpt. No overflight of surface antenna array below 1,500'. Antenna array located 1,600' north of Rwy 08R-26L. Hight Notification Service (ADCUS) available. NOTE: See Special Notices—Extensive Parachute Drop Activities San Diego, California, U.S. Special Customs Requirement. WEATHER DATA SOURCES: ASOS (619) 661-8297. COMMUNICATIONS: CTAF 126.5 ATIS 132.35 (619) 661-0152 UNICOM 122.95 (P) SocaL APP CON 124.35 (P) SOCAL DEP CON 124.35 (P) SOCAL DEP CON 124.35 (P) SOCAL DEP CON 125.15 TOWER 126.5 (128.25 Rwy 08R-26L) (1600-04002‡) GND CON 124.4 CLNC DEL 124.4 | LOS ANGEL DM H-4H, L- IAP, Surface Antenr 50 CT55, R * * * R USA Border e South |

SW, 08 APR 2010 to 03 JUN 2010



 SAN DIEGO INTL
 (SAN)
 2 W
 UTC-8(-7DT)
 N32°44.01' W117°11.38'
 LOS ANGELES

 17
 B
 S2
 FUEL
 100LL, JET A
 OX 1, 2
 AOE
 Class I, ARFF Index D
 NOTAM FILE SAN
 H-4H, L-4H


RWY 09-27: H9401X200 (CONC-ASPH-GRVD) S-100, D-150, ST-175, DT-250, DDT-720 HIRL CL IAP, AD RWY 09: MALSR. TDZL. Thid dspicd 700'. Tree.

RWY 27: MALS. TDZL. PAPI(P4L)—GA 3.5° TCH 66'. Thid dsplcd 1810'. Sign. Rgt tfc.

```
ARRESTING GEAR/SYSTEM
```

RWY 27 EMAS

AIRPORT REMARKS: Attended continuously. Intermittent presence of birds on and invof arpt. Pilots are required to ctc gnd controller prior to pushback, tow out and taxi for tfc advisories. PPR for acft with wingspan in excess of 230'. Ultralight vehicles prohibited on arpt. Practice approaches and touch and go landings prohibited. ASDE-X Surveillance System in use: Pilots should operate transponders with Mode C on all twys and rwys. Taxing acft are prohibited from passing to the south of acft located on Twy B into alley located between Gates 7 and 14. Taxing acft shall follow lead-in lines until the nose wheel of the acft has entered the non-movement area of the alley. Rwy 09–27 FAA gross weight strength DC10–10 410; DC10–30 530; L–1011 430; B747 720. 747 and larger acft are prohibited from making intersection tkfs. Twy D north 1800' designated air cargo ramp. To reduce iet blast



impact at north end of Twy D acft will not start engine until 800' from north end of Twy D, abeam the second parking pad. Aircraft crossing Rwy 09–27 on Twy C4, hold short of Twy C4 facing west on Taxiway C, parallel to runway. Outboard engines of four-engine acft are to be kept at idle power for all ground maneuvering. Cross-bleed engine starts permitted only on parallel twy with acft aligned on twy centerline. Military acft on official business only ctc arpt ops at 619–400–2710 for PPR. Rwy 27 PAPI 4-box left NSTD. 3.5° angle; TCH 66' from dsplcd thid; Baffled horizontally 4.8° north of centerline and 10° south of centerline; lateral coverage has been narrowed to avoid obstacles; close alignment to rwy centerline is necessary; use of localizer recommended. Possible erroneous ground proximity warning system alert between 1.6 and 1.3 DME while on

PAPI apch path for Rwy 27. Twy edge Igts on north side of Twy C OTS indef. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—Continuous Power Facilities, Aircraft Noise Prohibitions/Restrictions. WEATHER DATA SUBREES. ASOS (619) 296–8934.

COMMUNICATIONS: D-ATIS 134.8 (619) 298-0997 UNICOM 122.95

R SOCAL APP/DEP CON 124.35 (East) 119.6 (West)

LINDBERGH TOWER 118.3 GND CON 123.9 CLNC DEL 125.9

AIRSPACE: CLASS B See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE SAN. VHF/DF ctc FSS.

 MISSION BAY (H) VORTACW 117.8
 MZB
 Chan 125
 N32°46.93' W117°13.53'
 133° 3.4 NM to fid. 12/15E.

 BOING NDB (LMM) 245
 AN
 N32°44.40' W117°12.95'
 092° 1.4 NM to fid.
 SHUTDOWN.

 ILS/DME 111.55
 I-SAN
 Chan 52(Y)
 Rwy 09.
 Class IE.
 LMM BOING NDB. LMM SHUTDOWN.

 ILS/DME 110.9
 I-UBR
 Chan 46
 Rwy 27.
 LOC only.

SAN DIEGO/EL CAJON


ILS 110.5

I-SEE


Rwy 27R.

GILLESPIE FLD (SEE) 10 NE UTC-8(-7DT) N32°49.57' W116°58.35' LOS ANGELES 388 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks NOTAM FILE SEE H-4H. L-4H IAP, AD RWY 09L-27R: H5342X100 (ASPH) S-90, D-120, DT-200 MIRL 0.5% up E RWY O9L: VASI(V2L)-GA 3.5° TCH 35'. Tree. Rwy 09L-27R: 5342 X 100 RWY 27R: PAPI(P4L)-GA 4.5° TCH 45'. Thid dspicd 706'. Road. Rgt Rwy 17-35: 4145 X 100 Rwy 09R-27L: 2738 X 60 tfc. RWY 17-35: H4145X100 (ASPH) S-58, D-106, DT-195 ¢ MIRI 0.5% up S CC RWY 17: VASI(V2L)-GA 4.0° TCH 43'. Thid dsplcd 450'. Fence. RWY 35: VASI(V2L)-GA 4.0° TCH 35'. Thid dspicd 685'. Pole. Ø C ZL 🖓 ò RWY 09R-27L: H2738X60 (ASPH) S-12 0.5% up E Å RWY 27L: Sign. 30 11. AIRPORT REMARKS: For fuel svc or assistance during business hrs ctc 3 (619) 449-0611 or (619) 448-5991. Rwy 09R-27L CLOSED ß dusk-dawn, not letd. Formation procedures avbl as tfc permits. limited to no more than 3 acft per formation tkf. Numerous cranes 200' AGL 2000' NE Rwy 27R thid, PPR for VFR low apchs blo 1000' AGL from arpt director, PPR for all military acft, call arpt manager 619-956-4800. Helicopter training ops use "Pioneer" 63 pattern, ctc arpt management for further information G a 619-956-4800. Noise abatement procedures in effect, touch and G go ops and jet departures strongly discouraged 0600-1500Z[‡]. Please ctc arpt management at 619-956-4800. Rwy 17 preferred noise abatement dep when twr clsd. TPA—Rwy 17-35 1188(800) dawn-dusk, 1388(1000) dusk-dawn. Rwy 27R 1588(1200) rgt tfc dawn-dusk, 1388(1000) left tfc dusk-dawn due to 893' AGL mountain 2.1 NM east-northeast of arpt. Rwy 27L 1188(800) left tfc dawn-dusk. West portions of Twy Delta not visible from twr. Rwy 27R close alignment to rwy centerline necessary, use of localizer recommended due to proximity of mountain. Rwy 27R PAPI unusable beyond 6° right of course. When twr clsd ACTIVATE MIRL Rwy 09L-27R and Rwy 17-35, and VASI Rwy 17, Rwy 35, VASI Rwy 09L, and PAPI Rwy 27R-CTAF. WEATHER DATA SOURCES: AWOS-3 125.45 (619) 449-1228. LAWRS. COMMUNICATIONS: CTAF 120.7 ATIS 125.45 (619) 449-1228. (General outlook when tower closed.) **IINICOM** 123 05 (R) SOCAL APP/DEP CON 124.35 GILLESPIE TOWER 120.7 123.8 (1500-0500Z‡) GND CON 121.7 **CLNC DEL** 125.1 AIRSPACE: CLASS D svc 1500-0500Z[‡] other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE SAN MISSION BAY (H) VORTACW 117.8 MZB Chan 125 N32°46.93' W117°13.53' 063° 13.1 NM to fld. 12/15E.

LOC only. Unmonitored when twr closed.



| SAN JOSE N37°22.48' W121°56.68' NOTAM FILE SJC. (L) VORW/DME 114.1 SJC Chan 88 118°1.0 NM to Norman Y. Mineta San Jose Intl. 43/16E. | SAN FRANCISCO L–2F, 3B, A |
|--|---|
| VOR unusable: 360°-070° byd 25 NM blo 6,500′ 170°-240° byd 30 NM blo 6,7 140°-160° byd 25 NM blo 6,100′ | |
| | |
| SAN JOSE | |
| NORMAN Y. MINETA SAN JOSE INTL (SJC) 2 NW UTC-8(-7DT) N37°21.76' W121°55.75' 62 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks LRA Class I, ARFF Index D NOTAM FILE SJC | SAN FRANCISCO H–3A, L–2F, 3B, A IAP, AD |
| RWY 12L-308: H11000X150 (CONC-GRVD) S-220, D-250, ST-175, DT-605 HIRL CL 0.3% RWY 12L: REIL. PAPI(P4R)—GA 3.0° TCH 70'. Dspicd thid 1307'. Pole. CL 0.3% | |
| RWY 30R: PAPI(P4L)—GA 3.0° TCH 69'. Dsplcd thld 2537'. Tree. Rgt tfc. | |
| RWY 12R-30L: H11000X150 (CONC-GRVD) S-220, D-250, ST-175, DT-605, DDT-875 HIRL | CL |
| RWY 12R: MALSR. PAPI(P4R)—GA 3.0° TCH 76'. Thid dspicd 1302'. Pole. Rgt tfc. RWY 30L: MALSR. PAPI(P4L)—GA 3.0° TCH 72'. Thid dspicd 2542'. Fence. | |
| RWY 11-29: H4599X100 (ASPH) S-60 MIRL | |
| RWY 11: PAPI(P4L)—GA 3.0° TCH 42'. Rgt tfc. RWY 29: REIL. PAPI(P4L)—GA 3.6° TCH 52'. Tr | ee. |
| RUNWAY DECLARED DISTANCE INFORMATION | |
| RWY 12L: TORA-10125 TODA-11000 ASDA-10125 LDA-8810 | |
| RWY 12R: TORA-9883 TODA-11000 ASDA-9883 LDA-8584 | |
| RWY 30L: TORA-10142 TODA-11000 ASDA-10142 LDA-7605 RWY 30R: Tora-10020 Toda-11000 ASDA-10020 Lda-7479 | |
| AIRPORT REMARKS: Attended continuously. Birds frequently on or in vicinity of arpt. First 400' Rwy 30R | and Rwy 30I |
| CLOSED for tkf DC10, MD11, L1011. Noise abatement procedure: Rwy 12R-30L is preferred arriv | |
| acft and Rwy 12L-30R is the preferred departure rwy for jet acft. All jet acft take-offs are to be in | |
| end of rwy unless directed otherwise by twr. Jet departure on Rwy 11-29 not authorized except for | r jets under |
| 75,000 pounds manufacture designed certified gross take-off weight and only during closures of | |
| 12R-30L and Rwy 12L-30R. TPA-1004(942) single-engine acft, 1504(1442) multi-engine and | |
| powered acft. Unscheduled ops by group 5 acft (B747) and larger not authorized except with prior | |
| ctc arpt manager 408–392–3501. Rwy 11–29 limited to acft with wingspan of less than 79' and less than 121 knots (Gulfstream 1 or smaller). All engine run–ups require prior arpt approval, ctc | |
| duty 408–392–3501. Rwy 12R–30L and Rwy 12L–30R FAR 139 certified. Curfew hours 0700–15 | |
| Stage II, 0730–1430Z‡ FAR 36 Stage III acft listed on the schedule of authorized acft issued by t | |
| Aviation. Delayed scheduled flights and alternate emerg ops may be exempt from curfew hr restri | ctions. Prior |
| arpt notification is required for all late/early arrivals. Ctc manager on duty at 408–392–3501. Rw | |
| area ltd to acft 12,500 lbs or lighter. Twy D between Twy W and Twy V ltd to acft with a wingspan | |
| 118' (A-321 or smaller). Twy Y will be periodically restricted to acft with a wingspan of less than | |
| or smaller) during B-777 ops on Rwy 12L-30R. Twy Z will be periodically restricted to acft with a less than 118' (BBJ smaller) during B-777 ops. Twy W between Twy B and Twy C restricted to acf | |
| wingspan of 118', (BBJ or smaller). Twy G and Twy J between Rwy 12R-30L and Twy V limited to 2 | |
| pounds gross weight. Twy V limited to acft with wingspan of less than 118' (A-321 or smaller). Al | |
| Rwy 11-29, HIRL Rwy 12L-30R and Rwy 12R-30L, MALSR Rwy 12R and MALSR Rwy 30L-Freque | ency 124.0 |
| when twr clsd. Rwy 12R–30L 900' dsplcd thid on NW end not grvd. Rwy 30L 1873' dsplcd thid on | SE end not |
| grvd. Flight Notification Service (ADCUS) available. | |
| WEATHER DATA SOURCES: ASOS (408)969–0838. LAWRS. | |
| COMMUNICATIONS: CTAF 124.0 D-ATIS 126.95 (408) 980-8459 R Norcal App con 120.1 125.35 134.5 | |
| (R) NORCAL DEP CON 121.3 | |
| TOWER 124.0 (1400–0800Z‡) | |
| GND CON 121.7 CLNC DEL 118.0 PRE TAXI CLNC 118.0 | |
| AIRSPACE: CLASS C svc 1400-0800Z other times CLASS E. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE SJC. | |
| SAN JOSE (L) VORW/DME 114.1 SJC Chan 88 N37°22.48' W121°56.68' 118° 1.0 NM to fl | , |
| ILS/DME 110.9 I-SJC Chan 046(X) Rwy 30L. Class IE. ILS unmonitored when twr cls ILS/DME 110.9 I-SLV Chan 046(X) Rwy 12R. Class IE. ILS unmonitored when twr cls | |
| COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at tower. | ·u. |
| | |
| | |





SW, 08 APR 2010 to 03 JUN 2010

| SAN MARCUS N34°30.57' W119°46.26' NOTAM FILE HHR. | LOS ANGELES |
|---|-----------------------------|
| (H) VORTAC 114.9 RZS Chan 96 201° 6.1 NM to Santa Barbara Muni. 3623/14E. HIWAS | . H-4G, L-3D, 4F, 7 |
| VOR portion unusable 140°-178° byd 27 NM. | |
| RCO 122.3 122.1R 114.9T (HAWTHORNE RADIO) | |
| I MARTIN | |
| SOUTH COUNTY AIRPORT OF SANTA CLARA CO (E16) 1 E UTC-8(-7DT) | SAN FRANCISC |
| N37°04.90' W121°35.81' 281 B S4 FUEL 100LL, JET A OX 3 TPA—1281(1000) NOTAM FILE OAK | L—3I |
| RWY 14-32: H3100X75 (ASPH) S-12.5 MIRL 0.3% up N | \ |
| RWY 14: PAPI(P2L)—GA 4.0°. Pole. | \backslash |
| RWY 32: PAPI(P2L)—GA 4.0°. Tree. Rgt tfc. | \backslash |
| AIRPURI REMARKS: Attended SR-SS. Self fueling facility avbi | |
| continuous. Arpt CLOSED to pure jet aircraft and surplus military | |
| acft except those meeting FAR 36 noise criteria. Approaching aircraft fly downwind legs east of freeway. No touch and go | \backslash |
| landings between 0300–1500Z‡. No crosswind turns below 1300' | |
| MSL, departures climb to 2000' MSL. ACTIVATE MIRL Rwy 14–32 | |
| and PAPI Rwys 14 and 32—CTAF. | |
| COMMUNICATIONS: CTAF/UNICOM 122.7 | |
| (R) NORCAL APP CON 124.525 | |
| (R) NORCAL DEP CON 120.1 | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE SJC. | |
| SAN JOSE (L) VORW/DME 114.1 SJC Chan 88 N37°22.48' W121°56.68' 120° 24.2 NM to fld. 43/16E. | 32 |
| | - + + |
| | 14 41 |
| | |
| SAN NICOLAS ISLAND NOLF (NSI) NAF O E UTC-8(-7DT) N33°14.39' W119°27.49' | LOS ANGELE |
| 506 B NOTAM FILE NSI Not insp. | H-4G, L-3E, 4 |
| RWY 12-30: H10002X194 (PEM) PCN 63 R/C/W/T HIRL | DIAP, A |
| RWY 12: Thid dspied 990'. RWY 30: Rgt tfc. | |
| RUNWAY DECLARED DISTANCE INFORMATION: | |
| RWY 12: LDA-9012 | |
| ARRESTING GEAR/SYSTEM | 0(D) (2050/) DWV 2 |
| RWY 12 HOOK E28(B) (3100') HOOK E2 MILITARY SERVICE: JASU 1(GTC-85) 1(NC-10C) 1(NCPP-105) FUEL J5 | 8(B) (3250') RWY 3 |
| MILITARY REMARKS: Opr Mon-Thu/alternate Fri 1500–0000Z‡, CLOSED alternate Fri, all Sat, Sun a | nd holidays RSTD |
| Official Business Only. 24 hr PPR for all acft opr other times, 48 hr PPR for C-5 and acft exce | |
| weight from San Nicolas ATC DSN 351-2253, C805-989-2253. Possible divert all acft excep | |
| Point Mugu NAWS due drone missile opr. Rwy 12 tkf and ldg 9002'. CAUTION Possible turbulen | ce short final Rwy |
| 30. NS ABTMT Remain at least 1 mile offshore or 1000' MSL. MISC Hangar space maintenance r | ot avbl. Call Plead |
| CON or Point Mugu APP 128.65 325.0 prior to entering W289. | |
| COMMUNICATIONS: | |
| TOWER 126.85 379.3 (Mon-Fri 1500-0030Z‡) PLEAD CON 132.425 306.6 | |
| AIRSPACE: CLASS D svc Mon-Fri 1500-0030Z‡ other times CLASS G. Radio AIDS to Navigation: Notam File NSI. | |
| RADIU AIDS IU NAVIGATIUN: NOTAWI FILE INSI. | ed during |
| (I) TACAN Chan 39 NSI (110.2) N33°14 10' W119°27 50' at fld 521/155 Upmonitor | ou uuring |
| (L) TACAN Chan 39 NSI (110.2) N33°14.10' W119°27.50' at fld. 521/15E. Unmonitor non-working hrs. | |
| (L) TACAN Chan 39 NSI (110.2) N33°14.10' W119°27.50' at fld. 521/15E. Unmonitor non-working hrs. TACAN azimuth unusable | |
| non-working hrs. TACAN azimuth unusable 110°-280° blo 7,700'. 110°-280° byd 11 NM. | |
| non-working hrs. TACAN azimuth unusable 110°-280° blo 7,700'. NDB (HW) 203 NSI N33°14.15' W119°26.96' at fld. | |
| non-working hrs. TACAN azimuth unusable 110°-280° bio 7,700'. NDB (HW) 203 NSI N33°14.15' W119°26.96' at fld. ILS 109.7 I–NSI Rwy 30. DME required. | |
| non-working hrs. TACAN azimuth unusable 110°-280° blo 7,700'. NDB (HW) 203 NSI N33°14.15' W119°26.96' at fld. ILS 109.7 I-NSI Rwy 30. DME required. SANDBERG SDB N34°44.62' W118°43.45'./4523. NOTAM FILE HHR. | LOS ANGELES |
| non-working hrs. TACAN azimuth unusable 110°-280° bio 7,700'. NDB (HW) 203 NSI N33°14.15' W119°26.96' at fld. ILS 109.7 I–NSI Rwy 30. DME required. | LOS ANGELE: L-3D, 4G, 7I |
| non-working hrs. TACAN azimuth unusable 110°-280° blo 7,700'. NDB (HW) 203 NSI N33°14.15' W119°26.96' at fld. ILS 109.7 I-NSI Rwy 30. DME required. SANDBERG SDB N34°44.62' W118°43.45'./4523. NOTAM FILE HHR. | |


SANTA ANA


- JOHN WAYNE AIRPORT/ORANGE CO (SNA) 4 S UTC-8(-7DT) N33°40.54' W117°52.09' INS ANGELES 56 B S4 FUEL 100LL, JET A OX 3, 4 TPA—See Remarks Class I, ARFF Index C COPTER NOTAM FILE SNA H-4H, L-3E, 4H, A RWY 01L-19R: H5701X150 (ASPH-GRVD) S-70, D-95, ST-121, DT-152 HIRL 0.3% up S IAP. AD RWY 01L: VASI(V4L)-GA 3.0° TCH 51' RWY 19R: MALSR. VASI(V4L)-GA 3.0° TCH 47'. Rgt tfc. RWY 01R-19L: H2887X75 (ASPH-PFC) S-25, D-60 MIRI 0.4% up S RWY 01R: Rgt tfc. RWY 19L: REIL. VASI(V4L)-GA 3.0° TCH 25'. Building. AIRPORT REMARKS: Attended continuously, Rwy 01R-19L CLOSED when twr clsd. Rwy 01R-19L CLOSED except for taxiing daily 0330-1630Z[±]. Twy C and Twy A clsd between Twy H and Twy J daily 0330-1630Z[±], CAUTION: Birds on and in vicinity of arpt. Noise abatement procedures in effect contact arpt noise office 949-252-5185. Maintain at or above 300' AGL until established on final. VFR Acft: to avoid overflight of Rwy 19R: Rwy 19L arrival fly final at 15° angle to rwy, Rwy 19L departures turn 15° left at departure end of rwy. To avoid overflights of Rwy 01L, Rwy 01R . IIIIII departures turn 15° right at Freeway. ASDE-X Surveillance System in use: Pilots should opr transponders with Mode C on all twys and rwys, Rwy 01L-19R TPA-1056 (1000) small acft, 1556 (1500) turbine acft over 12500 lbs. Rwy 01R-19L TPA-856 (800) small single engine acft, 1056 (1000) twin engine acft. FBO general aviation aprons limited to max gwt of 100,000 lbs (dual gear) and with wingspans less than 100'. General aviation acft prohibited from using any portion of the air carrier commercial ramp. When twr clsd ACTIVATE MALSR and VASI Rwy 19R-126.8. When twr clsd no local training or touch and go operations. Overnight tiedown fee. WEATHER DATA SOURCES: ASOS (714) 424-0590. LAWRS (1400-0700Z‡). D-ATIS 126.0 (714) 546-2279 UNICOM 122.95 COMMUNICATIONS: CTAF 126.8 SANTA ANA RCO 122.45 (RIVERSIDE RADIO) R SOCAL APP CON 121.3 R SOCAL DEP CON 128.1 TOWER 119.9 (Rwy 01R-19L) 126.8 (Rwy 01L-19R) 128.35 (1415-0700Z‡.) GND CON 120.8 (East) 132.25 (West) CLNC DEL 118.0 121.85 AIRSPACE: CLASS C svc 1415-0700Z‡ ctc APP CON other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE HHR. SEAL BEACH (L) VORTACW 115.7 SLI Chan 104 N33°47.00' W118°03.29' 110° 11.3 NM to fld. 23/15E. HIWAS MAAGG NDB (LMM) 337 NA N33°41.33' W117°51.63' at fld. Unmonitored indef. NDB unusable 010°- 090° byd 10 NM blo 6000'. ILS/DME 111.75 I-SNA Chan 54(Y) LMM MAAGG NDB. ILS unmonitored when twr clsd. Rwv 19R. Backcourse unusable 25° left of course.
 - LDA/DME 108.3 I-OJW Chan 20 Rwy 19R. Unmonitored when twr clsd.





Unmonitored when twr closed.





and ACTIVATE VASI Rwy 26-CTAF. WEATHER DATA SOURCES: AWOS-3 118.075 (805) 686-8903. **COMMUNICATIONS: CTAF/UNICOM 122.8** (R) SANTA BARBARA APP/DEP CON 124.15 (1400-0700Z±) (R) L.A. CENTER APP/DEP CON 119.05 (0700-1400Z[‡])


RADIO AIDS TO NAVIGATION: NOTAM FILE HHR. SAN MARCUS (H) VORTAC 114.9 RZS Chan 96 N34°30.57'

W119°46.26' 277° 16.2 NM to fld. 3623/14E. HIWAS.

SANTA ROSA


SW, 08 APR 2010 to 03 JUN 2010

LOS ANGELES L-3D. 4F. 7A IAP





| (L) VORTACW 116.2 SAU Chan 109 137° 15.8 NM to San Francisco Intl. 1040/17E. VORTAC unusable 300–313° beyond 10 NM below 12,000' | SAN FRANCISCO H-3A, L-2F, 3A, A |
|--|---|
| SCAGGS ISLAND N38°10.76′ W122°22.39′ NOTAM FILE APC. (L) VORTACW 112.1 SGD Chan 58 048° 4.8 NM to Napa Co. 10/17E. | SAN FRANCISCO L–2F, 3A, A |
| SCHELLVILLE—SONOMA SONOMA VALLEY (ØQ3) 4 S UTC-8(-7DT) N38°13.44' W122°26.98' 10 S4 FUEL 100LL TPA—810(800) NOTAM FILE OAK RWY 07-25: H2700X45 (ASPH) S-12.5 RWY 17-35: H1500X50 (ASPH) S-12.5 RWY 17-35: H1500X50 (ASPH) S-12.5 RWY 17: Pole RWY 35: Trees. Rgt tfc. AIRPORT REMARKS: Attended 1500-02002‡. Be alert to glider activities invof arpt. Rwy 07-25 no 20° turn after tkf. Rwy 25 turn crosswind after 600'. Rwy 17-35 restricted PPR. COMMUNICATIONS: CTAF 122.9 | SAN FRANCISCO o touch and go ldg, rgt |
| SCOTT VALLEY (See FORT JONES) | |
| SEAL BEACH N33°47.00' W118°03.29' NOTAM FILE HHR. (L) YORTACW 115.7 SLI Chan 104 at Los Alamitos AAF (Joint Forces Training Base JFTB HIWAS VOR portion unusable 125°–180° byd 30 NM blo 4,000'. TACAN azimuth and DME unusable 125°–195° byd 20 NM blo 5,000'. | LOS ANGELES). 23/15E. COPTER H-4H, L-3E, 4H, A |
| SELMA (ØQ4) 2 NW UTC-8(-7DT) N36°34.85' W119°39.43' 305 B S4 FUEL 100LL TPA—1105(800) NOTAM FILE RIU RWY 10-28: H2490X50 (ASPH) S-12 LIRL (NSTD) RWY 10: ThId dspicd 176'. P-line. RWY 28: Thid dspicd 125'. Berm. AIRPORT REMARKS: Attended 1600-01002‡. Arpt clsd to helicopters exc PPR 559-896-1001. Finligtd. Rwy 10-28 NSTD LIRL, first 176' of Rwy 10 not lgtd. PPR for rotating beacon after 090 559-896-1001 during attendant hours. COMMUNICATIONS: CTAF/UNICOM 122.8 | |
| SEQUURIED (SEE VISALIA) | |
| SHAFTER N35°29.07' W119°05.84' NOTAM FILE BEI | |
| SHAFTER N35°29.07' W119°05.84' NOTAM FILE BFL. (H) VORTACW 115.4 EHF Chan 101 133° 3.6 NM to Meadows Fld. 548/14E. HIWAS. | LOS ANGELES H-4g, L-3d, 7b |



RWY 09: Thid dspicd 140'. Trees. Rgt tfc. RWY 26: Thid dspicd 237'. Trees. AIRPORT REMARKS: Attended 1700–01002‡. Ngt ops prohibited. Noise sensitive area E end of Rwy 08–26. For noise abatement information call arpt manager 707–996–2100. Rotorwing turbojet, ultralights plus acft over 8,500 pounds gross weight are prohibited. Perform pre–dep runup W end. Rwy 26 is calm wind rwy. Rwy 08 for arrival and dep only, no touch and go ldg or practice apchs. COMMUNICATIONS: CTAF/UNICOM 122.8 **SONOMA VALLEY** (See SCHELLVILLE-SONOMA)

SOUTHARD FIELD (See BIEBER)

SOUTH CO AIRPORT OF SANTA CLARA CO (See SAN MARTIN)

SOUTHERN CALIFORNIA LOGISTICS (See VICTORVILLE)

SOUTH LAKE TAHOE

LAKE TAHOE (TVL) 3 SW UTC-8(-7DT) N38°53.63' W119°59.72'

6264 B S2 FUEL 100LL, JET A OX 3 TPA—SEE Remarks Class IV, ARFF Index A H-38, L-9A NOTAM FILE TVL IAP, AD

RWY 18-36: H8544X150 (ASPH-GRVD) S-70, D-125, ST-159, DT-210 MIRL RWY 18: MALSF. PAPI(P4L)—GA 3.0° TCH 47'. Brush.


RWY 36: REIL. Thid dsplcd 2037'. Trees. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 18: TORA-8541 TODA-8541 ASDA-7817 LDA-7017 **RWY 36:** TORA-8541 TODA-9541 ASDA-7741 LDA-5708

AIRPORT REMARKS: Attended Sep-May 1500-0000Z±, Jun-Aug

1500–04002‡. Birds and waterfowl invof arpt. After winter storms arpt opens before all taxiways are clear. Arpt surrounded on E, S and W by rapidly rising terrain. Tfc advisories and sequencing in the tfc pattern are based on position reports received from pilots in these areas. Adverse weather effects magnified by mountains. Avoid desolation wilderness W of arpt. Preferred arrival Rwy 18. Preferred departure Rwy 36. For large and high performance acft dep Rwy 18, right downwind dep is recommended. ARFF not avbl without PPR, call 530–541–0480. CLOSED to air carrier ops with more than 30 passenger seats except 24 hrs PPR call arpt manager 530–541–0480. Access noise restrictions: max 80 DBA departure, 84 DBA arrival (Transport—85 DBA), maximum 77.1 DBA night limit. Noise abatement, depart Rwy 36, rwy heading 1



mile, left 320° at white arrow to shoreline. For noise abatement information call 530–541–0480. Recreational airborne activity along southern lakeshore. TPA 7500(1236) small acft, 8000(1736) transport/high performance aircraft. Twy H west of Twy A restricted to acft less than 12,500 pounds. ACTIVATE MIRL Rwy 18–36, MALSF and PAPI Rwy 18–CTAF.

WEATHER DATA SOURCES: ASOS 124.725 (530) 541–5739. LAWRS. COMMUNICATIONS: CTAF 122.95 UNICOM 122.95 SQUAW VALLEY RCO 122.25 (RENO RADIO) OAKLAND CENTER APP/DEP CON 127.95 CINC DEL 134.3 RADIO AIDS TO NAVIGATION: NOTAM FILE TVL. SQUAW VALLEY (L) VORW/DME 113.2 SWR Chan 79 N39°10.82′ W120°16.18′ 127° 21.4 NM to fid. 8850/16E. HIWAS. LDA/DME 108.9 I-TVL Chan 26 Rwy 18. LOC front unusable byd 15° left of course byd 15° right of

UNUME 108.9 I-IVL Chan 26 Rwy 18. LOC front unusable byd 15° left of course byd 15° right of course. LOC front unusable from thid within 4.1 DME.


SPAULDING (See SUSANVILLE)

SAN FRANCISCO


| SQUAW VALLEY N39°10.82′ W120°16.18′ NOTAM FILE TVL. (L) VORW/DME 113.2 SWR Chan 79 127° 21.4 NM to Lake Tahoe. 8850/16E. HIWAS RC0 122.25 (RENO RADIO) | SAN FRANCISCO |
|--|---|
| STOCKTON LOST ISLE SPB (S74) 8 NW UTC-8(-7DT) N38°00.25' W121°27.40' OO TPA—800(800) NOTAM FILE RIU WATERWAY NW-SE: 4000X300 (WATER) SEAPLANE REMARKS: Attended 16002‡-dusk. Boat docks avbl for seaplane use. COMMUNICATIONS: CTAF 122.9 | SAN FRANCISCO |
| NOTAM FILE SCK. | SAN FRANCISCO Index B H-3B, L-2F, 3B IAP, AD IIRL |
| 1000'. Rgt tfc. RWY 11R-29L: H4454X75 (ASPH) S-12.5 RWY 11R: Rgt tfc. RUUWAY DECLARED DISTANCE INFORMATION RWY 11L: TORA-9600 TODA-10600 ASDA-9690 LDA-8690 RWY 29R: TORA-10037 TODA-11037 ASDA-9701 LDA-8701 AIRPORT REMARKS: Attended continuously. Fuel and svc 1300-05002t, other times call 209-468-4722-svc charge. Seagulls on and in vicinity of arpt especially during rainy weather. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except one hr PPR call airport manager 209-468-4700 or 4722; after hours call 209-468-4722. The following areas not visible from twr. Twy B from north side of terminal bldg to 25' west of Twy J. South half of Twy B intermittently from Twy J to 200' west of Twy H. Transient parking area. All terminal ramps. Twy B from approximately 200' west and east of Twy J. Arpt CLOSED to touch and go landings and planned low approaches for turbojet acft 0600-15002t except by PPR from arpt manager Part 36 Stage 3 acft. Practice circling ap not allowed for any Turbine powered/Prop driven acft exceeding 12,500 lbs except PPR frn Avoid overflying San Joaquin General Hospital and the city of Manteca. TPA-1033(1000) 1533(1500) for turbine acft. Ldg fee for acft over 12,500 pounds. ACTIVATE HIRL Rwy 11 and Rwy 29R, MALSR Rwy 29R-CTAF. WEATHER DATA SUURCES: ASOS (209) 982-4270. LAWRS. COMMUNICATIONS: CTAF 120.3 ATIS 118.25 (209) 982-4667 UNICOM 122.95 RC0 122.65 (RANCHO MURIETA RADIO) (*) NORCAL APP CON 123.85 (SE-NW 7000' and blo) 125.1 (N-SE 7000' and blo) 124.8 (8000' (*) NORCAL APP CON 123.85 (SE-NW 7000' and blo) 125.1 (N-SE 7000' and blo) 124.8 (8000' (*) NORCAL APP CON 123.85 (SE-NW 7000' and blo) 125.1 (N-SE 7000' and blo) 124.8 (8000' (*) NORCAL APP CON 123.85 (SE-NW 7000' and blo) 125.1 (N-SE 7000' and blo) 124.8 (8000' (*) NORCAL APP CON 123.85 (SE-NW 7000' and blo) 125.1 (N-SE 7000' and blo) 124.8 (8000' (*) NORCAL APP CON 123.85 (SE-NW 7000' and blo) 125.1 (N-SE 7000' and blo) 124.8 (8000' (*) NORCAL DEP CON 125.1 STOCKTON TWER 120.3 (1500-05 | om aprt manager. for light acft, and L–29R, PAPI Rwy 11L ' and abv) to fld. 48/17E. HIWAS. |
| SIUVEPIPE WELLS (See DEATH VALLEY NATIONAL PARK) STRATHMORE ECKERT FIELD (1Q1) 1 NE UTC-8(-7DT) N36°09.74' W119°03.04' 426 FUEL 100LL TPA—1426(1000) NOTAM FILE RIU RWY 13-31: H2000X50 (ASPH) RWY 13: Thid dspied 185'. Trees. RWY 31: Thid dspied 265'. Trees. | SAN FRANCISCO |


AIRPORT REMARKS: Attended daylight hours. Night ops prohibited. Rwy 13–31 asph cracked, worn and pondswater. Rwy 13–31 markings faded and partially obscured. Rwy 13–31 gross weight 10,000 pounds provided by arpt manager.


```
COMMUNICATIONS: CTAF/UNICOM 122.8
```




SUTTER CO (See YUBA CITY)








TORRANCE





187

| TRAVIS AFB (SUU)(KSUU) AF 3 E UTC-8(-7DT) N38°15.76' W121°55.65' | SAN FRANCISCO |
|--|--------------------|
| 62 B TPA—See Remarks AOE NOTAM FILE SUU Not insp. | H–3A, L–2F, 3A, A |
| RWY 03L-21R: H11001X150 (PEM) PCN 64 R/C/W/T HIRL | DIAP, AD |
| RWY 03L: PAPI(P4L). RWY 21R: PAPI(P4L). | |
| RWY 03R-21L: H10992X150 (CONC) PCN 49 R/C/W/T HIRL CL | |
| RWY 03R: PAPI(P4L). RWY 21L: ALSF2. TDZL. PAPI(P4L). | |
| MILITARY SERVICE: LGT PAPI coincidental with ILS GS Rwy 03L and 21L visual descent point for Heigh | |
| only. PAPI Rwy 03R and 21R provides proper TCH for Height Group 4 acft only, NSTD ALSF2 Rwy | |
| thid lgts gated. Rwy 03L–21R thid and edge lgts are on step 3 unless req otherwise or unless s | |
| is rqr for wx conditions. JASU 1(MA-1) 6(MA-1A) 1(MC-1A) 1(MC-2A) 8(A/M32A-86) 1(707 | 0, |
| FUEL J8 OIL 0-128-133-148-156 TRAN ALERT Svc 24 hr daily. Expect extensive svc delay w | |
| holidays. Transient acft, except AMC mission, ctc Command Post not later than 15 minutes out | for svc req. Fleet |
| svc avbl. | |
| MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark. Heavy concentration of blackbirds, g | |
| migratory birds in the apch and dep routes and along infield areas from 1 Sep-30 Apr (Phase II | · |
| required DSN 837–5517 C707–424–5517 except all Air Mobility Command (AMC), AMC gained | |
| contract missions. NOTE: Aircraft carrying Distinguished Visitors, Emergency Air Evac and Speci (SAM) require PPR for Command Post notification and tracking purposes. Max performance clim | |
| for high performance acft. When Rwy 03L–21R not avbl, aircrew should req 15 minute early eng | |
| back taxi opr. B52 acft taxi opr limited to Twys G, N and M only. C-5 ops not permitted on Twys | |
| Twy N. Acft larger than C-17, tow only on Twy L. 180° turn rstd to concrete portion of rwy only. | |
| obstacles Rwy 3L: 122'MSL (58'AGL) parked KC10 tails 966' to 1870' from departure end of r | |
| left of centerline. Extreme bright light on ramp located W side of arpt can cause hazard illusion: | - |
| disorientation during dep/ldg. Rwy edge lgts for both rwys located more than 10' from edge of u | |
| surface. Rwy 03L–21R and Rwy 03R–21L edge lgts have gaps of more than 400' on the apch/c | , |
| rwys. Rwy 03L-21R thild lgts are located more than 10' from the edge of the usable rwy sfc. Ext | |
| ops. Possible radio frequency interference all frequencies 9 NM NE over Navy transmit. Expect | |
| 2000' on apch to all rwys. Heavy C5 jet tfc in immediate vicinity. High density VFR tfc cross fina | |
| course. Arrival acft expect heavy jet acft cross rwy to parallel twy. Breaking action on rwy and tw | |
| impaired due to heavy rubber deposits. Avoid overflight of firing range located 550' right of cen | |
| prior to apch end Rwy 21R when red bcn is on or red flag is displayed. Twy N may be temporaril | |
| notice south of the 900 ramp due to C-17 combat off-load training. Hang glider/tow ops on-go | |
| Prairie Arpt, 3 miles N of Travis, (TZZ R328/SUUØ18Ø1Ø/3822N12149W) sfc to 5000'. Outboa | |
| to idle only on Twy Delta east of Rwy 03R-21L for B747 acft and larger. C17 offloads prohibited | |
| of Rwy 03R-21L.TFC PAT TPA-Rectangular 1600(1538), overhead 2100(2038). CSTMS/AG/IMG Du | |
| customs, prior notice/coordination required for arrival outside of normal workday hrs. For night, | Sat, Sun and |
| holiday arrival, 1 hr prior notice required. Mission coordination thru Travis Comd Post at DSN 8 | 37–5517 or |
| C707-424-5517. MISC All acft carrying Distinguished Visitor will notify Comd Post no later than | 24 hr prior with |
| arr time and ror at DSN 837-5517 or C707-424-5517. Acft with Distinguished Visitor code 7 of | or aby and all |
| inbound passenger/cargo acft must ctc Comd Post 30 min prior to ldg and confirm block time. | Base OPS DSN |
| 837-2836, C707-424-2836. No backing oper on spots 511 thru 515. First 1000' Rwy 21R an | d first 2900' Rwy |
| 03L concrete, mid 7100' asph. Rwy 03R-21L ungrooved. Rwy 21R grooved between 10,000' a | |
| remaining and between 4,800' and 1,100' remaining. Rwy 03L grooved between 9900' and 62 | 00' remaining |
| and between 3250' and 1000' remaining. Aircrews should exercise caution following rain where | e standing water |
| is present or sfc appears glassy, expect reduced braking performance, or possible hydroplaning | Ś. |
| COMMUNICATIONS: SFA (Avbl on req) D-ATIS 135.55 292.125 DSN 387-2847 | |
| AFRO CLUB LINICOM 123 3 PTD 285 575 | |

AERO CLUB UNICOM 123.3 PTD 285.575

R APP CON 119.9 322.325 (S) 126.6 291.0 (N)

TOWER 120.75 239.05 254.4 GND CON 121.8 289.4 CLNC DEL 127.55 335.8

(R) DEP CON 119.9 126.6 322.325 (S) 306.9 (N)

COMD POST 141.9 349.4 PMSV METRO 271.1 Wx fit hrs Mon-Fri 1400–0200Z‡ excluding hol or during severe wx. Wx DSN 837-3003/5549, C707-424-3003/5549. PMSV svc avbl only when wx fit forecaster on duty. Wx obsn avbl continuously via automated system. During wx fit closures remote briefing svc avbl from 25 Op wx squadron DSN 228-6598/6599/6588, C520-228-6598. When auto obs sys inoperable, obstructions at 350-020° and 210-280° may impact derived prevailing visibility. Runway, visual, range information not avbl Rwy 21R apch.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE SUU.

- (L) TACAN Chan 113 SUU (116.6) N38°14.73' W121°56.70' 022° 1.3 NM to fld. 32/17E. No NOTAM MP Tue 1300-1600Z‡ (1500 3+1).
- TACAN azimuth and DME unusable:


155°-160° byd 20 NM blo 7,000'

260°-320° byd 20 NM blo 10,000'

- (L) VORW 116.4 TZZ N38°20.65' W121°48.64' 211° 7.4 NM to fld. No NOTAM MP Mon 1300–1600Z‡ (1500 3+1). SHUTDOWN.
- ILS 110.1 I–SUU Rwy 21L. Back course unusable. Middle Marker not installed, DME in lieu of Middle Marker. No NOTAM MP Wed–Fri 1300–1600Z‡ (1500 3+1).
- ILS 108.35 I-TXV Rwy 03L. Class IT. Middle Marker not installed, DME in lieu of Middle Marker. No NOTAM MP Wed-Fri 1300-16002‡ (1500-3+1)

ILS 108.35 I-MZP Rwy 21R. Class IT.

- ASR-No NOTAM MP Mon-Fri 0801-1300Z‡.
- **COMM/NAV/WEATHER REMARKS:** ILS Rwy 21L (CAT II) Special aircrew and acft certification rqr. Missed apch at Inner Marker if acft not radar altimeter equipped. ILS/Radar-Radar: Radar coverage limited in area bounded by SUU075/004, SUU15/013, SUU157/011, SUU185/003. Tfc advisories may not be avbl for non-transponder equipment acft. Obstructions may impact prevailing visibility 350°–020° and 210°–280°. ATC will enhance surface obstructions when twr visibility is less than 45 statute miles and different than reported visibility. During evacuation of Combat Weather Team (CWT), ctc 250WS (Operational Weather Team) at number below if unable to reach CWT at DSN 837–7241 C707–424–7241. Alternate WX location visibility severely limited due to trees, buildings and parked acft. ATC will supplement surface obstructions as needed. KSUU Metro operational continuous. Transient briefing service avbl 25 OWS DSN 228–6598 C520–228–6598.



HELIPORT REMARKS: Helipad H1 is located 230' west of Rwy 17-35 and 3,380' south of Rwy 17 thld.

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE SUU.

- (L) TACAN Chan 113 SUU (116.6) N38°14.73' W121°56.70' 022° 1.3 NM to fld. 32/17E. No NOTAM MP Tue 1300-1600Z‡ (1500 3+1).
- TACAN azimuth and DME unusable:


155°-160° byd 20 NM blo 7,000'

260°-320° byd 20 NM blo 10,000'


- (L) VORW 116.4 TZZ N38°20.65' W121°48.64' 211° 7.4 NM to fld. No NOTAM MP Mon 1300–1600Z‡ (1500 3+1). SHUTDOWN.
- ILS 110.1 I–SUU Rwy 21L. Back course unusable. Middle Marker not installed, DME in lieu of Middle Marker. No NOTAM MP Wed–Fri 1300–1600Z‡ (1500 3+1).
- ILS 108.35 I-TXV Rwy 03L. Class IT. Middle Marker not installed, DME in lieu of Middle Marker. No NOTAM MP Wed-Fri 1300-16002‡ (1500-3+1)


ILS 108.35 I-MZP Rwy 21R. Class IT.

- ASR-No NOTAM MP Mon-Fri 0801-1300Z‡.
- **COMM/NAV/WEATHER REMARKS:** ILS Rwy 21L (CAT II) Special aircrew and acft certification rqr. Missed apch at Inner Marker if acft not radar altimeter equipped. ILS/Radar-Radar: Radar coverage limited in area bounded by SUU075/004, SUU15/013, SUU157/011, SUU185/003. Tfc advisories may not be avbl for non-transponder equipment acft. Obstructions may impact prevailing visibility 350°–020° and 210°–280°. ATC will enhance surface obstructions when twr visibility is less than 45 statute miles and different than reported visibility. During evacuation of Combat Weather Team (CWT), ctc 250WS (Operational Weather Team) at number below if unable to reach CWT at DSN 837–7241 C707–424–7241. Alternate WX location visibility severely limited due to trees, buildings and parked acft. ATC will supplement surface obstructions as needed. KSUU Metro operational continuous. Transient briefing service avbl 25 OWS DSN 228–6598 C520–228–6598.



HELIPORT REMARKS: Helipad H1 is located 230' west of Rwy 17-35 and 3,380' south of Rwy 17 thld.







L-3C, 9A IAP



TULE N35°54.78' W119°01.25' NOTAM FILE PTV. (L) VOR/DME 109.2 TTE Chan 29 328° 7.3 NM to Porterville Muni. 580/16E. VOR/DME unusable: 160°-170° byd 30 NM blo 3,800' 290°-320° byd 39NM RC0 122.1R 109.2T (RANCHO MURIETA RADIO)

SAN FRANCISCO H-4H, L-3D, 7B





TWENTYNINE PALMS SELF (NXP) MC 9 NW UTC - 8(-7DT)N34°17 77' W116°09 73' LOS ANGELES 2041 B NOTAM FILE NXP Not insp H-4H I-4I 7D DIAP, AD RWY 10-28: 8015X150 (PSP) S-80, T-180, ST-175, TT-320, TDT-850, TRT-520 HIRL RWY 28 SALSE OLS

RWY 10: SALSF. OLS. Rgt tfc. 0.4% down.


ARRESTING GEAR/SYSTEM RWY 10 M31 (1981')

M31 (1981') RWY 28

- MILITARY SERVICE: LGT All Igt by prior apvl. Rwy 10 and Rwy 28 portable Igt. A-GEAR Ctc twr for arrestment, expect 5 FUEL J5. Qualified acft captain/crew chief must be provided by user to refuel acft. Hot refuel avbl min delay. w/PPR Mon-Thu 2000-0600Z‡, Fri 1700-0000Z‡. TRAN ALERT No gas turbine system technicians avbl, users should ctc respective logistics squadrons.
- MILITARY REMARKS: Opr Mon-Thu 1700-0600Z‡, Fri 1700-0000Z‡, clsd Sat, Sun. See FLIP AP/1, Supplementary Arpt Remarks. RSID CLOSED fld ops prohibited except MCAGCC (Marine Corps Air Ground Combat Center) SAR acft only. PPR required for FUEL, VIP/passenger movement, practice arrestments, and ngt vision devices training. Opr outside public hrs permitted by 24 hr PPR; 72 hr PPR for Sat, Sun opr. Base OPS DSN 230-7816, C760-830-7816. Austere/desert training environment primarily for support of CAX. Variable hr year round as req by CAX Command Element. If Twentynine Palms Strategic Expeditionary Landing Field (SELF) is final destination, ensure NXP is filed, not TNP. CAUTION Helicopter LZ (HLZ) White Rhino (unmanned air vehicle strip 2000' x 72') S of and parallel to Rwy 28 is primarily for tenant Unmanned Aircraft System (UAS) support, rstd to unmanned aircraft system and copter ops only: no tiltrotor ops authorized. Marked with 72' x 72' Helo Spots on E and W end. 17' AGL hanger located 120' S of landing zone centerline. Rwys have AM-2 rwy surface matting. This is fabricated aluminum panel 1.5 inches thick, which consists of hollow, extruded one-piece main section with extruded end connectors welded to each end. The top surface of the AM-2 matting is coated with non-skid material. Weight bearing characteristics are correctly noted by the avbl rwy code above TRT-520. TFC PAT All traffic pat S due to live fire range immediately N of SELF. Remain on or S of extended centerline on final apch. VFR fixed wing to Rwy 28 maintain at or abv 4100' MSL until NXP 5 DME. VFR fixed wing departures Rwy 10 cross NXP 5 DME at or abv 4100' MSL or right turn to BANDINI (Water Treatment Facility 6 NM SE). UAS opr within Class D rstd to Restricted Operating Zone (ROZ) DRAGON and SELF/HLZ White Rhono via established course rules. COMMUNICATIONS: ATIS 386 35


TOWER 135.525 340.2 (Mon-Thu 1700-0600Z[±], Fri 1700-0000Z[±].) GND CON 363 35 41 7 PMSV METRO 308.3 AIRSPACE: CLASS D Mon-Thu 1700-0600Z‡, Fri 1700-0000Z‡, other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. Chan 89 N34°06.73' W115°46.19' (L) VORTAC 114 2 TNP 285° 22.4 NM to fld. 1374/15E. COYOTE (H) TACAN Chan 63 NXP (133.6) N34°17.80' W116°09.44' at fld. 2006/14E.

SW, 08 APR 2010 to 03 JUN 2010



UNIVERSITY (See DAVIS)

UPLAND




AIRPORT REMARKS: Unattended. CAUTION—hang glider opr particularly summer months. CAUTION—do not land S of Hull Mountain Road. No ldg on Rwy 19 due to hill northeast of arpt. No tkf on Rwy 01 due to hill northeast of arpt. Tall trees on both sides of runway. Rwy 01–19 not regularly maintained, rwy may be rough, uneven and rutted.


```
COMMUNICATIONS: CTAF 122.9
```

192

SW, 08 APR 2010 to 03 JUN 2010




| VANDENBERG AFB (VBG)(KVBG) AF 7 NW UTC-8(-7DT) N34°44.24' W120°35.06' LOS ANGELES |
|--|
| 369 B TPA—See Remarks NOTAM FILE VBG Not insp. H-4G, L-3D, 4F, 7A |
| RWY 12-30: H15000X200 (CONC) PCN 42 R/C/W/T HIRL DIAP, AD |
| RWY 12: ALSF2. PAPI(P4L)—GA 3.0° TCH 70'. RWY 30: ALSF2. PAPI(P4L)—GA 3.0° TCH 72'. 0.9% down. |
| MILITARY SERVICE: LGT ACTIVATE HIRL Rwy 12-30, ALS, SFL and PAPI Rwy 30 when twr closed—CTAF. Rwy 12 ILS and |
| PAPI glideslope angles are not coincindental. Rwy 30 apch lgt sys is NSTD ALSF2 configuration. ThId lgts 17^\prime |
| from usable pavement sfc. JASU 4(A/M32A-86) 2(AM32-95). FUEL J8. Fuel svc by truck only. Expect svc |
| delays. FLUID SP PRESAIR LPOX LOX LHNIT. OIL 0-148-156. TRAN ALERT Limited fleet svc avbl, ctc AM OPS. |
| MILITARY REMARKS: Opr 1600–0100Z‡, CLOSED Sat, Sun and holidays. See FLIP AP/1 Supplementary Arpt Info. RSTD |
| Activation of AN/APS 145 radar or similar radar systems is prohibited while in R2516, R2517, R2534A and |
| R2534B. Ctc twr on Gnd Con prior to engine start, engine start or afld opr not auth until ctc with twr is made. No |
| intersection departure between official SS-SR. PPR for all transient full stop acft, DSN 276-6941/2, |
| C805-606-6941/2. CAUTION Uncontrolled civilian arpt tfc 7 NM SE. When arpt is VMC acft will not exceed 1900' |
| until crossing dep end of rwy to avoid overhead tfc pattern. Heavy and large acft are req to use minimum taxi |
| power and shut down or idle outboard engines to avoid blowing foreign object onto pavement. Use follow-me |
| vehicle and wing walker. Rwy 30 thId lgts are 17' from usable pavement sfc. Old displaced thId markings |
| bleeding through concrete at the intersection of Rwy 12–30 near intersection of the rwy and N Twy Alpha (drm 7 |
| for Rwy 30 or drm 8 for Rwy 12). These markings are not to be used as a navigation/landing aid. TFC PAT |
| TPA—Overhead 2400(2031), rectangular 1900(1531). TPA—1400(1031) lgt acft, 900(531) helicopter. |
| CSTMS/AG/IMG CONUS outbound the unit of acft/aircrew assigned is responsible. MISC All acft req full stop at VBG |
| or supporting VBG VIP movement, ctc PTD (other times Comd Post) 30 minutes prior to ldg. Alternate afld rgr. |
| AM OPS DSN 276-6941/42, C805-606-6941/42 fax extension 6664. |
| WEATHER DATA SOURCES: ASOS (805) 605-8926 |
| COMMUNICATIONS: CTAF 124.95 D-ATIS 133.125 257.975. DSN 275-2847 or C805-605-2847 PTD 126.2 372.2 |
| R SANTA BARBARA APP/DEP CON 124.15 327.8 (1400-0700Z‡) |
| R LA. CENTER APP/DEP CON 119.05 269.5 (0700-1400Z‡) |
| TOWER 124.95 326.2 (Mon-Fri 1600-0100Z‡ except holidays) GND CON 121.75 275.8 |
| CLNC DEL 121.75 275.8 |
| COMD POST 311.0 321.0 PMSV METRO 342.4 Full svc Mon-Fri 1200-0400Z‡, Sat-Sun 1500-2300Z‡. After hr wx |
| briefings/updates avbl fm the 25 OWS at DSN 228-6958/6599/6588 or toll free C877-451-8367 ext 1. |
| RANGE CON 121.4 256.0 266.0 |
| AIRSPACE: CLASS D svc Mon-Fri 1600-0100Z \ddagger except holidays other times CLASS E. |
| RADIO AIDS TO NAVIGATION: NOTAM FILE HHR. |
| (L) TACAN Chan 59(Y) VBG (112.25) N34°43.95′ W120°34.98′ at fld. 312/14E. Unmonitored |
| 0100-16002‡. No NOTAM MP Mon 1400-16002‡. |
| TACAN azimuth and DME unusable: |
| 121°–191° byd 25 NM bio 3,700′ 336°–353° byd 35 NM bio 6,000′ |
| 336°-353° byd 25 NM blo 5,000' |
| ILS/DME 110.1 I-BVD Rwy 12. Unmonitored 0100-1600Z‡. No NOTAM MP Tue-Fri 1400-1600Z‡. |
| ILS/DME 110.1 I-VBG Rwy 30. Unmonitored 0100-1600Z‡. No NOTAM MP Tue-Fri 1400-1600Z‡. |
| ILS/DME 110.1 I-VBG Rwy 30. Unmonitored 0100-1600Z‡. No NOTAM MP Tue-Fri 1400-1600Z‡. |



VICTORVILLE

SOUTHERN CALIFORNIA LOGISTICS (VCV) 5 NW UTC-8(-7DT) N34°35.85' W117°22.98' 2885 B S4 FUEL 100LL, JET A, J8 TPA—3885(1000) ARFF Index—See Remarks NOTAM FILE RAL

LOS ANGELES H-4H, L-4H, 7C



REIL Rwy 17 and Rwy 35 PPR ctc 760-243-1915. User fee: U.S. Customs User Fee Arpt. Customs officer avbl 1700-0100Z‡ Mon-Fri 760-246-0688, after hrs call 760-952-0120

WEATHER DATA SOURCES: AWOS-3 109.4 VCV (760) 246-3635.

R JOSHUA APP/DEP CON 124.55

VICTORVILLE TOWER 118.35 (1400-0400Z[±]) GND CON 124.45.

RWY 17-35: H15050X150 (ASPH-CONC-GRVD) S-60, D-200,

RWY 03-21: H9138X150 (ASPH-CONC) S-60, D-200, ST-175.

RWY 03: PAPI(P4L)—GA 3.0° TCH 75'. Rgt tfc. 0.3% down. RWY 21: PAPI(P4L)—GA 3.0° TCH 75'. 0.4% up. AIRPORT REMARKS: Attended 1400–0600Z‡. For acft fuel or

maintenance call 760–246–7794 or use frequency 122.85. Class IV, ARFF Index A. ARFF Index E avbl with 72 hours PPR, call ops 760–243–1915. Avoid overflight of Silver Lakes 10 miles north for noise abatement. Portion of Twy A between Twy C and Rwy 21, portion Twy C between Twy C1 and Twy C2. portion of Twy E

between Twy E1 and Twy E3, and Rwy 35 thld are not visible areas from the twr. Twr unable to provide ATC services to acft in these non-visible areas. When twr clsd ACTIVATE HIRL Rwy 03–21, Rwy 17–35, PAPI Rwy 03, Rwy 21, Rwy 17 and Rwy 35 freq 118.35.

ST-175, DT-400, DDT-850 PCN 21 R/B/X/T HIRL

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 75'. 0.5% up. **RWY 35:** REIL. PAPI(P4L)—GA 3.0° TCH 65'. Rgt tfc. 0.5% down.

DT-400, DDT-850 PCN 32 R/C/X/T HIRL

AIRSPACE: CLASS D svc 1400-0400Z[‡], other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE VCV.

 PALMDALE (H) VORTAC 114.5
 PMD
 Chan 92
 N34°37.88' W118°03.83'
 078° 33.8 NM to fid. 2498/15E.

 VICTORVILLE (T) VORW/DME 109.4
 VCV
 Chan 31
 N34°35.65' W117°23.40' at fid.
 2855/14E. AW0S-3.

 ILS 108.75
 I-VCV
 Rwy 17.
 Class IE.
 LOC front course unusable byd 15° left of course byd 15° right of course.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

| VILIA N3 | 6°15.29′ W | 119°18.88′ | NOTAM FILE VIS. | | SAN FRANCISCO |
|-------------------|-------------------|-------------|--------------------|--------------------------------------|---------------|
| NDB (LOM weeke |) 220 VI ends. | 301° 5.4 NM | 1 to Visalia Muni. | Unmonitored 0800-1500Z‡ weekdays, 06 | 600-1600Z‡ |

VINEE N34°11.90' W118°22.67' NOTAM FILE BUR. NDB (LMM) 253 UR at Bob Hope. LOS ANGELES COPTER A

VISALIA

 SEQUOIA FLD
 (D86)
 8 N
 UTC-8(-7DT)
 N36°26.88' W119°19.12'
 SAN FRANCISCO

 313
 S2
 TPA-1113(800)
 NOTAM FILE RIU
 L-3C, 9A

 RWY 13-31:
 H3012X60 (ASPH)
 S-30, D-50
 LIRL


 RWY 13:
 Thid dsplcd 210'. Fence.
 AIRPORT REMARKS:

 COMMUNICATIONS:
 CTAF/UNICOM 122.9

 RADIO AIDS TO NAVIGATION:
 NOTAM FILE VIS.


 VISALIA (T) VOR/DME 109.4
 VIS

 Chan 31
 N36°22.04' W119°28.93'
 043° 9.3 NM to fld. 260/16E.



313 B FUEL 100LL TPA—1113(800) NOTAM FILE RIU RWY 12-30: H3380X60 (ASPH) S-6 MIRL RWY 12: Thid dspied 455'. Trees. RWY 30: Thid dspied 240'. Road. AIRPORT REMARKS: Attended irregularly. Fuel avbi by phone call only 661-758-3009. Rwy 12 lgtd thid relocated 455', Rwy 30 lgtd thid relocated 240' for ngt ops, 2685' of Rwy 12-30 usable at ngt. Crop dusting ops prohibited except by arpt manager 661-393-1800. ACTIVATE MIRL Rwy 12-30—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO MAVIGATION: NOTAM FILE BFL. SMAFTER (H) VORTACW 115.4 EHF Chan 101 N35°29.07' W119°05.84' 289° 14.9 NM to fid. 548/14E. HIWAS.


SW, 08 APR 2010 to 03 JUN 2010



in wind direction and ints can occur at the apch to Rwy 36. Tkf only Rwy 18. Road 50' east of centerline at Rwy 18 thId and 60' trees in primary sfc 80' east of centerline.


COMMUNICATIONS: CTAF/UNICOM 122.8

WEAVERVILLE RCO 122.4 (RANCHO MURIETA RADIO)




WESTOVER FIELD AMADOR CO (See JACKSON)


SW, 08 APR 2010 to 03 JUN 2010



425 B FUEL 100LL TPA—1225(800) NOTAM FILE RIU RWY 07-25: H3320X50 (ASPH-GRVL) S-8 LIRL RWY 07: Thid dspicd 525'. Trees. RWY 25: Thid dspicd 600'. Road. AIRPORT REMARKS: Unattended. Arpt not approved for night use. Rwy 07-25 outer 10' of each side of rwy is rough, cracked and deteriorating. Rwy 07-25 only 2720' between Rwy 25 dspicd thid and west end lighted. Rwy 07 dspicd surface is gravel with unsafe potholes. Unsuitable for use. Rwy 07-25 LIRL OTS indef. COMMUNICATIONS: CTAF 122.9

| WATTS-WOODLAND (041) 4 W UTC-8(-7DT) N38°40.43' W12 125 B S7 FUEL 100LL, JET A 0X 3, 4 TPA—See Remarks | |
|---|---------------------------------------|
| RWY 18-36: H3770X60 (ASPH) S-12 MIRL 0.5% up S | L. |
| RWY 18: TRCV(TRIL). Thild dspicd 630'. Trees. | 6 6 6 6 6 F |
| RWY 36: Thid dspicd 385'. Antenna. | Golf Course |
| AIRPORT REMARKS: Attended Oct-Apr 1600-0100Z‡ and May-Sept 1500-0200Z‡. Fuel 24 hours with credit card. Ultralight ops | |
| prohibited. Rwy 18 unlgtd 60' trees higher than pole mounted | <i>"</i> |
| obstruction lgts. Twin engine acft back taxi on rwy. TPA for turbine | |
| aircraft 1625(1500). TPA for other aircraft 1125(1000). ACTIVATE | |
| MIRL Rwy 18–36—CTAF. | |
| COMMUNICATIONS: CTAF/UNICOM 122.8 | |
| TRAVIS APP/DEP CON 126.6 | Agricultural |
| RADIO AIDS TO NAVIGATION: NOTAM FILE SAC. | Ground |
| SACRAMENTO (H) VORTACW 115.2 SAC Chan 99 N38°26.62' | 3 |
| W121°33.10′ 296° 20.4 NM to fld. 10/17E. HIWAS. | |
| | |
| | |
| | |
| | 36 |
| | |
| | |
| | |
| WOODSIDE N37°23.55' W122°16.88' NOTAM FILE OAK. | SAN FRANCIS |
| (L) VORTACW 113.9 OSI Chan 86 066° 11.2 NM to Moffett Federa | Airfield. 2270/17E. H–3A, L–2F, 3B |
| VOR portion unusable: | |
| 225°–305° byd 20 NM blo 9,000' DME portion unusable: | |
| | 90°–230° byd 20 NM blo 13,000′ |
| | 30°–350° byd 20 NM |
| | |
| WOWAR N37°34.39' W120°51.31' NOTAM FILE MOD. | SAN FRANCISC |
| NDB (LOM) 367 MO 288° 5.7 NM to Modesto City-Co-Harry Sham FI | d. |
| | |
| YOLO CO (See DAVIS/WOODLAND/WINTERS) | |
| (UBA CITY | |
| SUTTER CO (052) 1 S UTC-8(-7DT) N39°07.42'W121°36.32' | SAN FRANCISC |
| 58 B S4 FUEL 100LL TPA—See Remarks NOTAM FILE RIU | L-2G, 3 |
| RWY 17–35: H3045X75 (ASPH) MIRL | , |
| RWY 17: TRCV(TRIL)—GA 3.0° TCH 10'. Tree. Rgt tfc. RWY 35: Tr | ee. |
| AIRPORT REMARKS: Attended 1600-0100Z‡. Fuel avbl by credit card. Agric | |
| Turbined-powered acft or large acft shall enter the traffic pattern at | |
| Rwy 17–35 gross weight strength estimated by owner 21,000 pound | s. ACTIVATE MIRL Rwy 17-35-CTAF. |
| COMMUNICATIONS: CTAF/UNICOM 122.7 | 2 |
| RADIO AIDS TO NAVIGATION: NOTAM FILE RIU. | |
| WILLIAMS (L) VORTACW 114.4 ILA Chan 91 N39°04.27'W122°01.6 | 64' 062° 19.8 NM to fld. 50/18E. HIWA |
| | |
| YUBA CO (See MARYSVILLE) | |
| | 441 |
| | |
| YUCCA VALLEY (L22) 3 E UTC-8(-7DT) N34°07.79' W116°24 | L- |
| 3224 S3 TPA-4224(1000) NOTAM FILE RAL | |
| 3224 S3 TPA—4224(1000) NOTAM FILE RAL RWY 06-24 : H4363X60 (ASPH) S-12.5 MIRL | |
| 3224 S3 TPA—4224(1000) NOTAM FILE RAL RWY 06-24: H4363X60 (ASPH) S-12.5 MIRL RWY 06: Thid dspicd 360'. Tree. Rgt tfc. RWY 24: Thid dspicd 33 | |
| 3224 S3 TPA—4224(1000) NOTAM FILE RAL RWY 06-24: H4363X60 (ASPH) S-12.5 MIRL RWY 06: Thid dspicd 360'. Tree. Rgt tfc. RWY 24: Thid dspicd 33 AIRPORT REMARKS: Attended irregularly. PAEW adjacent Rwy 06-24. ACTIV | |
| 3224 S3 TPA—4224(1000) NOTAM FILE RAL RWY 06-24: H4363X60 (ASPH) S-12.5 MIRL RWY 06: Thid dspicd 360'. Tree. Rgt tfc. RWY 24: Thid dspicd 33 AIRPORT REMARKS: Attended irregularly. PAEW adjacent Rwy 06–24. ACTIV COMMUNICATIONS: CTAF/UNICOM 123.0 | |
| 3224 S3 TPA—4224(1000) NOTAM FILE RAL RWY 06-24: H4363X60 (ASPH) S-12.5 MIRL RWY 06: Thid dspicd 360°. Tree. Rgt tfc. RWY 24: Thid dspicd 33 AIRPORT REMARKS: Attended irregularly. PAEW adjacent Rwy 06-24. ACTIV COMMUNICATIONS: CTAF/UNICOM 123.0 RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. | ATE MIRL Rwy 06–24—CTAF. |
| 3224 S3 TPA—4224(1000) NOTAM FILE RAL RWY 06-24: H4363X60 (ASPH) S-12.5 MIRL RWY 06: Thid dspicd 360'. Tree. Rgt tfc. RWY 24: Thid dspicd 33 AIRPORT REMARKS: Attended irregularly. PAEW adjacent Rwy 06–24. ACTIV COMMUNICATIONS: CTAF/UNICOM 123.0 | ATE MIRL Rwy 06–24—CTAF. |
| 3224 S3 TPA—4224(1000) NOTAM FILE RAL RWY 06-24: H4363X60 (ASPH) S-12.5 MIRL RWY 06: Thid dspicd 360'. Tree. Rgt tfc. RWY 24: Thid dspicd 33 AIRPORT REMARKS: Attended irregularly. PAEW adjacent Rwy 06–24. ACTIV | |





| ARUBA | N38°17.45′ | W104 | °21.30′ | NOTAM FILE PUB. | DENVER |
|--------|--------------|------|----------|-------------------|--------|
| NDB (M | IHW/LOM) 373 | TF | 258° 6.7 | NM to Pueblo Mem. | L—10F |

| UDECKADO | 200 |
|---|--|
| ASPEN-PITKIN CO/SARDY FLD (ASE) 3 NW UTC-7(-6DT) N3 | 9°13.39' W106°52.13' DENVER |
| 7820 B S2 FUEL 100LL, JET A1 + OX 3 TPA—See Remark | |
| NOTAM FILE ASE | IAP, AD |
| RWY 15-33: H7006X100 (ASPH-GRVD) S-75, D-100, | |
| DT-175 MIRL 2.0% up SE | |
| RWY 15: MALSF. PAPI(P4L)—GA 3.5° TCH 57'. RWY 33: REIL. Road. Rgt tfc. | |
| RUNWAY DECLARED DISTANCE INFORMATION | |
| RWY 15: TORA-7006 TODA-7006 ASDA-7006 LDA-7006 | |
| RWY 33: TORA-7006 TODA-7006 ASDA-7006 LDA-7006 | |
| AIRPORT REMARKS: Attended 1400-0600Z‡. Airport CLOSED | |
| 0600–1400Z‡. Hang gliders, para gliders, hot air balloons and | a 48 1 |
| glider operations on and in vicinity of arpt up to 18,000' MSL. Arpt located in high mountain valley with mountainous terrain from | |
| 12,500'–14,000' MSL in near proximity to arpt, numerous | |
| unlighted obstructions. All adverse weather situations magnified | |
| in mountains. Ops during periods of reduced visibility discouraged | 000 nn 000 + 0 |
| for pilots unfamiliar with area. Unless ceilings are at least 2000' | |
| above highest terrain and visibility is 15 miles or more, mountain | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |
| flying is not recommended. Due to high apch minimums pilots may need an IFR alternate even though weather is forecast to be | 5.50 000000 00 00 |
| higher than 2000'–3,000'. Terrain will not allow for normal tfc | 000000000000000000000000000000000000000 |
| patterns. High rates of descent may be required due to terrain and I | ocal procedures. Unique VFR dep procedures |
| exist, call arpt manager 970–920–5384, or FBO 970–920–2016 for | |
| advance notice for staging acft prior to departure. Noise abatement | |
| standard dep procedure in effect, ctc arpt manager 970–920–5384 | 0 11 0 1 |
| turn right noise abatement heading of 360° for 2 miles before proce procedures in effect, ctc arpt manager 970–920–5384. For all gene | |
| sunset to 0600Z ⁺ the following applies: acft equipped as required u | |
| flight—pilot is instrument rated; VFR pilot–in–command has comple | |
| 12 months at ASE. IFR: execute apch/dep procedures with ATC clea | |
| 30 minutes after sunset by county ordinance. Stage III acft only fror | n 30 minutes after sunset to 0600Z‡. No |
| departures after 0530Z [‡] . All Stage 1 acft ops prohibited; violators v | |
| file flight plan with flight service 45 minutes prior to estimated dep. | - |
| permission from arpt manager. Review of airplane performance reco | |
| and balance and climb performance. Ops during periods of reduced with area. Due to poor visibility in valley, use landing lights in tfc pa | |
| heavy acft 9505(1685). Ldg fee. Uncontrolled tfc on the ramps. Rwy | |
| PAPI unusable byd 4 NM from rwy thld and byd 7° rgt of rwy centerlir | |
| clsd ACTIVATE MALSF Rwy 15, PAPI Rwy 15 and REIL Rwy 33-CTAF | |
| WEATHER DATA SOURCES: ASOS (970) 925-9168. LAWRS. | |
| COMMUNICATIONS: CTAF 118.85 ATIS 120.4 UNICOM 122.95 | |
| (R) ASPEN APP/DEP CON 123.8 (1400–0300Z‡) | |
| (R) DENVER CENTER APP/DEP CON 125.35 (0300-1400Z [‡]) | |
| TOWER 118.85 (1400–0500Z‡) GND CON 121.9 CLNC DEL 123.75 AIRSPACE: CLASS D svc 1400–0500Z‡ other times CLASS E. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE DEN. | |
| RED TABLE (H) VORW/DME 113.0 DBL Chan 77 N39°26.36' W106 | °53.68′ 163° 13.0 NM to fld. |
| 11800/12E. | |
| | unusable byd 25° left and right of course, |
| byd 14 NM blo 12,500'. DME unusable byd 25° left and right of c | |
| COMM/NAV/WEATHER REMARKS: Primary radar not avbl. Radar traffic advisori | |
| equipped acft only. LDA 108.5 I–PKN available for missed approach clsd. | , acpartares only. EDA annonitorea wiell (WI |
| BADGER MOUNTAIN N39°02.93' W105°30.73' | DENVER |
| RCO 122.2 (DENVER RADIO) | L-10F |
| BALD MOUNTAIN 7BM N38°47.95′ W106°13.01′/9825. | DENVER |
| AWOS-3 132.05 303-512-4919. | L–9E |
| | |

 BATTEN
 N40°31.92' W103°13.81'
 NOTAM FILE DEN.

 NDB (MHW)
 392
 BAJ
 331° 5.2 NM to Sterling Muni.

CHEYENNE

L-10G

SW, 08 APR 2010 to 03 JUN 2010

| BLACK FOREST N38°56.67' W104°38.01' NOTAM FILE DEN. (L) VORTACW 112.5 BRK Chan 72 188° 8.9 NM to City of Colorado Springs Muni. 6934/13E. H-3E VORTAC unusable 100°-115° byd 25 NM blo 9,000' VOR unusable: 300°-040° byd 10 NM RC0 122.25 (DENVER RADIO) | DENVER , 5A, L—10F |
|---|-----------------------|
| BLAKE FLD (See DELTA) | |
| BLANCA (Ø5V) 3 SW UTC-7(-6DT) N37°24.67' W105°33.10' 7720 NOTAM FILE DEN RWY 03-21: 6160X52 (DIRT) RWY 03: Road. RWY 03: Road. AIRPORT REMARKS: Unattended. Unlimited vehicle access to field, wildlife on and invof arpt. Be alert, intensiv | DENVER |
| student training invof Colorado Springs and Pueblo Colorado. Rwy 03–21 soft when wet. Rwy 03–21 low Rwy 03–21 1 to 2' vegetation both sides of rwy full length. Rwy 03–21 has 6 to 12" dirt windows along sides full length. See Special Notices—USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs Pueblo Colorado. COMMUNICATIONS: CTAF 122.9 | / center. both |
| BLUE MESA N38°27.13' W107°02.39' NOTAM FILE DEN. (H) VORW/DME 114.9 HBU Chan 96 032° 7.0 NM to Gunnison-Crested Butte Rgnl. 8730/14E. DME portion unusable 315°-325° byd 27 NM blo 17,500'. RC0 122.55 (DENVER RADIO) | DENVER H–3E, L–9E |
| BOULDER MUNI (BDU) 3 NE UTC-7(-6DT) N40°02.37' W105°13.55' 5288 B S4 FUEL 100LL, JETA TPA-6300 (1012) NOTAM FILE DEN RWY 08-26: H4100X75 (ASPH) S-16 MIRL RWY 26: VASI(V4L)-GA 3.5° TCH 40'. Road. Rgt tfc. RWY 08: TolKA-4100 (ASPH-TURF) RWY 08: TORA-4100 TODA-4100 ASDA-4100 LDA-3900 RWY 26: TORA-4100 TODA-4100 ASDA-4100 LDA-3900 RWY 26: TORA-4100 TODA-4100 ASDA-3900 LDA-3900 AIRPORT REMARKS: Attended 1500-00002‡. Parachute Jumping. Waterfowl on and invof arpt. 24 hr self serve 100LL avbl. Rwy 08G-26G for glider use only, 197' separation centerline to centerline. Caution glider ops as close as 60' parallel to Rwy 08-26. Be alert, intensive USAF student training invof Colorado Springs and Pueblo Colorado. Hayden Lake located 250' from Rwy 08 and Rwy 08G thresholds. Rwy 08 and Rwy 08G 25 ft to 55 ft trees outline Hayden Lake as close as 200' from Rwy 08G thild. Rwy 08-26 TPA (1012' AGL) (6300' MSL. Simultaneous apchs to and deps from, Rwy 08-26 and Rwy 08G-26G are prohibited. Power acft yeild right of way to gliders on final or initiate a go-around for adequate spacing. Rwy 08 dep no turn blo (512' AGL) 5800' MSL. Rwy 08 preferred unde wind conditions. During west wind conditions expect severe wind turbulence approaching and departing Noise abatement procedures in effect, call arpt manager 303-441-3108 or http://www.bouldercolorado.gov/airport. Rwy 26 has 300' safety area outlined with red reflectors. 130 east of marked area. ACTIVATE MIRL Rwy 08-26 and VASI Rwy 26-CTAF. See Special Notices—USAF 3 Flight Training Areas, Vicinity of Colorado Springs and Pueblo Colorado. WEATHER DATA SOURCES: AWOS-3 118.825 (303) 541-9540. COMMUNICATIONS: CTAF/UNICOM 122.725 RADIO ANDS TO NAVIGATION: NOTAM FILE BJC. JEFFC0 (H) VORW/DME 115.4 BJC Chan 101 N39°54.78' W105°08.34' 321° 8.6 NM to fid. 5728/ | Rwy 26. ' dropoff |

| BRUSH MUNI (7V5) 3 E UTC-7(-6DT) N40°15.86' W103°34.54' | CHEYENNE |
|--|-----------|
| 4280 FUEL A NOTAM FILE DEN | L-10F |
| RWY 07-25: H4300X60 (ASPH) S-6 LIRL (NSTD) | |
| RWY 07: Trees. RWY 25: Ground. | |
| AIRPORT REMARKS: Attended irregularly. For svc call 970–842–5279 or 970–842–5777. Parachute Jumping. | Unlighted |
| 320' twr 3 miles east of arpt. High tension powerlines within 1 mile S of arpt. Be alert, intensive USAF | student |
| training invof Colorado Springs and Pueblo Colorado. Rwy 25 lgtd thld relocated 195' for ngt ops. Rwy (|)7–25 |
| one thId light each rwy side both ends. Rwy 25 thId markings begin 195' W of pavement end. Rwy 07–2 | 5 NSTD |
| LIRL, one thId Igt each side of rwy both ends. ACTIVATE NTSD LIRL Rwy 07–25 5 times on and 8 times | |
| off—CTAF. See Special Notices—USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs and I | Pueblo |
| Colorado. | |
| COMMUNICATIONS: CTAF/UNICOM 122.8 | |

RADIO AIDS TO NAVIGATION: NOTAM FILE AKO.

AKRON (H) VORW/DME 114.4 AKO Chan 91 N40°09.33' W103°10.79' 277° 19.3 NM to fld. 4620/13E.

 BUCKLEY AFB
 (BKF)(KBKF)
 ANG (A AF ARNG N MC)
 ON
 UTC-7(-6DT)
 N39°42.10'
 W104°45.10'
 DENVER

 5662
 B
 TPA—See Remarks
 Class I, ARFF Index Ltd.
 NOTAM FILE DEN
 H-3E, 5A, L-10F, A

 RWY 14-32:
 H11000X150 (PEM)
 PCN 40 R/B/W/T
 HIRL
 DIAP, AD

RWY 14: REIL. PAPI(P4L). 0.7% up. RWY 32: ALSF1. PAPI(P4L).

ARRESTING GEAR

RWY 14 ←HOOK E5 (116' OVRN) HOOK BAK-12B(B) (1500')

- HOOK BAK-12B(B) (1500') HOOK E5 (116' OVRN) →**RWY 32** MILITARY SERVICE: LGT Rwy 32 ILS Glide Slope Runway Point of Intercept and PAPI GS Runway Reference Point not coincidental. A-GEAR E5 cables on apch end are connected at all times. Rwy 14–32 BAK-12B connected at all times, usable rwy between cables is 8000'. Due to high probability of hook ship. E5 at departure ends of Rwy 14–32 are not recommended for engagement. Operators use at own risk. Consider use of BAK 12 at apch ends of Rwy 14–32. JASU 9(A/M32A-86) 3(AM32A-60A) 6(AM32A-60B) 6(AM32A-95) FUEL AvbI Sun-Mon 1500-22002‡, Tue-Sat 1330-01302‡. JB. FLUID SP PRESAIR LOX LHOX. De-Ice avbI. OIL 0–148 SOAP. AvbI Tue-Fri 1315-00002‡ excluding holidays. PPR.
- MILITARY REMARKS: Opr Tue-Sat 1330-0530Z[‡], Sun-Mon 1500-2300Z[‡]. See FLIP AP/1 Supplementary Arpt Remarks. RSID PPR, ctc Base OPS DSN 847-9650, C720-847-9650, 140th Air National Guard OPS, DSN 847-9470. Tran acft may be req to fly straight-in full stop. C5, C-17, KC10, F4, EA6, F14 acft start run-up 300' down rwy prior to tkf to prevent asphalt and lgt system damage. Large/heavy acft req u-turn on rwy, make left turns at rwy end on the concrete portion. Avoid over flight radar domes NW Rwy 14-32. Aerodrome limited to wing assigned F16 alert acft only from Tues-Sat 0530-1330Z‡, and Sun and Mon 2300-1500Z‡. When local F-16s are opr in the arm-dearm area, tran acft larger than fighter size will park on the east ramp. For normal day to day ops, larger acft can be held on twys B, K, or M waiting for the F-16s to clear the area. CAUTION Friction tests indicate potentially haz condition at the touchdown areas of Rwy 32 and Rwy 14 during wet condition due to low friction, especially rgt of center. The haz areas slow up at 1000-2500' from the thld. Hi mid-air collision potential, extreme vigilance rqr. Phase II wildlife activity during migration/morning/evening hrs and winter months. Ctc ATIS or PTD for current conditions. Possible crosswind hazard Rwy 14-32. Unlgtd fence around afld. Heavy commercial tfc on Denver Intl Rwy 35 ILS course between 6500' and 12000' 2 NM east of Buckley. Heavy uncontrolled general aviation VFR tfc from Centennial 9 NM southwest. Tfc is concentrated from sfc to 10000' south, southeast and east of Buckley Class D Airspace. Ldg illusion exists on short final Rwy 14. Terrain rises short of thid then descends for 2000' creating illusion of acft being hi on final and excessive ground rush. Unlighted obstruction southwest of Rwy 32. Unlighted fence around afld. Extra caution should be used during ngt ldg. Avoid over flight of firing range located 890' left of centerline and 1 NM at apch end Rwy 32 when red bcn is on or red flag is displayed. IFC PAT Rwy 32 left tfc, Rwy 14 rgt tfc, overhead 7200(1538). Fighter acft expect clsd tfc and overhead pattern east of Buckley for noise avoidance. MISC First 1700' Rwy 14, first 1700' Rwy 32 concrete, middle 7600' Rwy 14-32 asphalt. Protocol, except priority refueling, not avbl. Four engine acft if able, shut down or idle outbound engine prior to taxi after Idg for Foreign Object Damage Control. Afld management does not issue or store COMSEC. ARNG Blackjack Ops DSN 250-1623/20 C720-250-1623/20. COMMUNICATIONS: ATIS 119.675 259.3 PTD 372.2 **R** DENVER APP/DEP CON 128.45 251.075

 TOWER 121.0 291.675 (Tue-Sat 1330-05302‡, Sun-Mon 1500-23002‡)
 GND CON/CLNC DEL 121.6 275.8

 PMSV METRO 228.45

 BLACKMACK XRAY 46.90 149.1 308.1

 AIRSPACE: CLASS D svc Tue-Sat 1330-05302‡, Sun-Mon 1500-23002‡ other times Class E.

 RADIO AIDS TO MAVIGATION: NOTAM FILE BKF.


 BUCKLEY (L) TACAN Chan 33

 BKF (109.6)

 N39°42.44' W104°45.13' at fld. 5580/12E. No NOTAM MP Mon 1500-17002‡. Unmonitored 0530-13302‡.

ILS 109.7 I-BKF Rwy 32 Class IE. No NOTAM MP: Tue 1500-1700Z‡, GS Wed 1500-1700Z‡.

SW, 08 APR 2010 to 03 JUN 2010



| O CENTRES | 207 |
|--|--|
| BUTTS AAF (FORT CARSON) (FCS) (KFCS) A 3 S UTC-7(-6DT) N38°40.70' W104°. 5838 B TPA—See Remarks NOTAM FILE FCS Not insp. RWY 13-31: H4572X75 (ASPH) PCN 24 F/B/W/T MIRL RWY 04-22: H2700X75 (ASPH) MILITARY SERVICE: FUEL J8. Opr Mon-Fri 1600-0630Z‡ except holidays. PPR for transient fuel. MILITARY REMARKS: Opr continuous except New Years Day, Thanksgiving and Christmas. RSTD PPF 691-3935/3936, C719-526-3936/3935. 500' ovrn on NW end of rwy avbl for use by C-1 CAUTION Extensive artillery and small arms firing. During periods of strong SW surface winds, terrain generated turbulence with wind shear near the apch end Rwy 13. IFC PAT TPA—Multi NSTD tfc Rwy 13-31 E tfc 7300(1462). All others: rotary wing 6600(762), fixed wing 6800(MISC Automated obs are avbl 24 hrs. Obs are augmented Mon-Fri 1200-0600Z‡ except hol flying). Wx technician (DSN 691-3620, C719-526-3620), avbl Mon-Fri 1200-0600Z‡ except of local flying). Remote weather briefing avbl from 25th OWS DSN 228-6598/6599, C520-COMMUNICATIONS: ATIS 108.8 PTD/OPS 141.15 SPRINGS APP/DEP CON 124.0 257.875 TOWER 125.5 229.4 239.3 41.50 24 hrs except New Years Day. Thanksgiving and Christma PMSV METR0 44.1 (Wx technician avbl Mon-Fri 1200-0600Z‡ except hol focal FLT FLW 38.55 138.15 (Butts Radio avbl 24 hours except New Years Day, Thanksgiving and AIRSPACE: CLASS D 24 hrs except New Years Day, Thanksgiving and Christma PMSV METR0 44.1 (Wx technician avbl Mon-Fri 1200-0600Z‡ except hol focal FLT FLW 38.55 158.15 (Butts Radio avbl 24 hours except New Years Day, Thanksgiving and AIRSPACE: CLASS D 24 hrs except New Years Day, Thanksgiving and Christmas. Other times CLAS RADIO AUDS TO NAVIGATION: NOTAM FILE FCS. (1) VOR/DME 108.8 FCS Chan 25 N38°40.84' W104°45.42' at fid. 5829/12E. VOR byd 10 NM blo 15,000'. VOR/DME unusable 230°-305° byd 10 NM blo 15,000'. IROMNDRSE NDB (MHW) 335 I HS N38°40.70'W104°45.20' at fid. Unmoni | L-10F DIAP J.8. C DSN 2 and smaller acft. expect structure and engine fixed wing 962). idays (or end of local ept holidays (or end 228–6598/6599. s. flying). Christmas) SS G. unusable 050°–070° |
| Jan 1. Unusable 210°–300° byd 20 NM blo 20,000'. BYERS N39°45.95' W103°55.68' NOTAM FILE DEN. (H) VORW/DME 113.5 BVR Chan 82 269° 34.6 NM to Denver Intl. 5252/10E. | DENVER H-5A, L-10F |
| 6450 S1 FUEL 100LL, JET A TPA—7250(800) NOTAM FILE DEN RWY 17-35: 4565X50 (TURF-GRVL) LIRL (NSTD) RWY 17: TRCV(TRIL). Road. RWY 35: Trees. Rg tfc. AIRPORT REMARKS: Attended irregularly. Parachute Jumping. Vehicles crossing rwy. Rwy 17–35 w to 100°. Rwy 17 first 1250° 45° wide artificial turf. Be alert, intensive USAF student training Springs and Pueblo Colorado. Aerobatic practice area ¹/2 mile west of Rwy 17–35 300′ AGI South end rwy has side slope6′ ditch 40′ west of centerline. Ground raises on east side NSTD LIRL, north 2500′ rwy lgtd. ACTIVATE NSTD LIRL Rwy 17–35 and VASI Rwy 17—CTAF. Notices—USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs and Pueblo Color | g invof Colorado to 10,000' MSL. of rwy. Rwy 17–35 See Special |
| CANON CITY FREMONT CO (1V6) 6 E UTC-7(-6DT) N38°25.68' W105°06.35' 5439 B S4 FUEL 100LL, JET A OX 1, 2 TPA-6200(761) NOTAM FILE DEN RWY 11-29: H5399X75 (ASPH) S-26, D-26 MIRL 1.1% up NW RWY 11-29: H5399X75 (ASPH) S-26, D-26 MIRL 1.1% up NW RWY 11: REIL. PAPI(P2R)-GA 3.0°TCH 30'. RWY 29: REIL. PAPI(P2L)-GA 3.0°TCH 32'. RWY 17-35: 3261X35 (TURF-GRVL) 1.1% up N RWY 17: Road. RWY 35: Fence. AIRPORT REMARKS: Attended 1500-00002‡. Parachute Jumping. Glider towing invof arpt. Glider ops on and invof arpt. Be alert, intensive | DENVER H–3E, 5A, L–10F IAP |

WEATHER DATA SOURCES: AWOS-3 120.025. COMMUNICATIONS: CTAF/UNICOM 122.8

DENVER APP/DEP CON 120.1 (1300-0500Z‡) other times ctc DENVER CENTER APP/DEP CON 128.375.


RADIO AIDS TO NAVIGATION: NOTAM FILE PUB.

PUEBLO (H) VORTACW 116.7 PUB Chan 114 N38°17.66' W104°25.77' 271° 32.9 NM to fid. 4760/13E.

SW, 08 APR 2010 to 03 JUN 2010

| | SSE N39°27.12' W104°50.75' NOTAM FILE APA. DENVE NDB (HW/LOM) 260 AP 348° 7.1 NM to Centennial. L-10F, |
|------|--|
| | NTENNIAL (See DENVER) |
| CEN. | R DENVE ACH (1V8) 4 NE UTC-7(-6DT) N37°47.10' W106°02.82' DENVE 7598 FUEL 100LL NOTAM FILE DEN H-3E, 5A, L-9 RWY 12-30: H7000X50 (ASPH) S-12 LIRL RWY 12: Thid dspled 204'. Building. RWY 30: PAPI(P2L) Thid dspled 1314'. P-line. AIRPORT REMARKS: Attended Mon-Fri 1500-00002‡, Sat 1500-1900Z‡. Rwy 12-30 has +12' sprinklers along both sides of rwy 54' from centerline full length of rwy. Rwy 12 dsplcd thld markings missing. Rwy 12 has 135' nighttime dsplcd thld. ACTIVATE LIRL Rwy 12-30—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ALS. ALAMOSA (H) VORTACW 113.9 ALS Chan 86 N37°20.95' W105°48.93' 324° 28.4 NM to fid. 7535/13E. |
| | NTRAL COLORADO RGNL (See BUENA VISTA) |
| | Y OF COLORADO SPRINGS MUNI (See COLORADO SPRINGS) |
| | Y OF LAS ANIMAS-BENT COUNTY (See LAS ANIMAS) |
| | LLN N40°21.79'W104°58.28' NOTAM FILE FNL. CHEYENN NDB (LDM) 400 FN 332° 5.6 NM to Fort Collins-Loveland Muni. |


COLORADO SPRINGS



ILS 109.9 I-COS Rwy 35L. Class IE. LOM PETEY NDB. LOC unusable byd 25° left of centerline. LOC unusable byd 8NM 10° left of centerline. TCH is higher than standard.


ILS/DME 109.1 I-LPI Chan 28 Rwy 17L.

Rwy 35R. Class IE. LOC front course unusable byd 8 NM DME byd 15° ILS/DME 109.1 I-AHI Chan 28 left of course due to mil rstd areas.



 COPPER MOUNTAIN
 CCU
 N39°28.50'
 W106°09.15'/12075.
 DENVER


 AW0S-3
 118.075
 970–968–1715.
 L-9E



211

| CRAWFORD (99V) 2 W UTC-7(-6DT) N38°42.25' W107°38.62' | DENVEI |
|--|---|
| 6470 S2 OX 4 TPA—7470(1000) NOTAM FILE DEN | L—9 |
| RWY 07-25: H4900X20 (ASPH) LIRL (NSTD) | |
| RWY 07: VASI (NSTD). Trees. RWY 25: VASI (NSTD) Tank. Rgt tfc. | |
| RWY E-W: 2500X125 (TURF) | |
| RWY E: Rgt tfc. RWY W: Trees. AIRPORT REMARKS: Attended continuously. Rwy 07–25 west 1300' only 25' wide. Heavy glider ops | |
| east tkf to the west winds permitting. 100LL fuel avbl for emergency use only. Wildlife on and Unlimited vehicle use on arpt. Rwy West has +15' building 170' from thld 30' left, +10' road centerline. +45' tree 100' L of Rwy 07 extended centerline 414' from rwy end8' to -20' te sides of first 674' of Rwy 25 end. E–W rwy occasionally has 6 inch diameter irrigation pipes c in various places. Rwy 07 has 20' trees and -10' to 20' terrain 20' right of rwy first 150'. E–V +12 inch alfalfa vegetation during various times of the year. Arpt Igts opr dusk–08002‡. Rwy 0' side for local operators only or PPR call 970-921-7700 or 970-921-3018. Rwy 07-25 LIRL 25 end W 3800'. Rwy 07 1300' from end E 300'. No thld Igts Rwy 07-25 3800' usable for ng COMMUNICATIONS: CTAF/UNICOM 122.8 RADID AIDS TO NAVIGATION: NOTAM FILE MTJ. | 100' from thId errain off both rossing rwy width N rwy consists of 07 1 box VASI left on N side from Rw gt ops. |
| MONTROSE (H) VORW/DME 117.1 MTJ Chan 118 N38°30.39' W107°53.96' 033° 16.9 NN | 1 to fld. 5710/12E |
| REEDE MINERAL CO MEM (C24) 2 E UTC-7(-6DT) N37°49.33' W106°55.79' 8680 NOTAM FILE DEN | DENVE H-3E, L-9 |
| RWY 07-25: H6880X60 (ASPH) S-12.5, D-70, DT-110 | |
| RWY 07: Thid dspicd 188'. RWY 25: Road. AIRPORT REMARKS: Unattended. Elk and deer on and invof arpt. Glider and hang glider activity on ar arpt. Mountains in all directions. Departure to NE avoid over flight of trailers and resident hon above ground level on centerline extended prior to turn. Acft stay to right of valley on apch and route. 2' cable fence around apron. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE DEN. BLUE MESA (H) VORW/DME 114.9 HBU Chan 96 N38°27.13' W107°02.39' 158° 38.1 NM | nes, climb to 200' |
| CUCHARA VALLEY AT LA VETA (See LA VETA) | |
| DEL NORTE MUNI & CO (8V1) 3 N UTC-7(-6DT) N37°42.82' W106°21.27' | DENVE |
| 7949 NOTAM FILE DEN | L-9 |
| RWY 02-20: 6015X60 (TURF-DIRT) | |
| RWY 20: Mountain. | |
| RWY 08-26: H3775X49 (ASPH) S-23 LIRL | |
| RWY 08: Mountain. | |
| AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. CAUTION: Rwy 20 has 10' road 45' left of fence 75' left of centerline. Rwy 02–20 has 3' dirt windrow along both sides of rwy entire leng terrain surrounds arpt in all directions. Rwy 08–26 line of sight both ends obstructed due to r | gth. Mountainous |
| and antelope on and in vicinity of arpt. Rwy 08–26 has +1' reflectors 35' from centerline full sides. Rwy 08–26 LIRL OTS indef. ACTIVATE LIRL Rwy 08–26—CTAF. | |
| and antelope on and in vicinity of arpt. Rwy 08-26 has +1' reflectors 35' from centerline full | |

ALAMOSA (H) VORTACW 113.9 ALS Chan 86 N37°20.95' W105°48.93' 298° 33.7 NM to fid. 7535/13E.



DENVER

CENTENNIAL (APA) 15 SE UTC-7(-6DT) N39°34.21' W104°50.96'


5885 B S4 FUEL 100LL, JET A OX 1, 2 TPA-6885(1000) NOTAM FILE APA

H-3E, 5A, L-10F, A IAP, AD

DENVER

- RWY 17L-358: H10002X100 (ASPH-GRVD) S-56, D-75, ST-95 MIRL RWY 17L: PAPI(P4L)—GA 3.0° TCH 50'. 1.0% up. RWY 358: MALSR. PAPI(P4L)—GA 3.0° TCH 53'. Building. Rgt tfc. 0.8% down.
- RWY 17R-35L: H7000X77 (ASPH-GRVD)
 S-30
 MIRL
 0.9% up S

 RWY 17R: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Rgt tfc.
 RWY 35L: REIL. PAPI(P4R)—GA 3.0° TCH 52'. Ground.
- RWY 10-28: H4800X75 (ASPH) S-12.5 MIRL 0.6% up W RWY 28: REIL. PAPI(P2L)-GA 4.0° TCH 28'. Ground.
- AIRPORT REMARKS: Attended continuously. Self serve fuel avbl. Waterfowl on and in vicinity of arpt. Numerous cranes invof arpt. Be alert, intensive USAF student training invof Colorado Springs and Pueblo Colorado. +109' twr located 1800' east/northeast of Rwy 17L thld. Numerous flood Igts located ½ mile north of thld Rwy 17L SS-0700Z‡. Rwy distance marker signs on Rwy 17L–35R and Rwy 10–28. Rwy 10 temporarily CLOSED for arrivals, avbl upon req ctc twr. Noise abatement procedures in effect, ctc noise office 303–790–0598. Rwy 35R crosswind/base leg south of Lincoln Ave., Rwy 17L crosswind/base leg south of Arapahoe Rd. Rwy 17R–35L clsd tfc remain south of Arapahoe Rd and east of



Interstate 25. Rwy 10–28 avoid noise sensitive areas 1 mile east and south of rwy. All acft blo 70,000 lbs maximum gross tkf weight and Stage III acft up to certificated 75,000 lbs maximum gross tkf weight may be operated, one-time exceptions may be authorized by Executive Director on a case-by-case basis. Helicopter ops please ctc preferred FBO for ldg zone locations. Helicopter ops on front ramp not advised. U.S. Customs user fee arpt. Call U.S. Customs 303–768–0309. 24 hr user fee customs avbl. Ctc arpt for fee information. See Special Notices—USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs and Pueblo Colorado. WEATHER DATA SUBRES: ASOS (303) 706–9098.

COMMUNICATIONS: ATIS 120.3 (303) 799-6722 UNICOM 122.95 DENVER RC0 122.35 122.2 122.0 (DENVER RADIO)

DENVER APP/DEP CON 132.75

TOWER 118.9 GND CON 121.8 CLNC DEL 128.6


AIRSPACE: CLASS D svc continuous.

RADIO AIDS TO NAVIGATION: NOTAM FILE DEN.

 FALCON (H) VORTACW 116.3
 FQF
 Chan 110
 N39°41.41'
 W104°37.26'
 225° 12.8
 NM to fld. 5780/11E.

 CASSE NDB (HW/LOM) 260
 AP
 N39°27.12'
 W104°50.75'
 348° 7.1
 NM to fld. NOTAM FILE APA.

ILS/DME 111.3 I-APA Chan 50 Rwy 35R. LOM CASSE NDB. LOC unusable byd 13 NM blo 9,000'. COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr. Advise GND CON when ready for dep. GND CON will advise when to monitor the twr frequency.



rollout, RVR Rwy 35L touchdown, midfield, rollout. RVR Rwy 16R touchdown, midfield, rollout, RVR Rwy 34L touchdown, midfield, rollout. Overhead passenger bridge on South side of concourse 'A' provides 42 ft tail and 118 ft wingspan clearance when on twy centerline. Insufficient twy corner fillet pavement in the SE corner of the Twy M/M2 intersection for acft with wingspan over 107 ft. Fixed or movable object line between ramp and S Twys BN–BS removed. Informal rwy use program is in effect 24 hours a day. For additional noise abatement information contact airport management at 303–342–4200. Ldg fee. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—Continuous Power Facilities.

WEATHER DATA SOURCES: ASOS (303)342-0838. LLWAS. TDWR.

COMMUNICATIONS: D-ATIS ARR 125.6 (303) 342-0819 D-ATIS DEP 134.025 (303) 342-0820 UNICOM 122.95 RC0 123.65 (DENVER RADIO)

R APP CON 119.3 124.95 (North) 120.35 126.55 (South) FINAL CON 120.8

TOWER 132.35 (Rwy 07–25) 135.3 (Rwy 16L–34R, Rwy 16R–34L) 133.3 (Rwy 17R–35L) 124.3 (Rwy 08–26 and 17L–35R)

GND CON 127.5 (Rwy 07–25, Rwy 16L–34R and Rwy 16R–34L) 121.85 (Rwys 08–26, 17L–35R and 17R–35L) **CLNC DEL** 118.75


R DEP CON 128.25 (East) 127.05 (North) 126.1 (West) 128.45 (South)

AIRSPACE: CLASS B See VFR Terminal Area Chart.

CONTINUED ON NEXT PAGE

SW, 08 APR 2010 to 03 JUN 2010

CONTINUED FROM PRECEDING PAGE




LOM SKIPI NDB. ILS unmonitored.

ILS/DME 109.3 I-FTG Chan 30 Rwy 26.

ILS/DME 110.9 I-VWT Chan 46 Rwy 35. ILS/DME 110.9 I-FZR Chan 46 Rwy 17. . _ _ _ _ .

CONTINUED FROM PRECEDING PAGE



LOM SKIPI NDB. ILS unmonitored.


ILS/DME 109.3 I-FTG Chan 30 Rwy 26.


ILS/DME 110.9 I-VWT Chan 46 Rwy 35. ILS/DME 110.9 I-FZR Chan 46 Rwy 17. . _ _ _ _ .

| 5673 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 Class II, AF NOTAM FILE BJC RWY 11L-29R: H9000X100 (ASPH-GRVD) S-55, D-75, ST-95 MIF | IAP, A |
|--|---|
| RWY 11L: REIL. PAPI(P4L)—GA 3.0° TCH 40′. 0.9% down. RWY 29R: MALSR. PAPI(P4L)—GA 3.0° TCH 40′. Rgt tfc. 1.2% up. RWY 11R: REIL. PAPI(P2L)—GA 3.0° TCH 41′. Rgt tfc. RWY 29L: REIL. PAPI(P2L)—GA 3.0° TCH 41′. Rgt tfc. RWY 20-20: H3600X75 (ASPH) S-40, D-45, DT-65 MIRL 0.4% up S RWY 02-20: H3600X75 (ASPH) S-40, D-45, DT-65 MIRL 0.4% up S RWY 02: PAPI(P2L)—GA 3.0° TCH 40′. RWY 20: PAPI(P2L)—GA 3.0° TCH 40′. RUY 10: SAF student training invof Colorado Springs and Pueblo Colorado. Heicopter fight Training. USAF 306 FTG Flight Training Areas, Vici WeATHER DATA SUUCES: AWOS–3 (720) 887–8067. COMMUNICATIONS: CTAF 118.6 ATIS 126.25 (303) 466–8744 DEWRE APPDEP CON 126.1 METRO TOWER 118.6 (1300–05002‡) ther times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE BJC. JEFFCO (H) VQRW/DME 115.4 BJC Chan 101 N39°54.78′ W1055 ILS 111.7 I=BJC RWY 29R. Unmonitored when twr c | A1, A17. A17 run-up not visible from twr. d windcone on apch Rwy 11L. Air carrier opr E MIRL Rwy 02–20, Rwy 11R–29L and Rwy 1R, Rwy 29L, and Rwy 29R and REIL Rwy 11L avbl. NOTE: See Special Notices—Extensive nity of Colorado Springs and Pueblo Colorado |
| DENVER N39°34.21' W104°50.96' | DENVE H-3E, 5A, L-10F, 1 |
| RCO 122.35 122.2 122.0 (DENVER RADIO) | .32′ DENVE |

COMMUNICATIONS: CTAF 122.9

DOVE CREEK N37°48.53' W108°55.88' NOTAM FILE DEN. DENVER (H) VORTACW 114.6 DVC Chan 93 277° 21.2 NM to Monticello, UT. 6990/14E. H–3D, L–9D RC0 122.5 (DENVER RADIO)





EAGLE CO RGNL (EGE) 4 W UTC-7(-6DT) N39°38.57' W106°54.96' DENVER 6548 B S4 FUEL 100LL, JET A1, A1+ OX 1, 3 Class I, ARFF Index C NOTAM FILE EGE H-3E, L-9E RWY 07-25: H9000X150 (ASPH-GRVD) S-75, D-140, ST-175, DT-225 HIRL IAP. AD RWY 07: REIL. Tree. Rgt tfc. 0.9% up. 0000000000 CC RWY 25: MALSR. PAPI(P4R)-GA 3.0° TCH 55'. Thid dspicd 1000' 000 G çç 2 œ 1 1% down RUNWAY DECLARED DISTANCE INFORMATION RWY 07: TORA-9000 TODA-9000 ASDA-9000 LDA-9000 RWY 25. TORA-9000 TODA-9000 ASDA-9000 LDA-8000 AIRPORT REMARKS: Attended 1300-0400Z[‡]. CLOSED to unscheduled air carrier operations with more than 30 passenger seats except PPR call arpt manager 970-524-9490. High unmarked terrain all quadrants. Critical acft are Category D IV, B757-200 equivalent 9000 X 150 and lower. Ngt ops discouraged to pilots unfamiliar with arpt. 0 Recommend all acft departing Rwy 25 initiate a left turn as soon 3 as altitude and safety permit to avoid high terrain. Extensive military helicopter training operations surface to 1000' AGL within 25 NM radius Eagle Co Arpt 1330-0500Z[‡]. No snow removal G between midnight and 1300Z[‡]. Air carrier acft should not leave or C3 C3 000 enter Twy A east of Twy C-2. Rwy 25 PAPI only visible to 6° left of 00 0 °° 0 0000 õ o o centerline due to terrain. After 0200Z‡ ACTIVATE HIRL Rwy an 00000 000 07-25, REIL Rwy 07, and MALSR Rwy 25-CTAF. PAPI Rwy 25 operates 24 hours. U.S. Customs user fee arpt: regular office hrs Thu-Mon 1600-0000Z‡. After hrs service avbl. Office 970-524-0490. After hrs 303-472-1125. Three hr advance notice required. WEATHER DATA SOURCES: AWOS-3 135,575 (970) 524-7386. COMMUNICATIONS: CTAF 119.8 ATIS 135.575 RC0 122.2 (DENVER RADIO) DENVER CENTER APP/DEP CON 128.65 **CINC DFI** 124 75 TOWER 119.8 (1400-0200Z‡) GND CON 124.75 CLNC DEL 124.75

AIRSPACE: CLASS D svc 1400-0200Z[‡] other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE DEN.

SNOW (L) VORW/DME 109.2 SXW Chan 29 N39°37.77′ W106°59.47′ 066° 3.5 NM to fld. 8060/12E. Unmonitored 0600–1300Z‡.

EASTON (VALLEY VIEW) (See GREELEY)

219

SW, 08 APR 2010 to 03 JUN 2010




FALCON N39°41.41' W104°37.26' NOTAM FILE DEN.
 (H) VORTACW 116.3 FQF Chan 110 225° 12.8 NM to Centennial. 5780/11E. VORTAC unusable 068°–088° byd 10 NM blo 11,500'.

DENVER H-3E, 5A, L-10G, A


(See BUTTS AAF)

FORT CARSON

SW, 08 APR 2010 to 03 JUN 2010



| LENWOOD SPRINGS MUNI (GWS) 3 S UTC-7(-6 5916 S4 FUEL 100LL NOTAM FILE DEN | DT) N39°30.36′ W107°18.55′ DENVE L-8 |
|---|--|
| RWY 14-32: H3305X50 (ASPH) S-15 | |
| RWY 14 : Trees. RWY 32 : PAPI (P2L)—4.0° TCH 30 | |
| on call at 970–618–0778 or 970–928–9876. Gusty v vicinity of arpt. Numerous +25'–50' buildings, equipm sides of rwy full length. Paragliding ops vicinity 1 to 2 has +3" to 5" lip off edge in various locations. 6' drop permit use Rwy 32 for arrival and Rwy 14 for departur COMMUNICATIONS: CTAF/UNICOM 123.0 RC0 122.2 (DENVER RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE DEN. RED TABLE (H) VORW/DME 113.0 DBL Chan 77 N39 | nent and tie downs approximately 200' from centerline bol miles northwest of arpt up to 18,000' MSL. Rwy 14–32 off all twys. NOISE ABATEMENT: When wind and weather re. No touch and go ldgs. |
| 11800/12E. | |
| RANBY-GRAND CO (GNB) 1 NE UTC-7(-6DT) | N40°05.38′ W105°55.03′ CHEYENI |
| 8203 B FUEL 100LL, JET A NOTAM FILE DEN | Not insp. H-3E, 5A, L-5 |
| RWY 09-27: H5095X70 (ASPH) S-10 MIRL (NSTD) | |
| RWY 09: REIL. APAP(PNIR)—GA 3.0° TCH 50'. | |
| RWY 27: APAP(PNIL)—GA 3.0° TCH 50'. Terrain. Rgt tfc RUNWAY DECLARED DISTANCE INFORMATION | |
| RWY 09: TORA-4959 LDA-4959 | |
| RWY 27: TORA-4959 LDA-4959 | |
| AIRPORT REMARKS: Unattended. Fuel 24 hr self svc. Recom | umended tkf |
| | f 150' from |
| to E only by experienced pilots. Rwy 09 has 6' dropof | |
| to E only by experienced pilots. Rwy 09 has 6' dropof rwy thld. High ground rises quickly to the E. Ultralight | activity 3 |
| | Ip pad at Rwy Trailer |
| rwy thid. High ground rises quickly to the E. Ultralight | ip pad at Rwy Troiler |
| rwy thId. High ground rises quickly to the E. Ultralight miles S of arpt, dalgt hrs surface to 2000' AGL. Runu 27 ends in abrupt drop-off. ACTIVATE MIRL Rwy 09-2 Rwy 09-CTAF. | Ip pad at Rwy Trailer Park |
| rwy thid. High ground rises quickly to the E. Ultralight miles S of arpt, dalgt hrs surface to 2000' AGL. Runu 27 ends in abrupt drop-off. ACTIVATE MIRL Rwy 09–2 Rwy 09–CTAF. WEATHER DATA SOURCES: AWOS-1 119.925 (970) 887-180 | Ip pad at Rwy Trailer Park |
| rwy thid. High ground rises quickly to the E. Ultralight miles S of arpt, dalgt hrs surface to 2000' AGL. Runu 27 ends in abrupt drop-off. ACTIVATE MIRL Rwy 09-2 Rwy 09-CTAF. WEATHER DATA SOURCES: AWOS-1 119.925 (970) 887-180 COMMUNICATIONS: CTAF/UNICOM 123.0 | Ip pad at Rwy Trailer Park |
| rwy thid. High ground rises quickly to the E. Ultralight miles S of arpt, dalgt hrs surface to 2000' AGL. Runu 27 ends in abrupt drop-off. ACTIVATE MIRL Rwy 09–2 Rwy 09–CTAF. WEATHER DATA SOURCES: AWOS-1 119.925 (970) 887-180 | 3. |



RWY 08-26: 4000X25 (TURF-DIRT)

RWY 08: Road. RWY 26: Road.


RWY 14-32: 2400X65 (TURF-DIRT)

RWY 14: Road.


AIRPORT REMARKS: Attended dalgt hrs. Be alert, intensive USAF student training invof Colorado Springs and Pueblo Colorado. Rwy 14–32 condition fair S of model acft flight area. N of this area rwy is unmaintained, use of rwy is not recommended. Unlimited vehicular access to rwys and twys. Ops are primarily helicopter or agricultural ops. Twy not maintained, not recommended for taxi. Rwy 08 +35' trees 1200' from thid 130' right. Rwy 08 end rough with grass encroachment along edges for 1150'. +2' cable 20' east of Rwy 08–26 crossing centerline. Rwy 08–26 and Rwy 14–32 all surfaces soft when wet. Rwy 08 +35' p-lines parallel to thid 1140' from thid. Rwy 26 +3' cable at and parallel to thid. Rwy 32 has 60' ball field backstop 100' from rwy end and 300' right of centerline. Rwy 14–32 has 4' fence 43' right of rwy 14 full length and 4' fence 40' left of rwy first half of rwy. Rwy 14 has -15' ditch 15' from rwy end no both sides of centerline. See Special Notices—USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs and Pueblo Colorado.

COMMUNICATIONS: CTAF 122.9

223



HARRIET ALEXANDER FLD (See SALIDA)



AIRPORT REMARKS: Attended 1300–03002‡. Class I, ARFF Index C from Dec–Mar. ARFF Index B from Apr–Nov. Possible severe winter conditions from Nov–Apr. Check NOTAMS for arpt conditions. No arpt information nor snow removal guaranteed during hours of nonattendance. CLOSED to unscheduled air carrier ops with more than 30 passenger seat except PPR, call arpt manager 970–276–5000. Large flocks of sandhill cranes around arpt in spring. All acft report 10 minutes prior to tkf/ldg on 123.0—monitor frequency 24 hrs, PAEW on rwy. Between 1300–03002‡ ctc UNICOM prior to all tkfs and ldgs for PAEW advisories. PPR for escort to–from active rwy during normal business hrs. During snow season ctc UNICOM. Request all acft departing Rwy 28 make right or left turnout as soon as safety permits after tkf to avoid town of Hayden and comply with noise abatement procedures. Ldg fee for acft 11,000 pounds and over. ACTIVATE HIRL Rwy 10–28, REIL Rwy 28, PAPI Rwy 10 and MALSF Rwy 10—CTAF.

 RW9 10—C1AF.

 WEATHER DATA SOURCES: AWOS-3 119.275 (970) 276-3690.

 COMMUNICATIONS: CTAF/UNICOM 123.0

 HAYDEN RC0 122.25 (DENVER RADIO)


 DENVER CENTER APP/DEP CON 120.475

 AIRSPRACE: CLASS E svc 1400-04002‡ other times CLASS G.

 RADIO AIDS TO NAVIGATION: NOTAM FILE DEN.

 HAYDEN (H) VORW/DME 115.6
 CHE Chan 103 N40°31.21' W107°18.29' 106° 4.6 NM to fld. 7269/14E.

 ILS/DME 109.9
 I-HDN
 Chan 36 Rwy 10. Class IB.



AIRPORT REMARKS: Attended daylight hours. 24 hr credit card svc avbl. Rwy 09–27 has -3' ditch 45' north of rwy edge full length. Rwy 09 has a detention pond 110' left of centerline and 175' east of the thld. Twy intersects Rwy 09–27 midfield. ACTIVATE LIRL Rwy 15–33—CTAF.


COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE DEN.


MILE HIGH (H) VORTACW 114.7 DVV Chan 94 N39°53.68' W104°37.46' 333° 13.0 NM to fld. 5270/11E.


| HUGO N38°49.05′ W103°37.28′ NOTAM FILE DEN. | WICHITA |
|---|-------------|
| (H) VORTACW 112.1 HGO Chan 58 344° 27.5 NM to Limon Muni. 5233/12E. | H–5A, L–10F |
| IRONHORSE N38°40.70' W104°45.20' NOTAM FILE FCS. | DENVER |
| NDB (MHW) 335 IHS at Butts AAF (Fort Carson). Unmonitored Jan 1 and Dec 25. | L-10F |

NDB unusable 210°-300° byd 20 NM blo 20,000'.



227





| | ANIMAS | |
|-----|---|--|
| | CITY OF LAS ANIMAS-BENT COUNTY (7V9) 1 S UTC-7(-6DT) N38°03.24' W103°14.31 3915 S4 NOTAM FILE DEN RWY 08-28: H3870X40 (ASPH) S-5 | ′ WICHITA L–10F |
| | RWY 08: Fence. RWY 26: Road. AIRPORT REMARKS: Attended Monday–Saturday 1500–00002‡. Be alert, intensive USAF student train Colorado Springs and Pueblo Colorado. Rwy 26 has +30' poles 105' from thid 210' left of extd +15' tank 321' from rwy end 270' right of centerline. Thild Igts NSTD; three Igts each end. Thid Rwy 08 thild Igts 23' from thid. Rwy 26 thild Igts 12' from thid. Rwy 08 numbers located 216' fr end, Rwy 08–26 numbers smaller than standard, no centerline markings. See Special Notices-Flight Training Areas, Vicinity of Colorado Springs and Pueblo Colorado. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE LAA. LAMAR (H) VORTAC 116.9 LAA Chan 116 N38°11.83' W102°41.25' 240° 27.5 NM to fld. | I rwy centerline, Igts OTS indef. om pavement –USAF 306 FTG |
| | | |
| LA | VETA CUCHARA VALLEY AT LA VETA (Ø7V) 1 N UTC-7(-6DT) N37°31.43' W105°00.56' 7153 B FUEL 100LL, JET A NOTAM FILE DEN RWY 06-24: H5798X60 (ASPH) MIRL (NSTD) RWY 06: Thid dspicd 250'. RWY 24: Thid dspicd 198'. Fence. | DENVER H-5a, L-10f, 15 <i>1</i> |
| | AIRPORT REMARKS: Attended on call. For attendant call 719–742–3291 or 3747. Wildlife on and involving higher occurrence during Jun-Oct. Be alert, intensive USAF student training invof Colorado Spri Colorado. Rwy 06–24 has severe cracking on ramp and rwy. NSTD MIRL, Rwy 06 first 96' unlig 92' unlighted. ACTIVATE MIRL Rwy 06–24—122.7. See Special Notices—USAF 306 FTG Flight Vicinity of Colorado Springs and Pueblo Colorado. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ALS. | ngs and Pueblo hted, Rwy 24 first |
| | ALAMOSA (H) VORTACW 113.9 ALS Chan 86 N37°20.95' W105°48.93' 062° 39.9 NM to f | ld. 7535/13E. |
| | LA VETA PASS VTP N37°30.72' W105°10.23'/10216. AW0S-3 119.925 719-587-3120. | DENVER L-10F, 15A |
| | LEACH (See CENTER) | |
| LEA | DVILLE LAKE CO (LXV) 2 SW UTC-7(-6DT) N39°13.22' W106°19.00' 9927 B FUEL 100LL, JET A NOTAM FILE LXV RWY 16-34: H6400X75 (ASPH) S-20, D-20 MIRL | DENVER H-3e, 5a, L-9e Iaf |
| | RWY 16: PAPI(P2L)—GA 3.0° TCH 45'. Ret tfc. | |
| | AIRPORT REMARKS: Attended May-Oct 1430-0100Z‡, Nov-Apr 1500-00002‡. For svc after hrs call sheriff dispatch 719-486-1249. Rwy 34 has +50' power lines 750' from right of | |
| | NWT 34: PAPI(P2L)—GA 3.0° TCH 45'. AIRPORT REMARKS: Attended May–Oct 1430–0100Z‡, Nov–Apr 1500–00002‡. For svc after hrs call sheriff dispatch 719–486–1249. Rwy 34 has +50' power lines 750' from right of threshold. All taxiways and new ramp area marked with blue and white reflectors. Twy turnoff have Igts and blue reflectors. PPR for svc after hours call 719–293–5110. ACTIVATE MIRL Rwy 16–34 and PAPI Rwy 16 and Rwy 34—CTAF. WEATHER DATA SOURCES: ASOS 118.375 (719) 486–2735. COMMUNICATIONS: CTAF/UNICOM 122.8 DENVER CENTER APPINEP CON 110.85 | a a a a a a a a a a a a a a a a a a a |
| | NWT 34: PAPI(P2L)—GA 3.0° TCH 45'. AIRPORT REMARKS: Attended May–Oct 1430–0100Z‡, Nov–Apr 1500–0000Z‡. For svc after hrs call sheriff dispatch 719–486–1249. Rwy 34 has +50' power lines 750' from right of threshold. All taxiways and new ramp area marked with blue and white reflectors. Twy turnoff have Igts and blue reflectors. PPR for svc after hours call 719–293–5110. ACTIVATE MIRL Rwy 16–34 and PAPI Rwy 16 and Rwy 34—CTAF. WEATHER DATA SOURCES: ASOS 118.375 (719) 486–2735. COMMUNICATIONS: CTAF/UNICOM 122.8 DENVER CENTER APP/DEP CON 119.85 RADIO AIDS TO INAVIGATION: NOTAM FILE DEN. DED TABLE (W) VMOWME 1120. DPI. Chap 77, N20°26 26'. | a a a a a a a a a a a a a a a a a a a |


LIMON MUNI (LIC) 1 NE UTC-7(-6DT) N39°16.49' W103°39.95' 5374 B S2 FUEL 100LL NOTAM FILE LIC RWY 16-34: H4700X60 (CONC) S-12.5 MIRL RWY 16: PAPI(P2L) Trees RWY 34: PAPI(P2L)-GA 3.0° TCH 40'. Trees. AIRPORT REMARKS: Unattended. For fuel svc call Limon Police Dept at 719-775-2346/9211. Deer on and invof arpt. Be alert, intensive USAF student training invof Colorado Springs and Pueblo Colorado. Uncontrolled vehicle access to fld. Rwy 16 has 3000' twy leading into the South end. Twy marked with blue reflectors. ACTIVATE MIRL Rwy 16-34 and PAPI Rwy 16 and Rwy 34-CTAF. See Special Notices-USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs and Pueblo Colorado. WEATHER DATA SOURCES: ASOS 121.125 (719) 775-0515. **COMMUNICATIONS: CTAF** 122.9 RC0 122.475 (DENVER RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE DEN. HUGO (H) VORTACW 112.1 HGO Chan 58 N38°49.05' W103°37.28' 344° 27.5 NM to fld. 5233/12E.



WICHITA

DENVER

LONGMONT



 MACK MESA
 (CØ7)
 3 N
 UTC-7(-6DT)
 N39°16.09' W108°51.84'

 4724
 S4
 FUEL
 100LL
 NOTAM FILE DEN


 RWY 07-25:
 H2600X60 (ASPH)


 AIRPORT REMARKS:
 Attended dalgt hours.

 COMMUNICATIONS:
 CTAF

MC ELROY AIRFIELD (See KREMMLING)

MEADOW LAKE (See COLORADO SPRINGS)






COMMUNICATIONS: CTAF/UNICOM 122.8

DENVER APP/DEP CON 125.35

RADIO AIDS TO NAVIGATION: NOTAM FILE DEN.


DOVE CREEK (H) VORTACW 114.6 DVC Chan 93 N37°48.53' W108°55.88' 020° 31.1 NM to fid. 6990/14E. COMM/NAV/WEATHER REMARKS: UNICOM answered by Sheriff Dispatch, avbl 24 hrs.


SW, 08 APR 2010 to 03 JUN 2010



| PERRY STOKES | (See TRINIDAD) | |
|--------------|--|-----------------|
| | .66′ W104°42.98′ NOTAM FILE COS. 407 CO 354° 6.7 NM to City of Colorado Springs Muni. | DENVER L-10F |

PLATTE VALLEY AIRPARK (See HUDSON)






RADIO AIDS TO NAVIGATION: NOTAM FILE RIL.

RIFLE (L) VORW/DME 110.6 RIL Chan 43 N39°31.69' W107°42.98' at fld. 5529/12E.






| ROBERT N40°27.82' W106°52.34' NOTAM FILE DEN. (L) VORW/DME 112.2 BQZ Chan 59 352° 3.2 NM to Steamboat Springs/Bob Adams FId. 8254/ | CHEYENN 13e. L-9e, 11 |
|--|--------------------------|
| VOR portion unusable: | |
| 010°-036° byd 30 NM blo 16,000′ 037°-090° byd 30 NM blo 14 DME portion unusable: | ,500′ |
| 010°-036° byd 30 NM 090°-135° byd 25 NM blo 15 | ,000′ |
| 037°-090° byd 20 NM | |
| ROCKY MOUNTAIN METROPOLITAN (See DENVER) | |
| SAGUACHE MUNI (Ø4V) 2 NW UTC-7(-6DT) N38°05.96' W106°10.47' | DENVE |
| 7826 NOTAM FILE 04V | |
| RWY 10-28: 7745X55 (GRVL) RWY 10: Road. RWY 28: Road. | |
| RWY 10: Road. RWY 28: Road. AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Unlimited vehicle use on arpt. Rwy 28 has - | 5' ditch 288' |
| from thild OB and $-4'$ terrain 70' left of centerline at thild. Dirt hills +8' to +15' 215' north of rwy. | |
| prairie dog holes on rwy edge near Rwy 28 end. Rwy 10-28 has +2' bushes along rwy edge in vari | |
| Rwy 10–28 soft when wet. For current arpt conditions ctc arpt manager 719–655–2321. Rwy 10– | 28 has rwy |
| numbers 55' by 75' asph pads on each rwy end. | |
| WEATHER DATA SOURCES: AWOS-3 118.625 (719) 655-2229. | |
| COMMUNICATIONS: CTAF 122.9 | |
| .IDA HARRIET ALEXANDER FLD (ANK) 2 W UTC-7(-6DT) N38°32.30' W106°02.92' | DENVE |
| HARKILI ALLXANULK FLU (ANK) 2 W UTC-7(-6DT) N38°32.30′ W106°02.92′ 7523 B Fuel 100ll, jet a notam file den | DENVE H-3E, 5A, L-9 |
| RWY 06-24: H7347X75 (ASPH) S-30, D-60 MIRL 1.9% up W | II-JL, JA, L- |
| RWY 24: VASI(V2L)—GA 3.2° TCH 55'. | |
| AIRPORT REMARKS: Attended 1500-0000Z‡. Fuel avbl with credit card. Hang-gliding ops in the Mt Princ | eton area and |
| 6 miles E of arpt along the ridge. Be alert, intensive USAF student training invof Colorado Springs | and Pueblo |
| Colorado. During high wind conditions downdrafts approaching Rwy 24. Rwy 24 recommended for | |
| 06 for departure weather and tfc permitting. 6–7 inch lip at pavement edges on apron west of fue | |
| 06 +60' Powerline marked with orange balls 630' from thild, 435' left of rwy extended centerline. | |
| Rwy 06–24 and VASI Rwy 24—CTAF. See Special Notices—USAF 306 FTG Flight Training Areas, V Colorado Springs and Pueblo Colorado. | ICINITY OF |
| WEATHER DATA SOURCES: AWOS–3 133.85 (719) 539–5268. | |
| COMMUNICATIONS: CTAF/UNICOM 122.7 | |
| DENVER CENTER APP CON 128.375 | |
| DENVER CENTER DEP CON 119.85 | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE DEN. | |
| BLUE MESA (H) VORW/DME 114.9 HBU Chan 96 N38°27.13' W107°02.39' 069° 47.0 NM to t | ld. 8730/14E |
| HELIPAD H1: H36X36 (CONC) | ••• |
| SAN LUIS VALLEY RGNL/BERGMAN FIELD (See ALAMOSA) | |
| SILVER WEST (See WESTCLIFFE) | |
| SKIPI N39°47.51′ W104°26.05′ NOTAM FILE DEN. | DENVE |
| NDB (LOM) 321 FT 255° 5.1 NM to Front Range. | DENTE |
| SNOW N39°37.77′ W106°59.47′ NOTAM FILE DEN. | DENVE |
| (L) VORW/DME 109.2 SXW Chan 29 066° 3.5 NM to Eagle Co Rgnl. 8060/12E. | L-9 |
| | |
| VOR/DME unmonitored 0600–1300Z‡. | |
| VOR/DME unmonitored 0600-13002‡. VOR/DME unusable 115°-135° | |

SPANISH PEAKS AIRFIELD (See WALSENBURG)

236



SW, 08 APR 2010 to 03 JUN 2010

| SUNLIGHT MOUNTAIN 55M N39°25.53' W107°22.75'/10603. AW0S-3 126.075 970–384–3380. AWOS visibility unreliable indef. | DENVE L—9 |
|--|--|
| TELLURIDE RGNL (TEX) 5 W UTC-7(-6DT) N37°57.23' W107°54.51' 9070 B FUEL 100, JET A 0X 1, 2, 3, 4 TPA-10484(1414) Class I, ARFF Index A NOTAM FILE TEX NOTAM FILE TEX 0.0 NUPL 0.0 NUPL | DENVE H-3e, L-9 IA |
| RWY 09-27: H6870X100 (ASPH-GRVD) S-45, D-62 MIRL RWY 09: REIL. PAPI(P4L)-GA 3.5° TCH 45'. HIII. Rgt tfc. RWY 27: REIL. PAPI(P4L)-GA 2 RUNWAY DECLARED DISTANCE INFORMATION RWY 09: TORA-6870 TORA-6870 ASDA-6870 LDA-6870 | 1.0° TCH 45'. Hill. |
| RWY 27: TORA-6870 TODA-6870 ASDA-6870 LDA-6870 AIRPORT REMARKS: Attended 1400-sunset plus 30 minutes. Arpt CLOSED 30 minutes after SS u minutes before SR whichever is later. Pilots operating after curfew will be prosecuted. Risir quadrants. Arpt on 1000' mesa, strong vertical turbulence in area of mesa edge. Rwy 09–2 near midpoint then +1.9%. Rwy 09–27 recommended tkf Rwy 27, land Rwy 09. ARFF restric design groups AI, AII, AIII, BI and BII. Glider, hang glider and helicopter ops on and invof arg at ngt. Noise abatement procedures in effect call 970–728–5051. ACTIVATE MIRL Rwy 09– Rwy 27, REIL Rwy 09 and Rwy 27—CTAF. Approach light system emergency use only 30 min SS–1300Z‡ or 30 minutes before SR, whichever is later. Arpt lighting system emerg use or sunset–1300Z‡ or 30 minutes before sunrise (whichever is later). Ldg fee. WEATHER DATA SOURCES. AWOS–3 118.325 (970) 728–1534. COMMUNICATIONS: CTAF/UNICOM 123.0 RC0 122.15 (DENVER RADIO) DENVER APP/DEP CON 125.35 RADIO AIDS TO NAVIGATION: NOTAM FILE DEN. CONES (L) VORW/DME 110.2 ETL Chan 39 N38°02.42' W108°15.52' 095° 17.4 NM to Unmonitored. ILS/DME 109.3 I–TEX Chan 30 Rwy 09. Localizer only. LOC unusable from 1 DME to by 420° either side of course. DME unusable 20° left and right of course. | ng terrain all 17 grade –1.9% to ted to FAR 139 ot. No snow removal 27, PAPI Rwy 09, an hutes after Ily 30 minutes after |
| THURMAN N39°41.90' W103°12.90' NOTAM FILE DEN. (L) VORTACW 112.9 TXC Chan 76 207° 33.0 NM to Limon Muni. 4893/12E. | WICHIT H–5A, L–10 |
| TOBE N37°15.52′ W103°36.00′ NOTAM FILE DEN. (L) VORTACW 111.2 TBE Chan 49 258° 35.5 NM to Perry Stokes. 5730/12E. | WICHIT H–5A, L–15 |
| RINIDAD PERRY STOKES (TAD) 10 NE UTC-7(-6DT) N37°15.56' W104°20.44' 5762 B FUEL 100LL, JET A NOTAM FILE TAD RWY 09-27: 5500X100 (TURF-GRVL) RWY 09: Tree. | DENVE H-5A, L-10F, 15 IA |
| RWY 03-21: H5498X100 (ASPH) S-37, D-50 MIRL 0.4% up SW | |
| RWY 03: PAPI(P2L) GA 3.0° TCH 36'. RWY 21: PAPI(P2L) GA 3.0° TCH 38'. Trees. AIRPORT REMARKS: Attended Mon–Sat 1500–0100Z‡. Be alert, intensive USAF student training in and Pueblo Colorado. Rwy 09–27 has +3'-6' bushes on edge both sides of rwy along entire 846' from thid Rwy 09 and 137' right. Rwy 09 +4' bushes, +3' posts within 100' of rwy end center. Rwy 09–27 has rough and uneven asphalt at intersection with Rwy 03–21. Rwy 09–Rwy 03–15 terrain within 50' on both sides of rwy. Rwy 09–27 various prairie dog holes thr have blue/white reflectors at pavement edge. ACTIVATE MIRL Rwy 03–21 and PAPI Rwy 03 PPR. See Special Notices—USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs Colorado. WEATHER DATA SOURCES: ASOS 119.025 (719) 845–1156. | d on both sides of 27 soft when wet. oughout rwy. Twys and Rwy 21—CTAF. |

RCO 122.2 (DENVER RADIO)

| USAF ACADEMY AFLD (AFF) N38°58.18'W104°48.77' NOTAM FILE DEN. AIRSPACE: CLASS D airspace operates from Mon-Fri SR-SS. Sat 1400–2100Z‡. Closed Sun ar Other times class G. | DENVER nd holidays. L-10F |
|--|--|
| VANCE BRAND (See LONGMONT) | |
| WALDEN-JACKSON CO (33V) 1 NE UTC-7(-6DT) N40°45.02' W106°16.29' 8153 B FUEL JET A NOTAM FILE DEN RWY 04-22: H5901X75 (ASPH) S-25 MIRL RWY 17-35: 4020X100 (TURF) RWY 17: Fence. RWY 35: Road. AIRPORT REMARKS: Attended on call. Phone 970-723-4660 or 970-723-4481 or 970-846-66 powerline 660' from rwy end 750' left of extended centerline. Rwy 04 has -50' dropoff controlled model acft opr on arpt at SE corner. Occasional deer and antelope on rwys. Rv on centerline, tops of fence posts painted yellow. Rwy 17-35 marked with inoperable rwy cones. Rwy 22 number located 125' from pavement end. Restrooms avbl May-Sep on ar | 450' from thId. Radio wy 35 +4' fence at thId y edge lgts and orange |
| 04-22-CTAF. WEATHER DATA SOURCES: AWOS-3 118.625 (970) 723-4513. Communications: CTAF 122.9 Denver Center App/dep Con 126.5 Radio Aids to Navigation: Notam File Den. | 5 NM to fld. 9370/14E. |
| VALSENBURG SPANISH PEAKS AIRFIELD (4V1) 5 N UTC-7(-6DT) N37°41.80' W104°47.11' 6047 FUEL 100LL NOTAM FILE DEN RWY 08-26: H4896X60 (ASPH) S-5 LIRL (NSTD) RWY 08: Thid dspicd 419'. Road. RWY 26: Fence. RWY 03-21: 2500X40 (TURF-DIRT) | DENVER L-10F, 15/ |
| RWY 03: Road. AIRPORT REMARKS: Attended irregularly. 24 hr credit card fuel avbl. Arpt CLOSED to acft over 1 03–21 CLOSED except PPR ctc arpt manager prior to use 719–742–5323 or 719–859–5 USAF student training invof Colorado Springs and Pueblo Colorado. Rwy 03 first 1000' h. 03 rough and not well maintained. Rwy 08–26 NSTD MIRL 4509' lighted. ACTIVATE NSTE 08–26—CTAF. See Special Notices—USAF 306 FTG Flight Training Areas, Vicinity of Color Pueblo Colorado. WEATHER DATA SOURCES: AWOS–3 123.6 (719) 738–1053. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE PUB. | 323. Be alert, intensive as ruts and bumps. Rwy D LIRL Rwy |
| VESTCLIFFE SILVER WEST (CØ8) 9 SE UTC-7(-6DT) N38°00.67' W105°22.37' 8290 FUEL 100LL NOTAM FILE DEN RWY 13-31: H7000X55 (ASPH) | DENVEI H-3E, 5A, L-10 |
| RWY 31: Ground. AIRPORT REMARKS: Unattended. 24 hr self serve fuel. Be alert, intensive USAF student training and Pueblo Colorado. Occasional deer and elk on Rwy 13–31. Rwy 13–31 has varying ter +12' along full length of rwy inside of primary surface. Rwy 13–31 has +15' Highway 12C centerline full length, +4' fence 100' W of and parallel to centerline full length. See Spect FTG Flight Training Areas, Vicinity of Colorado Springs and Pueblo Colorado. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO AWIGATION: NOTAM FILE ALS. ALAMOSA (H) VORTACW 113.9 ALS Chan 86 N37°20.95' W105°48.93' 015° 44.9 N | rrain heights from -5 to D' W of and parallel to |
| WESTWINDS (See DELTA) | |
| WILKERSON PASS 4BM N39°02.93′ W105°30.73′/11279 AW0S-3 134.375 541-386-2386. | DENVER L-10F |
| WOLF CREEK PASS CPW N37°27.87′ W106°48.27′/11760. AWOS-3 121.125 970-264-2180. | DENVER L-9E |


| WRAY MUNI (2V5) 2 NW UTC-7(-6DT) N40°06.02' W102°14.46' | CHEYEN |
|--|---|
| 3667 B S4 FUEL 100LL NOTAM FILE DEN | H-5A, L-1 |
| RWY 17-35: H5400X75 (ASPH) S-16 MIRL 0.7% up N | L. |
| RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 40′. RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 40′. | |
| AIRPORT REMARKS: Attended Mon-Fri 1500-0000Z‡, Sat 1500-1900Z‡. 24 hr self serve fuel avbl. E | Be alert, intensiv |
| USAF student training invof Colorado Springs and Pueblo Colorado. Putting greens and 4' fence | s 50' right and |
| 75' left of rwy centerline. Twy marked with blue reflectors. ACTIVATE MIRL Rwy 17-35 CTAF. Se | e Special |
| Notices—USAF 306 FTG Flight Training Areas, Vicinity of Colorado Springs and Pueblo Colorado |). |
| WEATHER DATA SOURCES: AWOS-3 118.250 (970) 332-5930. | |
| COMMUNICATIONS: CTAF/UNICOM 122.8 | |
| R DENVER CENTER APP/DEP CON 132.7 | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE GLD. | |
| GOODLAND (H) VORTACW 115.1 GLD Chan 98 N39°23.27' W101°41.54' 317° 49.7 NM to | fld. 3650/12E. |
| HIWAS | |
| HIWAS | |
| YAMPA VALLEY (See HAYDEN) | |
| | CHEYEN |
| YAMPA VALLEY (See HAYDEN) | |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' | |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN | L-1 |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRVL) RWY 14-34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R | L–1 |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRVL) RWY 30: Road. RWY 30: Road. | L–1 oad. Rgt tfc. |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12: Road. REVY 31: Road. RWY 31: Road. AIRPORT REMARKS: Attended Mon-Sat dalgt hours. Be alert, intensive USAF student training invof Co | L-1 oad. Rgt tfc. lorado Springs |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 12-30: 2900X40 (ASPH-GRL) RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRL) RWY 30: Road. AIRPORT REMARKS: Attended Mon-Sat daigt hours. Be alert, intensive USAF student training invof Co and Pueblo Colorado. Rwy 12-30 soft when wet. Center 360' Rwy 12-30 asphalt. Remainder g | L–1 oad. Rgt tfc. lorado Springs ravel. Rwy 12 h |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRVL) RWY 30: Road. RWY 12: Road. Rgt tfc. RWY 30: Road. AIRPORT REMARKS: Attended Mon-Sat daigt hours. Be alert, intensive USAF student training invof Coo and Pueblo Colorado. Rwy 12-30 soft when wet. Center 360' Rwy 12-30 asphalt. Remainder g +20' bldg 90' from thid, 213' right. Rwy 30 has -2' ditch at thid, +4' fence 50' from thid. Twy | L-1 oad. Rgt tfc. lorado Springs ravel. Rwy 12 h s marked with |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 12-30: 2900X40 (ASPH-GRL) RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRL) RWY 30: Road. AIRPORT REMARKS: Attended Mon-Sat daigt hours. Be alert, intensive USAF student training invof Co and Pueblo Colorado. Rwy 12-30 soft when wet. Center 360' Rwy 12-30 asphalt. Remainder g | L-1 oad. Rgt tfc. lorado Springs ravel. Rwy 12 h s marked with |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRVL) RWY 30: Road. RWY 12: Road. Rgt tfc. RWY 30: Road. AIRPORT REMARKS: Attended Mon-Sat daigt hours. Be alert, intensive USAF student training invof Coo and Pueblo Colorado. Rwy 12-30 soft when wet. Center 360' Rwy 12-30 asphalt. Remainder g +20' bldg 90' from thid, 213' right. Rwy 30 has -2' ditch at thid, +4' fence 50' from thid. Twy | L-1 oad. Rgt tfc. lorado Springs ravel. Rwy 12 h. s marked with 6, PAPI Rwy 34 |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRVL) RWY 30: Road. AIRPORT REMARKS: Attended Mon-Sat dalgt hours. Be alert, intensive USAF student training invof Co and Pueblo Colorado. Rwy 12–30 soft when wet. Center 360' Rwy 12–30 asphalt. Remainder g +20' bldg 90' from thid, 213' right. Rwy 30 has -2' ditch at thid, +4' fence 50' from thid. Twy: blue and yellow reflectors. MIRL Rwy 16–34 preset med ints dusk-dawn, ACTIVATE PAPI Rwy 10 | L-1 oad. Rgt tfc. lorado Springs ravel. Rwy 12 h s marked with 5, PAPI Rwy 34 |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12: Road. ROBH-GRVL) RWY 30: Road. RIPORT REMARKS: Attended Mon-Sat dalgt hours. Be alert, intensive USAF student training invof Co and Pueblo Colorado. Rwy 12-30 soft when wet. Center 360' Rwy 12-30 asphalt. Remainder g +20' bldg 90' from thid, 213' right. Rwy 30 has -2' ditch at thid, +4' fence 50' from thid. Twy: blue and yellow reflectors. MIRL Rwy 16-34 preset med ints dusk-dawn, ACTIVATE PAPI Rwy 14' and REIL Rwy 16, REIL Rwy 34—CTAF. See Special Notices—USAF 306 FTG Flight Training Area | L-1 oad. Rgt tfc. lorado Springs ravel. Rwy 12 h s marked with 5, PAPI Rwy 34 |
| YAMPA VALLEY (See HAYDEN) YUMA MUNI (2V6) 1 SE UTC-7(-6DT) N40°06.25' W102°42.78' 4136 B S4 FUEL 100LL NOTAM FILE DEN RWY 16-34: H4200X75 (CONC) MIRL S-12.5 RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 40'. R RWY 12-30: 2900X40 (ASPH-GRVL) RWY 30: Road. AIRPORT REMARKS: Attended Mon-Sat daigt hours. Be alert, intensive USAF student training invof Co and Pueblo Colorado. Rwy 12–30 soft when wet. Center 360' Rwy 12–30 asphalt. Remainder g +20' bidg 90' from thid, 213' right. Rwy 30 has -2' ditch at thid, +4' fence 50' from thid. Twys blue and yellow reflectors. MIRL Rwy 16–34 preset med ints dusk-dawn, ACTIVATE PAPI Rwy 10' and REIL Rwy 16, REIL Rwy 34—CTAF. See Special Notices—USAF 306 FTG Flight Training Area Colorado Springs and Pueblo Colorado. | L-1 oad. Rgt tfc. lorado Springs ravel. Rwy 12 h. s marked with 6, PAPI Rwy 34 |

NEVADA

| ALAMO LANDING FLD (L92) 2 W UTC-8(-7DT) N37°21.75' W115°11.67' 3719 NOTAM FILE RNO RWY 14-32: 5000X120 (DIRT) RWY 14: Brush. RWY 32: Berm. RWY 15-33: 2500X70 (DIRT) RWY 15: Berm. RWY 33: Berm. AIRPORT REMARKS: Unattended. Uncontrolled vehicle access. No line of sight between rwy of 14-32 livestock in vicinity of rwys. COMMUNICATIONS: CTAF 122.9 | LAS VEGAS ends. Rwys 15–33 and Rwy |
|--|--|
| AUSTIN (TMT) 4 SW UTC-8(-7DT) N39°28.08' W117°11.72' 5730 B NOTAM FILE RNO RWY 18-36: H6000X75 (ASPH) S-30 MIRL RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40'. AIRPORT REMARKS: Unattended. Military acft opr in vicinity of arpt. ACTIVATE MIRL Rwy 18-REIL Rwy 18 and 36—CTAF. WEATHER DATA SOURCES: AWOS-3 132.95 (775) 964–1144. Plus precipitation and thunders COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. MINA (H) VORTAC 115.1 MVA Chan 98 N38°33.92' W118°01.97' 019° 66.8 NM HIWAS. HIWAS. | 36, PAPI Rwys 18 and 36, storm. |
| BATTLE MOUNTAIN (BAM) 3 SE UTC-8(-7DT) N40°35.94' W116°52.46' 4532 B S4 FUEL 100LL, JET A NOTAM FILE RNO RWY 12-30: H7300X100 (ASPH) S-30, D-104, ST-159 MIRL RWY 03-21: H7299X150 (ASPH) S-30, D-125, ST-132 MIRL RWY 03-21: H7299X150 (ASPH) S-30, D-125, ST-132 MIRL RWY 03-21: H7299X150 (ASPH) S-30, D-125, ST-132 MIRL RWY 12: PAP(P4L)—GA 3.0° TCH 45'. AIRPORT REMARKS: Attended Oct-May 1500-0100Z‡, Jun-Sep 1500-0200Z‡. After hrs call 775-635-2245. ACTIVATE MIRL Rwy 03-21 and Rwy 12-30, and perimeter lgts H1—CTAF. WEATHER DATA SURGES: AWOS-3 119.45 (775) 635-8419. COMMUNICATIONS: CTAF/UNICOM 122.8 MT LEWIS RC0 122.65 (RENO RADIO) SALT LAKE CENTER APP/DEP CON 132.25 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. (H) VORTACW 112.2 BAM Chan 59 N40°34.15' W116°55.34' 033° 2.8 NM to fid. 4536/18E. VORTAC unusable: 050°-060° byd 15 NM bio 12,000' 255°-290° byd 15 NM bio 12,000' DME unusable 246°-255° byd 34 NM bio 14,000' HELIPAD H1: H60X60 (CONC) HELIPAD H2: H60X60 (CONC) HELIPAD H2: H60X60 (CONC) HELIPAT REMARKS: Rwy H1 perimeter lights. ACTIVATE MIRL Rwy 03-21 and Rwy 12-30, a H1—CTAF. | SALT LAKE CITY H-3C, L-9B, 11B IAP |

_

NEVADA




DME unusable 088°-110° byd 20 NM 110°-130° byd 32 NM

| KIDWELL (1L4) 0 S UTC-8(-7DT) N35°18.33' W114°52.97' 2605 NOTAM FILE RNO RWY 15-33: 4140X65 (DIRT) LIRL (NSTD) | PHOENIX |
|--|---|
| RWY 15: Fence. RWY 33: Road. AIRPORT REMARKS: Attended continuously. Ultralight activity on and invof arpt. Arpt is residential airpa automobile tfc on Rwy 15–33. +70' twr 350° left of centerline Rwy 15 and adjacent to the thld. F center 4075' lgtd. Rwy 15–33 NSTD LIRL thld lgts 6 green lgts. COMMUNICATIONS: CTAF 122.9 | |
| ARSON CITY CARSON (CXP) 3 NE UTC-8(-7DT) N39°11.54' W119°43.96' 4705 B S4 FUEL 100, 100LL, JET A OX 1, 3 TPA-5505(800) NOTAM FILE CXP RWY 09-27: H6100X75 (ASPH) S-30 MIRL | SAN FRANCISCO L—9/ |
| RWY 09: PVASI(NSTD)—GA 4.0° TCH 35'. Road. Rgt tfc. RWY 09: PVASI(NSTD)—GA 4.0° TCH 35'. Road. Rgt tfc. RWY 09: PVASI(V2L)—GA 3.0° TCH 2' AIRPORT REMARKS: Attended Jun-Sep 1500-0400Z‡, Oct-May 1600-0300Z‡. Fuel self-service 24 hr activity on and invof arpt. Rwy 09 non-standard PSIL single box left side. Fee for tiedown only. WEATHER DATA SOURCES: AWOS-3 119.925 (775) 884–4708. COMMUNICATIONS: CTAF/UNICOM 123.0 RENO APP/DEP CON 119.2 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. MUSTANG (H) VORTACW 117.9 FMG Chan 126 N39°31.88' W119°39.37' 174° 20.6 NM to 100000000000000000000000000000000000 | s. Ultralight |
| PARKER CARSON (2Q5) 5 E UTC-8(-7DT) N39°12.10' W119°41.01' 4939 NOTAM FILE RNO RWY 06-24: 1700X40 (GRVL) RWY 06: Road. RWY 24: Hill. AIRPORT REMARKS: Unattended. Power lines north, south and west of arpt. Rwy 24 ground rises immer +2' sage brush on rwy edges full length. COMMUNICATIONS: CTAF 122.9 | SAN FRANCISCO |
| COALDALE N38°00.20' W117°46.23' NOTAM FILE RNO. (H) VORTAC 117.7 OAL Chan 124 67° 32.6 NM to Tonopah. 4800/17E. VOR unusable 060°-075° beyond 15 NM below 16,000'. DME unusable 060°-075° beyond 15 NM below 16,000'. VORTAC unusable 150°-180° beyond 15 NM below 15,500' 305°-015° beyond 25 NM below 15,500' RC0 122.1R 117.7T (RENO RADIO) 305°-015° beyond 25 NM below 305°-015° beyond 25 NM below | LAS VEGA: H-3B, L-9/ elow 15,500' |
| | LAS VEGAS L—98 |
| CREECH AFB (INS) N36°35.23' W115°40.40' NOTAM FILE RNO. AIRSPACE: CLASS D svc Mon–Fri 1300–0530Z ⁺ , clsd weekends and holidays, Opr hr vary based on Nellis AFB Wing rgr. ASOS 121.125 DSN 384–0667, C702–404–0667. | |
| AIRSPACE: CLASS D svc Mon-Fri 1300-0530Z [‡] , clsd weekends and holidays, Opr hr vary based on | SALT LAKE CITY |
| AIRSPACE: CLASS D svc Mon-Fri 1300-0530Z‡, clsd weekends and holidays, Opr hr vary based on Nellis AFB Wing rgr. ASOS 121.125 DSN 384-0667, C702-404-0667. CRESCENT VALLEY (U74) 1 E UTC-8(-7DT) N40°24.96' W116°33.81' 4787 NOTAM FILE RNO RWY 15-23: 5424X60 (DIRT) RWY 05: Road. RWY 23: Road. RWY 14-32: 4650X75 (DIRT) RWY 14-32: 4650X75 (DIRT) 140°24.96' | ace. |
| AIRSPACE: CLASS D svc Mon-Fri 1300-0530Z‡, clsd weekends and holidays, Opr hr vary based on Nellis AFB Wing rgr. ASOS 121.125 DSN 384-0667, C702-404-0667. CRESCENT VALLEY (U74) 1 E UTC-8(-7DT) N40°24.96' W116°33.81' 4787 NOTAM FILE RNO RWY 05-23: 5424X60 (DIRT) RWY 05: Road. RWY 23: Road. RWY 14-32: 4650X75 (DIRT) RWY 14-32: 4650X75 (DIRT) RWY 14: Tree. AIRPORT REMARKS: Unattended. Cattle on and invof rwys. Rwy 05-23 first 1600' of Rwy 23 rough surf Uncontrolled vehicle access all runways. Rwy 14-32 +2' earth ridges along rwy edges and 3' bei sides of rwy. Rwy 05-23 -1' drainage ditch both sides rwy, +2' earth ridges along rwy edges. | ace. |

SW, 08 APR 2010 to 03 JUN 2010

| DAYTON/CARSON CITY DAYTON VALLEY AIRPARK (A34) 2 E UTC-8(-7DT) N39°14.31' W119°33.33' 4414 NOTAM FILE RNO Not insp. RWY 05-23: H5343X75 (ASPH) S-30, D-70 RWY 05: Thid dspicd 991'. Tower. Rgt tfc. AIRPORT REMARKS: Unattended. For field information call 775-246-7620. Noise abatement: sm 5414' MSL-1000' AGL; Jets and large acft 1¾ NM S at 6414' MSL-2000' AGL; extend tk residential areas. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. MUSTANG (H) VORTACW 117.9 FMG Chan 126 N39°31.88' W119°39.37' 149° 18.2 N | |
|---|---|
| DENIO JUNCTION (E85) 3 SE UTC-8(-7DT) N41°57.24' W118°37.86' 4202 FUEL MOGAS NOTAM FILE RNO RWY 02-20: 3320X42 (DIRT) RWY 02-11: 3430X90 (DIRT) RWY 13-31: 3430X90 (DIRT) RWY 17-25: 3100X100 (DIRT) RWY 17-25: 3100X100 (DIRT) RWY 17-55: 3100X100 (DIRT) RWY 17-25: 310X100 (DIRT) RWY 17-25: 310X100 (DIRT) RWY 17-25: 310X100 (DIRT) BUR 10X10X10X10X10X10X10X10X10X10X10X10X10X1 | KLAMATH FALLS 5 and Rwy 31 thids |
| DUCKWATER (Ø1U) 6 SE UTC-8(-7DT) N38°51.10' W115°38.02' 5124 NOTAM FILE RNO RWY 15-33: 3400X80 (DIRT) RWY 13-33: 3400X80 (DIRT) RWY 03-21: 2700X75 (DIRT) RWY 03-21: 2700X75 (DIRT) RWY 03-21: Road. AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Rwy 03-21 and Rwy 15-33 overgrown unsu Watch, for livestock on rwys. Rwy 03-21 and Rwy 15-33 uncontrolled vehicle access. Rwy length north side, - 2' ditch full length south side. Rwy 15-33 + 1' berm both sides of rwy edge of rwy, 135' from rwy end, + 4' high. Rwy 33 P-line 1500' from rwy end + 35 ' both s marked with orange ball, 42:1 slope. COMMUNICATIONS: CTAF 122.9 | 03–21 + 1' berm full y. Rwy 03, 2 stakes N |
| DYER (2Q9) 6 SE UTC-8(-7DT) N37°36.58' W118°00.39' 4899 S4 NOTAM FILE RNO RWY 12-30: 2870X50 (DIRT) RWY 12: Pole. RWY 30: Trees. AIRPORT REMARKS: Unattended. Emerg fuel only call 775-572-3059. Rwy 12 p-line marked with 12-30 +1' berms both sides of rwy. Rwy 12-30 thId marked by white tires. NW end Rwy 12: to weeds. Apch Rwy 12 has weeds to 5 inches. COMMUNICATIONS: CTAF 122.9 | · · |

ECHO BAY (See OVERTON)



 EMPIRE
 (1A8)
 1 W
 UTC-8(-7DT)
 N40°34.68' W119°21.16'
 KLAMATH FALLS

 3990
 NOTAM FILE RNO
 RWY 18-36: 3770X42 (DIRT)
 RWY 18-36: 3770X42 (DIRT)


 RWY 18-8gt tfc.
 P-line.
 RWY 07-25: 3170X48 (DIRT)


 RWY 07: Rgt tfc.
 RWY 25: Thid dsplcd 800'. P-line.

 AIRPORT REMARKS: Unattended. No tkf Rwy 07 due to p-line and ball fld lgts +50'. Rwy 25 dsplcd thid marked by 8 white tires. Rwy 18-36 thids marked with white tires. 1' berms around all rwys.

 COMMUNICATIONS: CTAF 122.9

SW, 08 APR 2010 to 03 JUN 2010






| FALLON NAS (VAN VOORHIS FLD |) (NFL)(KN | FL) NAS | 3 NE | UTC-8(-7DT) | SAN FRANCISCO |
|--|------------------|--------------|-------------------|-----------------------|--|
| N39°25.00' W118°42.06 | | | | | H—3B, L—9 <i>I</i> |
| 3934 B TPA—See Remar | rks NOTAM | FILE NFL | | insp. | DIAP, AI |
| RWY 13R-31L: H14005X201 (PE | | 5 R/C/W/T | | | |
| RWY 13R: PAPI(P4L)—GA 3.0° | | | | 4L)—GA 3.5° TCH 5 | 55'. |
| RWY 13L-31R: H11079X200 (CO | | 70 R/C/W | /T HIF | ۲L. | |
| RWY 13L: OLS. PAPI(P4L). RWY 07-25: H7004X154 (PEM) | RWY 31R: (| | HIRL | | |
| RWY 25: OLS. | PCN 44 R | / D/ W/ I | HIKL | | |
| ARRESTING GEAR/SYSTEM | | | | | |
| RWY 13R HOOK E28(B) (1804 | ·′) | | | | HOOK E28(B) (1897') RWY 31 |
| RWY 13L HOOK E28(B) (952') | , | | | | HOOK E28(B) (954') RWY 31 |
| RWY 07 HOOK E28(B) (1300' | | | | | HOOK E28(B) (1293') RWY 3 |
| MILITARY SERVICE: LGT Rwy 07-25 | 5 Portable. | A-GEAR E-2 | 28(B) apo | h end Rwy 31R nor | mally derigged. |
| JASU 1 (GTC-85) 1(NCPP-10 | 5) 2(NC-8A) | FUEL J8 | . 4 hr pri | or notice rqr for acf | t req hot refuel. |
| FLUID SP LOX TRAN ALERT N | lo transient m | aintenance | e/hanger | space or de-ice av | bl. |
| MILITARY REMARKS: Opr Mon-Fri | 1515-0645Z: | t, Sat 1800 | 0–0200Z | ‡, Sun 2000–0200 | Z‡, clsd holidays. See FLIP AP/1 |
| | | | | | MEDEVAC, Search and Rescue, |
| | | | | | estimated time of arrival unless |
| rescheduled, DSN 890-341 | , | | , | , | |
| Foreign Object Damage haza | | | | | |
| | | | - | | n end Rwy 25 varies in width |
| | | | | | wide. Extensive bird activity |
| | | | | | eneral aviation acft opr from Reduced rwy separation standard |
| | | | | | 5500(1566) no overhead for Rw |
| 07 pattern altitude 5000(10 | | | | | |
| NS ABTMT When dep Rwy 31L | | | | | |
| | - | - | | | e area briefing. MISC Schedule of |
| | | | | | al has been granted by the NAS |
| Fallon Ops Officer to extd/m | nodify publish | ed airfield | hrs. Base | e OPS DSN 890-24 | 19/2458, C775-426-2458. |
| Logistics acft expect ASR/P | AR apch. | | | | |
| | 0.925 (Mon–F | ri 1515–06 | 645Z‡, S | at 1800–0200Z‡, S | Sun 2000–0200Z‡, cIsd |
| holidays.) | | | | | |
| (R) NAVY FALLON APP/DEP CON 120. | | | | | 2‡, Sun 2000–02002‡, clsd |
| holidays.), other times cto | | | | | |
| | EL 353.55 | 1515-064 | 452 ‡ , Sa | 1800–02002‡, Sl | ın 2000–0200Z‡, clsd holidays.) |
| | | FSERT CON 1 | 26.2.32 | 35 (Acft transient | , using Fallon Range check in |
| and out—call Desert Cont | | LOLKI GUN 1 | 20.2 322 | | , using railon hange check in |
| | , | . Sat 1800 | -0200Z | . Sun 2000–02007 | t except holidays other times |
| CLASS E. | | , | | , | |
| RADIO AIDS TO NAVIGATION: NOTAM | 1 FILE RNO. | | | | |
| HAZEN (L) VORTAC 114.1 HZ | N Chan 8 | 3 N39°3 | 0.99′ W1 | 18°59.86′ 096 | ° 15.0 NM to fld. 4080/17E. |
| (H) TACAN Chan 82 NFL (1: | 13.5) N39° | 25.01' W1 | .18°42.2 | 9' at fld. 3929/ | 16E. |
| ASR/PAR | | | | | |
| | | | | nima. Inbound trar | isient helicopter ctc Tower 5 min |
| prior to entering CLASS D ai | irspace for en | try procedu | ure. | | |
| | | | | | |
| NLEY TIGER FLD (N58) 35 UTC- | 0(7DT) N | 20022 50/ | 11/4 4 0.04 | 4.401 | |
| () | -8(-7DI) N | 39°33.58′ | W119°1 | 1.49′ | SAN FRANCISCO |
| 4346 NOTAM FILE RNO | | | | | L—9. |
| RWY 15-33: H3974X40 (ASPH) | 3: Hill. | | | | |
| RWY 15: Rgt tfc. RWY 3 RWY 05–23: 2750X40 (GRVL) | 9 : EIII. | | | | |
| RWY 05: Road. RWY 23: | Hill | | | | |
| AIRPORT REMARKS: Unattended. F | | ultiple cree | ks wider | than 3 inches on ru | vv |
| COMMUNICATIONS: CTAF 122.9 | ···· 10-00 III | | No widel | anan o meneo on n | · J · |
| RADIO AIDS TO NAVIGATION: NOTAN | 1 FILE RNO | | | | |
| | | NOODO | | | 44.0 MMA + 514 4000 (475 |

HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118°59.86' 266° 11.6 NM to fld. 4080/17E.

| GABBS (GAB) 4 NW UTC-8(-7DT) N38°55.45' W117°57.54' 4700 B NOTAM FILE RNO RWY 08-26: 5900X65 (DIRT) RWY 16-34: 2800X65 (DIRT) AIRPORT REMARKS: Unattended. Rwy 08-26 and Rwy 16-34 no line of sight between runways. Reco 08, takeoff Rwy 26 wind permitting. Rwy 08-26 weeds +1' full length of rwy. Rwy 16-34 weed rwy. COMMUNICATIONS: CTAF | |
|--|--|
| JFIELD LIDA JUNCTION (ØL4) 14 S UTC-8(-7DT) N37°29.15' W117°11.45' 4684 NOTAM FILE RNO RWY 18-36: 6100X80 (DIRT) RWY 18: Tree. RWY 18: Tree. AIRPORT REMARKS: Unattended. Rwy 18-36 has uncontrolled vehicle access. +30' pole 408' from t centerline extended. Rwy 18-36 edges marked with white tires. COMMUNICATIONS: CTAF 122.9 | LAS VEGA: hid Rwy 18 on |
| HAWTHORNE INDUSTRIAL (HTH) 1 N UTC-8(-7DT) N38°32.66′ W118°38.06′ 4215 B FUEL 100, JET A NOTAM FILE HTH RWY 10-28: H6000X100 (ASPH) S-53, D-93, ST-118, DT-160 | SAN FRANCISCI H–3B, L–9, |
| MIRL RWY 10: REIL. RWY 28: REIL. PAPI(P2L)—GA 3.0° TCH 49'. RWY 15: Railroad. AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. Rwy 33 starts at north edge Rwy 10–28. ACTIVATE MIRL Rwy 10–28—CTAF 122.8. WEATHER DATA SOURCES: AWOS–3 120.225 (775) 945–0727. COMMUNICATIONS: CTAF/UNICOM 122.8 HAZEN RC0 122.1R 114.1T (RENO RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. MINA (H) VORTAC 115.1 MVA Chan 98 N38°33.92' W118°01.97' 251° 28.3 NM to fid. 7860/17E. HIWAS. | 10113300 x 130 3300 x 130 333 Contracting to the total |
| HAZEN N39°30.99' W118°59.86' NOTAM FILE RNO. (L) VORTAC 114.1 HZN Chan 88 078° 11.6 NM to Fallon Muni. 4080/17E. VOR unusable 300°-320° beyond 30 NM below 9500'. RC0 122.1R 114.1T (RENO RADIO) | SAN FRANCISC H–3B, L–9 |
| HENDERSON EXECUTIVE (See LAS VEGAS) | |
| ACKPOT/HAYDEN FLD (Ø6U) 0 E UTC-7(-6DT) N41°58.56' W114°39.49' 5213 B FUEL 100LL NOTAM FILE RNO RWY 15-33: H6200X60 (ASPH) S-12.5 MIRL RWY 15-Building. RWY 33: VASI(V2L)—GA 3.5° TCH 55'. Hill. AIRPORT REMARKS: Attended on call. Attended by Casino on call at 775–755–6595 or use frequency call 775-755-6595 or use frequency 122.8. Bird hazard east of arpt at ponds. Bcn visibility If ACTIVATE MIRL Rwy 15-33—CTAF. COMMUNICATIONS: CTAFL C0 122.5 (RENO RADIO) 12.8 RC0 122.5 (RENO RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE TWF. TWIN FALLS (L) VORTACW 115.8 TWF Chan 105 N42°28.79' W114°29.37' 176° 31.1 NM | |

| RWY 02L-20R: H4600X75 (ASPH) S-12.5 MIRL RWY 02L-20L: H3700X60 (ASPH) S-12.5 MIRL RWY 02R-20L: H3700X60 (ASPH) S-12.5 RWY 02R: Rgt tfc. RWY 20L: Pole. AIRPORT REMARKS: Unattended. Self-svc fuel 24 hours. Parachi Ultralight activity on arpt. Aerobatic activities 2 miles W. P West. Power acft parking W side of fld. Glider parking E si See Special Notice—Aerobatic Practice Area Jean Airport, COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE LAS. | AM FILE RNO L–7E ute Jumping. Skydiving drop zone 4 miles south. Power acft use tfc pattern West of rwy; make entry from de of fid. ACTIVATE MIRL Rwy 02L–20R—CTAF. NOTE: |
|---|--|
| KIDWELL (See CAL NEV ARI) | |
| KINGSTON (N15) 2 E UTC-8(-7DT) N39°12.18' W1 5950 E NOTAM FILE RNO RWY 07-25: 3700X80 (GRVL-DIRT) RWY 16-34: 3072X60 (GRVL-DIRT) RWY 16: P-line. RWY 34: COMMUNICATIONS: CTAF 122.9 | |
| LAKE TAHOE (See SOUTH LAKE TAHOE, CA) | |
| LAS VEGAS N36°04.78' W115°09.59' NOTAM FILE LAS. (H) VORTACW 116.9 LAS Chan 116 at McCarran Intl. VORTAC unusable: 025°-160° byd 20 NM blo 6,000' at McCarran Intl. 160°-200° byd 20 NM blo 9,000' 200°-220° byd 15 NM blo 9,000' at McCarran Intl. 200°-025° byd 15 NM blo 9,000' 200°-025° byd 25 NM blo 11,000' McControl 122.4 (RENO RADIO) | LAS VEGAS 2141/15E. H-4H, L-7E 220°-245° byd 35 NM blo 15,000' 245°-260° byd 35 NM blo 14,000' 260°-275° byd 35 NM blo 14,000' 275°-310° byd 35 NM blo 16,500' |



| NEVADA | 251 |
|--|------------------------------------|
| McCARRAN INTL (LAS) 5 S UTC-8(-7DT) N36°04.80' W115°09.14' 2181 B S4 FUEL 100, 100LL, JET A1 + 0X 1, 2, 3 LRA Class I, ARFF Index E NOTAM FILE LAS RWY 07L-258: H14510X150 (ASPH-PFC) S-23, D-220, ST-175, DT-633, DDT-877 HIRL | LAS VEGAS H-41, L-7e IAP, AD |
| RWY 07L: PAPI(P4L)—GA 3.0° TCH 75'. Thid dspicd 2139'. Hangar. 1.1% down. RWY 25R: MALSR. PAPI(P4L)—GA 3.0° TCH 84'. Thid dspicd 1397'. 0.9% up. RWY 07R-25L: H10526X150 (ASPH-PFC) S-23, D-220, ST-175, DI C22 REVIE | Residential Area |
| DT-633, DDT-914 HIRL RWY 07R: REIL. PAPI(P4L)—GA 3.0° TCH 64'. Pole. 1.1% down. RWY 25I: MALSF. PAPI(P4L)—GA 3.0° TCH 84'. 0.9% up. RWY 01R-19I: H9775X150 (CONC-GRVD) S-23, D-220, ST-175, DT-633, DDT-877 MIRL | Residential Area |
| RWY 01R: REIL. PAPI(P4L)—GA 3.0° TCH 75'. Thid dspicd 491'. Railroad. Rgt tfc. 1.1% down. RWY 19L: REIL. PAPI(P4L)—GA 3.0° TCH 75'. Thid dspicd 878'. Pole. 0.9% up. | У́з-1 Ц. () |
| RWY 01L-19R: H8985X150 (CONC-GRVD) S-30, D-145, ST-175, DT-460, DDT-833 HIRL RWY 01L: REIL. MALSF. PAPI(P4L)—GA 3.40° TCH 57'. Thid dspicd 584'. Railroad. 1.1% down. Galaxies and the second sec | Residential Area |
| UP. RUNWAY DECLARED DISTANCE INFORMATION RWY 01L: TORA-8985 TODA-8985 ASDA-8985 LDA-8401 RWY 01R: TORA-9775 TODA-10172 ASDA-9441 LDA-8681 | |
| RWY 07L: TORA-14510 TODA-15099 ASDA-14099 LDA-11966 RWY 19L: TORA-9775 TODA-10175 ASDA-9685 LDA-8745 | |

ASDA-8397


I DA-8397

RWY 19R. TORA-8985

TODA-9397

RWY 25R: TORA-14510 TODA-15155 ASDA-14155 LDA-12755 AIRPORT REMARKS: Attended continuously. Large numbers of birds and bats invof arpt btn SS-SR. Lgtd golf range 1400' south of Rwy 01R-19L and Rwy 01L-19R. Extensive glider/soaring ops weekends and holidays, SR-SS, LAS 187/020, altitudes up to but not including FL 180. Gliders remain clear of the terminal control area but otherwise opr within the entire southwest quadrant of the terminal control area Veil. Acft may experience reflection of sun from glass hotels located northwest of arpt. Reflection may occur at various altitudes, headings and distances from arpt. Numerous helicopter ops on W side of arpt. Rwy 01L-19R 496,000 lbs GWT for L-1011, 555,000 lbs GWT for DC-10, 602,500 lbs GWT for MD-11. Acft using full length dep on Rwy 07L use minimal power until passing the power-up point on rwy. Power-up point is 348' east of blast pad and marked with sign and standard markings for beginning of rwy. Turbojet dep not permitted Rwy 01R-19L or Rwy 01L-19R 0400-1600Z++. Exception for weather or operational necessity. All non-standard rwy ops PPR from Department of Aviation. Acft taxiing westbound on Twy B near Twy E use caution not to enter the rwy on Twy Y, acft taxiing westbound on Twy W near Twy E use caution not to enter the rwy on Twy W. Twy C no centerline lgts west of Twy B4, has edge lgts on south side of twy in this area. Directional twy signs will be incomplete due to construction. Acft larger than B757 PPR from Department of Aviation to use Twy H. Ops all terminal gates and cargo ramp controlled by Department of Aviation 1400-1000Z[‡]. All acft ctc ramp control on freq 129.175 for ops at A, B, C gates and charter intl gates, ctc Ramp Con on freq 127.9 for ops at D gates and cargo ramp prior to entering ramp or pushing back from gate or parking spot. From 1000-1400Z[‡] ctc Gnd Con on freq 121.1 for ops at all gates and cargo ramp. Aircraft operating near the intersection of Twys S, D, G and the north end of Twy Z should be alert as there are closely aligned twy centerlines and radius turns. Acft that dep full length of Rwy 01L and Rwy 07L must hold at the same hold line, as there is no room to hold between the rwy ends, and such acft should verify that they are on the correct rwy. Acft dep Rwy 19R use minimal power passing the rwy thld. Rwy 19R thid has std rwy markings and is 780' south of the blast pad. Landing Rights Airport: Customs avbl to general aviation acft 1600-0600Z[‡], all other times PPR call 702-261-5539. General aviation acft requiring immigration/customs services must ctc Department of Aviation for parking arrangements minimum 2 hrs prior to arrival 702-261-3500 1500-0000Z++, all other times 702-261-4411. General aviation parking very limited. For parking availability ctc either FBO 702-736-1830 or 702-739-1100. Rotating bcn not visible 115°-240° southeast to southwest from twr. Rwy 07R REIL OTS indef. Tiedown fee. General aviation customs and immigration located west side of airfield between FBO's. Flight Notification Service (ADUCS) avbl. NOTE: See Special Notices-Intersection Departures During Period of Darkness, Grand Canyon Special Flight Rules Area. CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE



| H-3B, | I -9A | 11A |
|-------|-------|-----|

260°-305° byd 25 NM blo 13,000' 340°-360° byd 25 NM blo 10,500'

(L) VORTACW 116.5 LLC Chan 112 155° 3.6 NM to Derby Fld. 4784/16E. HIWAS.


VORTAC unusable:

RC0 122.4 (RENO RADIO)

225°-235° byd 25 NM blo 9,600'

235°-260° bvd 15 NM blo 15.500'

CONTINUED FROM PRECEDING PAGE



| H-3B, | I -9A | 11A |
|-------|-------|-----|

260°-305° byd 25 NM blo 13,000' 340°-360° byd 25 NM blo 10,500'


(L) VORTACW 116.5 LLC Chan 112 155° 3.6 NM to Derby Fld. 4784/16E. HIWAS.

VORTAC unusable:

RC0 122.4 (RENO RADIO)

225°-235° byd 25 NM blo 9,600'

235°-260° bvd 15 NM blo 15.500'



MCCARRAN INTL (See LAS VEGAS)

| LAS V | VERCURY N36°37.65′ W116°01.65′ NOTAM FILE RNO. NDB (HW) 326 MCY 275° 39.2 NM to Beatty. SHUTDOWN. NDB unusable 290°-070°. |
|--------------------|---|
| LAS V | MESQUITE (67L) 2N UTC-8(-7DT) N36°49.99' W114°03.35' |
| H-41, | 1978 B FUEL 100LL, JET A NOTAM FILE RNO |
| E SI | RWY 01-19: H5121X75 (ASPH) S-30 MIRL |
| Ann. | RWY 01: REIL. PAPI(P2L)—GA 3.0° TCH 40′. RWY: 19: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Hill. |
| L F G | AIRPORT REMARKS: Attended 1500–0100Z‡. Credit card fuel avbl. |
| | Parachute Jumping. Rwy 01–19 severe drop off –20' 90' right and |
| | parallel to centerline. Golf courses and driving ranges within |
| | 1000' of rwy centerline. Noise abatement procedure avoid flying |
| | over downtown Mesquite located 2NM SW of arpt. ACTIVATE MIRL |
| $\hat{\mathbf{x}}$ | Rwy 01–19—CTAF. |
| Golf Course | COMMUNICATIONS: CTAF/UNICOM 122.8 |
| | R L.A. CENTER APP/DEP CON 124.2 |
| Range | RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. |
| | MORMON MESA (L) VORTAC 114.3 MMM Chan 90 N36°46.16' |
| | W114°16.65' 054° 11.3 NM to fld. 2120/16E. HIWAS. |
| Golf Course | |
| | HELIPAD H1: H20X20 (CONC) |
| 1 Vist | HELIPORT REMARKS: Rwy H1 has 15' building 50' SW of pad. |
|) | |

| MINA N38°33.92' W118°01.97' NOTAM FILE RNO. (H) VORTAC 115.1 MVA Chan 98 251° 28.3 NM to Hawthorne Industrial. 78 VORTAC unusable 130°-160° beyond 28 NM below 10,700'. RC0 122.1R 115.1T (RENO RADIO) | SAN FRANCISCO 360/17E. Hiwas. H-3B, L-9A |
|--|---|
| MINA (3QØ) 0 SE UTC-8(-7DT) N38°23.00' W118°06.06' 4552 NOTAM FILE RNO RWY 13-31: 4600X165 (DIRT) AIRPORT REMARKS: Unattended. Remote controlled acft invof arpt. Rwy 13-31 has ur Ultralights on and invof arpt. Mountains 1 mile E of fid. Rwy 13 and Rwy 31 thic 13-31 has 2' berms on both sides full length of rwy. COMMUNICATIONS: CTAF 12.9 | |

SW, 08 APR 2010 to 03 JUN 2010

| MINDEN-TAHOE (MEV) 4 N UTC-8(-7DT) N39°00.06' W119°45.12' 4722 B S4 FUEL 100LL, JET A OX 1, 3 NOTAM FILE MEV | SAN FRANCISC H–3B. L–9 |
|--|--|
| RWY 16-34: H7400X100 (ASPH) S-30, D-50 MIRL | IAP, I |
| RWY 16: VASI(V4R)—GA 3.0° TCH 31'. Rgt tfc. | IAF, I |
| RWY 34: VASI(V4R)—GA 3.0° TCH 31'. | -**] |
| RWY 12-30: H5300X75 (ASPH) S-30, D-50 0.4% up SE | Ť |
| RWY 12: Pole. Rgt tfc. | . * |
| | |
| DWV 120: Bruch | × * |
| AIRPORT REMARKS: Attended 1600–00002‡. Deer and flocks of large birds on and in vicinity of arot. Rwy 12G–30G thid marked with | |
| birds on and in vicinity of arpt. Rwy 12G–30G thld marked with | · // * |
| orange and white panels. Ultralight and balloon activity on and | |
| invof arpt, Glided activity on and invof arpt. For emergencies after | |
| 0000Z‡ hrs ctc 775–782–5126. Trees 1,000' from apch end Rwy | |
| 12. Ditch in obstacle free zone adjacent SW end Twy C. PAEW | ES 1 |
| occasionally on rwys and twys. Noise abatement procedures in | 15 |
| effect, for information ctc 775–782–9871. Sailplane tfc pattern | |
| Rwy 30 and Rwy 34 rgt tfc. Snow removal during dalgt hours only. | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |
| Rwy 30G ldgs only; no tkf or ldg Rwy 12G. ACTIVATE MIRL Rwy | .¥ * |
| 16–34, VASI Rwy 16 and Rwy 34—CTAF. NOTE: See Special 🛛 🗍 👫 🗍 | |
| Notices—Glider/Soaring Activities Around the Reno-Tahoe | YY |
| International Airport. | |
| WEATHER DATA SOURCES: AWOS-3 119.325 (775) 782-6264. | |
| COMMUNICATIONS: CTAF/UNICOM 123.05 | |
| RENO APP/DEP CON 119.2 | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE MEV. | |
| MUSTANG (H) VORTACW 117.9 FMG Chan 126 N39°31.88′ W119°39.37′ 172° 32.1 NM | to fld. 5949/16E |
| COMM/NAV/WEATHER REMARKS: For clnc del call Reno apch con on (775) 348-8840. | |
| MORMON MESA N36°46.16' W114°16.65' NOTAM FILE RNO. | LAS VE |
| MORMON MESA N36°46.16′ W114°16.65′ NOTAM FILE RNO. | |

 MORMUN MEDA
 N36*46.16' W114*16.65'
 NOTAM FILE RNO.
 LAS VEGAS

 (L) VORTAC 114.3
 MMM
 Chan 90
 198° 14.5 NM to Perkins Fid. 2120/16E.
 HIWAS.
 H-4I, L-9B

 VORTAC unusable:
 060°-075° beyond 27 NM below 9500'
 110°-135° beyond 10 NM
 075°-110° beyond 32 NM below 9600'
 280°-335° beyond 22 NM below 9000'
 RC0 122.1R 114.3T (RENO RADIO)

 MOUNT LEWIS
 N40°24.18' W116°52.09'
 SALT LAKE CITY

| RC0 122.65 (RENO RADIO) | H–3C, L–9B |
|--|---------------|
| MOUNT POTOSI N35°56.65' W115°29.87' | LAS VEGAS |
| RCO 122.35 (RENO RADIO) | L—7D |
| MUSTANG N39°31.88' W119°39.37' NOTAM FILE RNO. | SAN FRANCISCO |
| (H) VORTACW 117.9 FMG Chan 126 234° 5.5 NM to Reno/Tahoe Intl. 5949/16E. | H–3B, L–9A |
| VORTAC unusable 200–230° beyond 30 NM below 13,000' | |

254

| | (LSV)(KLSV) AF TPA—See Remarks H10123X200 (CON | | DT) N36°14.17' W115°02.06' Not Insp. | LAS VEGAS H-41, L-7e DIAP, AD |
|---------------|--|--|---|-------------------------------------|
| PCN 43 R/ | | | | |
| RWY 03L: PA | PI—GA 3.0°. | RWY 21R: PAPI—GA 3 | 3.0°. Rgt tfc. 0.3% down. | |
| | H10055X150 (CON | , , , , | , | |
| | SF1. PAPI—GA 3.0 |)°. RWY 21L: ALS | SF1. PAPI—GA 3.0°. Rgt tfc. 0.4% down | |
| ARRESTING GEA | | | | |
| RWY U3L HC | OK BAK-12B(B) (4) | 0' OVRN) HOOK BAK- | | |
| | OK DAK 40(D) (27 | | 0K BAK-12B(B) (1452') HOOK BAK-12B(B |) (42' OVRN) KWY ZIK |
| KWI USK HC | JON BAN-12(B) (37 | OVRN) HOOK BAK-1 | 26(6) (1223) DK BAK–12B(B) (1199') HOOK BAK–12B(B | (46' OVENI) DWV 211 |
| MILITARY SERV | CE. LCT All may thid I | | API Rwy Reference Point and ILS Rwy Point | |
| | | | | A-GEAR All BAK-12B |
| | | on, rqr 15 minute prio | 8 | |
| | | lo starter probe for US | | 0 |
| acft is par | | pect 2-3 hr delay. SP | | |
| | | | rn Fri-Sun. No military fleet svc avbl, limit | |
| | | | and must arr/dep no later than 0600Z‡. | |
| | | | 29, 48 hr prior notice rqr. Progressive tax | |
| MILITARY REMA | RKS: See FLIP AP/1 | Supplementary Arpt F | Remarks. RSTD PPR all except Distinguished | d Visitor code 7 or |
| abv and er | mergency AIREVAC, | PPR issued 1430-06 | 30Z‡. Remain overnight req good for one | night only. Acft |
| must adhe | re to PPR arr block | +/- 60 minutes of s | cheduled ldg. Extensive Large Force Exerc | ise (LFE) activity. |
| PPR arr no | t authorized during | Red Flag (RF) or LFE I | launch/recovery period, check NOTAM for | date/time. No PPR |
| - | | | zed during RF/LFE or after official SS unle | |
| | | | to planned arr. Req for additional acft fror | |
| | | | days prior to scheduled arr, support and s | |
| | | | lays prior to arr but issued no earlier than | |
| | | | inguished Visitor acft must ctc Command | |
| | | | for transient fighter/Distinguished Visitor | |
| | , , | | ercise, deployment, C130 and larger acft on Z‡. Sun and holiday tfc expect arr from N, | |
| | | | Acft with VIP 7 or higher ctc PTD when 100 | |
| | | | ermission only when dep and arr avoid ide | |
| - | | | of and ldg prohibited without OG/CC or des | |
| | | | VFR ops. CAUTION Parachute Jumping. Stee | - |
| | - | | s high potential for hydroplaning. 200' cra | |
| | , | | Rwy 21R use caution, 4'8" high distance r | |
| , | 0 , | , | angular 3000(1130), overhead 3500(163 | 0 |
| climb abov | e 3000' until past | the dep end of rwy. NS | SABTMT ACC quiet hr policy in effect 0630- | 1400Z‡. MISC First |
| 1320' Rwy | 21R and first 920 | ' Rwy 03L grooved cor | ncrete. Mid 7879' Rwy 03L-21R center 80 | D' concrete, balance |
| asphalt. A | oft dep on radar ved | ctors must maintain 3 | 00' per NM minimum climb. E side 9000' | –1000' distance |
| remaining | markers Rwy 21L n | not avbl. Transient acf | t shall communicate with Nellis ATC facilit | y on UHF to the |
| maximum | extent possible due | e to heavy concentrati | on of acft in the VFR pattern. Reduced Sa | me Runway |
| Separation | will be applied to | base assign/deployed | d acft in accordance with NAFBI 11–250, s | see |
| | | <u> </u> | e NAFBI 11–250.pdf. Wx opr 0700Z‡ Mon | |
| | , | , | 03R and 03L apch end rstd by flight facilit | 2 · · |
| | | | obsn ltd due to high ints ramp lgt. Wx brid | |
| | | | dron at Davis Monthan AFB DSN: 228–659 | |
| | | | night) block the wx forcaster's view of the | |
| | - | | classified must be stored in the Nellis AF | |
| | | | -130 and larger framed acft at DSN 682- | 5250 or ctc Base |
| | | 682-4600 24 hrs pric | | 00 0459 0059 1001 |
| | | 1 PID 139.3 372.2 byd 55 NM at FL200. | ! (Unreliable 085°–155° byd 35 NM at FL2 | 00, 315°-005° byd |
| | FL200, 230°-290° | |) | |

- **(R)** APP CON 118.125 124.95 273.55 291.725
- TOWER 132.55 327.0 GND CON 121.8 275.8
- **(R)** DEP CON 135.1 385.4 CLNC DEL 120.9 289.4

 ACC COMD POST (RAYMOND 22) 320.0 381.3 (381.3 Have quick timing avbl.)
 ALCE AMC 257.35 259.95 (Opr only during Red Flag deployment/change over/redeployment and other exercises.)
 PMSV METR0 323.9 (Full service avbl during wx station opr hrs otherwise not avbl. PMSV unreliable 085°–155° byd 35 NM at or below FL200, 315°–005° byd 40 NM at or below FL200, 230°–290° byd 55 NM at or below FL200.)
 SOF

 (BULLSEYE SOF) 305.6
 SOF
 SOF
 SOF

CONTINUED ON NEXT PAGE

255

SW, 08 APR 2010 to 03 JUN 2010

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE LAS. LAS VEGAS (H) VORTACW 116.9 LAS Chan 116 N36°04.78' W115°09.59' 018° 11.2 NM to fld. 2141/15E. No NOTAM MP Sat 1600-1800Z‡. (L) TACAN Chan 12 LSV (135.5) N36°14.68' W115°01.50' at fld. 1864/15E. NOTAM FILE RNO. No NOTAM MP Wed 0900-1100Z±. TACAN unusable: 360°-020° byd 20 NM blo 8.000' 285°-350° byd 20 NM blo 11.000' 360°-020° byd 26 NM blo 12.000' 285°-350° byd 26 NM blo 15.000' 020°-035° byd 30 NM blo 8.000' 285°-350° bvd 33 NM 035°-080° byd 20 NM 350°-360° byd 20 NM blo 9,000' 080°-155° byd 5 NM blo 10.000' 350°-360° byd 26 NM blo 15.000' 080°-155° byd 15 NM ILS/DME 109.1 I-DIQ Chan 12 Rwy 21L. No NOTAM MP: ILS Tue and Thu 0900-1100Z[‡]. ILS 21L DME from LSV TACAN.

NORTH FORK

STEVENS-CROSBY (Ø8U) 3 NW UTC-8(-7DT) N41°30.94' W115°51.59' 6397

SALT LAKE CITY

NOTAM FILE RNO


RWY 01-19: 3600X50 (DIRT)

RWY 19: Fence.

AIRPORT REMARKS: Unattended. Rwy 01-19 has 6 to 8" ruts north 1500' of rwy. First 500' of Rwy 01 rough, uneven and rutted. Rwy 01 terrain drops off 100' end of rwy. Rwy 01-19 has uncontrolled vehicle and livestock access. **COMMUNICATIONS: CTAF** 122.9

NORTH LAS VEGAS (See LAS VEGAS)

OVERTON



CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE LAS. LAS VEGAS (H) VORTACW 116.9 LAS Chan 116 N36°04.78' W115°09.59' 018° 11.2 NM to fld. 2141/15E. No NOTAM MP Sat 1600-1800Z‡. (L) TACAN Chan 12 LSV (135.5) N36°14.68' W115°01.50' at fld. 1864/15E. NOTAM FILE RNO. No NOTAM MP Wed 0900-1100Z±. TACAN unusable: 360°-020° byd 20 NM blo 8.000' 285°-350° byd 20 NM blo 11.000' 360°-020° byd 26 NM blo 12.000' 285°-350° byd 26 NM blo 15.000' 020°-035° byd 30 NM blo 8.000' 285°-350° bvd 33 NM 035°-080° byd 20 NM 350°-360° byd 20 NM blo 9,000' 080°-155° byd 5 NM blo 10.000' 350°-360° byd 26 NM blo 15.000' 080°-155° byd 15 NM ILS/DME 109.1 I-DIQ Chan 12 Rwy 21L. No NOTAM MP: ILS Tue and Thu 0900-1100Z[‡]. ILS 21L DME from LSV TACAN.

NORTH FORK

STEVENS-CROSBY (Ø8U) 3 NW UTC-8(-7DT) N41°30.94' W115°51.59' 6397

SALT LAKE CITY

NOTAM FILE RNO


RWY 01-19: 3600X50 (DIRT)


RWY 19: Fence.

AIRPORT REMARKS: Unattended. Rwy 01-19 has 6 to 8" ruts north 1500' of rwy. First 500' of Rwy 01 rough, uneven and rutted. Rwy 01 terrain drops off 100' end of rwy. Rwy 01-19 has uncontrolled vehicle and livestock access. **COMMUNICATIONS: CTAF** 122.9


NORTH LAS VEGAS (See LAS VEGAS)


OVERTON





PERKINS FLD (See OVERTON)







ROSASCHI AIR PARK (See SMITH)


259

| AIRPORT REMARS: Attended irregulary. Low flying military acft in area. Utralight activity on and involarity. Cocasional livestock on and in vicinity of acft movement areas. Rwy 03–21 obstacle free area limited to 96' either side of centerline. Rwy 12 first 1000' soft sand spots. Power poles, lines northwest, southeast of taxiway. Power poles/lines NW/SE of Rwy 03–21. No line of sight between rwy ends. Arpt is a residential aira jarak, auto traffic is on and across rwy. Avoid noise sensitive residential area 15. miles NV of arpt. Rwy 21 displication on marked. COMMUNICATIONS: CTAFUNICOM 123.0 RADID AIDS TO MAYLATION. NOTAM FILE LAS. LAS VERAS (H) VORTACW 116.9 LAS Chan 116 N36°04.78' W115° 09.59' 218° 28.4 NM to fid. 2141/15E. SEARCHLIGHT (11.3) 2.5 UTC-8(-7DT) N35°26.67' W114°54.57' PHOENIX 3410 NOTAM FILE RNO RWY 18-34. H5040X70 (ASPH) RWY 18-34. H5040X70 (ASPH) RWY 18-34. H5040X70 (ASPH) RWY 18-44. H5040X70 (ASPH) RWY 18-44. H5040X70 (ASPH) RWY 18-44. H5040X70 (ASPH) RWY 18-44. H5040X70 (ASPH) RWY 18-54. H5040X70 (ASPH) RWY 19-55. H5040X70 (ASPH) RWY 19-75 | SANDY VALLEY SKY RANCH (3L2) 2 SW UTC-8(-7DT) N35°47.72' W115°37.63' 2599 FUEL 100LL NOTAM FILE RNO RWY 03-21: H3340X45 (ASPH) RWY LGTS (NSTD) RWY 03: Rgt tfc. RWY 21: RWY 12-30: 3300X105 (DIRT) RWY 12: | LAS VEGAS L-7D |
|--|--|---|
| 3410 NOTAM FILE RNO H-4I, I-TE RWY 16-34. H5040X70 (ASPH) RWY INFORT REMARKS: Unattended. Ground rises at constant rate north of arpt for approximately 2 miles. Unlighted 165' p-line located approximately 3.2 miles south of rwy blo thid. Rwy 16-34 thids marked with 6 green reflectors. COMMUNICATION: CTAF 122.9 RADID AIDS TO NAVIGATION: NOTAM FILE RAL. GOFFS (L) VORTAC 114.4 GFS Chan 91 N35'07.87' W115'10.59' 020' 22.9 NM to fid. 4000/15E. SILVER SPRINGS (SPZ) 2 SW UTC-8(-TDT) N39'24.18' W119'15.07' SAN FRANCISCO 4269 NOTAM FILE RNO H-38, L-98 RWY 05-23. H5098X75 (ASPH-GRVD) S-30 MIRL RWY 23: Rgit fc. AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 05-23.—CTAF. WEATHER DATA SUBRES: AW05-3 122.9 (61') 262-3825. COMMUNICATION: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39'30.99' W118'' 59.86' 223'' 13.6 NM to fid. 4080/17E. SKY RANCH ESTATES (See SANDY VALLEY) SAN FRANCISCO ASOP ASOP L-98 RWY 07-25: H4800X32 (ASPH) RWY 07-25. COMMUNICATION: CTAF 122.9 SAN FRANCISCO L-98 RWY 10-35: 3700X64 (DIRT) RWY 07-25. COMMUNICATONS: CTAF 122.9 | AIRPORT REMARKS: Attended irregularly. Low flying military acft in area. Ultralight activity on and invicinity of acft movement areas. Rwy 03–21 obstacle free area limited to centerline. Rwy 12 first 1000' soft sand spots. Power poles, lines northwest, southeast of ta poles/lines NW/SE of Rwy 03–21. No line of sight between rwy ends. Arpt is a residential air on and across rwy. Avoid noise sensitive residential area 1.5 miles NW of arpt. Rwy 21 dsplc 8' white lines. Rwy 03–21 thld lgts only. Rwy edges marked with reflectors. Rwy 12–30 thld n COMMUNICATIONS: CTAF/UNICOM 123.0 RADIO AIDS TO NAVIGATION: NOTAM FILE LAS. | 96' either side of ixiway. Power park, auto traffic is d thId marked with iot marked. |
| AIRPORT REMARKS: Unattended. Ground rises at constant rate north of arpt for approximately 2 miles. Unlighted 165' p-line located approximately 3.2 miles south of rwy blo thid. Rwy 16-34 thids marked with 6 green reflectors. COMMUNICATIONS: CTAF 122.9 RADID AIDS TO MAVIGATION: NOTAM FILE RAL. BUFFS (1) VORTAC 114.4 GFS Chan 91 N35°07.87' W115°10.59' 020° 22.9 NM to fid. 4000/15E. SILVER SPRINGS (SP2) 2 SW UTC-8(-7DT) N39°24.18' W119°15.07' 4269 NOTAM FILE RNO RWY 05-23: H5998X75 (ASPH-GRVD) S-30 MIRL RWY 35-24: H5998X75 (ASPH-GRVD) S-30 MIRL RWY 35-28: H5998X75 (ASPH-GRVD) S-30 MIRL RWY 35-28: H5998X75 (ASPH-GRVD) S-30 MIRL RWY 35. Fagit fc. AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 05-23—CTAF. WEATHER DATA SOURCES: AWOS-3 122.9 (617) 262-3825. COMMUNICATIONS: CTAF 122.9 RADID AIDS TO MAVIENTION. NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118° 59.86' 223° 13.6 NM to fid. 4080/17E. SKY RANCH ESTATES (See SANDY VALLEY) SMITH ROSASCHI AIR PARK (N59) 2 N UTC-8(-7DT) N38°50.36' W119°20.29' A809 FUEL 100LL NOTAM FILE RNO HAY 07-26: H4800X32 (ASPH) RWY 17-36: 3700X64 (DIRT) RWY 35: Building. AIRPORT REMARKS: Unattended. For fuel 24 hr prior notice required call 775-465-2417. Numerous severe cracks entire length of Rwy 07-25. COMMUNUCATIONS: CTAF 122.9 RADID AIDS TO MAVIESTION. NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118°59.86' 184° 43.6 NM to fid. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118°59.86' 184° 43.6 NM to fid. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. HAZEN (L) VORTAC 114.3 SDD Chan 90 143° 32.3 NM to Winnemucca Muni. 4161/18E. L-118 VORTAC unusable: 030°-160° byd 20 NM below 15,000' RC0 122.6' RENO RADIO) SPANISH SPRINGS (See RENO) | 3410 NOTAM FILE RNO RWY 16-34: H5040X70 (ASPH) | PHOENIX H—41, L—7E |
| 4269 NOTAM FILE RNO RWY 05-23. H5998X75 (ASPH–GRVD) S–30 MIRL RWY 23: Rgt tfc. AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 05–23—CTAF. WEATHER DATA SOURCES: AWOS–3 122.9 (617) 262–3825. COMMUNICATIONS: CTAF 122.9 RADIO AIDS 10 MWIGATION: NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118° 59.86' 223° 13.6 NM to fid. 4080/17E. SKY RANCH ESTATES (See SANDY VALLEY) SMITH ROSASCHI AIR PARK (N59) 2 N UTC–8(–7DT) N38°50.36' W119°20.29' 4809 FUEL 100LL NOTAM FILE RNO. H2EN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118° 59.86' 243° 13.6 NM to fid. 4080/17E. ISM FRANCISCO 4809 FUEL 100LL NOTAM FILE RNO. H2EN (U) VORTAC 114.1 HZN Chan 88 N39°30.99' W118° 59.86' 184° 43.6 NM to fid. 4080/17E. COMMUNICATIONS: CTAF 122.9 RADIO AIDS 10 MWIGATION: NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118° 59.86' 184° 43.6 NM to fid. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118° 59.86' 184° 43.6 NM to fid. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118° 59.86' 184° 43.6 NM to fid. 4080/17E. L-118 VORTAC unusable: 030°–160° byd 20 NM below 15,000' 220°–245° byd 20 NM below 15,000' RC0 122.6 (RENO RADIO) SPANISH SPRINGS (See RENO) | AIRPORT REMARKS: Unattended. Ground rises at constant rate north of arpt for approximately 2 mil p-line located approximately 3.2 miles south of rwy blo thld. Rwy 16–34 thlds marked with 6 COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RAL. | green reflectors. |
| SMITH ROSASCHI AIR PARK (N59) 2 N UTC-8(-7DT) N38°50.36' W119°20.29' SAN FRANCISCO 4809 FUEL 100LL NOTAM FILE RNO L-9A RWY 07-25: H4800X32 (ASPH) RWY 17-35: 3700X64 (DIRT) L-9A RWY 17-35: 3700X64 (DIRT) RWY 07-25. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118°59.86' 184° 43.6 NM to fid. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. KLAMATH FALLS L-11B VORTAC unusable: 030°-160° byd 20 NM below 15,000' 300°-345° byd 20 NM below 13,000' 220°-245° byd 20 NM below 13,000' SPANISH SPRINGS (See RENO) SPANISH SPRINGS (See RENO) | 4269 NOTAM FILE RNO RWY 05-23: H5998X75 (ASPH-GRVD) S-30 MIRL RWY 23: Rgt tfc. AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 05-23-C WEATHER DATA SOURCES: AWOS-3 122.9 (617) 262-3825. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. | |
| ROSASCHI AIR PARK (N59) 2 N UTC-8(-7DT) N38°50.36' W119°20.29' SAN FRANCISCO 4809 FUEL 100LL NOTAM FILE RNO IL-9A RWY 07-25: H4800X32 (ASPH) RWY 07-25: H4800X32 (ASPH) RWY 17-35: 3700X64 (DIRT) RWY 17-35: 3700X64 (DIRT) RWY 07-25: COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118°59.86' 184° 43.6 NM to fid. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. KLAMATH FALLS (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118°59.86' 184° 43.6 NM to fid. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. KLAMATH FALLS (L) VORTAC W114.3 SDO Chan 90 143° 32.3 NM to Winnemucca Muni. 4161/18E. U-118 VORTAC unusable: 030°-160° byd 20 NM below 15,000' 20°-245° byd 20 NM below 15,000' SPANISH SPRINGS (See RENO) | SKY RANCH ESTATES (See SANDY VALLEY) | |
| AIRPORT REMARKS: Unattended. For fuel 24 hr prior notice required call 775–465–2417. Numerous severe cracks entire length of Rwy 07–25. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. HAZEN (L) VORTAC 114.1 HZN Chan 88 N39°30.99' W118°59.86' 184° 43.6 NM to fld. 4080/17E. SOD HOUSE N41°24.42' W118°02.08' NOTAM FILE RNO. (L) VORTAC W114.3 SDO Chan 90 143° 32.3 NM to Winnemucca Muni. 4161/18E. VORTAC unusable: 030°–160° byd 20 NM below 15,000' 300°–345° byd 20 NM below 13,000' 220°–245° byd 20 NM below 15,000' RC0 122.6 (RENO RADIO) SPANISH SPRINGS (See RENO) | ROSASCHI AIR PARK (N59) 2 N UTC-8(-7DT) N38°50.36' W119°20.29' 4809 FUEL 100LL NOTAM FILE RNO RWY 07-25: H4800X32 (ASPH) | SAN FRANCISCO L-9A |
| (L) VORTACW 114.3 SDO Chan 90 143° 32.3 NM to Winnemucca Muni. 4161/18E. L-11B VORTAC unusable: 030°-160° byd 20 NM below 15,000′ 300°-345° byd 20 NM below 13,000′ 220°-245° byd 20 NM below 13,000′ 220°-245° byd 20 NM below 15,000′ RC0 122.6 (RENO RADIO) SPANISH SPRINGS (See RENO) SPANISH SPRINGS (See RENO) | AIRPORT REMARKS: Unattended. For fuel 24 hr prior notice required call 775–465–2417. Numerous entire length of Rwy 07–25. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE RNO. | |
| | (L) VORTACW 114.3 SD0 Chan 90 143° 32.3 NM to Winnemucca Muni. 4161/18E. VORTAC unusable: 030°-160° byd 20 NM below 15,000' 300°-345° byd 20 NM be 220°-245° byd 20 NM below 15,000' | KLAMATH FALLS L-11B |
| STEVENS-CROSBY (See NORTH FORK) | | |
| | SPANISH SPRINGS (See RENO) | |



261





ALBUQUEROUF

264

ALBUQUERQUE INTL SUNPORT (ABQ) 3 SE UTC-7(-6DT) N35°02.41' W106°36.55' 5355 B S4 FUEL 100LL, JET A, A1, A1 + OX 1, 2, 3, 4 LRA ARFF Index—See Remarks NOTAM FILE ABQ

RWY 08-26: H13793X150 (CONC-GRVD) S-100, D-210, ST-175, DT-360, DDT-720 HIRL CL RWY 08: MALSR. TDZL. VASI(V6L)-GA 2.95° TCH 54'. Thid dspicd 1000', Rgt tfc.

RWY 26: REIL. VASI(V6L)-GA 3.0° TCH 47'. 0.5% down RWY 17-35: H10010X150 (ASPH-CONC-GRVD) AUW-12.5 MIRL

RWY 17: REIL. VASI(V4L)-GA 3.0° TCH 53'. Thid dspicd 890'. Road, Rgt tfc.

RWY 35: REIL. VASI(V4L)-GA 3.0° TCH 55'.

RWY 03 BAK-14 BAK-12A(B) (1062')

- RWY 03-21: H10000X150 (CONC-GRVD) S-100, D-210, ST-175, DT-360, DDT-720 HIRL CL
- RWY 03: MALSR, TDZL, PAPI(P4L)-GA 3.0° TCH 62', Ret tfc. RWY 21: PAPI(P4L).
- RWY 12-30: H6000X150 (CONC-GRVD) S-65, D-120, DT-155 MIRL

RWY 12: Rgt tfc. RWY 30: REIL, PAPI(P4L)-GA 3.0° TCH 40'. RUNWAY DECLARED DISTANCE INFORMATION

```
RWY 03: TORA-10000 TODA-10000 ASDA-10000 LDA-10000
 RWY 08: TORA-13793 TODA-13793 ASDA-13793 LDA-12793
 RWY 12: TORA-6000
                  TODA-6000 ASDA-6000
                                          LDA-6000
 RWY 17: TORA-10000 TODA-10000 ASDA-10000 LDA-9110
 RWY 21: TORA-10000 TODA-10000 ASDA-10000 LDA-10000
 RWY 26: TORA-13793 TODA-13793 ASDA-13793 LDA-13793
 RWY 30: TORA-6000 TODA-6000 ASDA-6000 LDA-6000
 RWY 35: TORA-9110 TODA-10110 ASDA-9110 LDA-9110
ARRESTING GEAR/SYSTEM
```

RWY 08 BAK-14 BAK-12A(B) (1000') HOOK MB 60(B) (52'OVRN) RWY 26 AIRPORT REMARKS: Attended continuously. Bird hazard Oct-Dec, and Mar-May. Heavy student copter traffic, control firing area S of arpt. Fighter acft depart S only, no military depart on Rwy 35. 200' AGL unlgtd water tower 1.5 miles S of Rwy 35. Rwy 03 and Rwy 08 touchdown runway visual range avbl. Rwy 08-26 and Rwy 17-35 Rwy 03- 21 and Rwy 12-30 grooved 130' wide. Use extreme care taxiing north on Twy E-1 to Rwy 08, holding position for Rwy 08-26 collocated with Rwy 12-30 holding position prior to Rwy 12 thld. Rwy 03-21 centerline Igts are not bi-directional, centerline Igts on Rwy 03 only. Rwy 08-26 centerline Igts are not bi-directional, centerline lgts on Rwy 08 only. Class I, ARFF Index C. ARFF protection provided by USAF exceeds Index E capability. Noise abatement procedures in effect for jet and turbo-prop tfc, depart on Rwy 08 expect left turn at 13.5 DME. Between the hrs 0400-1400Z[±] weekdays and Sat and Sun 0400-1600Z[±] expect right turn on departure from Rwy 08. Departures on Rwy 03 or Rwy 35 and arrivals on Rwy 17 are restricted and rgr prior coordination with twr. Recessed arresting cables on Rwy 03 1062' NE of thId and Rwy 08 1000' east of thId, Air carrier ground handling not avbl btn the hrs of 0800-1130Z‡. Twy D north of Twy B clsd indef. Twy H military use only, Flight Notification Service (ADCUS) available, NOTE: See Special Notices-Continuous Power Facilities, WEATHER DATA SOURCES: ASOS (505) 242-4044. LLWAS. HIWAS 113.2 ABQ. WSP.

COMMUNICATIONS: D-ATIS 118.0 (505) 856-4928 UNICOM 122.95

```
RCO 122.55 122.0 (ALBUQUERQUE RADIO)
```

- (R) APP CON 124.4 (on or N of V12 and W of SANDIA MTNS) 134.8 (S of V12 and W of Manzano Mtns) 123.9 (S of V12 and E of Manzano Mtns) 127.4 (on or N of V12 and E of Sandia Mtns) 126.3
- (R) DEP CON 127.4 (on or N of V12 and E of Sandia Mtns) 124.4 (on or N of V12 and W of Sandia Mtns) 123.9 (S of V12 and E of Manzano Mtns) 134.8 (S of V12 and W of Manzano Mtns)

```
TOWER 120.3 123.775
                       GND CON 121.9
                                       CLNC DEL 119.2
```

AIRSPACE: CLASS C svc continuous ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE ABO.

(H) VORTACW 113.2 ABQ Chan 79 N35°02.63' W106°48.98' 078° 10.2 NM to fld. 5743/13E. HIWAS. ILS/DME 111.9 I-SPT Chan 56 Rwv 08. Rwy 03. ILS 111.5 I-BZY Class IE. ASR

13793 X 150

Rwy 3-21: 10000 X 150

Rwy 12-30: 6000 X 150

Rwy 17-35: 10010 X 150


00

4

(Å5)



AI RHOHFROHF H-4K. L-81 ΙΔΡ ΔΠ



WEATHER DATA SOURCES: AWOS-3 118.025 (575) 377-0526.

COMMUNICATIONS: CTAF/UNICOM 122.8

ALBUQUERQUE CENTER APP/DEP CON 132.8.


RADIO AIDS TO NAVIGATION: NOTAM FILE SKX.

TAOS (I) VORTAC 117 6 TAS Chan 123 N36°36.53' W105°54.38' 097° 31.8 NM to fld. 7860/13E. COMM/NAV/WEATHER REMARKS: AWOS-3 ceiling unavbl.

APACHE CREEK

JEWETT MESA (13Q) 10 N UTC-7(-6DT) N34°00.20' W108°40.69' ALBUQUERQUE 7681 NOTAM FILE ABQ RWY 06-24: 5200X45 (DIRT) RWY 06. P-line RWY 24. Road AIRPORT REMARKS: Unattended. Arpt open May-Sep; other times CLOSED. Wildlife and livestock on runway. Rwy 06-24 recommend visual inspection before using, infrequent maintenance and poor condition. Rwy 06-24 has large rocks on rwy, surface deeply rutted. Rwy 06 marked with tires on +4' posts at rwy end. Rwy 24 marked with single tire either side. **COMMUNICATIONS: CTAF** 122.9

265



BLACK ROCK (See ZUNI PUEBLO)

SW, 08 APR 2010 to 03 JUN 2010


| BOLES N32°49.28′ W106°00.79′. NOTAM FILE ALM. | ALBUQUERQUE |
|--|---------------------|
| (L) VORW/DME 109.6 BWS Chan 33 035° 1.6 NM to Alamogordo–White Sands Rgnl. | L—6F |
| 4100/11E. | |
| VORW/DME unusable: 065°-100° beyond 15 NM. | |
| CANNON AFB (CVS)(KCVS) AF 5 W UTC-7(-6DT) N34°22.97' W103°19.33' | ALBUQUERQUE |
| 4295 B TPA—See Remarks NOTAM FILE CVS Not insp. | H–6G, L–6G |
| RWY 04-22: H10000X150 (CONC) PCN 62 R/C/W/T HIRL | DIAP, AD |
| RWY 04: ALSF1. PAPI(P4L)—GA 2.5° TCH 34'. RWY 22: ALSF1. PAPI(P4L)—GA 2.6° TCH 35' | |
| RWY 13-31: H8200X150 (PEM) PCN 47 R/B/W/T HIRL RWY 13: SSALR. PAPI(P4L)—GA 3.0° TCH 37′. RWY 31: SSALR. PAPI(P4L). | |
| MILITARY SERVICE: LGT Gated thid lgt on all rwy for fighter acft. Rwy 4–22 and Rwy 13–31 ILS GS/Run | wav Point of |
| Intercept and PAPI GS/Runway Referance Point not coincidental. JASU (MD–3) (AM32A–60A) | FUEL J8 |
| FLUID SP PRESAIR LPOX LOX OIL 0-148 SOAP | |
| TRAN ALERT Avbl during opr hr. AM32A–60 support equipment incompatible with EA6 acft. MILITARY REMARKS: Attended continuously Mon 14002‡ thru Fri 0600Z‡ clsd Sat, Sun, holidays. Aero | drome Offical |
| Business Only (OBO). See FLIP AP/1 Supplementary Arpt Remark. RSTD No less than 24 hr prior | |
| than 15 days prior, ctc DSN 681–2801, C575–784–2801, fax extension 4658. Heavy acft expe | |
| Rwy 22 and Rwy 31 and left 180° turn Rwy 04 and Rwy 13. Dep acft restricted to 5300' until pa | ssing dep end of |
| rwy. No touch-and-go for tran acft C135 and larger due to Foreign Object Damage. CAUTION Clovi | |
| NE. Portales Muni 14 NM SSW. Bird hazard: Sewage lagoon and lake located ½ NM SE of Rwy 2 | |
| Aircraft Strike Hazard Phase II in effect Oct 1–Nov. 10, Mar 12–Apr 22 and Jun 1–Jul 31. Unmar Systems activity within Class D Airspace and between Class D Airspace and R5104. Vehicle tfc | |
| AGL), approximately 1200' from apch end Rwy 13. Approximately 20' AGL AG irrigation equipme | |
| approximately 2000' from Rwy 13-31 apch ends. Potential exists for hydroplaning on Rwy 13-3 | |
| interior portion. For all rwy expect 30-45 min rwy suspension after heavy acft arr/dep due to For | |
| Damage on rwy. TFC PAT TPA—VFR jet rectangular 5800(1505), tran jet overhead 6300(2005). M | |
| for tran aircrew byd normal opr hr avbl via 25 OW5 at DAVIS-MONTHAN AFB DSN 228-6598/65 | |
| C520–228–6598/6599. AfId WX obsn sent by AN/FMQ19 automated obsn system; augmented observer during afId opr hrs, Itd on weekends. Classified storage for transient aircrew unavbl at | • |
| Management Ops but is avbl at Command Post. Obsn site Itd 000–070 degrees due bldgs; ngt d | |
| intensity ramp lgt. The 1st 1200' Rwy 13–31 concrete, mid 5800' asphaltic concrete. 1st 1200 | ' Rwy 13 has |
| rough concrete. Fire-fighting capability ltd to Cat 8 and 10 acft. Recommend units ask for curren | nt capability |
| when req PPRs. COMMUNICATIONS: SFA ATIS 119.1 269.9 (Mon-Thu 1600-0800Z‡, Fri-Sat 1600-0001Z‡, clsd Su | n and |
| holidays) PPD 139.3 372.2 | ii anu |
| R APP CON 121.05 352.1 (continuously Mon 1400Z‡ thru Fri 0600Z‡, clsd Sat, Sun, holidays), oth | er times ctc |
| (R) ALBUQUERQUE CENTER APP CON 126.85 285.6. | |
| | IC CON 121.9 |
| 275.8. CLNC DEL 120.2 293.225. | |
| B DEP CON 121.05 307.175 (continuously Mon 1400Z‡ thru Fri 0600Z‡, clsd Sat, Sun, holidays), c | other times ctc |
| R ALBUQUERQUE CENTER DEP CON 126.85 285.6 | iner times etc |
| | / METRO 343.1 |
| Weather DSN 681–2749. Alternate PMSV is Dyess AFB 383.25. | |
| AIRSPACE: CLASS D svc continuously Mon 1400Z‡ thru Fri 0600Z‡, other times and holidays Class E. | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. (L) TACAN Chan 53 CVS (111.6) N34°22.83' W103°19.35' at fld. 4820/10E. Unmonitore | doutsido |
| (L) TACAN Chan 53 CVS (111.6) N34°22.83' W103°19.35' at fld. 4820/10E. Unmonitore published opr hr and when radar facility is not manned. No NOTAM MP Tue 1100–1330Z [±] . | u outside |
| ILS 108.5 I–GLO Rwy 04. No NOTAM MP Wed 1100–1300Z‡. | |
| ILS 109.7 I-CVS Rwy 22. No NOTAM MP Mon 1100-1300Z‡. | |
| ILS 108.3 I-BNN Rwy 31. Class IE. No NOTAM MP Wed 0700-0930Z‡. | |
| ILS 110.35 I-OVI Rwy 13. No NOTAM MP Mon 0700-0930Z‡. GS critical area unprotec | ted, ILS/GS |
| unusable when ceiling blo 800' or visibility less than 2 sm. ASR No NOTAM MP Mon, Wed 0700–1100Z‡, Thu, Fri 0600–1300Z‡. | |
| COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. | |
| CAPITAN N33°29.39' W105°24.26'. NOTAM FILE SRR. | |
| NDB (MHW) 278 CEP 246° 6.7 NM to Sierra Blanca Rgnl. Unusable byd 25 NM blo 14,500'. | ALBUQUERQUE L—6F |
| | 01 |
| CARLSBAD N32°15.40' W104°13.56' NOTAM FILE CNM. | ALBUQUERQUE |
| (L) VORTACW 116.3 CNM Chan 110 327° 5.2 NM to Cavern City Air Terminal. 3250/12E. RCO 122.65 (ALBUQUERQUE RADIO) | L-60 |
| NUU 122.00 (ALDUQULAQUL ANDIO) | |


SW, 08 APR 2010 to 03 JUN 2010

| IRLSBAD CAVERN CITY AIR TERMINAL (CNM) 5 SW UTC-7(-6DT) N32°20.25' W104°15.80' | ALBUQUERQ |
|---|--|
| 3295 B FUEL 100LL, JET A1+ Class II, ARFF Index A NOTAM FILE CNM | H-6F, L- |
| RWY 03-21: H7854X150 (ASPH-PFC) S-62, D-88, ST-112, DT-140 MIRL 0.6% up SW RWY 03: MALSR. Road. | <u>ا،</u> |
| RWY 21: VASI(V4L)—GA 3.0°TCH 58'. Road. | ¥ |
| RWY 14R-32L: H5839X100 (ASPH) S-30, D-45 MIRL | " ¥ |
| RWY 14R: PAPI(P4L)—GA 4.0° TCH 69'. Road. Rgt tfc. | " |
| RWY 32L: PAPI(P4L). Thid dspicd 385'. Road. | , ± |
| RWY 08-26: H5333X75 (ASPH) S-19 MIRL 0.6% up W | $\sqrt{-1}$ |
| RWY 08: Road. RWY 26: Fence. | ▓श∕⊥⊥ |
| RWY 14L-32R: H4615X150 (ASPH) S-8, D-12.5 | 1 32R/ |
| RWY 32R: Thid dspicd 616'. Road. Rgt tfc. | */1 |
| RWY 03: TORA-7854 TODA-7854 ASDA-7854 LDA-7854 | ¥L |
| RWY 08: TORA-5333 TODA-5333 ASDA-5333 LDA-5333 | |
| RWY 14L: TORA-4615 TODA-4615 ASDA-4615 LDA-4615 | |
| RWY 14R: TORA-5839 TODA-5839 ASDA-5839 LDA-5839 | |
| RWY 21: TORA-7854 TODA-7854 ASDA-7854 LDA-7854 | |
| RWY 26: TORA-5333 TODA-5333 ASDA-5333 LDA-5333 | |
| RWY 32L: TORA-5839 TODA-5839 ASDA-5839 LDA-5454 🛛 🥸 📈 🖓 | |
| 🖊 🔨 دو RWY 32R: TORA-4615 TODA-4615 ASDA-4615 LDA-3999 | |
| AIRPORT REMARKS: Attended Mon-Fri 1230-0130Z‡, Sat-Sun on call. | |
| For fuel after hrs, Sat and Sun call 575–887–1500. 24 hrs PPR for air carrier ops with more than 30 | . – |
| seats ctc airport manager 575–887–3060. Rwy 14L–32R not avbl for air carrier ops. Oil derricks inv | |
| MIRL Rwy 03–21, Rwy 08–26 and Rwy 14R–32L preset low ints, to increase ints and ACTIVATE MAL | SR RWY |
| 03—CTAF. NOTE: See Special Notices—Natural Gas Flare. Weather Data Sources: Asos 118.375 (575) 887–6858. | |
| COMMUNICATIONS: CTAF/UNICOM 122.95 | |
| CARLSBAD RC0 122.65 (ALBUQUERQUE RADIO) | |
| R ALBUQUERQUE CENTER APP/DEP CON 135.875 | |
| RADIO AIDS TO NAVIGATION: NOTAM FILE CNM. | |
| CARLSBAD (L) VORTACW 116.3 CNM Chan 110 N32°15.40' W104°13.56' 327° 5.2 NM to fld. | 3250/12E. |
| CARLZ NDB (LOM) 402 CV N32°16.01' W104°20.31' 032° 5.7 NM to fld. Unmonitored. | , |
| ILS 111.9 I-CVD Rwy 03. Class IE. LOM CARLZ NDB. ILS and LOM unmonitored. | |
| 04017 | |
| CARLZ N32°16.01' W104°20.31' NOTAM FILE CNM. | ALBUQUERQ |
| NDB (LOM) 402 CV 032° 5.7 NM to Cavern City Air Terminal. Unmonitored. | |
| CARRIZOZO MUNI (F37) 1 NW UTC-7(-6DT) N33°38.93' W105°53.74' | ALBUQUERQ |
| | ALDUQUERQ |
| 5371 B S2 FIFE 10011 NOTAM FILE ABO | |
| 5371 B S2 FUEL 100LL NOTAM FILE ABQ RWY 06-24: H4900X75 (ASPH) S-12 MIRI | L- |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL | |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. | |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL | |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15-33: 2500X90 (DIRT) RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. | Trees. |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. | Trees. |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL | Trees. |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06-24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06–24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. RWY 24—CTAF. | Trees. |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 | Trees. . Rwy 06 ar |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 16-33: 2500X90 (DIRT) RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM Chan 115 N34°20.33' W106°49.23' 119° 61.9 NM to fid. 4 | Trees. . Rwy 06 ai |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM Chan 115 N34°20.33' W106°49.23' 119° 61.9 NM to fid. 4 CATRON CO HELIPORT (See QUEMADO) | Trees. - Rwy 06 a |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 15-33: 2500X90 (DIRT) RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM Chan 115 N34°20.33' W106°49.23' 119° 61.9 NM to fld. 4 CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) | Trees. - Rwy 06 a |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 15-33: 2500X90 (DIRT) RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM Chan 115 N34°20.33' W106°49.23' 119° 61.9 NM to fid. 4 CATRON CO HELIPORT (See QUEMADO) | Trees. _ Rwy 06 a 4910/13E. |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15: Sence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) CHISUM N33°20.25' W104°37.28' NOTAM FILE ROW. (H) VORTACW 116.1 CME Chan 108 103° 5.0 NM to Roswell Intl Air Center. 3772/12E. | Trees. . Rwy 06 al 1910/13E. ALBUQUERQ |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 16: RelL, PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM Chan 115 N34°20.33' W106°49.23' 119° 61.9 NM to fid. 4 CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) CHISUM N33°20.25' W104°37.28' NOTAM FILE ROW. (H) VORTACW 116.1 CME Chan 108 103° 5.0 NM to Roswell Intl Air Center. 3772/12E. HIWAS. | Trees. . Rwy 06 al 1910/13E. ALBUQUERQ |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15: Sence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) CHISUM N33°20.25' W104°37.28' NOTAM FILE ROW. (H) VORTACW 116.1 CME Chan 108 103° 5.0 NM to Roswell Intl Air Center. 3772/12E. | Trees. . Rwy 06 a 4910/13E. ALBUQUERO |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL, PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15: Sence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAFUNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) CHISUM N33°20.25' W104°37.28' NOTAM FILE ROW. (H) VORTACW 116.1 CME Chan 108 103° 5.0 NM to Roswell Intl Air Center. 3772/12E. HIWAS. DME unusable 060°-140° byd 20 NM bio 7,000', 141°-215° byd 20 NM bio 8,000'. | Trees. . Rwy 06 a 4910/13E. ALBUQUERQ H-6F, L- |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL, PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15: SENCE. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAFUNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) CHISUM N33°20.25' W104°37.28' NOTAM FILE ROW. (H) VORTACW 116.1 CME Chan 108 103° 5.0 NM to Roswell Intl Air Center. 3772/12E. HIWAS. DME unusable 060°-140° byd 20 NM bio 7,000', 141°-215° byd 20 NM bio 8,000'. CIMARRON CIMARRON N36°29.48' W104°52.32' NOTAM FILE RTN. | Trees. . Rwy 06 ai 4910/13E. ALBUQUERQ H-6F, L- DENV |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15: 5250X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) CHISUM N33°20.25' W104°37.28' NOTAM FILE ROW. (H) VORTACW 116.1 CME Chan 108 103° 5.0 NM to Roswell Intl Air Center. 3772/12E. HIWAS. DME unusable 060°-140° byd 20 NM blo 7,000', 141°-215° byd 20 NM blo 8,000'. CIMARRON (H) VORTAC 116.4 CIM Chan 111 037° 23.3 NM to Raton Muni/Crews FId. 6550/13E. HIWAS. | Trees. . Rwy 06 a 4910/13E. ALBUQUERO H-6F, L- DENV |
| RWY 06-24: H4900X75 (ASPH) S-12 MIRL RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road. RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 37'. RWY 15: 32500X90 (DIRT) RWY 15-33: 2500X90 (DIRT) RWY 15: Fence. RWY 33: Antenna. AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 06–24, PAPI Rwy 06 and Rwy 24, and REIL Rwy 24—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ. SOCORRO (H) VORTAC 116.8 ONM CATRON CO HELIPORT (See QUEMADO) CAVERN CITY AIR TERMINAL (See CARLSBAD) CHISUM N33°20.25' W104°37.28' NOTAM FILE ROW. (H) VORTACW 116.1 CME Chan 108 103° 5.0 ME unusable 060°-140° byd 20 NM bio 7,000', 141°-215° byd 20 NM bio 8,000'. CIMARRON N36°29.48' W104°52.32' NOTAM FILE RTN. | Trees. . Rwy 06 a 4910/13E ALBUQUERO H-6F, L- DENN |

```
RCO 122.1R 116.4T (ALBUQUERQUE RADIO)
```

268






| CONCHAS LAKE SPB (E61) 2 SW U 4201 NOTAM FILE ABQ WATERWAY ALL WAY: 21120X1320 (WATER); WATERWAY ALL WAY: Dam. SEAPLANE REMARKS: Unattended. Small boat to 4201' MSL. Landing area becomes Seaplane operations are prohibited of dam and at North Marina and at S doo ldg and tkf ops to the west. Wind war Lights flash if winds are greater than COMMUNICATIONS: CTAF 122.9 | at traffic heavy in landing a s hazardous due to expose n that portion of the lake N ck. Dam 5000' Northeast (ning Igts located on dam, a | area May–Oct. Lake level fluctua Id snags and land masses at lev Vorth of the dam. Wind warning of sealane. Most winds out of S | vels below 4170' lights located on W. Recommend |
|---|---|--|---|
| ONCHAS LAKE SPB (See CONCHAS DA | MM) | | |
| ONCHAS LAKE (See CONCHAS DAM) | | | |
| ORONA N34°22.02' W105°40.68' Ni (H) VORTAC 115.5 CNX Chan 102 VOR unusable 115°-135° beyond 35 DME unusable: 115°-135° byd 35 NM blo 10,000 135°-135° byd 20 NM blo 12,000 RC0 122.1R 115.5T (ALBUQUERQUE RAI |)')' | luni. 6411/13E. HIWAS. 185°–205° byd 20 NM blo : 205°–260° byd 20 NM blo : | |
| OZEY N32°37.92′ W108°03.80′ NOT NDB (LOM) 251 SV 261° 4.7 NM to (| TAM FILE SVC. Grant Co. | | ALBUQUERQU L—5 |
| AIRPORT REMARKS: Unattended. PPR 505-7 6708. ACTIVATE MIRL Rwy 18-36-1 Communications: CTAF 122.9 Radio AIDS TO NAVIGATION: NOTAM FILE GUF GALLUP (H) VORTAC 115.1 GUP Char | 22.9. | | |
| EMING MUNI (DMN) 2 SE UTC-7 4314 B S4 FUEL 100LL, JET A RWY 08-26: H6627X75 (ASPH) S-20 RWY 08: PAPI(P2L)—GA 3.0° TCH 40'. RWY 26: PAPI(P4L)—GA 3.0° TCH 40'. RWY 26: PAPI(P4L)—GA 3.0° TCH 40'. RWY 24: Tree. RWY 22: Pole. AIRPORT REMARKS: Attended 1400-02002: hours call 575-494-2311. No interse arriving from East and departing to th segmented circle. Rwy 04—22 outsid MIRL Rwy 04-22 and Rwy 08–26, PAF 26—CTAF. | NOTAM FILE DMN MIRL 0.3% up W Trees. MIRL t. For arpt attendant after ection takeoffs. Helicopter: e East remain North of le lanes rough. ACTIVATE | T | |

 DOMAN
 N35°33.32' W106°08.41'
 NOTAM FILE SAF.

 NDB (LOM) 341
 SG
 022° 4.5 NM to Santa Fe Muni. Unmonitored.


ALBUQUERQUE L—81

| DONA ANA CO AT SANTA TERESA (See SANTA TERESA) DOUBLE EAGLE II (See Albuquerque) | |
|--|-----------------------------|
| DUDLE N35°13.04' W106°42.77'. NOTAM FILE ABQ. NDB (LOM) 351 AE 212° 5.9 NM to Double Eagle II. | ALBUQUERQUE |
| DULCE JICARILLA APACHE NATION (24N) 10 S UTC-7(-6DT) N36°49.71′ W106°53.05′ 7618 B NOTAM FILE ABQ RWY 17-35: H7500X75 (ASPH) S-12.5 MIRL RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 30′. Tree. RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 3 AIRPORT REMARKS: Unattended. Rising terrain in all directions. Wildlife on and invof arpt. Main gate times, ctc arpt manager to enter/exit 505-759-4310. Gate combination 1995. Wind sock Igts ACTIVATE MIRL Rwy 17-35, REIL and PAPI Rwy 17 and Rwy 35—CTAF. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE FMN. RATILESNAKE (H) VORTACW 115.3 RSK Chan 100 N36°44.90′ W108°05.93′ 071°58.7 NM 5823/14E. HIWAS. | locked at all OTS indef. |
| EDGEWOOD SANDIA AIRPARK ESTATES EAST (1N1) 2 NE UTC-7(-6DT) N35°05.67' W106°10.03' 6550 B S4 FUEL 100LL NOTAM FILE ABQ RWY 09-27: H4830X30 (ASPH) LIRL AIRPORT REMARKS: Attended Mon-Sat 1400-0000Z‡. Self svc fuel with credit card. For rotg bcn call ACTIVATE LIRL RWy 09-27CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE SAF. SANTA FE (L) VORTACW 110.6 SAF Chan 43 N35°32.45' W106°03.90' 178° 27.2 NM to 1 | |
| ESPANOLA OHKAY OWINGEH (E14) 3 NE UTC-7(-6DT) N36°01.57' W106°02.72' 5790 B NOTAM FILE ABQ RWY 16-34: H5007X75 (ASPH) S-18 MIRL RWY 16: Thid dsplcd 324'. RWY 34: Fence. AIRPORT REMARKS: Unattended. Main gate locked at all times. Airport access gate combination-579 arpt manager to enter/exit 505-747-0700 or 505-660-6113. ACTIVATE MIRL Rwy 16-34—C' COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE SAF. SANTA FE (L) VORTACW 110.6 SAF Chan 43 N35°32.45' W106°03.90' 349° 29.3 NM to 1 | TAF. |
| ESTANCIA MUNI (E92) 1 E UTC-7(-6DT) N34°45.80′ W106°02.48′ 6100 NOTAM FILE ABQ RWY 08-26: 4000X50 (GRVL) RWY 08: ODALS. Pole. RWY 26: ODALS. Hill. AIRPORT REMARKS: Unattended. Cattle and birds on and invof rwy. Rwy 08-26 soft when wet. Rwy 08 flashing Igt on rwy centerline and 2 at rwy thId. Rwy 26 ODALS OTS indef. Rwy 26 NSTD ODALS extended rwy centerline on less than standard spacing flash in sequence. Rwy 08-26 thId and retro-reflective. COMMUNICATIONS: CTAF 122.9 | –3 NSTD lgts on |



FOUR CORNERS RGNL (See FARMINGTON)

273



SW, 08 APR 2010 to 03 JUN 2010

HIWAS

DEMING (L) VORTACW 108.6 DMN Chan 23 N32°16.53' W107°36.33' 030° 31.0 NM to fld. 4210/12E.

| HAWKE N32°13.14'W106°50.18' NOTAM FILE LRU. NDB (LOM) 206 LR 303° 6.1 NM to Las Cruces Inti. | ALBUQUERQUE L—6F |
|--|------------------------|
| HISAN N34°21.04' W103°10.46' NOTAM FILE CVN. NDB (LDM) 335 CV 038° 6.5 NM to Clovis Muni. | ALBUQUERQUE |
| HOBBS LEA CO RGNL (HOB) 4 W UTC-7(-6DT) N32°41.25' W103°13.02' 3661 B FUEL 100LL, JET A NOTAM FILE HOB RWY 03-21: H7398X150 (ASPH-PFC) S-65, D-100, ST-127 HIRL RWY 03: MALSR. RWY 03: MALSR. RWY 12: UOALS. VASI(V4L)—GA 3.0° TCH 44'. Tree. RWY 12: UOALS. VASI(V4L)—GA 3.0° TCH 44'. RWY 12: VASI(V4L)—GA 3.0° TCH 49'. RWY 12: VASI(V4L)—GA 3.0° TCH 49'. RWY 12: VASI(V4L)—GA 3.0° TCH 49'. RWY 12: VASI(V4L)—GA 3.0° TCH 44'. RWY 17: Thid dspicd 492'. P-line. RUMWAY DECLARED DISTANCE INFORMATION RWY 12: TORA-6001 TODA-6001 ASDA-6001 LDA-6001 RWY 12: TORA-7398 TODA-7398 ASDA-7398 LDA-7398 RWY 12: TORA-6001 TODA-6001 ASDA-6001 LDA-6001 RWY 13: TORA-7398 TODA-7398 ASDA-7398 LDA-7398 RWY 30: TORA-6001 TODA-6001 ASDA-6001 LDA-6001 RWY 31: TORA-4998 TODA-7398 ASDA-7398 LDA-7398 RWY 30: TORA-6001 TODA-6001 ASDA-6001 LDA-6001 RWY 31: TORA-4998 TODA-7398 ASDA-7398 LDA-7398 RWY 30: TORA-6001 TODA-6001 ASDA-6001 LDA-6001 RWY 31: TORA-4998 TODA-7398 ASDA-4998 LDA-4998 AIRPORT REMARKS: Attended 1300-01002‡. Rotating bcn 0TS indef. Twy E clisd west of Twy C and east of Twy D indef. When twr clisd HIRL Rwy 03-21 and MIRL Rwy 12-30 preset low intensity; to increase intensity and ACTIVATE twy lgts—CTAF. ACTIVATE MALSR Rwy 03 and ODALS Rwy 21—CTAF. WEATHER DATA SOURCES: AWOS-3 119.75 OTS indef. UNICOM 122.95 HOBSS RC0 122.2 (ALBUQUERQUE RADIO) FORT WORTH CENTER APP/DEP CON 133.1 HOBSS TOWERT 120.65 (1300-05002‡ other times CLASS G. RADIO ANDS TO MAVIGATION: NOTAM FILE HOB. HOBSS TO MAVIGATION: NOTAM FILE HOB. HOBSS 10 VAIGATION: NOTAM FILE HOB. HOBSS 10 VORTAW TI1.0 HOB Chan 47 N32°38.29' W103°16.16' 031° 4.0 NM to fof ILS/DME 108.5 I-HOB Chan 22 Rwy 03 Class IE. Unmonitored LOC BC unusu course. LOC BC unusable byd 14' NM. LOC BC unusable byd 20° right side of course. | |
| HOBBS N32°38.29' W103°16.16' NOTAM FILE HOB (L) VORTACW 111.0 HOB Chan 47 031° 4.0 NM to Lea Co Rgnl 3660/11E. RC0 122.2 (ALBUQUERQUE RADIO) | ALBUQUERQUE L-6G |
| HOLLOMAN AFB (HMN)(KHMN) AF (A) 6 SW UTC-7(-6DT) N32°51.15' W106°06.33' 4093 B TPA—See Remarks NOTAM FILE HMN Not insp. RWY 07-25: H12917X150 (PEM) PCN 56 R/B/W/T HIRL RWY 07-25: H12132X150 (PEM) PCN 56 R/B/W/T HIRL RWY 16-34: H12132X150 (PEM) PCN 58 R/B/W/T HIRL RWY 16: ALSF1. SF. PAPI(P2L)—GA 3.0° TCH 44'. RWY 34: PAPI(P2L)—GA 2.5° TCH 43' RWY 04-22: H10576X300 (PEM) PCN 58 R/B/W/T HIRL RWY 04:0.3% up. RWY 22: ALSF1. SF. PAPI(P2L)—GA 3.0° TCH 53'. RUW W4 DECLARED DISTANCE INFORMATION RWY 04: TORA-10575 RWY 16: TORA-12132 TODA-12132 | H-4K, L-6F Diap, Ad |
| RWY 16 ← BAK-15 (NI) UNK (121' OVRN) ← HOOK BAK-12B (61' OVRN) HOOK BAK-12B(B) (HOOK BAK-12B(B) (1505') HOOK BAK-9 (63' OVRN) → BAK-15 (NI) UN | |

SW, 08 APR 2010 to 03 JUN 2010

CONTINUED FROM PRECEDING PAGE

- MILITARY SERVICE: LGT Gated thild igt all rwy. Rwy 22 sequenced flashing igts not avbl.
 A-GEAR Primary A-Gear

 engagement is apch end BAK-12B. Rwy 04-22 BAK-12B (mid fld) and Rwy 25 apch BAK 12-B 30 min prior
 notice. When Rwy 16 in use, departure/landing will be toward raised BAK-15 on departure end Rwy 16. When

 Rwy 34 in use, departure/landing will be toward raised BAK-15 on departure end Rwy 34. Rwy 07 apch BAK12
 cable only has four tie downs. When winds greater than 35 kts and temps less than 85°F, BAK-15 nets in down position. When winds greater than 35 kts and temps greater than 85°F, BAK-15 nets in up position during T-38 ops. Nets avbl to be raised as req.
 JASU 2(MD-3) 2(MA-1A) 3(MC-1) 1(MC-1A) 1(M32A-60)
 FUEL J8

 FLUID SP LHOX LOX
 OIL 0-128-133-148-156 SOAP
 TRAN ALERT Opr 1300-0600Z‡. No priority basis.
- MILITARY REMARKS: Opr Mon-Thu 1300-0700Z‡, Fri 1300-0400Z‡, Sat 1500-2300Z‡, clsd Sun and holidays. APP/DEP, control twr, AM OPS and Tran Alert svc unmanned other times, standby svc avbl thru Comd Post DSN 572-7575, C575-572-7575. See FLIP AP/1 Supplementary Arpt Remarks. RSTD. PPR, ctc AfId OPS DSN 572-5411/5412. Minimum 24 hr ntc rgr and no more than 7 days prior. Rwy 16-34 clsd to acft over 200' wingspan. PPR good for +/- 30 min PPR time. Coordination of PPR outside of block time by fone is rqr or PPR number will be considered cancelled. ACC quiet hr policy 0530-1300Z[‡], standby svc avbl. Heavy acft should expect to land Rwy 22. Heavy acft prohibited from departure or arrival Rwy 07-25. Fighter acft opr on Rwy 07-25 rstd to less than 79.000 lbs maximum gross weight. All acft, exc T38 and Aero Club, are prohibited from completing 180° turns on Rwy 07-25. CAUTION Mountainous terrain 10 NM east and 20 NM west. Uncontrolled vehicles on movement area. Uncontrolled afld ops (UAO) in effect during outside published afld hrs. UAO only authorized for flying units listed in HAFBI 13-204. Ctc Comd Post DSN 572-7575, (575) 572-7575 for current UAO status. Portions of arpt not visible from twr. Potential exists for reduced braking performance on apch end Rwy 16, Rwy 22 and Rwy 04 when sfc wet. Exit Rwy 22 on Twy R hold short Twy G, Helicopter arr/dep avoid hover over unprepared surface. 1" depression located 1800' fm Rwy 16 thld, 30' either side rwy centerline for approximately 40'. Pavement markings throughout afld faded and non-reflective. TFC PAT TPA-Overhead 6100(2007)/300 knots. Air Combat Command Reduced same Rwy separation applied to Air Combat Command acft only. 10' tall electric power station and equipment located NE corner of North Ramp pavement edge. NS ABIMI Straight-in full stop only Rwy 16-34 after 0300Z[±] and at all times Sat, Sun and holidays. Multi apch authorized Rwy 22. Dep Rwy 25 at all times. Arrival on Rwy 25 and Rwy 34 permission only when Rwy 16 and Rwy 22 not avbl, winds permitting. Aero Club and flight check exam. CSTMS/AG/IMG CSTMS/AG/IMM svc conducted at KHMN by personnel from Port of Entry Santa Teresa NM with 24 hr prior notice. Contact AM Ops DSN 572-5411. C575-572-5411 to coordinate. MISC VFR hold lines located at intersections Rwy 07-25 (4 each). and Rwys Rwy 04-22 (2 each). Acft given clnc to land or tkf shall disregard hold lines at the intersections during ldg and tkf roll. Land and hold short ops not auth. Wx opr and automated obsn are avbl during afld closure and augmented obsn, when afld open. Transient acft last priority on refueling due to refueling mechanical problems. expect delays. Rgr afld signs installed incorrectly and/or missing throughout the afld. No F16 transient support avbl for acft with GE F110 engine due to magnetic chip detector inspection unavailability. NOTE: wind data is accurate. Wx obsn site limited 130°-220° due to bldg; ngt obsn limited due to high ints lgts.Svc not avbl when afid NOTAM clsd, Wx DSN 572-3924/5 (575) C572-3924/5. For standby syc during non-opr hr ctc 25 ows DSN 228-6674. Std ACC RSRS applied, non-ACC assigned acft ror written approval, Radar monitoring not avbl all rwy. First 1850' Rwy 34, first 1700' Rwy 16 conc, mid 8581' asph. Rwy 04-22 has 1000X300 conc thld, remaining rwy 8575X300 asph. Rwy 04-22 marked 10,575X150. First 1000' Rwy 25 conc, west of Twy F middle 75' concrete outer 37.5' weight bearing asphalt. Twy G width 150' weight bearing. A Opr Mon-Fri 1415-23007±.


COMMUNICATIONS: SFA ATIS 273.5 (Limited byd 15 NM 020°-140°) (1300-0300Z‡) PTD 372.2

- RP CON 120.6 269.225 (Limited 020°-140° byd 15 NM) (Mon-Thu 1300-0700Z‡, Fri 1300-0400Z‡, Sat 1500-2300Z‡, clsd Sun and holidays). other times ctc RALBUQUERQUE CENTER APP CON 132.65 257.6
 TOWER 119.3 255.9 (Limited 020°-140° byd 15 NM) (Mon-Thu 1300-0700Z‡, Fri 1300-0400Z‡, Sat 1500-2300Z‡, clsd Sun and holidays). END CON 127.05 275.8 CLNC DEL 126.7 289.4
- (R) DEP CON 128.1 284.0 (Limited 020°-140° byd 15 NM) (Mon-Thu 1300-0700Z‡, Fri 1300-0400Z‡, Sat 1500-2300Z‡, clsd Sun and holidays). other times ctc (P) ALBUQUERQUE CENTER DEP CON 132.65 257.6
 COMD POST (RAYMOND 14) 381.3 (Have Quick timing avbl. Limited 020°-140° byd 15 NM) PMSV METRO 346.55 (Limited 020°-140° byd 15 NM) ARWY AVIATION 229.3 (Limited 020°-140° byd 15 NM) CHEROKEE-MISSION 126.9 305.5

RADIO AIDS TO NAVIGATION: NOTAM FILE HMN.


- (L) TACAN Chan 92 HMN (114.5) N32°51.73' W106°06.55' at fid. 4120/10E. Unmonitored when Radar Approach Control clsd. Unusable 030°-120° byd 30 NM bio 15,000'. No NOTAM MP Tue 1200-1400Z‡. ILS 108.9 I-MUK Rwy 16. Unmonitored outside published opr hr and when Radar facility not manned. No NOTAM MP Fri 1200-1400Z‡. Gilde Slope Thu 1200-1400Z‡.
- ILS 111.7 I-HMN Rwy 22. Unmonitored outside published opr hrs. No NOTAM MP Mon 1200–1400Z‡, Glide Slope Wed 1200–1400Z‡.

| JAL | A CO (JAL) (E26) 3 NE UTC-7(-6DT) N32°07.87' W103°09.29' | ALBUQUERQUE |
|-----|---|-------------|
| | 3118 B S2 NOTAM FILE ABQ RWY 01-19: H4704X60 (ASPH) S-23 MIRL RWY 01: P-line. RWY 19: Trees. | L—6G Ad |
| | RWY 09–27: H2604X50 (ASPH) S–12 | |
| | RWY 09: Thid dsplcd 40'. Brush. RWY 27: Thid dsplcd 45'. P-line. | |
| | AIRPORT REMARKS: Unattended. Extensive oil well drilling activity on and invof arpt. +20' pump jack 990' | |
| | right of centerline. Rwy 09–27 +4–7' brush 60' fm centerline both sides length of rwy. 5' line of sig | |
| | between Rwy 01–19 and Rwy 09–27 ends. For airframe/powerplant service call 505–396–6719. M | IRL RWY |
| | 01–19 preset low ints, to increase ints ACTIVATE—CTAF. COMMUNICATIONS: CTAF 122.9 | |
| | RADIO AIDS TO NAVIGATION: NOTAM FILE INK. | |
| | WINK (H) VORTACW 112.1 INK Chan 58 N31°52.49' W103°14.62' 005° 16.0 NM to fld. 28 | 360/11F |
| | | ,000/1121 |
| | WETT MESA (See APACHE CREEK) | |
| | CARILLA APACHE NATION (See DULCE) | |
| | S CRUCES INTL (LRU) 8 W UTC-7(-6DT) N32°17.37' W106°55.32' | ALBUQUERQUE |
| | 4456 B S4 FUEL 100LL, JET A1 + OX 1, 3 TPA-5456 (1000) Class IV, ARFF Index A | H-4J, L-6F |
| | NOTAM FILE LRU | IAP |
| | RWY 04-22: H7499X100 (ASPH) S-30, D-30, DT-30, DDT-30 MIRL | |
| | RWY 22: VASI(V4L)—GA 3.0° TCH 48'. | |
| | RWY 12-30: H7499X100 (ASPH) S-70, D-120, ST-152 MIRL | |
| | 0.3% up NW | / |
| | RWY 30: MALSR. | (|
| | RWY 08-26: H6069X100 (ASPH) S-70, D-120, ST-152 MIRL | |
| | RWY 08: VASI(V2L)—GA 3.0° TCH 55'. | 4 |
| | RWY 26: VASI(V2L)—GA 3.0° TCH 41'. | |
| | RUNWAY DECLARED DISTANCE INFORMATION | |
| | RWY 04: TORA-7499 TODA-7499 ASDA-7499 LDA-7499 | |
| | RWY 08: TORA-6069 TODA-6069 ASDA-6069 LDA-6069 | |
| | RWY 12: TORA-7499 TODA-7499 ASDA-7499 LDA-7499 | |
| | RWY 22: TORA-7499 TODA-7499 ASDA-7499 LDA-7499 RWY 26: TORA-6069 TODA-6069 ASDA-6069 LDA-6069 (< | |
| | RWY 26: TORA-6069 TODA-6069 ASDA-6069 LDA-6069 Solid Action and Act | - Se |
| | AIRPORT REMARKS: Attended continuously. Rwy 04–22 CLOSED to acft | |
| | over 30,000 lbs. Birds on and invof arpt Sep–Mar. Unmanned | - / 🔊 |
| | aerial vehicle training ops on the arpt. PPR 48 hrs for acft with | |
| | more than 30 passenger seats, call arpt manager 575–541–2471 | |
| | or 575–541–2473. Rwy 04–22 not avbl for air carrier ops. Rwy 30 | / |
| | designated calm wind rwy. ACTIVATE MIRL Rwy 04–22, Rwy 12–30 and MALSR Rwy 30—CTAF. MIRI | Rwy 08-26 |
| | preset low ints, to increase ints ACTIVATE—CTAF. NOTE: See Special Notices—U.S. Special Custor | |
| | Requirement. | |
| | WEATHER DATA SOURCES: AWOS-3 119.025 (575) 526-4831. | |
| | COMMUNICATIONS: CTAF/UNICOM 122.7 | |
| | R) ALBUQUERQUE CENTER APP/DEP CON 128.2 | |
| | RADIO AIDS TO NAVIGATION: NOTAM FILE DMN. | |
| | DEMING (L) VORTACW 108.6 DMN Chan 23 N32°16.53' W107°36.33' 076° 34.8 NM to fld. 4: HIWAS. | 210/12E. |
| | HAWKE NDB (LOM) 206 LR N32°13.14′ W106°50.18′ 303° 6.1 NM to fld. | |
| | ILS/DME 109.3 I-LRU Chan 30 Rwy 30. Class IE. LOM HAWKE NDB. | |



 SAN SIMON (H) VORTACW 115.4
 SSO
 Chan 101
 N32°16.16' W109°15.79'
 069° 29.3 NM to fid.

 3600/13E.
 HIWAS.





280

| MAGDALENA (N29) 3 W UTC-7(-6DT) N34°05.67' W107°17.87' | ALBUQUERQUE |
|---|-----------------|
| 6727 NOTAM FILE ABQ RWY 02-20: 5650X50 (DIRT-GRVL) RWY 02: REIL(NSTD). Fence. RWY 20: REIL(NSTD). AIRPORT REMARKS: Unattended. Private dirt airstrip 600' west of aprt. Small arms fire W arpt sfc 200 third Sat 2000-2300Z‡ indef. Rwy 02-20 sfc treated with flyash, firm but dusty with some larg 02-20 edge lgtg retro-reflective. Rwy 02 and Rwy 20 NSTD REIL each end, 2 strobes at rwy end alternately with single strobes 200' from rwy end on centerline, ACTIVATE—122.9. COMMUNICATIONS: CTAF 122.9 | e rocks. Rwy |
| MAXWELL N36°42.04' W104°32.38' NOTAM FILE RTN. NDB (MHW) 284 MXR 026° 3.1 NM to Raton Muni/Crews Fld. Unmonitored 0000–1400Z‡. | DENVER L—15A |
| MID VALLEY AIRPARK (See LOS LUNAS) | |
| MORIARTY (ØEØ) 2 SE UTC-7(-6DT) N34°59.14' W106°00.57' 6199 B S4 FUEL 100LL, JET A TPA—7199(1000) NOTAM FILE ABQ RWY 08-26: H7700X75 (ASPH) MIRL RWY 08: REIL. RWY 26: REIL. AIRPORT REMARKS: Attended 1500-0300Z‡. For Jet A after hours and holidays call 505-832-2222, hrs self service with major credit card. For emerg repairs call 505-269-8234. Extensive glider COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE SAF. SANTA FE (L) VORTACW 110.6 SAF Chan 43 N35°32.45' W106°03.90' 162° 33.4 NM to f | activity. |
| MOSQUERO EMERGENCY SERVICES HELIPORT (NO1) 0 N UTC-7(-6DT) N35°46.95' W103°57.48' Not insp. 5590 B NOTAM FILE ABQ Not insp. Not insp. HELIPAD HI: H65X65 (CONC) PERIMETER LGTS Net insp. HELIPAD HI: H65X65 (CONC) PERIMETER LGTS Not insp. HELIPAD HI: H65X65 (CONC) PERIMETER LGTS Not insp. MOUNTAINAIR MUNI (M10) 2.0 NOTAM FILE ABQ MOUNTAINAIR MUNI (M10) 2 NE UTC-7(-6DT) N34°32.00' W106°13.43' 6492 NOTAM FILE ABQ RWY 08-26: 2578X50 (DIRT) RWY 08-26: 2578X50 (DIRT) RWY 08: Thid dspled 200'. Road. AIRPORT REMARKS: Unattended. Rwy 08-26 soft, unusable when wet; 2'-4' berms on edges. Infrequ | ALBUQUERQUE |
| may be hazardous; recommend visual inspection prior to using. COMMUNICATIONS: CTAF 122.9 NAVAJO LAKE (1VØ) 3 NE UTC-7(-6DT) N36°48.50' W107°39.09' 6475 B NOTAM FILE ABQ RWY 06-24: H4995X60 (ASPH) S-12 RWY 06: ODALS (NSTD) APAP (PNIL). RWY 24: ODALS (NSTD) APAP (PNIL). AIRPORT REMARKS: Unattended. Arpt CLOSED at night. Arpt CLOSED | DENVER L-81 |
| during winter months. Livestock on arpt. No snow removal, PPR when snow or ice on rwy call 505–476–0941. Gate always locked, combination set to fld elevation. Rwy 06–24 edge Igtg retro-reflective. Rwy 06 VASI retro-reflective panel glide slope indicator. ODALS Rwy 06 and Rwy 24 OTS indef. Rwy 06 NSTD ODALS–3 NSTD Igts on extended rwy centerline on less than standard spacing. Rwy 24 VASI retro-reflective panel glide slope indicator. Rwy 24 NSTD ODALS–1 flashing Igt on rwy centerline and 2 at rwy thld. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATIONE: NOTAM FILE DRO. DURANGO (L) VORW/DME 108.2 DRO Chan 19 N37°09.20' W107°44.98' 153° 21.2 NM to fld. 6660/14E. | |

NAVAJO LAKE (See NAVAJO DAM)


| OKAY OWINGEH (See ESPANOLA) | |
|---|----------------------------------|
| OTTO N35°04.34' W105°56.16' NOTAM FILE ABQ. (L) VORW 114.0 OTO 200° 6.2 NM to Moriarty. | ALBUQUERQUE L-4G, L-81 |
| PINON N32°31.75′ W105°18.32′ NOTAM FILE ABQ. (L) VORW/DME 110.4 PIO Chan 41 159° 34.4 NM to Dell City Muni, TX. 6580/12E. | ALBUQUERQUE L-6F |
| PORTALES MUNI (PRZ) 4 SW UTC-7(-6DT) N34°08.73' W103°24.62' 4078 B S4 FUEL 100LL, JETA NOTAM FILE ABQ RWY 01-19: H5700X60 (ASPH) MIRL 0.6% up S RWY 19: PVASI(PSIL)-GA 3.5° TCH 40'. RWY 026: H4560X60 (ASPH) MIRL RWY 026: PASI(PSIL)-GA 3.0° TCH 48'. P-line. AIRPORT REMARKS: Attended 1400-23002‡. For arpt attendant after hrs, Sat and Sun call 505-760-4312 or 505-714-3797. MIRL Rwy 02-19 preset low ints; to increase ints and ACTIVATE MIRL Rwy 08-26CTAF. WEATHER DATA SUBRCES: ANONS-3 118.175 (575) 478-2864. COMMUNICATIONS: CTAF.001 122.8 ® CANNON APP/DEP CON 121.05 (Mon 1400Z‡ thru Fri 0600Z‡, clsd Sat, Sun and holidays) other times ctc ® ALBUQUERQUE CENTER APP/DEP CON 126.85 CANNON CLNC DEL 119.0 RADIO AIDS TO NAVIGATION: NOTAM FILE FTW. TEXICO (H) VORTACW 112.2 TXO ND2 (MHW) 407 PRZ N34°09.08' W103°24.37' NOTAM FILE ABQ. I | ALBUQUERQUE H-66, L-66 IAP |
| QUEMADO CATRON CO HELIPORT (C54) 8 E UTC-7(-6DT) N34°18.94' W108°18.59' 7205 B NOTAM FILE ABQ Not insp. HELIPAD H1: H65X65 (CONC) HELIPORT REMARKS: Unattended. Elk invof ldg area. ACTIVATE perimeter lgts Helipad H1—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8 | DENVER |
| QUESTA MUNI NR 2 (N24) 6 N UTC-7(-6DT) N36°48.02' W105°35.85' 7700 B NOTAM FILE ABQ RWY 17-35: H6861X75 (ASPH) S-12.5 MIRL AIRPORT REMARKS: Unattended. Elk on and invof arpt. Rwy 17 preferred calm wind rwy. For access cto village office at 575-586-0694. ACTIVATE MIRL Rwy 17-35—123.6. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE SKX. TAOS (L) VORTAC 117.6 TAS Chan 123 N36°36.53'W105°54.38' 039° 18.8 NM to fld. | |





RUIDOSO N33°27.70′ W105°31.55′ RCO 122.25 (Albuquerque radio)

ALBUQUERQUE L-6F



MIRL 0.7% up NW RWY 15: REIL PVASI(PSIL)—GA 3.0° TCH 33'. RWY 33: REIL. VASI(V4R)—GA 3.0°TCH 62'. RWY 10-28: H6300X75 (ASPH-PFC) S-30 0.3% up SE

RWY 28: Road. AIRPORT REMARKS: Attended 1300–0500Z‡. For svc after hours call

505–471–2525/2700. PPR 24 hrs for air carrier ops with more than 30 passenger seats call arpt manager at 505–955–2900. Dogs and wildlife activity on and invof arpt. Rotary wing TPA—7000 (652). Rwy 33 VASI OTS indef. When twr clsd MIRL Rwy 02–20 preset low ints to increase ints and ACTIVATE MIRL Rwy 15–33—CTAF.

 WEATHER DATA SOURCES: ASOS (505) 474-3117.

 COMMUNICATIONS: CTAF 119.5

 RC0 122.2 (ALBUQUERQUE RADIO)

 (R) ALBUQUERQUE CENTER APP/DEP CON 132.8

 TOWER 119.5 (1400-04002‡)

 GND CON 121.7

AIRSPACE: CLASS D svc 1400-0400Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE SAF.

(L) **VORTACW** 110.6 SAF Chan 43 N35°32.45′ W106°03.90′ 332° 4.7 NM to fld. 6263/13E. VORTAC unusable 015°-030° beyond 30 NM below 14,600′

DOMAN NDB (LOM) 341 SG N35°33.32' W106°08.41' 022° 4.5 NM to fld. Unmonitored.


ILS/DME 111.7 I–SGB Chan 54 Rwy 02. Class IE. LOM DOMAN NDB. Unmonitored when twr clsd. LOM unmonitored.


SW, 08 APR 2010 to 03 JUN 2010


| SANTA ROSA ROUTE 66 (SXU) 3 E UTC-7(-6DT) N34°56.14′ W104°38.55′ 4792 B FUEL 100LL, JET A NOTAM FILE ABQ RWY 01-19: H5013X75(ASPH) S-12.5 MIRL | ALBUQUERQUE H-6F, L-15A |
|--|----------------------------|
| RWY 01: Trees. RWY 19: PVASI(PSIL)—GA 3.0° TCH 26'. Road. RWY 08-26: H4294X60 (ASPH) S-11.5 MIRL RWY 08: Brush. RWY 26: PVASI(PSIL)—GA 3.85° TCH 27'. Thid dspicd 118'. Road. AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with major credit card. Wildlife on and invof arpt. Gate acc. 4492. Emerg phone Santa Rosa Police Department 505–472–3605. MIRL Rwy 01–19 and Rwy 08–26 med ints 1300–05002‡, to incr ints ACTIVATE—CTAF. After 05002‡ ACTIVATE—CTAF. WEATHER DATA SOURCES: AWOS–3 118.1 (575) 472–9943. COMMUNICATIONS: CTAF/UNICOM 122.8 RDIO AIDS TO NAVIGATION: NOTAM FILE ABQ. ANTON CHICO (H) VORTAC 117.8 ACH Chan 125 N35°06.70' W105°02.40' 106° 22.2 NM to fid. 54 | o preset |
| SANTA TERESA DONA ANA CO AT SANTA TERESA (5T6) 4 NW UTC-7(-6DT) N31°52.86' W106°42.29' 4112 B S4 FUEL 100LL, JET A1+ 0X 1, 2, 3, 4 LRA NOTAM FILE ABQ RWY 10-28: H8500X100 (ASPH) S-20 MIRL RWY 10: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Railroad. RWY 28: REIL.PAPI(P2L)—GA 3.0° TCH 40'. AIRPORT REMARKS: Attended 1330-0100Z‡. U.S. Customs user fee arpt. Parachute Jumping. MIRL Rwy 10- med ints only dusk-dawn. WEATHER DATA SOURCES: AW05-A 122.725 (617) 262–3825. COMMUNICATIONS: CTAF/AUNICOM 122.725 ALBUQUERQUE CENTER APP/DEP CON 128.2 RADIO AIDS TO MAVIGATION: NOTAM FILE ELP. EL PASO (H) VORTACW 115.2 ELP Chan 99 N31°48.95' W106°16.91' 268° 22.0 NM to fid. 400 | -28 preset |
| SHIPROCK AIRSTRIP (5V5) 5 S UTC-7(-6DT) N36°41.87' W108°42.07' 5270 NOTAM FILE ABQ RWY 02-20: H4840X75 (ASPH) S-11 RWY 02-20: H4840X75 (ASPH) S-11 RWY 02: Pline. | DENVER L—8H |
| AIRPORT REMARKS: Unattended. Shallow drainage ditch entire length NW side of rwy. Combination for arpt a 5248. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE FMN. RATILESNAKE (H) VORTACW 115.3 RSK Chan 100 N36°44.90' W108°05.93' 250° 29.2 NM to fid. 5823/14E. HIWAS. | ICCESS IS |
| SIERRA BLANCA RGNL (See RUIDOSO) | |


SILVER CITY N32°38.26' W108°09.66' NOTAM FILE SVC. ALBUQUERQUE (L) VORTAC 110.8 SVC Chan 45 at Grant Co. 5423/13E. L–5D RC0 122.1R 110.8T (ALBUQUERQUE RADIO)


| SILVER CITY |
|--|
| GRANT CO (SVC) 10 SE UTC-7(-6DT) N32°38.19' W108°09.38' ALBUQUERQU |
| 5446 B FUEL 100LL, JET A1 Class III, ARFF Index A NOTAM FILE SVC H-4J, L- |
| RWY 08-26: H6802X100 (ASPH) S-75, D-100, ST-127 MIRL |
| RWY 08: RELL PAPI(P4L)—GA 3.0° TCH 44'. |
| RWY 26: MALS. PAPI(P41)—GA 3.0° TCH 45'. |
| RWY 17-35: 5473X75 (DIRT) 1.1% up N |
| RWY 17: Thild dsplod 109'. Fence. RWY 35: P-line. $\star \leq L_{\star}$ |
| RWY 12–30: 4675X75 (DIRT) 1.1% up NW |
| RWY 12: Fence. RWY 30: Tower. |
| RWY 03-21: 4537X80 (DIRT) 0.6% up NE |
| RWY 03 - Pole. RWY 21: Fence. |
| AIRPORT REMARKS: Attended 1500–0000Z‡. For fuel after hours call |
| 888–723–5946. Self-service 100LL also avbl at FBO 24 hrs. Acft |
| |
| may be parked near Rwy 17. Cattle and wildlife on and invof arpt. |
| 5490' MSL cranes located east of Rwy 26 thid. Rwy 17 dsplcd |
| thid marked by tires in ''L'' pattern. MIRL Rwy 08–26 preset low |
| ints dusk-dawn. ACTIVATE MIRL Rwy 08-26 and MALS Rwy |
| 26—CTAF. |
| WEATHER DATA SOURCES: AWOS-3 126.725 (575) 388-5947. |
| COMMUNICATIONS: CTAF/UNICOM 122.8 |
| SILVER CITY RC0 122.1R 110.8T (ALBUQUERQUE RADIO) |
| (R) ALBUQUERQUE CENTER APP/DEP CON 134.45 |
| RADIO AIDS TO NAVIGATION: NOTAM FILE SVC. |
| SILVER CITY (L) VORTAC 110.8 SVC Chan 45 N32°38.26′W108°09.66′ at fid. 5423/13E. |
| COZEY NDB (LOM) 251 SV N32°37.92′W108°03.80′ 261° 4.7 NM to fld. |
| ILS/DME 111.7 I-SVC Chan 54 Rwy 26. LOM COZEY NDB. LOC only. LOC unmonitored. |
| COMM/NAV/WEATHER REMARKS: AWOS-3 ceiling unreliable. |
| |
| WHISKEY CREEK (94E) 4 E UTC-7(-6DT) N32°45.72' W108°12.50' Denve |
| 6126 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE ABO H-4J, L-5 |
| RWY 17-35: H5400X50 (ASPH) LIRL (NSTD) |
| RWY 35: REIL, Brush |
| AIRPORT REMARKS: Attended Mon-Fri 1500-0000Z‡. Rwy 17-35 CLOSED to acft over 8,000 lbs. Ditch on east side of |
| rwy 18' from edge and 2' lower. Drop off at Rwy 17 end 18' from end of pavement. Rwy 35 REIL single |
| non-standard light. Rwy 17–35 no numbers or centerline. Rwy 17–35 NSTD LIRL, non-frangible posts. For LIRL |
| Rw 17–35 key—123.0 6 times. |
| Communications: CTAF/UNICOM 122.8 |
| RADIO AIDS TO NAVIGATION: NOTAM FILE SVC. |
| |
| SILVER CITY (L) VORTAC 110.8 SVC Chan 45 N32°38.26' W108°09.66' 329° 7.8 NM to fld. 5423/13E. |
| SKI N36°27.46' W105°40.60' NOTAM FILE SKX. DENVE |
| NDB (MHW) 414 SKX at Taos Rgnl. SHUTDOWN. L- |















CAL BLACK MEM (See HALLS CROSSING)


CANYONLANDS FLD (See MOAB)


CARBON CO RGNL/BUCK DAVIS FLD (See PRICE)




VOR unusable 045°-090° beyond 25 NM below 10,700'

SW, 08 APR 2010 to 03 JUN 2010







| GREEN RIVER MUNI (U34) 4 SW UTC-7(-6DT) N38°57.68' W110 4225 B FUEL 100LL, JET A NOTAM FILE CDC RWY 13-31: H5600X75 (ASPH) S-12 MIRL RWY 13: REIL. PAPI(P2L)—GA 3.0° TCH 40'. RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 40'. AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 13-31, REIL Rwy 13 and Rwy 31, and PAPI Rwy 13 and Rwy 31—CTAF. COMMUNICATIONS: CTAF/UNICOM: 122.8 RADIO AIDS TO NAVIGATION: NOTAM FILE CDC. HANKSVILLE (H) VORTACW 115.9 HVE Chan 106 N38°25.01' W110°41.98' 019° 39.5 NM to fld. 4430/15E. | D°13.64' DENVER H-3D, L-9C |
|---|--|
| HALLS CROSSING N37°26.53' W110°34.18'. RCO 122.4 (CEDAR CITY RADIO) | DENVER L-9D |
| HALLS CROSSING CAL BLACK MEM (U96) 10 E UTC-7(-6DT) N37°26.53' W110°34 4388 B FUEL 100LL, JET A NOTAM FILE CDC RWY 01-19: H5700X60 (ASPH) S-12.5 MIRL RWY 01: PAPI(P2L). HII. RWY 19: PAPI(P2L). AIRPORT REMARKS: Attended continuously. Acft in excess of 30,000 pounds u using arpt. ACTIVATE MIRL Rwy 01-19 and PAPI Rwy 01 and Rwy 19—C WEATHER DATA SOURCES: AWOS-3 134.375 (435) 684-2405. COMMUNICATIONS: CTAF/UNICOM 123.0 HALLS CROSSING RC0 122.4 (CEDAR CITY RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE PGA. PAGE (L) VORW/DME 117.6 PGA Chan 123 N36°55.86' W111°26.85 | H–3D, L–9D naximum gross weight prohibited from TAF. |
| HANKSVILLE (HVE) 3 N UTC-7(-6DT) N38°25.08' W110°42.24' 4444 B NOTAM FILE CDC RWY 08-26: H5675X75 (ASPH) S-12.5 LIRL (NSTD) RWY 08-26: H5675X75 (ASPH) S-12.5 LIRL (NSTD) RWY 17-35: 2600X120 (DIRT) RWY 35: Fence. AIRPORT REMARKS: Unattended. Rwy 08-26 block cracking and weathering. F cracks in pavement of rwy, twy, and ramp. Rwy 08-26 NSTD LIRL, Rwy 1 beginning of pavement. Rwys 08 and 26 dsplcd thids not lgtd. UNICOM WEATHER DATA SOURCES: AWOS-3 120.0 (435) 542-1020. COMMUNICATIONS: CTAF/UNICOM 122.8 RC0 122.65 (CEDAR CITY RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE CDC. (H) VORTACW 115.9 HVE Chan 106 N38°25.01' W110°41.98' VORTAC unusable 030°-060° byd 25 NM blo 7500' 160°-180° byd | gts 200' from rwy edge. Blue lgts mark |



| HILL AFB (HIF)(KHIF) AF 6 S UTC-7(-6DT) N41°07.44' W111°58.38' | SALT LAKE CITY |
|---|-------------------|
| 4789 B TPA—See Remarks Class I, ARFF Index Ltd. NOTAM FILE HIF Not insp. | COPTER |
| RWY 14-32: H13508X200 (PEM) PCN 68 R/B/W/T HIRL RWY 14: ALSF2. REIL. PAPI(P4L). RWY 32: ODALS. REIL. PAPI(P4L). Rgt tfc. | H-3D, L-9C, 11D |
| RWY 14: ALSF2. REIL. PAPI(P4L). RWY 32: ODALS. REIL. PAPI(P4L). Rgt tfc. RUNWAY DECLARED DISTANCE INFORMATION | DIAP, AD |
| RWY 14: TORA—13508 TODA—13508 | |
| RWY 32: TORA—13508 TODA—13508 | |
| ARRESTING GEAR/SYSTEM | |
| RWY 14 BAK-14 BAK-12B(B) (1250') HOOK BAK-12B(B) (2574') | |
| HOOK BAK-12B(B) (2592') BAK-14 BAK-12B(E | 3) (1258') RWY 32 |
| MILITARY SERVICE: LGT PAPI rwy reference point and ILS rwy point of intercept not coincidental. Tallest | lgt on Rwy 32 |
| ODALS 31' AGL. ODALS Rwy 32 are NSTD 1460'. A-GEAR BAK-12A dep end active rwy in raise | d position, 15 |
| minute (30 minute non-duty hr) prior notice rqr to erect on apch end of active rwy. BAK-12B/14 | on req from |
| twr. | |
| JASU 4(MA-1A) 7(A/M32A-86) 5(AM32A-60) FUEL J8 FLUID SP PRESAIR LHOX LOX De-Ice | |
| OIL 0–128–133–148–156, JOAP–4 hr prior notice rqr DSN 777–1861. TRAN ALERT De–icing avbl | all acft. |
| Limited fleet svc avbl (lavatory only) 24 hr prior notice. | and DDD all |
| MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark. RSTD Engine running offloads unauthor acft ctc Base OPS DSN 777–1861, C801–777–1861. Tran acft with unexpended live ordnance u | |
| without prior coordination. Lifeguard/MEDEVAC/Search and Rescue/Mission essential acft ctc B | |
| 777–1861, C801–777–1861 fax extension 2221 as soon as possible prior to arrival to ensure c | |
| be completed. VIP acft ctc PTD 30 min prior to ETA with firm block time. Twy D east of rwy is clsd | |
| Parachute Jumping exercises E of Ogden Arpt, 4 NM N of HIF 1 NM E of final. Heavy airline and c | |
| apch and dep. Strict adherence to ATC altitude and heading mandatory. Expect turbulence apch a | |
| during medium to high sfc winds. Wind velocity may vary from apch to departure end of rwy. Do n | ot mistake |
| Ogden Arpt 4.5 NM N for Hill AFB. Acft departures should not exceed 6300' until past departure | end of rwy to |
| avoid overhead tfc pat. TFC PAT TPA—Rectangular 6300(1511), overhead 6800(2011), maintain 6 | . , |
| until turning base leg. USAF (AF, ANG, AFRC) fighter acft expect reduced rwy separation day, VFR- | |
| between similar acft, 6000' between dissimilar acft. Variations exist for different type opr. Tran f | |
| notify twr on initial ctc if reduced rwy separation is not desired. Right breaks for Rwy 32. NS ABTMT adherence to NS ABTMT rqr. Tran acft restricted to straight-in full stop only on weekends, holiday | |
| weekdays between 0000 –1500Z ⁺ daily. CSTMS/AG/IMG CSTMS/IMG avbi to ACC and AMC fit. MISC | |
| 14 and first 1500' Rwy 32 concrete. Utah Test and Training Range OPS see CLOVER CONTROL. (| |
| avbl Mon 1200Z [‡] -Fri 2300Z [‡] , clsd weekends. ctc Hill AFB wx DSN 777–2018. | Josh/ Horeedat |
| COMMUNICATIONS: SFA ATIS 134.925 397.9 PTD 139.3 371.95 | |
| R SALT LAKE CITY APP/DEP CON 121.1 319.25 | |
| TOWER 127.15 263.15 251.05 GND CON 121.6 275.8 CLNC DEL 124.1 335.8 | |
| HILL COMD POST (ACC-RAYMOND 23, others CONVOY.) 381.3 PMSV METRO 342.3 Wx flight forcast | |
| 0600Z ⁺ -Fri 2300Z ⁺ , clsd weekends, holidays, and wing down days exc for forcaster and obser | |
| wx DSN 777–2018. C801–777–2018. During wx flight closures remote briefing svc avbl from 2 | |
| Monthan AFB DSN 228–6598 C520–228–7361. Ceilings and visibility are frequently lower on t | he N end of the |
| rwy and E-SE along mountain. RADIO AIDS TO NAVIGATION: NOTAM FILE OGD. | |
| OGDEN (L) VORTACW 115.7 OGD Chan 104 N41°13.45′ W112°05.90′ 123° 8.3 NM to flo | 4 4223/14F |
| (L) TACAN Chan 49 HIF (111.2) N41°07.23' W111°57.82' at fld. 4806/14E. NOTAM FILE | |
| TACAN unusable: | |
| 003°–123° byd 5 NM blo 13,500' 123°–138° byd 10 NM | |
| 003°-123° byd 10 NM 333°-003° byd 22 NM. | |
| ILS 109.9 I-HIF Rwy 14. | |
| HUNTINGTON MUNI (69V) 3 NE UTC-7(-6DT) N39°21.67' W110°55.02' | DENVER |
| HUNIINGIUN MUNI (69V) 3 NE UTC-7(-6DT) N39°21.67' W110°55.02' 5915 B FUEL 100LL NOTAM FILE CDC | DENVER L-9D |
| RWY 08-26: H4048X75 (ASPH) S-12.5 MIRL 0.8% up W | L-90 IAP |
| RWY 08: Thid dspicd 214'. Fence. RWY 26: Fence. | ini ini |
| RWY 12–30: 3640X70 (DIRT) S–6 1.2% up NW | |
| RWY 12: Fence. RWY 30: Tree. | |
| RWY 18-36: 2079X56 (DIRT) 0.6% up NE | |
| AIRPORT REMARKS: Unattended. Fuel 24 hr credit card svc avbl. Rwy 08–26 no line of sight between rw | y ends. Small |
| amounts of vegetation on Rwy 12–30. Small amounts of vegetation on Rwy 18–36. ACTIVATE MI | ₹L Rwy |
| 08-26-122.8. | |
| COMMUNICATIONS: CTAF/UNICOM 122.8 | |
| (B) SALT LAKE CENTER APP/DEP CON 133.9 Radio Aids to Navigation: Notam File Puc. | |
| CARBON (H) VORW/DME 115.5 PUC Chan 102 N39°36.19' W110°45.21' 194° 16.4 NM to | fld 5830/14F |
| | |


SW, 08 APR 2010 to 03 JUN 2010





RC0 122.1R 113.6T (CEDAR CITY RADIO)


SW, 08 APR 2010 to 03 JUN 2010




at fld

1300 - 15007 +


DUGWAY NDB (HW) 284 DPG N40°10.95' W112°56.25'




MOAB




(T) VORW/DME 109.8 OAB Chan 35 at Canyonlands Fld. 4542/15E.
 VOR portion unusable 275°-287° blo 6,700 and 275°-290° byd 10 NM.
 DME portion unusable 030°-045° byd 15 NM blo 9,000′, 175°-185° byd 15 NM blo 10,000′.
 RC0 122.3 (CEDAR CITY RADIO)



MORGAN CO (42U) 8 NW UTC-7(-6DT) N41°08.93' W111°46.00' 5020 S2 OX 3 TPA-6000(980) NOTAM FILE CDC RWY 03-21: H3904X50 (ASPH) RWY 03: Thid dspicd 212'. Road. RWY 21: Thid dspicd 214'. Trees. AIRPORT REMARKS: Attended Nov-Mar unattended, Apr-Oct Sun-Mon unattended Apr-Oct Tue-Sat 1700-0100Z[±]. Extensive glider and ultralight activity on and invof arpt. Deer and moose invof arpt. Trees, fences and hangers 125' from centerline both sides Rwy 03-21. Hangars north Rwy 03 thld, 5' fence 120' north Rwy 21 thId and trees north Rwy 03-21 midfield. Rwy 03-21 breaking action fair. Rwy may be slippery when warm or hot. **COMMUNICATIONS: CTAF/UNICOM 122.8** RADIO AIDS TO NAVIGATION: NOTAM FILE OGD. OGDEN (L) VORTACW 115.7 OGD Chan 104 N41°13.45' W112°05.90' 096° 16 NM to fld. 4223/14E.






303


SALT LAKE CITY

COPTER


L-9C. 11D

SW, 08 APR 2010 to 03 JUN 2010





9040/15E.



275°-010° byd 35 NM.


Rwy 36.

275°-010° byd 27 NM blo 17,300'


I-PUC

Chan 30(Y)

ILS/DME 109.35



SALT LAKE CITY COPTER H-3D, L-9C, 11D



SALT LAKE CITY


```
SALT LAKE CITY INTL (SLC) 3 W UTC-7(-6DT) N40°47.30' W111°58.67'
                                                                                             SALT LAKE CITY
  4227 B S4 FUEL 80, 100, 100LL, JET A1 0X 1, 2, 3, 4 LRA Class I, ARFF Index E
                                                                                                   COPTER
    NOTAM FILE SLC
                                                                                            H-3D, L-9C, 11D
  RWY 16L-34R: H12004X150 (ASPH-GRVD)
                                        S-60, D-200, ST-175, DT-350, DDT-850
                                                                                   HIRL CL
                                                                                                   IAP. AD
    RWY 16L: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 70'.
    RWY 34R: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 73'.
                                                                                             Rwy 14-32:
                                                                                   101
                                                                   19K
  RWY 16R-34L: H12000X150 (CONC-GRVD) S-60, D-200, ST-175,
                                                                      (Ā)
                                                                                            4892 X 150
                                                                   DT-350 DDT-850
                       HIRL CL
                                                                                          Helipads 60 X 60
    RWY 16R: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 73'.
                                                                      71
                                                                                      \mathbf{a}
    RWY 34L: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 73'.
                                                                                                  (Ā5)
  RWY 17-35: H9596X150 (ASPH-GRVD) S-60, D-200, ST-175,
                                                                   2000
                                                                              A
    DT-350, DDT-850
                       HIRL CL
                                                                                             1
                                                                                                    4
    RWY 17: TDZL, MALSR, PAPI(P4R)-GA 3.0° TCH 76'.
                                                                    \times
    RWY 35: TDZL, MALSR, PAPI(P4L)-GA 3.0° TCH 74', Thid dsplcd
                                                                    5
    324', Road,
  RWY 14-32: H4892X150 (ASPH-GRVD-PFC) S-60, D-200,
    DT-350 DDT-850 HIRI
    RWY 14: PAPI(P4L)-GA 3.0° TCH 40'.
    RWY 32: PAPI(P4L)-GA 3.0° TCH 41'.
  RUNWAY DECLARED DISTANCE INFORMATION
    RWY 14: TORA-4892 TODA-4892 ASDA-4892 LDA-4892
                                                                           (Ă
    RWY 16L: TORA-12004 TODA-12004 ASDA-12004 LDA-12004
                                                                        34L
    RWY 16R: TORA-12000 TODA-12000 ASDA-12000 LDA-12000
    RWY 32: TORA-4892 TODA-4892 ASDA-4892 LDA-4892
    RWY 34L: TORA-12004 TODA-12004 ASDA-12004 LDA-12004
    RWY 34R: TORA-12000 TODA-12000 ASDA-12000 LDA-12000
  AIRPORT REMARKS: Attended continuously. CAUTION: Flocks of birds on and invof arpt. Due to tfc volume, local
    departure and arrival ops are discouraged and delays can be expected between 1700-1900Z‡ and
    0300-0600Z<sup>‡</sup>. Special VFR is not recommended at the arpt, if req, expect delays. ASDE-X Surveillance System
    in use: Pilots should opr transponders with Mode C on all twys and rwys. Touchdown, midpoint and rollout rwy
    visual range Rwy 16L, Rwy 34R, Rwy 16R, Rwy 34L. Touchdown and rollout rwy visual range Rwy 17, Rwy 35.
    Rwy 14-32 taxi ops only blo 1,200 ft RVR. Flight Notification Service (ADCUS) avbl. NOTE: See Special
    Notices—Continuous Power Facilities.
  WEATHER DATA SOURCES: ASOS (801) 328-3567. TDWR.
  COMMUNICATIONS: D-ATIS 125.625 124.75 (801) 325-9749 UNICOM 122.95
    RC0 122 4 (CEDAR CITY RADIO)
 (R) SALT LAKE CITY APP/DEP CON 120.9 (S of 41° latitude below 8000') 121.1 (N of 41° latitude below 8000') 124.3
      (110°-160° above 8,000') 124.9 (300°-340° above 8000') 126.25 (250°-300° above 8000') 128.1
      (160°-250° above 8000') 135.5 (340°-110° above 8000').
    TOWER 118.3 (Rwy 17-35 and Rwy 14-32) 119.05 (Rwy 16L-34R) 132.65 (Rwy 16R-34L)
    GND CON 121.9 (Rwy 17-35 and Rwy 14-32) 133.65 (Rwy 16R-34L and Rwy 16L-34R) CLNC DEL 127.3
      PRE-TAXI CLNC 127.3 PRE-DEP CLNC 127.3
  AIRSPACE: CLASS B See VFR Terminal Area Chart. Ctc APP CON 120.9.
  RADIO AIDS TO NAVIGATION: NOTAM FILE SLC.
    WASATCH (H) VORTACW 116.8 TCH Chan 115 N40°51.02' W111°58.92' 161° 3.7 NM to fld. 4220/16E.
    ILS/DME 111.9 I-UUH Chan 56 Rwy 34L. Class IIIE. DME also serves ILS Rwy 16R.
    ILS/DME 111.9 I-UAT Chan 56 Rwy 16R. Class IIIE. DME also serves ILS Rwy 34L.
    ILS/DME 109.5 I-MOY Chan 32 Rwy 16L.
    ILS/DME 109.5 I-SLC Chan 32 Rwy 34R.
                                                  Class IIIE.
    IIS/DMF 111 5
                  I-BNT Chan 52 Rwy 17.
                                                 Class IF
                                                            DME also serves ILS Rwy 35.
    ILS/DME 111.5 I-UTJ Chan 52
                                     Rwy 35.
                                                Class IE. DME service provided by ILS Rwy 17.
     . . . . . .
  HELIPAD HB: H60X60 (ASPH)
  HELIPAD HF: H60X60 (ASPH)
  HELIPORT REMARKS: Helipads B and F located on general aviation aprons.
```

| SOUTH VALLEY RGNL (U42) 7 SW UTC-7(-6DT) N40°37.17' V 4607 B S4 FUEL 100LL, JET A 0X 1, 3 TPA—5407(800) RWY 16-34: H5860X100 (ASPH) S-12.5 MIRL RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Rgt tfc. | SALT LAKE CIT Coptei H-3d, L-9C, 111 IAI |
|--|---|
| RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thid dspicd 238'. Road. AIRPORT REMARKS: Attended 1400–0400Z‡. Flocks of birds on and invof arpt. ACTIVATE MIRL Rwy 16–34, REIL Rwy 16 and Rwy 34—CTAF. PAPI Rwy 16 and Rwy 34 opr continuously. WEATHER DATA SOURCES: AWOS–3 134.425 (801) 562–0271 (801) 566–2084. COMMUNICATIONS: CTAF/UNICOM 122.7 ® SALT LAKE CITY APP/DEP CON 120.2 124.3 CLNC DEL 127.0 RADIO AIDS TO NAVIGATION: NOTAM FILE SLC. WASATCH (H) VORTACW 116.8 TCH Chan 115 N40°51.02' W111°58.92' 166° 13.8 NM to fid. 4220/16E. | 91 455860 X 100 34 |


SKYPARK (See BOUNTIFUL)

| SOUTH VALLEY RGNL (See SALT LAKE CITY) | |
|--|--|
| SPANISH FORK-SPRINGVILLE (U77) 2 NW UTC-7(-6DT) N40°08.50' W111°39.68' 4529 B S4 FUEL 100LL, JET A OX 1, 2 TPA-See Remarks NOTAM FILE CDC RWY 12-30: H5700X100 (ASPH) S-24 MIRL RWY 12: REIL. PAPI(P4L)-GA 3.0° TCH 40'. Road. | SALT LAKE CITY Copter H-3d, L-9c, 11d |
| RWY 30: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Thid dsplcd 290′. Road. Rgt tfc. AIRPORT REMARKS: Attended Mon–Fri continuously. Self serve 100LL avbl anytime with credit card. Fit 801–798–9888. Deer on and invof arpt. Dec–Feb expect up to 24 hrs after storm before rwy pl snow and ice on rwy after plowing. For status call 801–798–9888/9. Rwy 30 rgt tfc for rotary w TPA—5529(1000) for fixed wing acft, 5029(500) for rotary wing acft. Noise abatement procedu arpt manager 801–798–9888. ACTIVATE MIRL Rwy 12–30 and REIL Rwy 12 and Rwy 30 opr continuously. | owing. Residual ring acft only. rres in effect. Call |
| COMMUNICATIONS: ETAF 122.9 Radio Aids to navigation: Notam File PVU. Provo (t) Vorw/dme 108.4 PVU Chan 21 N40°12.90' W111°43.28' 133° 5.2 NM to f | ld. 4493/15E. |
| TOOELE N40°36.65' W112°20.86' NOTAM FILE CDC. | SALT LAKE CITY |

| IUUELE | N40°36. | 65′ | W112°20.86′ | NOTAM FILE CDC. | SALT LAKE CITY |
|---------|----------------|-----|-------------|--|----------------|
| NDB (MH | HW) 371 | TVY | at Bolinder | Fld-Tooele Valley. Unusable 200°-250° byd 15 NM. | L-9C, 11C |




SALT LAKE CITY H-3D, L-9C, 11C



4322 B FUEL 100LL NOTAM FILE CDC.

TOOELE






VERNAL RGNL (VEL) 1 SE UTC-7(-6DT) N40°26.46' W109°30.60' SALT LAKE CITY 5278 B S4 FUEL 100LL, JET A OX 1, 2 Class III, ARFF Index A NOTAM FILE VEL H-3D, L-9D, 11D IAP RWY 16-34: H6201X150 (ASPH) S-45, D-55 MIRL RWY 16: REIL. PAPI(P4L)-GA 3.0° TCH 54'. Pole. \mathcal{C} RWY 34: REIL. PAPI(P4L)-GA 3.0° TCH 43'. Trees. RWY 07-25: H4108X60 (ASPH) S-12.5 MIRL 1.1% up W 91 0 RWY 07: REIL. PAPI(P2L)-GA 3.0° TCH 24'. Tree. 0 RWY 25: REIL. PAPI(P2L)-GA 3.0° TCH 23'. Tree. \sim RUNWAY DECLARED DISTANCE INFORMATION 3 ¢, ~ 1 RWY 07: TORA-4108 TODA-4108 ASDA-4108 LDA-4108 RWY 16: TORA-6201 TODA-6201 ASDA-6201 3 LDA-6201 0 RWY 25: TORA-4108 TODA-4108 ASDA-4108 LDA-4108 0 2 2 0 RWY 34: TORA-6201 TODA-6201 ASDA-6201 LDA-6201 ×a AIRPORT REMARKS: Attended dawn-dusk. 24 hr PPR required for air 6201 carrier ops over 30 passenger seats ctc arpt manager 435-789-3400. Rwy 07-25 not avbl for air carrier use. ACTIVATE MIRL Rwys 07-25 and 16-34, REIL Rwys 07 and 25 and 16 and \mathcal{C} 34, and PAPI Rwys 07 and 25-CTAF. (P) 0 WEATHER DATA SOURCES: ASOS 135.175 (435) 781-1224. à 34 CG **COMMUNICATIONS: CTAF/UNICOM 122.7** C aad RC0 122.35 (CEDAR CITY RADIO) AIRSPACE: CLASS E svc Mon-Fri 1300-2100Z‡ and 2300-0300Z‡, Sat 1300-2300Z[±] Sun 1700-2100Z[±] and 2300-0300Z[±] other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE VEL. (L) VORW/DME 108.2 VEL Chan 19 N40°22.74' W109°29.60' 333° 3.8 NM to fld. 5344/15E. DME portion unusable 070°-080° byd 30 blo 12,000'. 200°-260° byd 15 NM blo 17,000'. VOR portion unusable 220°-260° beyond 23 NM below 15,000'

| WASATCH N40°51.02' W111°58.92' NC | TAM FILE SLC. SALT LAKE CITY |
|-----------------------------------|---|
| (H) VORTACW 116.8 TCH Chan 115 1 | 61° 3.7 NM to Salt Lake City Intl. 4220/16E. COPTER |
| VOR unusable: | H-3D, L-9C, 11D |
| 015°-030° blo 26,000' | 085°-125° byd 30 NM blo 15,000' |
| 030°-050° byd 20 NM | 360°-015° byd 20 NM blo 17,000' |
| 050°–085° byd 20 NM blo 18,000' | |
| DME unusable: | |
| 030°-080° byd 17 NM blo 17,000' | 185°-220° byd 25 NM blo 16,000' |
| 030°-080° byd 25 NM | 260°-290° byd 25 NM blo 11,000' |
| 080-140° byd 17 NM blo 15,000' | 350°-360° byd 30 NM blo 16,000' |
| 080°-140° byd 25 NM | 360°-030° byd 30 NM |
| - | 360°-030° byd 17 NM blo 16,000' |

WAYNE WONDERLAND (See LOA)



2010 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During CY 2010, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2010 aerial demonstration locations, subject to change without notice, are:

| DATE: | | USAF Thunderbirds | USN Blue Angels | USA Golden Knights | Canadian Snowbirds |
|-------|----------------|-------------------------|--------------------------|----------------------------|--------------------|
| April | 10-11 | Eglin AFB, FL | | | |
| | 11 | | NAS Key West, FL | | |
| | 17 | | Charleston AFB, SC | | |
| | 17-18 | Lakeland, FL | | | |
| | 24-25 | Barksdale AFB, LA | Vidalia, GA | Ft. Lauderdale, FL | |
| | 24-25 | | | Galena, FL | |
| | | 1 | | | |
| May | 1 | Dyess AFB, TX | | | |
| | 2 | Altus AFB, OK | | | |
| | 1-2 | | St. Joseph, MO | | |
| | 8-9 | Shaw AFB, SC | Tuscaloosa, AL | Shaw AFB, SC | Niagara Falls, NY |
| | 8-9 | | | Tuscaloosa, AL | |
| | 13 | | | Union, NJ | |
| | 15-16 | Columbus AFB, MS | Andrews AFB, MD | Columbus AFB, MS | |
| | 15-16 | | | Andrews AFB, MD | |
| | 22 | Grand Forks AFB, ND | | | |
| | 22-23 | | MCAS Cherry Point, NC | | |
| | 26 | Colorado Springs, CO | Annapolis, MD | | |
| | 29-30 | Janesville, WI | Jones Beach, NY | Jones Beach, NY | |
| | 29-30 | | | Janesville, WI | |
| | | | | | |
| June | 5-6 | Ocean City, MD | Eau Claire, WI | Eau Claire, WI | |
| | 5-6 | | | Florence, SC | |
| | 12-13 | | Milwaukee, WI | Milwaukee, WI | |
| | 19-20 | | Cape Girardeau, | Cape Girardeau, | |
| | 10.00 | Tinker AFB, OK | MO | MO Caulard MI | |
| | 19-20 26-27 | Nexth Kingsteine DI | St. Cloud, MN | Gaylord, MI Findlay, OK | |
| | 20-27 | North Kingstown, RI | St. Cloud, Min | Findiay, OK | |
| July | 3 | | | Madison, WI | |
| July | 3 | | | Dubuque, IA | |
| | 3-4 | | Traverse City, MI | 2434440, 11 | |
| | 4 | | | Ft Bragg, NC | |
| | 10 | | Pensacola Beach, FL | | |
| | 10-11 | Gary, IN | | Gary, IN | |
| | 17-18 | Duluth, MN | Dayton, OH | | |
| | 24-25 | Fairchild AFB, WA | Idaho Falls, ID | | |
| | 24-23 | Cheyenne, WY | | | |
| | 28 | | | Goshen, IN | |
| | 29 | | | Ft AP Hill, VA | |
| | 31 | Rockford, IL | Anchorage, AK | Rockford, IL | Elmendorf AFB, AK |
| | | | | | |


316

SPECIAL NOTICES

| DATE: | | USAF Thunderbirds | USN Blue Angels | USA Golden Knights | Canadian Snowbird |
|-----------|-------|---------------------|--------------------|----------------------|-------------------|
| August | 1 | Rockford, IL | Anchorage, AK | Rockford, IL | Elmendorf AFB, AK |
| | 1 | | | Johnstown, PA | |
| | 7-8 | TBD | Seattle, WA | | |
| | 14-15 | | Chicago, IL | Chicago, IL | |
| | 21-22 | Westfield, MA | | Westfield, MA | |
| | 21-22 | | | Kansas City, MO | |
| | 25 | | | Atlantic City, NJ | |
| | 26 | | | Ft Monroe, VA | |
| | 28-29 | Coney Island | | Coney Island | |
| | | (Brooklyn), NY | Portsmouth, NH | (Brooklyn), NY | |
| | 28-29 | | | Portsmouth, NH | |
| | | | | | |
| September | 4-5 | Martinsburg, WV | | Cleveland, OH | |
| | 4-5 | | | Martinsburg, WV | |
| | 4-6 | | Cleveland, OH | | |
| | 11-12 | Corapolis | | Corapolis | |
| | | (Pittsburgh), PA | Scott AFB, IL | (Pittsburgh), PA | |
| | 11-12 | | | Scott AFB, IL | |
| | 18-19 | Whiteman AFB, MO | NAS Oceana, VA | Whiteman AFB, MO | Reno, NV |
| | 25-26 | | MCAS Kaneohe | | |
| | | McConnell AFB, KS | Bay, HI | | |
| | | 1 | | | |
| October | 1-3 | | MCAS Miramar, CA | | MCAS Miramar, CA |
| | 2-3 | Salinas, CA | | MCAS Miramar, CA | |
| | 2-3 | | | Jackson, MS | |
| | 9-10 | Little Rock AFB, AR | San Francisco, CA | Little Rock, AFB, AR | Daytona Beach, FL |
| | 16-17 | El Paso, IX | Dobbins AFB, GA | El Paso, TX | Atlanta, GA |
| | 23-24 | | NAS Jacksonville, | | |
| | | Houston, TX | FL | Washington, DC | |
| | 30-31 | | Ft Worth Alliance, | Ft Worth Alliance, | |
| | | Cocoa Beach, FL | ТХ | ТХ | |
| Maria | 0.7 | | | | 1 |
| November | 6-7 | Lackland AFB, TX | Homestead ARB, FL | Lackland AFB, TX | |
| | 6-7 | | | Homestead ARB, FL | |
| | 11-14 | | | Ft Bragg, NC | |
| | 12-13 | | NAS Pensacola, FL | | |
| | 13-14 | Nellis AFB, NV | | | |

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.

SPECIAL NOTICES



DISNEYLAND THEME PARK

NOTICE

Pursuant to Public Law 108–199, Section 521, aircraft flight operations are prohibited at and below 3,000 feet AGL within a 3 nautical mile radius of the Disneyland Theme Park (334805N/1175517W or the Seal Beach (SLI) VORTAC 066 degree radial at 6.8 nautical miles). This restriction does not apply to: (A) those aircraft authorized by ATC for operational or safety purposes, including aircraft arriving or departing from an airport using standard air traffic procedures; (B) Department of Defense, law enforcement, or aeromedical flight operations that are in contact with ATC; Those who meet any of the following criteria may apply for a waiver to these restrictions: (A) for operational purposes of the venue, including the transportation of equipment or officials of the governing body; (b) for safety and security purposes of the venue.

LIGHTS-OUT OPERATIONS Desert/Reveille MOAs, Nevada and Utah

Lights-out night vision goggle flight training operations conducted within the Desert and Reveille North/South Military Operations Areas (MOAs) at all altitudes, Monday through Friday between sunset and sunrise when the MOAs are active. Traffic advisories are available from the Nellis ATC Facility (Nellis Control) on 126.65 or 124.95.

LIGHTS-OUT OPERATIONS Lucin/Seveir/Gandy MOAs, Utah

Lights-out night vision goggle flight training operations conducted within the Lucin, Seveir, and Gandy Military Operations Areas (MOAs) at all altitudes, Monday through Friday between sunset and sunrise when the MOAs are active. Traffic advisories are available from the Clover ATC Facility (Clover Control) on 118.45 or 134.1.

INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS SAN FRANCISCO INTERNATIONAL AIRPORT (SFO) SAN FRANCISCO, CALIFORNIA

San Francisco International Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 1R at Taxiway Mike Runway 10L at Taxiways Romeo or Uniform Runway 10R at Taxiway Uniform

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into 'position and hold' prior to takeoff clearance.

INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS LAS VEGAS-MCCARRAN INTERNATIONAL AIRPORT (LAS) LAS VEGAS, NEVADA

Las Vegas-McCarran International Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 07L at Taxiways "A8" or Delta

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runway shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into 'position and hold' prior to takeoff clearance.


LOS ANGELES, CA, LOS ANGELES INTERNATIONAL AIRPORT (LAX) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 24L/R and Runways 25L/R are authorized, with course divergence beginning within 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

UNMANNED AIRCRAFT SYSTEMS (UAS) OPERATIONS IN SOUTHERN CALIFORNIA

UAS operations are conducted sunrise to sunset within three (3) nautical miles of El Mirage Field Adelanto (N34°37'30", W117°36'20") and Grey Butte (N34°33'55", W117°40'50") at or below 6,000 feet MSL. From sunset to sunrise operations may be conducted within four (4) nautical miles at and below 4,000 feet AGL. Contact Joshua control on 124.55 or 363.0 for activity information and advisory service.

UAS operations may be conducted in accordance with Visual Flight Rules (VFR) accompanied by a chase aircraft below 14,000 feet MSL in an area bounded by N34°58'00" W117°00'00", N34°27'00" W117°00'00", N34°27'00" W117°55'00", N34°48'00" W117°35'03", N34°58'20" W117°32'03", N34°50'20" W117°32'03", N34°53'30' W117°11'53", N34°56'20" W117°01'0'03" thence to point of beginning.



UNMANNED AIRCRAFT SYSTEMS (UAS) OPERATIONS IN NORTHERN NEVADA

UAS operations are continuously conducted within the Fallon Approach Control Airspace and the Fallon Range Training Complex at all altitudes when the Special Use Airspace areas are active. Contact Desert Control on 126.2 MHz. for activity status.

UNMANNED AIRCRAFT SYSTEMS (UAS) OPERATIONS IN NEVADA AND UTAH

There is continuously unmanned aircraft systems flight activity conducted within the desert and reveille military operations areas (MOAs) at all altitudes when the MOAs are active. Traffic advisories are available from the Nellis Air Traffic Control facility (Neillis Control) on 126.65.

MODEL AIRCRAFT ACTIVITY-EL TORO, CALIFORNIA

Model aircraft activity conducted 500' AGL and below, 0.5 NM radius of apch end of Rwy 25L. CLOSED MCAS El Toro, daily 1500–0400Z[‡]. For NOTAM information contact Prescott AFSS on 800–992–7433.

DENVER TERMINAL RADAR APPROACH CONTROL Denver, Colorado

The Denver Terminal Radar Approach Control has been issued a waiver which enables controllers to assign speed restrictions without obtaining pilot concurrences; e.g., speeds of less than 250 knots below FL280 and speeds of less than 210 knots when the aircraft is greater than 20 flying miles from the threshold of the airport of intended landing.

EXTENSIVE HELICOPTER FLIGHT TRAINING IN THE VICINITY OF ROCKY MOUNTAIN METROPOLITAN AIRPORT (BJC), BROOMFIELD, COLORADO

Frequent usage of Runway 11R-29L, Taxiway D, and the north end of Runway 20 by helicopter flight schools. Pilots are cautioned to listen carefully to ATC for turnoff instructions when landing on Runway 11R-29L. Helicopters flight schools use three primary local procedures: Charlie Two, Ball, and Erie. CHARLIE TWO; Expect departures to the south thence turning to the northwest. Expect arrivals from the northwest. EXPECt departures northbound. Expect arrivals from the north.

- - -

INTENSE HELICOPTER OPERATIONS LOS ANGELES BASIN AREA, CALIFORNIA

CAUTION: Intense helicopter operation below 2000'AGL. All pilots transitioning the area at or below 2000'AGL are encouraged to make regular position reports on frequency 123.025.

LASER LIGHT DEMONSTRATIONS Anaheim, California

A laser light demonstration will be conducted nightly between sundown and midnight at Disneyland, Anaheim, California (SLI VORTAC 060 radial at 7NM LAT 33°48'40°N/LON 117°55'00°W). The beam may be injurious to eyes if viewed within 300 feet vertically and 600 feet laterally of the light sources. Cockpit illumination–flash blindness may occur beyond these distances.

Knotts Berry Farm Buena Park, California

A permanent laser light demonstration is being conducted at Knotts Berry Farm, 33°49'45"N/117°59'35"W, Seal Beach Vortac SLI 022/005, 0445 to 0600 UTC DLY. Laser light beam may be injurious to pilots/passengers eyes within 800 feet vertically and 1400 feet laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

Long Beach, California

A laser light demonstration will be conducted nightly between sundown and 11 PM at the Pine Avenue Theater Complex, Pine Avenue, Long Beach, California (SLI VORTAC 250 radial at 8NM LAT 33°46'12"N/LON 118°11'30"W). The beam may be injurious to eyes if viewed within 100 feet vertically and 1,900 feet laterally of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

Palomar Observatory

A laser light operation is conducted intermittently between sunset and sunrise at the Palomar Observatory N33–21–22/W 116–51–53, Julian VOR (JLI) 298 degree radial at 19 nautical miles. The laser beam may be injurious to eyes if viewed on axis. Cockpit illumination and flash blindness may also occur if the beam enters the cockpit. Los Angeles ARTCC, (661) 265–8205 is the FAA coordination facility.

San Francisco, California

A Laser Light Demonstration will be conducted nightly between 8:30 pm and 2:00 am at Pier 39, San Francisco, California (SAU VORTAC 100 radial at 12 NM LAT 37°48'40" N; LON 122°24'35" W). The beam may be injurious to Pilots/Passengers' eyes if viewed within 800 feet vertically and 800 feet laterally of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

CHRISTMAN AIRPORT, FORT COLLINS, COLORADO

A laser light operation for testing and alignment is being conducted at Christman Airport, 40°35′24″N/105°08′26″W, GLL VORTAC 270/28NM. This testing is ongoing, intermittently, 24 hours per day 7 days a week. Laser light beams may be injurious to pilot's/passenger's eyes within 4479 feet of the light source, to 8958 feet AGL. The secondary effects of flash blindness or cockpit illumination may occur beyond these distances. Denver TRACON, 303–342–1590 is the FAA coordination facility.

CONTROLLED FIRING AREA (CFA) EAST OF YUMA, AZ

The military has established a controlled firing area (CFA) east of Yuma, AZ. The CFA is bordered by the following fixes: BZA058015 - BZA068035 - BZA072034 - BZA075030 - BZA075015 - BZA058015. Operations will be conducted at or below 3000'AGL. The hours of operation are Monday through Saturday from sunrise to sunset.

SAN DIEGO, CALIFORNIA SOUTHBOUND INTERNATIONAL BORDER CROSSING


Pilots crossing the International border southbound into Mexican airspace, in the vicinity of San Diego, are encouraged to cross Tijuana International Airport at midfield to avoid arriving and departing aircraft. Pilots requesting transition through the Brown Field CLASS D airspace should contact Brown Tower on frequency 126.5. All others should contact Tijuana Approach Control on frequency 119.5 prior to crossing the border. Southbound aircraft are requested to squawk 1260 prior to crossing the border unless otherwise advised by ATC.

EXTENSIVE PARACHUTE DROP ACTIVITIES SAN DIEGO, CALIFORNIA

Use caution when transiting the corridor south of San Diego Class B airspace and north of the international border between the coast and east to the Tecate area. A wide variety of civilian and military aircraft types (Cessna 182–C–130) use this corridor to make high rates of ascent and descent from the surface to 15000 MSL. Note the San Diego, Trident, and Otay Reservoir jumping areas located in this corridor and to the northeast of Brown Field Municipal Airport. Use VHF 121.95 to monitor parachute drop activities.

AEROBATIC OPERATIONS SOUTHEAST OF PHOENIX GOODYEAR AIRPORT, GOODYEAR, ARIZONA

The aerobatic training area center point is located on the Stanfield VOR 300° radial at 26.5 DME. The area exists approximately 2 nautical miles on each side of the TFD VOR 300° radial from 22 to 31 DME, surface to 8000' MSL. Pilots should use caution in this area. Frequency 128.92 is provided for air-to-air communications with pilots using or transiting the area. For information regarding hours of operation, contact 623–932–1650.



SPECIAL NOTICES

AEROBATIC PRACTICE AREA MOUNTAIN VALLEY AIRPORT, TEHACHAPI, CALIFORNIA

Practice and competitive aerobatic maneuvers regularly scheduled adjacent to south side of Mountain Valley Airport (3 NM long X ½ NM wide), surface to 5000' AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact VAN NUYS FSDO on 1–818–904–6291.

Restricted Area R-2305 Gila Bend, Arizona Transit Information

A transit route extends from Gila Bend to the Eric Marcus Airport over Arizona Highway 85 at 500 feet above ground level (AGL). VFR rules govern civilian flight through the Goldwater Air Force Range. Airevac flights will be given priority over all other air traffic other than inflight emergencies. The Airevac call sign will be used only when the aircraft is on an actual air evacuation mission. Department of Public Safety (DPS) "Ranger" call signs must indicate they are on an Airevac mission to receive priority. Military aircraft will have priority over all remaining aircraft. Aircraft requesting to transition this airspace may encounter delays.

General aviation aircraft must coordinate their route of flight, departure, and return times with Range Operations prior to departure. Phone (623) 856–8818/8819. Once airborne, aircraft from the north contact Gila Bend AFAF Tower (primary) on 257.65/127.75 (UHF/VHF) or Range Operations (secondary) on 264.125/122.775. Aircraft from the south contact Range Operations 264.125/122.775. Aircraft must hold outside restricted airspace until clearance is granted to transit the area. After receiving clearance into the Restricted Airspace, pilots shall monitor Range Operations frequency.

The preferred VFR procedure will be to fly over Highway 85 at 500 feet AGL, monitoring Range Ops on VHF 122.775. At night aircraft will fly over Highway 85 at or below 1000 feet AGL. Military aircraft on manned ranges will be instructed to remain clear of Highway 85 or to transit the highway 500 feet above altitude of transiting aircraft.

Caution: Due to repeater transmissions and mountainous terrain, flights north of the Sauceda Mountains (Black Gap) will normally only be able to contact Gila Bend Tower. Flights south of the mountains should contact Range Operations. Military aircraft on the Range may be operating lights out.

The normal hours of the Goldwater Air Force Range are from 0630–2400 local Monday through Saturday. When the range is not active, Gila Bend AFAF Tower and Range Operations are closed. If unable to contact the Tower or Range Operations, contact Albuquerque ARTCC on 126.45 or 125.25 for clearance.

LOW ALTITUDE TACTICAL NAVIGATION AREA (LATN) EAST OF TUCSON, AZ

The military has established a Low Altitude Tactical Navigation Area (LATN) east of Tucson bordered by the following fixes: TUS037017-TUS025022-TUS038037-CIE323030-CIE294015-CIE255022-TUS095028-TUS055029-TUS037017. The LATN is not a restricted area and will continue to be available for use by civilian aircraft in accordance with FAA rules and regulations. The primary operations will be conducted by HH–3/MH–60 helicopters from 100 ft AGL to 600 ft AGL. The hours of operations will be daily from 1500–0100Z

ORANGE COUNTY GREAT PARK TETHERED BALLON IRVINE, CALIFORNIA

(Until Further Notice)

Tethered balloon 780' MSL daily (1700-0600Z‡), Located on the EI Toro VOR/DME 234 radial at 1 mile (ELB234001).

SEA WORLD TETHERED BALLOON SAN DIEGO, CALIFORNIA

(Until Further Notice)

Tethered balloon 367' MSL daily (1700–0400), Located on the Mission Bay VORTAC 180 radial at 1 mile (MZB180001).

SPECIAL NOTICES

UNAUTHORIZED TRANSMISSION ARIZONA, CALIFORNIA, AND NEVADA AREA

(Until Further Notice)

Attention all aircraft: Be alert to the possibility of UNAUTHORIZED AIR TRAFFIC CLEARANCES issued on ATC frequencies in the Arizona, California, and Nevada areas. If you received a transmission that is questionable verify with AIR TRAFFIC CONTROL.

SAN FRANCISCO INTERNATIONAL AIRPORT EXPANDED CHARTED VISUAL FLIGHT PROCEDURES

(Until Further Notice)

GENERAL

San Francisco International Airport (SFO) is subject to stratus moving slowly from West to East, creating a reportable weather ceiling over the airport, while the final approach area for Runways 28R and 28L have no significant ceiling or visibility conditions. And expanded charted visual flight procedure (E/CVFP) has been developed to maximize the level of airport efficiency during the unusual weather conditions described above.

MINIMUMS

The E/CVFP incorporates the following weather minimums:

SFO ceiling 2100 feet and visibility 5 miles; or,

SFO ceiling 1000 feet and visibility 3 miles, and,

visibility 5 miles in the Eastern quadrant (030-120), and,

ceiling 2400 and visibility 5 miles at the automated weather observing system (AWOS) located at BRIJJ

LOM. In the event the AWOS is inoperative, weather at San Carlos (SQL) is required to be at least ceiling 2400 feet and visibility 5 miles.

Although the listed weather minima are in effect aircraft should not expect simultaneous E/CVFP approaches unless BRIJJ AWOS ceiling is at least 3500 feet and visibility is at least 5 miles.

SPACING AND SEQUENCING

Controllers will clear aircraft for the E/CVFP in accordance with the provisions of Order 7110.65, Air Traffic Control. They will not utilize phrases requesting or requiring aircraft to "fly right alongside", "wingtip to wingtip", or "directly abeam" other aircraft. Additionally, controllers will not assign instructions or require aircraft to pass and/or overtake other aircraft on the adjacent final approach course. Preferably, aircraft will be vectored to achieve a slightly staggered position of approximately ½ to ¼ mile behind the aircraft on the adjacent final approach course. Heavy aircraft and B757's will not be authorized to overtake another aircraft on the adjacent final approach course. Wake turbulence cautionary advisories will be issued, as appropriate.

GO-AROUND PROCEDURE

The Tipp Toe and Quiet Bridge approaches are visual approaches, and as such have no missed approach segment. If a go-around is necessary, aircraft will be issued an appropriate advisory/clearance/instruction by the tower or tracon. To ensure standard separation from other traffic, these instructions will include the assignment of a specific heading and altitude, Normally, the following procedures will apply:

Tipp Toe Visual Runway 28L

In the event of a go-around turn left heading 265, climb and maintain 3000; or as directed by Air Traffic Control.

Quiet Bridge Visual Runway 28R

In the event of a go-around turn right heading 310, climb and maintain 3000; or as directed by Air Traffic Control.

AEROBATIC OPERATIONS IN ARIZONA

The following practice and competitive aerobatic areas are in use without notice SR-SS daily.

| 5 NMR DMA | 17,500 and below | | | |
|--|------------------|--|--|--|
| 2 NMR INW195055/PAN | 9,600 and below | | | |
| 1 NM N-S and 7 NM E-W of the PXR017022 | 6,500 and below | | | |
| PXR019020 | 7,500 and below | | | |
| PXR128013 | 5,500 and below | | | |
| 1 Square mile of the PXR194023 | 5,000 and below | | | |
| 1 NMR PXR129018 | 5,000 and below | | | |
| 1 NMR PXR316026.2 | 6,600 and below | | | |
| 3 NMR PXR 323024 | 6,000 and below | | | |
| 2 NM N-S and 4 NM E-W PXR325027 | 8,000 and below | | | |
| 1 NM Square TFD 3000 18/E60 | 6,300 and below | | | |
| 1 NMR TFD065025/PØ8 | 5,500 and below | | | |
| 1 NMR TFD143021 | 3,000 and below | | | |
| 4 NMR TFD010020 | 4,800 and below | | | |
| 1NMR TFD107036 | 5,000 and below | | | |
| PØ8–COOLIDGE | 10,000 and below | | | |
| 12 NW of DVT | 6,500 and below | | | |
| 5 NMR DRK215013 | 11,500 and below | | | |
| Pilots should use caution in these areas. For further information contact Prescott AFSS on 1–800–992–7433. | | | | |

AEROBATIC OPERATIONS NORTHWEST OF TUCSON, AZ.

Practice and competitive aerobatic maneuvers are regularly scheduled on the Tucson VORTAC 295 radial at 25 miles and Tucson VORTAC 308 radial at 22 miles, sunrise to sunset, up to 5,000 MSL.

AEROBATIC OPERATIONS NORTHEAST OF REDLANDS, CA

Practice and competitive aerobatic maneuvers are regularly scheduled in the vicinity of the PDZ VORTAC 045 radial at 23 nautical miles from 1,500' AGL up to and including 7,500' MSL. The practice area is for waiver holders only. Pilots should use caution in this area. Frequency 123.3 is provided for air-to-air communications with other pilots using or transiting the area.

AEROBATIC OPERATIONS NORTHEAST OF SANTA PAULA, CA

Practice and competitive aerobatic maneuvers are regularly scheduled in the vicinity of FIM VORTAC, SR–SS, 1,500' AGL to 5,500' MSL. The Aerobatic Area is defined by FIM 220/004, to FIM 260/008, to FIM 285/009, to FIM 360/005, to FIM 055/014, to FIM 070/013. The practice area is for waiver holders only. Pilots should use caution in this area. Frequency 122.775 is provided to air-to-air communications with other pilots using or transiting the area.

AEROBATIC OPERATIONS IN COLORADO

Practice and competitive aerobatic maneuvers are regularly conducted during daylight hours at the following locations: a. 2 NM radius GLL 180/009, 10000 MSL and below.

b. 1 NM radius Sterling Muni (STK), 4000 AGL and below.

c. 1 kilometer square, 800 to 3000 AGL 3 statute miles east of RWY 17-35, Kelly Airpark (C015).

d. 1 statute mile square, surface to 4000 AGL. Center of the area is located 2850 feet east of RWY 18-36. Western boundary is 1000 feet from RWY 18-36 and northern boundary is 100 feet from RWY 08-26, Lamar Airport (LAA). The (LAA) ASOS will broadcast aerobatic area information when this area is active. For further information, contact Flight Services 1-800-WX-BRIEF.

e. 1 kilometer square, 5000 AGL .5 statute mile east of Ft. Morgan Muni (FMM).

f. 1 NM radius GLL 315/006, 10000 MSL and below. Mon-Sat 1500-2359, Sun 1600-2359.

g. 1 NM radius 10000 MSL and below. 6.2 statue miles northwest of Vance Brand (LMO) Mon-Sat 1500-2359, Sun 1600-2359.

AEROBATIC PRACTICE AREA JEAN AIRPORT, JEAN, NEVADA

Aerobatic flight activity will be conducted within a 3300' square box, located 2 miles west of Jean Airport (Specific area of operation is ½ mile radius from a point described by the LAS 190/20). Flights will occur from SFC to 6500 MSL, between 1 hour after sunrise to 1 hour before sunset daily. Pilots should use caution when operating within this area. To obtain a copy of the Certificate of Waiver outlining appropriate procedures for utilization of the practice area, ctc Henderson Executive Airport at (702) 261–4800.

AEROBATIC PRACTICE AREA VAUGHN MUNICIPAL AIRPORT (N17), VAUGHN, NEW MEXICO

Aerobatic practice will be conducted within a 3 NM radius of the Vaughn Municipal Airport (N17), SFC to 11,000 feet MSL, SR–SS. For further information contact Flight Services at 1–800–WX–BRIEF (992)–7433).

EXTENSIVE FLIGHT TRAINING IN VICINITY OF ERNEST A. LOVE FIELD, PRESCOTT, ARIZONA

Extensive flight training activity in areas 5 to 38 miles from the Prescott Airport 14,000 MSL and below. These areas are in use from sunrise to sunset daily. Participating traffic reports on 123.5.

EXTENSIVE FLIGHT TRAINING IN VICINITY OF ANGWIN-PARRETT FIELD (203), ANGWIN, CALIFORNIA

Extensive flight training activity within a 10 NM radius of STS056024 (MAUCH INT), 4,500 MSL and below. This area is in use from 1400–0300 UTC daily. Participating traffic reports on 123.0.

EXTENSIVE FLIGHT TRAINING IN VICINITY OF PROVO MUNICIPAL AIRPORT

Extensive flight training activity in areas 5 to 30 miles S & W of Provo Municipal Airport from the PVU260R-PVU150R, 9,000 MSL and below. These areas are in use from 1100Z to 0400Z Monday thru Saturday; participating traffic contact Eagle Base on 123.5.

UNMANNED AIRCRAFT SYSTEMS, SOUTHEASTERN, AZ

Unmanned aircraft system activity along the international border in southeastern Arizona. Pilots flying near the international border between Nogales, Arizona and the New Mexico border should be alert for unmanned aircraft systems operating from 14,000' MSL to 16,000' MSL inclusive, 0000–1500 UTC daily.

ROCKET FIRING SOUTHEAST OF RENO, NEVADA

Rocket firing occurs approximately on the Mustang VORTAC 107 radial at 7 miles, normally seven days a week, sunrise to sunset, up to but not including 1,000 ft above ground level.

GLIDER OPERATIONS NORTHWEST OF TUCSON, ARIZONA

There is regularly scheduled glider/soaring activity conducted from El Tiro Airport, which is located approximately on the Tucson VORTAC (116.0 MHz) 297° radial at 31 nautical miles: this is south of Pinal (Marana) Airpark and bordered by V16, V66, and V105. Activity at El Tiro is normally scheduled for Saturday, Sunday, and Wednesday, with much of the soaring conducted near the intersection of V66 and V105 at altitudes up to, but not including flight level 180.

CAUTION-TETHERED AEROSTAT RADAR SYSTEM (TARS)

A TARS (a large helium-filled balloon) operates continuously up to 15,000 feet, except during inclement weather or when the system is down for maintenance, in R-2312 near Fort Huachuca, Arizona. The tether is unmarked and is virtually impossible to see from only a few hundred feet. See the Phoenix Sectional Chart for location.

YOSEMITE NATIONAL PARK

Public law prohibits flight of VFR helicopters or fixed-wing acft below 2000 feet above the surface of Yosemite National Park. "Surface" refers to the highest terrain within the park within 2000 feet laterally of the route of flight or, within the Yosemite Valley, the uppermost rim of the valley.

CALIFORNIA CONDORS Central California Coast Ranges

California Condors are currently being reintroduced to the Central California Coast by the Ventana Wilderness Society. There are two release sites; one below Anderson Peak near Big Sur (BSR VOR radial 150, 2 NM), the other in the Pinnacles National Monument (SNS VOR radial 099, 24 NM). California Condors can be identified in the air by their distinctive size and flight patterns. Like the Turkey Vulture, the California Condor is a large black bird with a naked head which uses topography and associated wind patterns for soaring flight. However, the California Condor is nearly twice as large as the Turkey Vulture, with a wingspan approaching ten feet. Condors normally soar at altitudes between 500 and 6,000 feet AGL. They have been known to fly up to 190 miles in a single day and could therefore be found over a very large area. Please be alert for the presence of these highly endangered birds throughout the Coastal Range from Mt Hamilton near San Jose, south to the Simi Valley, near Fillmore VOR (FIM), as well as the foothills along the west side of the San Joaquin Valley. For further information contact the Ventana Wilderness Society at 831–455–9514.

CALIFORNIA CONDORS Pinnacles National Monument

California Condors are the largest land birds in North America and are currently being reintroduced at Pinnacles National Monument in central California. Weighing 15–25 pounds and with a wingspan of 9.5 feet, this endangered species presents a formidable in-flight hazard. Condors are capable of soaring at an altitude of 15,000 feet, although they are more often found between altitudes of 2,000–9,000 feet. Using GPS tracking devices on four condors, a high-use condor flight area was identified over Pinnacles National Monument. The Monument is requesting a clearance of 3,000 feet AGL over an approximately 11.5 square mile area, as indicated, where these and other condors are consistently soaring. Monument personnel hope that such a restriction will be a manageable compromise for the continued conservation of this endangered species and the safety of all pilots. For further information, please contact Pinnacles National Monument at (831) 389–4485.

GRAND CANYON SPECIAL FLIGHT RULES AREA Effective on September 22, 1988

GRAND CANYON—Special Flight Rules Area, SFAR-50-2. Special regulations apply to all aircraft operations below 14,500 feet MSL. Except in an emergency or if otherwise authorized by the Las Vegas Flight Standards District Office for certain limited operations, remain at or above the following altitudes: a) in the Eastern sector from Lees Ferry to North Canyon at 5,000 feet MSL; b) in the Eastern sector from North Canyon to Boundary Ridge at 6,000 feet MSL; c) in the Central sector from Boundary Ridge to Supai Point at 10,000 feet MSL; d) in the Central sector from Supai Point to Diamond Creek at 9,000 feet MSL; e) in the Western sector from Diamond Creek to the Grand Wash Cliffs at 8,000 feet MSL. In flight corridors use the following altitudes: northbound at 11,500 or 13,500 feet MSL; southbound at 10,500 or 12,500 feet MSL; b) and 10,500 or 12,500 feet MSL.

CAUTION: High volume of tour operations within the area. The procedures do not relieve pilots from see-and-avoid responsibility or compliance with FAR 91.119. Pilots should contact a local FSS for NOTAM information prior to flight within the Special Flight Rules Area. Utilize the Las Vegas (LAS) altimeter setting west of Mt. Dellenbaugh and the Grand Canyon (GCN) altimeter setting east of Mt. Dellenbaugh. Monitor the frequencies indicated for each sector (Western-121.95; Central-127.05; Eastern-120.05). Refer to the Grand Canyon sectional chart and NOTAMS for additional information.

SPECIAL NORTH ATLANTIC, CARIBBEAN AND PACIFIC AREA COMMUNICATIONS

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

| North Atlantic area: | 123.45 MHz |
|----------------------|------------|
| Caribbean area: | 123.45 MHz |
| Pacific area: | 123.45 MHz |

U.S. SPECIAL CUSTOMS REQUIREMENT

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or coastline crossing:

Brownsville/South Padre Island International, Corpus Christi International, Del Rio International, El Paso International, Laredo International, Maverick County Memorial International, McAllen Miller International, Presidio–Lely International, Southwest Texas Regional, or William P. Hobby Airport of Texas; Calexico International, or Brown Field Municipal in California; Bisbee Douglas International, Nogales International, Tuscon International, or Yuma MCAS/Yuma International in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisiana; Fort Lauderdale Executive, Fort Lauderdale–Hollywood International, Key West International, Miami International, Opa–Locka Executive Airport, Palm Beach International, St. Lucie County International, or Tampa International in Florida.

MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

CIVIL USE OF MILITARY FIELDS

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations, prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

| FAR-PART 139 CERTIFICATED AIRPORTS | | | |
|------------------------------------|---------------------------------|-------|--|
| Additional Certificated Airports | | | |
| | not contained in this Directory | | |
| NAME OF AIRPORT | IDENT | INDEX | |
| NEVADA | | | |
| TONOPAH, Tonopah Test Range | TNX | E | |

CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.

In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.

- 1. ILS(Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
- 2. Wind Measuring Capability
- 3. Approach Light System (ALS) or Short ALS (SALS)
- 4. Ceiling Measuring Capability
- 5. Touchdown Zone Lighting (TDZL)
- 6. Centerline Lighting (CL)
- 7. Runway Visual Range (RVR)
- 8. High Intensity Runway Lighting (HIRL)
- 9. Taxiway Lighting
- 10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

| Airport/Ident | Runway No. | Airport/Ident | Runway No. |
|-----------------------------|------------|--------------------------|------------|
| Albuquerque, NM (ABQ) | 08 | Milwaukee, WI (MKE) | 01L |
| Anchorage, AK (ANC) | 07R | Minneapolis, MN (MSP) | 30L |
| Andrews AFB, MD (ADW) | 01L | Nashville, TN (BNA) | 02L |
| Atlanta, GA (ATL) | 09R | New Orleans, LA (MSY) | 10 |
| Baltimore, MD (BWI) | 10 | New York, NY (JFK) | 04R |
| Bismarck, ND (BIS) | 31 | New York, NY (LGA) | 22 |
| Boise, ID (BOI) | 10R | Newark, NJ (EWR) | 04R |
| Boston, MA (BOS) | 04R | Oklahoma City, OK (OKC) | 35R |
| Charlotte, NC (CLT) | 36L | Omaha, NE (OMA) | 14R |
| Chicago, IL (ORD) | 14R | Ontario, CA (ONT) | 26L |
| Cincinnati, OH (CVG) | 36C | Philadelphia, PA (PHL) | 09R |
| Cleveland, OH (CLE) | 06R | Phoenix, AZ (PHX) | 08 |
| Dallas/Fort Worth, TX (DFW) | 17C | Pittsburgh, PA (PIT) | 10L |
| Denver, CO (DEN) | 35R | Reno, NV (RNO) | 16R |
| Des Moines, IA (DSM) | 31 | Salt Lake City, UT (SLC) | 34L |
| Detroit, MI (DTW) | 03R | San Antonio, TX (SAT) | 12R |
| El Paso, TX (ELP) | 22 | San Diego, CA (SAN) | 09 |
| Fairbanks, AK (FAI) | 01L | San Francisco, CA (SFO) | 28R |
| Great Falls, MT (GTF) | 03 | San Juan, PR (SJU) | 08 |
| Honolulu, HI (HNL) | 08L | Seattle, WA (SEA) | 16C |
| Houston, TX (IAH) | 26L | St. Louis, MO (STL) | 30R |
| Indianapolis, IN (IND) | 05L | Tampa, FL (TPA) | 36L |
| Jacksonville, FL (JAX) | 07 | Tulsa, OK (TUL) | 36R |
| Kansas City, MO (MCI) | 19R | Washington, DC (DCA) | 01 |
| Los Angeles, CA (LAX) | 24R | Washington, DC (IAD) | 01R |
| Memphis, TN (MEM) | 36L | Wichita, KS (ICT) | 01L |
| Miami, FL (MIA) | 08R | | |
| | | | |

NOTE—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.

NATURAL GAS FLARE CARLSBAD/CAVERN CITY, NEW MEXICO

A natural gas flare is located at approximately N32-27-50.5/W104-34-24.2 (CNM 300/021), SFC to 4200 feet MSL. Pilots should use caution when operating in this area. For further information, contact Albuquerque AFSS on 1-505-243-7831.

SAN DIEGO INTERNATIONAL AIRPORT (SAN) AIRCRAFT NOISE PROHIBITIONS/RESTRICTIONS

No departures or engine run-ups above idle power 0730-1430Z‡. FAR Part 36 Stage 2 departures prohibited 0600-1500Z‡. Per current FAA standards all helicopters are Stage 2. Valid emergency operations or mercy flights exempt from noise abatement restrictions. Operator must provide written report to SAN noise abatement office. Noise monitoring in effect continuously. All operations of aircraft which exceed 104 Effective Perceived Noise Decibels at the takeoff reference point per FAA AC 36 Series documentation are prohibited. Noise sensitive areas all quadrants; recommend pilots use best noise abatement procedures. Pilots are requested to minimize use of reverse thrust consistent with safe operations of aircraft to minimize noise impact on surrounding community. For additional noise level restrictions and information call 619-400-2781.

SPECIAL PROCEDURES SAN FRANCISCO INTERNATIONAL AIRPORT NOISE ABATEMENT PROCEDURES

Fly Quiet Program:

The Fly Quiet Program was developed to help pilots understand the rules and regulations for noise abatement at SFO and to show the public how well airline's participate in the noise abatement programs. The purpose of the Program is to encourage individual airlines to operate as quietly as possible at SFO. The Program promotes a participatory approach in complying with noise abatement procedures by grading airlines' performance and presenting these scores to the public via a published report. The Program consists of five grading elements:

- 1) The overall noise quality of each airline's fleet operating at SFO.
- 2) A measure of how well each airline complies with the nighttime Preferential Runway Use Program.
- 3) Assessment of how well each airline adheres to the Gap departure profile.
- 4) Assessment of how well each airline adheres to the Shoreline departure profile.
- 5) Evaluation of single overflight noise level exceedances.


Flight Crews: By operating your aircraft as quietly as possible, you can directly influence your airline's Fly Quiet Program score. Here are some guidelines for maintaining a high score in the Fly Quiet Program:

(a) **Preferential Runway Use Program**—Between 0100 and 0600 (LT) the preferred departure runways for noise abatement are Runways 10 L/R. Pilots of heavy aircraft can significantly improve their airline's Fly Quiet Program scores by departing on Runways 10 L/R (weather permitting).

(b) Shoreline Departure Turn Quality—The radius of the initial turn after departure off Runways 28 L/R is a grading element of the Fly Quiet Program. Runway 28 L/R departures making excessively wide right turns overfly residential neighborhoods. By completing the initial right turn prior to crossing Highway 101, aircraft remain over industrial and commercial areas. This applies to all Instrument Departure Procedures (IDPs) requiring right turns after departing Runway 28 L/R.

(c) Gap Departure Climb Quality—Aircraft making straight out departures off Runways 28 L/R overfly heavily populated areas immediately west of the airport. Since "higher is quieter," the Airport monitors aircraft altitudes along the departure route. Scores are assigned at specific points, or gates, set approximately one mile apart, with higher scores given to those aircraft that reach higher altitudes at the gates. It is preferred that aircraft making straight-out departures from Runways 28 L/R climb as rapidly as possible.

(d) Noise Exceedance Rating—Maximum noise level limits are established for selected noise monitor stations surrounding SFO. Pilots can improve their airline's exceedance rating by utilizing the Preferential Runway Use Program and complying precisely with the Gap and Shoreline Departure Procedures.



SPECIAL PROCEDURES SAN FRANCISCO INTERNATIONAL AIRPORT NOISE ABATEMENT PROCEDURES PREFERENTIAL RUNWAYS

The SFO Nighttime Preferential Runway Use Program is a voluntary Program that was developed in 1988. SFO operates on two sets of parallel runways for both arrivals and departures, based on this runway configuration, there are three preferred nighttime preferential runway procedures:

1) The primary goal of the Program is to use Runways 10 L/R for take-off because they offer departure routing over the bay which will reduce the noise impacts over the communities surrounding SFO.

2) When departures from Runways 10 L/R are not possible, the second preference would be to depart Runways 28 L/R on the Shoreline or Quiet Departure Procedures. Both of these Procedures incorporate an immediate right turn after departure to avoid residential communities northwest of SFO.

3) The third preference is to depart on Runways 01 L/R. While this procedure directs aircraft over the bay, jet blast from these departures affects communities south of SF0.

The least desirable departure procedure at SFO is a straight–out departure on Runways 28 L/R these departures overfly densely populated communities immediately west of SFO and are discouraged at all hours.

The Airport Director has established a Nighttime Noise Clearance Center operated during 2200–0700 by a duty officer whose responsibilities include monitoring compliance with SFO's Preferential Runway Use Program and responding to requests for exemptions to the noise regulations.

ENGINE RUN–UP RESTRICTIONS

Run-ups of mounted aircraft engines for maintenance or test purposes is prohibited between the hours of 2200-0700 daily except as provided below:

1) An idle check of a single engine is allowed under the following conditions:

(a) An idle check of a single engine not to exceed a 5-minute duration may be conducted in the lease hold area. If more than one engine is to be checked, each engine must be checked separately and the cumulative duration of the idle checks cannot exceed 5-minutes.

(b) An idle check of a single engine or multiple engines (checked separately) which will exceed a duration of five minutes will be accomplished in the designated run-up areas. For purposes of noise abatement monitoring, this will be considered a power run-up.

During the hours of 2200–0700, the Operations Supervisor shall be called and permission received prior to any engine idle check or engine idle run–up, including any idle run for more than a cumulative duration of 5–minutes.

During other hours, the Operations Supervisor shall be called and permission received prior to any engine run–up. Any request for an engine run–up during the hours 2200–0700, other than that described above, which is the result of unusual or emergency circumstances, may be approved by the Nighttime Noise Clearance Center.

When approved and accomplished, the Maintenance Supervisor of the airline concerned must provide to the Airport Director a monthly report detailing the following:

- (a) Date and time of the run-up
- (b) Type of aircraft
- (c) Aircraft identification number
- (d) Location of the run-up
- (e) Duration of the run-up
- (f) An explanation of the unusual or emergency circumstances making the run-up necessary

Reports will be submitted to the Airport Director, Attn: Airport Operations within three working days after the last day of each calendar month.

SPECIAL PROCEDURES SAN FRANCISCO INTERNATIONAL AIRPORT NOISE ABATEMENT PROCEDURES

APU OPERATING RESTRICTIONS

Operators are encouraged to use ground power and air sources whenever practicable. APUs may be used when aircraft are being towed.

1) Domestic terminals—Use of APUs is prohibited between the hours of 2200–0600 except 30 minutes prior to departure, when passengers are aboard, or it is needed to test other aircraft equipment.


2) International Terminal—The following procedures apply:

(a) Aircraft scheduled to be at a gate in Boarding Areas A and G for more than 45 minutes between the hours of 0700–2200, are required to use 400Hz ground power and pre–conditioned air, where available. APUs are not authorized without prior permission is received from Airport Operations, during the use of ground power and pre–conditioned air until 30 minutes prior to push–back.

(b) All aircraft scheduled to be at an International Terminal gate between 2200–0700 hours are required to use 400Hz ground power and pre-conditioned air, where available, regardless of scheduled time at the gate. APUs are not authorized, unless prior permission is received from Airport Operations, during the use of ground power and pre-conditioned air until 30 minutes prior to push-back.

NOISE MONITORING SYSTEM

As of January 2005, the Airport installed a new Aircraft Noise Management System (ANMS) utilizing Lochard's Airport Noise and Operations Monitoring System (ANOMS(tm)) 8 product suite. This system consists of 29 fixed Environmental Monitoring Units (EMU) and four portable units. The previous passive radar system was replaced with Lochard's new hybrid, SkyTrak(tm), an integration of the FAA ARTS IIIE and live Mode S with passive radar that will drive the SFO community web site and deliver flight data throughout the airport.



CONTACT INFORMATION

For more information about the Fly Quiet Program or noise abatement procedures contact 650-821-5100.

331


AIR CARRIER OPERATIONS VICINITY OF LONG BEACH (DAUGHERTY FIELD), CA.

A wide mix of aircraft types including Air Carriers landing and departing Long Beach Daugherty Field, utilize the airspace south of Long Beach Airport (Daugherty Field) (LGB), Long Beach, California. The Class E airspace between Point Vicente, Catalina Island, and Huntington Beach accommodates pilot training from local flight schools, numerous IFR and VFR enroute aircraft, and helicopter and other aviation activities.


Participating flight training aircraft in Class E airspace south of Long Beach may:

- Utilize helicopter frequency 129.0 at or below 1,000 MSL.
- Utilize air-to-air frequency 121.95 above 1,000 MSL and below 4,500 MSL.
- Participants are encouraged to make position reports relative to Palos Verde Point, Point Vicente and Point Fermin, Angels Gate, Queens Gate, Emmy & Eva Oil Platforms and the Queen Mary.

VFR flight following may be available from SOCAL TRACON as indicated on the LA Terminal Area Chart.




FIREFIGHTING TRAFFIC AREAS



Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.



GLIDER/SOARING ACTIVITIES AROUND THE RENO-TAHOE INTERNATIONAL AIRPORT

There is intense glider activity up to FL180 near the Reno–Tahoe International Airport. Gliders conduct aerobatic maneuvers and other soaring activities in airspace on or near arrival routes, departure routes, final approach courses and holding fixes for the Reno–Tahoe International Airport. Gliders operations may originate from the Air Sailing, Minden–Tahoe and Truckee (California) Airports. The Air Sailing Airport is located near the Mustang (FMG) 337 radial at 20 nautical miles, between Anaho, Pyram and Takle intersections. The Minden–Tahoe Airport is located near the FMG 215 radial at 20 nautical miles, between J5 and J94. The Truckee California Airport is located near the FMG 225 radial at 26 nautical miles, north of the Squaw Valley VOR between J32 and V392. Federal Aviation Regulations do not require gliders operators to equip, activate or to broadcast the location of their aircraft via transponder or radio communications while operating outside of Class A or C Airspace. Atmospheric conditions attract large quantities of gliders to the aree and activity near mountain ridges or "hot spots" may be intense. Altitudes up to 17,999 have been observed and pilots should exercise due diligence when exiting Class A and C airspace. Pilots are encouraged to refer to the SFO Sectional Aeronautical Chart and to the remarks in the Airport/Facility Directory, Southwest US for the Reno–Tahoe International Airport (RNO) regarding glider activity. For further information, call Reno ATCT/TRACON at (775) 784–5582.



REGULATORY NOTICES

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, and Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93–1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at http://www.faa.gov. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e-CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll-free telephone number for accessing e-CVRS is 1-800-875-9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll-free areas may access e-CVRS by calling the toll number of 703-707-0568. The Internet web address for accessing the e-CVRS is http://www.fly.faa.gov/ecvrs. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904-4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904–4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e–CVRS.

LUKE AIR FORCE BASE (AFB), AZ SPECIAL AIR TRAFFIC RULE F.A.R PART 93 EFFECTIVE MAY 6, 2010

Title 14, Code of Federal Regulations, part 93, subpart 0, has prescribed special air traffic rules and communication requirements for aircraft operating under Visual Flight Rules (VFR) in the vicinity of Luke Air Force Base.

Pilots are required to establish two-way communication with Luke Approach Control on 118.15 north of Luke AFB or 125.45 south of Luke AFB prior to entering the special air traffic rule area. See Phoenix Terminal Area Chart.

Pilots of non-radio equipped aircraft must request permission to enter the special air traffic rule area at least 24 hours before the proposed operation by telephoning Luke Approach Control at 623–856–6448.

FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

Selected remote FSS facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

Telephone Information Briefing Service (TIBS) is the FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

NATIONAL FSS TELEPHONE NUMBER

OTHER FSS TELEPHONE NUMBERS (except in Alaska)

| TIBS (see description above) | 1-800-4TIBS-WX (1-877-484-2799) |
|---|---------------------------------|
| Clearance Delivery Only | 1-888-766-8267 |
| Lifeguard Flights Only | 1-877-LIF-GRD3 (1-877-543-4733) |
| Flights within DC SFRA & FRZ * | 1-866-225-7410 |
| * District of Columbia Special Flight Rules Area & Flight Restricted Zone | |

337

FAA AND NWS

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

TAF KPIT 091730Z 091818 15005KT 5SM HZ FEW020 WS010/31022KT FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA OVC008CB

FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC

METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB 18/16 A2992 RMK SLP045 T01820159

| Forecast | Explanation | Report |
|----------|---|-------------|
| TAF | Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> - hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report | METAR |
| КРІТ | ICAO location indicator | KPIT |
| 091730Z | Issuance time: ALL times in UTC 'Z', 2-digit date, 4-digit time | 091955Z |
| 091818 | Valid period: 2-digit date, 2-digit beginning, 2-digit ending times | |
| | In U.S. METAR : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on | COR |
| 15005KT | Wind: 3 digit true-north direction, nearest 10 degrees (or <u>VaRiaBle</u>); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>G</u> ust and maximum speed; 00000KT for calm; for METAR , if direc- tion varies 60 degrees or more, <u>V</u> ariability appended, e.g. 180 <u>V</u> 260 | 22015G25KT |
| 5SM | Prevailing visibility: in U.S., <u>Statute Miles & fractions; above 6</u> miles in TAF <u>Plus6SM</u> . (Or, 4-digit minimum visibility in meters and as required, lowest value with direction) | 3/4SM |
| | Runway Visual Range: <u>R</u> ; 2-digit runway designator <u>Left</u> , <u>C</u> enter, or <u>Right as needed</u> ; ' <u>/</u> "; <u>Minus or Plus in U.S.</u> , 4-digit value, <u>FeeT</u> in U.S., (usually meters elsewhere); 4-digit value <u>V</u> ariability 4-digit value (and tendency <u>D</u> own, <u>U</u> p or <u>N</u> o change) | R28L/2600FT |
| HZ | Significant present, forecast and recent weather: see table (on back) | TSRA |
| FEW020 | Cloud amount, height and type: <u>SKy</u> <u>Clear</u> 0/8, <u>FEW</u> >0/8-2/8, <u>SCaT</u> tered 3/8-4/8, <u>BroKeN</u> 5/8-7/8, <u>OVerCast</u> 8/8; 3-digit height in hundreds of ft; <u>Towering CU</u> mulus or <u>C</u> umulonim <u>B</u> us in METAR ; in TAF , only <u>CB</u> . <u>Vertical Visibility for obscured sky and height</u> "VV004". More than 1 layer may be reported or forecast. In auto- mated METAR reports only, <u>CLeaR</u> for "clear below 12,000 feet" | OVC010CB |
| | Temperature: degrees Celsius; first 2 digits, temperature "/" last 2 digits, dew-point temperature; <u>M</u> inus for below zero, e.g., M06 | 18/16 |
| | Altimeter setting: indicator and 4 digits; in U.S., <u>A</u> -inches and hundredths; (Q-hectoPascals, e.g., Q1013) | A2992 |
| | | L |

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

| Forecast | Explanation | Report |
|---------------|--|----------------------------|
| WS010/31022KT | In U.S. TAF , non-convective low-level (≤2,000 ft) <u>Wind Shear;</u> 3-digit height (hundreds of ft); "/"; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u> | |
| | In METAR , <u>ReMarK</u> indicator & remarks. For example: <u>Sea-L</u> evel <u>Pressure in hectoPascals & tenths</u> , as shown: 1004.5 hPa; <u>Temp/</u> dew-point in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C | RMK SLP045 T01820159 |
| FM1930 | Fro <u>M</u> and 2-digit hour and 2-digit minute beginning time: indicates significant change. Each FM starts on new line, indented 5 spaces. | |
| TEMPO 2022 | TEMPOrary: changes expected for < 1 hour and in total, < half of 2-digit hour beginning and 2-digit hour ending time period | |
| PROB40 0407 | PROB probability and 2-digit percent (30 or 40): probable condition during 2-digit hour beginning and 2-digit hour ending time period | |
| BECMG 1315 | BECoMinG: change expected during 2-digit hour beginning and 2-digit hour ending time period | |

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

| QUALIFIER | | | | |
|-----------------------|---------------------------|-------------------|-----------------|--------------------------|
| Intensity or Proximit | у | | | |
| - Light | "no sign" Moderate | + Heavy | | |
| VC Vicinity: but no | t at aerodrome; in U.S. | METAR, betweer | n 5 and 10SM | of the point(s) of |
| observation; in | U.S. TAF, 5 to 10SM fr | om center of run | way complex (| (elsewhere within 8000m) |
| Descriptor | | | | |
| MI Shallow | BC Patches | PR Partial | TS | Thunderstorm |
| BL Blowing | SH Showers | DR Drifting | FZ | Freezing |
| WEATHER PHEN | OMENA | | | |
| Precipitation | | | | |
| DZ Drizzie | RA Rain | SN Snow | SG | Snow grains |
| | PL Ice pellets | GR Hail | GS | Small hail/snow pellets |
| | pitation in automated of | servations | | |
| Obscuration | | | | |
| | FG Fog (<5/8SM) | FU Smoke | | Volcanic ash |
| SA Sand | HZ Haze | PY Spray | DU | Widespread dust |
| Other | | | | |
| | SS Sandstorm | | I PO | Well developed |
| FC Funnel cloud | +FC tornado/waterspo | put | | dust/sand whirls |
| | entheses "()" indicate d | | | |
| Ceiling is not speci | fied; defined as the lowe | est broken or ove | rcast laver. or | the vertical visibility. |

 NWS TAFs exclude turbulence, icing & temperature forecasts; NWS METARs exclude trend fcsts
 Although not used in US, <u>Ceiling And Visibility OK</u> replaces visibility, weather and clouds if: visibility ≥10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN. UNITED STATES DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration-National Weather Service NOAA/PA 96052

FAA AND NWS

KEY AIR TRAFFIC FACILITIES

Air Traffic Control System Command Center

Main Number.....703-904-4400

RGNL AIR TRAFFIC DIVISIONS

| REGION | TELEPHONE |
|--------------------|--------------|
| Alaskan | 907-271-5464 |
| Central | 816-329-2500 |
| Eastern | 718-553-4502 |
| Great Lakes | 847-294-7202 |
| New England | 781-238-7500 |
| Northwest Mountain | 425-227-2500 |
| Southern | 404-305-5500 |
| Southwest | 817-222-5500 |
| Western Pacific | 310-725-6500 |

AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

| ARTCC NAME | *24 HR RGNL DUTY OFFICE TELEPHONE # | BUSINESS HOURS | BUSINESS TELEPHONE # |
|----------------|---|-------------------|-------------------------|
| Albuquerque | 817-222-5006 | 7:30 a.m4:00 p.m. | 505-856-4300 |
| Anchorage | 907-271-5936 | 7:30 a.m4:00 p.m. | 907-269-1137 |
| Atlanta | 404-305-5180 | 7:30 a.m5:00 p.m. | 770-210-7601 |
| Boston | 617-238-7001 | 7:30 a.m4:00 p.m. | 603-879-6633 |
| Chicago | 847-294-8400 | 8:00 a.m4:00 p.m. | 630-906-8221 |
| Cleveland | 847-294-8400 | 8:00 a.m4:00 p.m. | 440-774-0310 |
| Denver | 425-227-1389 | 7:30 a.m4:00 p.m. | 303-651-4100 |
| Ft. Worth | 817-222-5006 | 7:30 a.m4:00 p.m. | 817-858-7300 |
| Houston | 817-222-5006 | 7:30 a.m4:00 p.m. | 281-230-5300 |
| Indianapolis | 847-294-8400 | 8:00 a.m4:00 p.m. | 317-247-2231 |
| Jacksonville | 404-305-5180 | 8:00 a.m4:30 p.m. | 904-549-1501 |
| Kansas City | 816-329-3000 | 7:30 a.m4:00 p.m. | 913-254-8500 |
| Los Angeles | 661-265-8200 | 7:30 a.m4:00 p.m. | 661-265-8200 |
| Memphis | 404-305-5180 | 7:30 a.m4:00 p.m. | 901-368-8103 |
| Miami | 404-305-5180 | 7:00 a.m3:30 p.m. | 305-716-1500 |
| Minneapolis | 847-294-8400 | 8:00 a.m4:00 p.m. | 651-463-5580 |
| New York | 718-995-5426 | 8:00 a.m4:40 p.m. | 516-468-1001 |
| Oakland | 310-725-3300 | 6:30 a.m3:00 p.m. | 510-745-3331 |
| Salt Lake City | 425-227-1389 | 7:30 a.m4:00 p.m. | 801-320-2500 |
| Seattle | 425-227-1389 | 7:30 a.m4:00 p.m. | 253-351-3500 |
| Washington | 718-995-5426 | 8:00 a.m4:30 p.m. | 703-771-3401 |

MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONs)

| | TRACON NAME | *24 HR RGNL DUTY OFFICE TELEPHONE # | BUSINESS HOURS | BUSINESS TELEPHONE # |
|---|------------------|---|-------------------|-------------------------|
| | Atlanta | 404-305-5180 | 7:00 a.m3:30 p.m. | 404-669-1200 |
| | Chicago | 847-294-8400 | 8:00 a.m4:00 p.m. | 847-608-5509 |
| | Dallas/Ft. Worth | 817-222-5006 | 7:30 a.m4:00 p.m. | 972-615-2500 |
| | Denver | 425-227-1389 | 7:30 a.m4:00 p.m. | 303-342-1500 |
| | Houston | 817-222-5006 | 7:30 a.m4:00 p.m. | 281-230-8400 |
| | New York | 718-995-5426 | 8:00 a.m4:30 p.m. | 516-683-2901 |
| | Northern CA | 310-725-3300 | 7:00 a.m3:30 p.m. | 916-366-4001 |
| 1 | Potomac | 718-995-5426 | 8:00 a.m4:30 p.m. | 540-349-7500 |
| | Southern CA | 310-725-3300 | 7:30 a.m4:00 p.m. | 858-537-5800 |

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

FAA AND NWS Key air traffic facilities

DAILY NAS REPORTABLE AIRPORTS

| AIRPORT NAME | *24 HR RGNL DUTY OFFICE TELEPHONE # | BUSINESS HOURS | BUSINESS TELEPHONE # |
|-------------------------------------|---|---------------------|-------------------------|
| Albuquerque Intl Sunport, NM | 817-222-5006 | 8:00 a.m5:00 p.m. | 505-842-4366 |
| Andrews AFB, MD | 718-995-5426 | 8:00 a.m4:30 p.m. | 301-735-2380 |
| Baltimore/Washington | | | |
| Intl Thurgood Marshall, MD | 718-995-5426 | 8:00 a.m4:30 p.m. | 410-962-3555 |
| Boston Logan Intl, MA | 781-238-7001 | 7:30 a.m4:00 p.m. | 617-455-3100 |
| Bradley Intl, CT | 617-238-7001 | 7:30 a.m4:00 p.m. | 203-627-3428 |
| Burbank/Bob Hope, CA | 310-725-3300 | 7:00 a.m5:30 p.m. | 818-567-4806 |
| harlotte Douglas Intl, NC | 404-305-5180 | 8:00 a.m4:30 p.m. | 704–344–6487 |
| hicago Midway, IL | 847-294-8400 | 8:00 a.m4:00 p.m. | 773-884-3670 |
| chicago O'Hare Intl, IL | 847-294-8400 | 8:00 a.m4:00 p.m. | 773-601-7600 |
| leveland Hopkins Intl, OH | 847-294-8400 | 8:00 a.m4:00 p.m. | 216-898-2020 |
| ovington/Cincinnati, OH | 708-294-7401 | 8:00 a.m4:30 p.m. | 606-767-1006 |
| allas/Ft. Worth Intl, TX | 817-222-5006 | 8:30 a.m5:00 p.m. | 972-615-2531 |
| ayton Cox Intl, OH | 847-294-8400 | 7:30 a.m4:00 p.m. | 937-454-7300 |
| enver Intl, CO | 425-227-1389 | 7:30 a.m4:00 p.m. | 303-342-1600 |
| Detroit Metro, MI | 847-294-8400 | 8:00 a.m4:00 p.m. | 734–955–5000 |
| airbanks Intl, AK | 907-271-5936 | 7:30 a.m4:00 p.m. | 907-474-0050 |
| ort Lauderdale Intl, FL | 404-305-5180 | 7:00 a.m3:30 p.m. | 305-356-7932 |
| George Bush | | | |
| Intercontinental/Houston, TX | 817-222-5006 | 7:30 a.m4:00 p.m. | 713-230-8400 |
| lartsfield–Jackson Atlanta Intl, GA | 404-305-5180 | 7:00 a.m3:30 p.m. | 404-669-1200 |
| lonolulu Intl, HI | 310-643-3200 | 7:30 a.m4:00 p.m. | 808-840-6100 |
| louston Hobby, TX | 817-222-5006 | 8:00 a.m5:00 p.m. | 713-847-1400 |
| ndianapolis Intl, IN | 847-294-8400 | 8:00 a.m4:00 p.m. | 317-484-6600 |
| ahului/Maui, HI | 310-643-3200 | 7:30 a.m4:00 p.m. | 808-877-0725 |
| ansas City Intl, MO | 816-329-3000 | 7:30 a.m4:00 p.m. | 816-329-2700 |
| as Vegas McCarran, NV | 310-725-3300 | 7:30 a.m4:00 p.m. | 702-262-5978 |
| os Angeles Intl, CA | 310-725-3300 | 7:00 a.m3:30 p.m. | 310-342-4900 |
| ouis Armstrong New Orleans Intl, LA | 817-222-5006 | 7:00 a.m4:30 p.m. | 504-471-4300 |
| 1emphis Intl, TN | 404-305-5180 | 7:30 a.m4:00 p.m. | 901-322-3350 |
| liami Intl, FL | 404-305-5180 | 7:00 a.m4:00 p.m. | 305-869-5400 |
| linneapolis/St. Paul, MN | 847-294-8400 | 8:00 a.m4:00p.m. | 612-713-4000 |
| lashville Intl, TN | 404-305-5180 | 7:00 a.m3:30 p.m. | 615-781-5460 |
| lew York Kennedy Intl, NY | 718-995-5426 | 8:00 a.m4:30 p.m. | 718-656-0335 |
| lew York La Guardia, NY | 718-995-5426 | 8:00 a.m4:30 p.m. | 718-335-5461 |
| lewark Liberty Intl, NJ | 718-995-5426 | 8:00 a.m4:30 p.m. | 973-645-3103 |
| lorman Y. Mineta San Jose Intl, CA | 310-643-3200 | 7:30 a.m4:00 p.m. | 408-982-0750 |
| Intario Intl, CA | 310-643-3200 | 7:30 a.m4:00 p.m. | 909-983-7518 |
| rlando Intl, FL | 404-305-5180 | 7:30 a.m5:00 p.m. | 407-850-7000 |
| hiladelphia Intl, PA | 718-995-5426 | 8:00 a.m4:30 p.m. | 215-492-4100 |
| hoenix Sky Harbor Intl, AZ | 310-643-3200 | 7:30 a.m4:00 p.m. | 602-379-4226 |
| ittsburgh Intl, PA | 718-995-5426 | 8:00 a.m4:30 p.m. | 412-269-9237 |
| ortland Intl, OR | 425-227-1389 | 7:30 a.m4:00 p.m. | 503-493-7500 |
| aleigh-Durham, NC | 404-305-5180 | 8:00 a.m4:30 p.m. | 919-840-5544 |
| onald Reagan Washington | | | |
| National, DC | 718-995-5426 | 8:00 a.m4:30 p.m. | 703-413-1535 |
| alt Lake City, UT | 425-227-1389 | 7:30 a.m4:00 p.m. | 801-325-9600 |
| an Antonio Intl, TX | 817-222-5006 | 8:00 a.m4:30 p.m. | 210-805-5507 |
| an Diego Lindbergh Intl, CA | 310-725-3300 | 8:00 a.m4:30 p.m. | 619-299-0677 |
| an Francisco Intl, CA | 310-643-3200 | 7:00 a.m.–3:30 p.m. | 650-876-2883 |
| an Juan Intl, PR | 404-305-5180 | 7:30 a.m.–5:00 p.m. | 809-253-8663 |
| eattle–Tacoma Intl, WA | 425-227-1389 | 7:30 a.m4:00 p.m. | 206-768-2900 |
| t. Louis Lambert, MO | 816-329-3000 | 7:30 a.m4:00 p.m. | 314-890-1000 |
| ampa Intl, FL | 404-305-5180 | 7:30 a.m4:00 p.m. | 813-371-7700 |
| ed Stevens Anchorage Intl, AK | 907-271-5936 | 7:30 a.m4:00 p.m. | 907-271-2700 |
| eterboro, NJ | 718-995-5426 | 8:00 a.m4:30 p.m. | 201-288-1889 |
| Vashington Dulles Intl, DC | 718-995-5426 | 8:00 a.m4:30 p.m. | 703-661-6031 |
| | | | |
| Vest Palm Beach, FL | 404-305-5180 | 8:00 a.m4:30 p.m. | 561-683-1867 |

*Facilities can be contacted through the RgnI Duty Officer during non-business hours.

AIR ROUTE TRAFFIC CONTROL CENTERS

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel spacing) is required.

| RALBUQUERQUE CENTER - 134. | 6 132.8 H-4-5-6-7, L-5-6-7-8-10-15-17-19 |
|--|---|
| Alamogordo - 132.65 132.65 | |
| Animas – 134.45 133.0 | (KZAB) |
| Carlsbad - 135.875 | |
| Childs Peak - 135.15 132.45 1 | |
| Clines Corner - 133.65 133.65 | 132.8 125.075 |
| El Paso B – 128.2 125.525 Globe Nr 1 – 135.725 132.9 13 | |
| Globe Nr 2 – 135.725 132.9 13 | |
| Mesa Rica – 125.075 119.45 | 2.33 132.33 123.4 |
| Mount Dora – 133.05 127.85 | |
| Prescott - 135.325 134.325 12 | 28.45 |
| Raton – 132.8 | |
| Roswell - 132.65 132.65 | |
| Sandia Mountain - 132.8 | |
| Silver City – 134.45 | |
| Tesuque Peak – 132.8 | |
| Truth or Consequences – 128.2 | ! |
| Tucson - 134.45 133.0 | |
| Tucumcari - 132.32 126.92 12 | |
| West Mesa – 134.6 133.65 133 Winslow – 128.125 124.5 | 3.65 124.325 119.45 |
| Zuni – 134.6 132.9 132.9 124. | 325 120.55 |
| | |
| (B)DENVER CENTER – 125.9 | H–1–2–3–4–5–6, L–8–9–10–11–12–13–14–15 |
| Alamosa - 128.375 | (KZDV) |
| Aspen – 134.5 132.85 125.35 | 119.85 |
| Brush A – 133.95 Brush B – 118.475 | |
| Cortez - 134.7 118.575 | |
| Denver – 133.4 132.85 128.65 | 126.875 125.95 |
| Denver A - 126.5 | |
| Denver B - 119.85 | |
| Durango - 118.575 | |
| Eastonville – 134.975 | |
| Farmington – 128.125 125.675 | i 118.575 |
| Goodland – 132.5 | |
| Grand Mesa – 135.125 134.27 | 5 126.725 125.675 |
| Grand Mesa A – 125.35 | |
| Grand Mesa B - 134.5 | |
| Gunnison – 133.525 125.35 | |
| Hanksville – 127.55 Hayden – 128.325 120.475 | |
| Kremmling – 132.85 128.65 | |
| La Junta – 134.125 133.4 132. | 225 128 37 |
| Montrose – 125.35 | |
| Ogallala - 126.325 132.7 | |
| Pueblo - 135.4 132.225 128.3 | 75 |
| Tuba City - 132.875 127.55 11 | 8.225 |
| Walton Peak - 126.5 | |
| RL. A. CENTER | H-3-4, L-3-4-5-7-8-9, A-2 |
| | 5 134.4 133.4 132.15 128.05 127.4 126.4 126.0 119.0 (KZLA |
| Bakersfield – 127.1 | |
| Baldwin Hills – 132.85 | |
| Barstow - 134.65 133.55 132. | 5 132.3 126.35 125.725 |
| Blythe – 134.475 127.525 | 7 25 404 0 |
| Cedar City – 135.55 135.25 12 Edom Hill – 133.75 126.7 | 1.33 124.2 |
| Julian – 127.525 126.775 | |
| Keeler – 124.625 124.625 | |
| Laguna - 128.6 128.15 125.65 | 125.65 119.95 |
| Lebec - 135.3 128.375 | |

AIR ROUTE TRAFFIC CONTROL CENTERS

| Mount Potosi - 132.625 124.625 124.625 Nelson - 134.65 127.35 124.85 124.2 118.025 Ontario - 125.65 Palmdale - 132.5 125.275 Peach Springs - 128.075 Pleasants Peak - 132.85 125.275 119.95 Riverside - 126.35 Saddle Peak - 132.6 125.8 San Luis Obispo - 119.05 Santa Barbara - 135.5 132.15 126.525 119.05 Santa Catalina - 134.575 Seligman - 133.2 124.85 Tonopah - 124.625 Twentynine Palms - 133.2 128.15 126.35 Whittier - 125.275 Yuma - 126.775 | |
|--|--------------------------------------|
| (B) OAKLAND CENTER Angels Camp - 134.375 132.95 127.95 126.85 121.25 119.75 Bishop - 125.75 Fallon - 134.45 128.8 Ferndale - 134.15 134.15 Fresno - 134.375 133.7 132.8 126.9 123.8 Half Moon Bay - 134.15 134.15 127.45 125.45 119.475 Hollister - 127.45 Mina - 132.05 127.175 125.75 Mount Tamalpais - 127.8 Priest - 134.55 133.7 132.8 128.7 Red Bluff - 134.975 132.2 119.975 Reno - 134.45 128.8 Sacramento - 132.95 San Luis Obispo - 128.7 South Lake Tahoe - 134.3 Squaw Valley - 127.95 Tonopah - 132.05 125.75 Ukiah - 134.975 132.2 127.8 119.975 | H–3–4, L–2–3–7–5–9–11, A–2 (KZOA) |
| R SALT LAKE CITY CENTER Battle Mountain - 132.25 128.725 Bryce Canyon - 133.6 Cedar City - 125.575 Delle - 132.025 128.55 Delta - 127.825 125.575 Elko - 132.025 128.55 Delta - 127.825 125.575 Elko - 132.25 128.725 Ely - 133.45 Fairfield - 133.9 Francis Peak - 135.775 127.7 Hanksville - 133.6 133.6 Myton - 135.775 127.925 Sunnyside - 133.45 133.45 Wilson Creek - 134.525 133.45 Wilson Creek - 134.25 133.45 Winnemucca - 132.25 132.25 | H–1–2–3, L–9–11–12–13–14 (KZLC) |
| ® SEATTLE CENTERAntelope Mountain - 124.85Arcata - 124.85Ferndale - 135.15 124.85Klamath Falls - 134.9 127.6 | H–1–3, L–1–2–11–13 (KZSE) |
| | |

FLIGHT SERVICE STATION COMMUNICATION FREQUENCIES

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. 'T' indicates transmit only and ''R'' indicates receive only. RCO's available at NAVAID's are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

ALBUQUERQUE AFSS

ALBUQUERQUE RCO 122.0 122.55 ALAMOGORDO RCO 122.15 ANTON CHICO VORTAC 117.8T 122.1R CARLSBAD RCO 122.65 CIMARRON VORTAC 116.4T 122.1R CLINES CORNERS RCO 122.3 CLOVIS RC0 122 5 CORONA VORTAC 115.5T 122.1R DEMING RCO 122.2 FARMINGTON RCO 122.4 GALLUP VORTAC 115.1T 122.1R 122.6 HOBBS RC0 122.2 LAS VEGAS RCO 122.6 ROSWELL RCO 122.45 RUIDOSO RCO 122.25 SANTA FE RCO 122.2 SILVER CITY VORTAC 110.8T 122.1R SOCORRO VORTAC 116.8T 122.1Re TAOS VORTAC 117.6T 122.1R 122.25 TRUTH OR CONSEQUENCES RCO 122.2 TUCUMCARI RCO 122.35 ZUNI RCO 122.05

CEDAR CITY AFSS

ABAJO PEAK RCO 122.55 BONNEVILLE VORTAC 112.3T 122.1R BRYCE CANYON RCO 122.2 BULLFROG BASIN RCO 122.4 CARBON RCO 122 2 CEDAR CITY RC0 122.0 122.2 122.6 DELLE RCO 122.5 **DELTA RCO 122.55** FAIRFIELD RCO 122 25 FRANCIS PEAK RCO 122 2 HALLS CROSSING RCO 122.4 HANKSVILLE RCO 122.65 LUCIN VORTAC 113.6T 122.1R MILFORD VORTAC 112 1T 122 1R MOAB RC0 122.3 MYTON VORTAC 112.7T 122.1R **OGDEN RCO 122.45** RICHFIELD RCO 122.5 ST GEORGE RCO 122 5 SALT LAKE CITY RCO 122.4 VERNAL RCO 122.35

DENVER AFSS

AKRON RCO 120.675 ALAMOSA RCO 122.15 BADGER MOUNTAIN RCO 122.2 BLACK FOREST RCO 122.25 BLUE MESA RCO 122.55 CORTEZ RCO 122.3 DENVER RC0 122.0 122.2 122.35 123.65 DOVE CREEK RCO 122.5 DURANGO RCO 122.35 EAGLE RCO 122.2 FORT COLLINS-LOVELAND RCO 122.4 GILL RCO 122.65 GLENWOOD SPRINGS RC0 122 2 GRAND JUNCTION RCO 122.6 GRAND MESA RCO 122.2 HAYDEN RCO 122.25 KREMMLING RCO 122.3 LA JUNTA RCO 122.6

LAMAR VORTAC 116.9T 122.1R LIMON RC0 122.475 MEEKER RC0 122.15 MONTROSE RC0 122.65 PUEBLO RC0 122.65 RED TABLE MOUNTAIN RC0 122.4 RIFLE RC0 122.5 STEAMBOAT SPRINGS RC0 122.2 TELLURIDE RC0 122.15 TRINIDAD RC0 122.2

HAWTHORNE AFSS

BURBANK RCO 122.35 FILLMORE VORTAC 112.5T 122.1R GUADALUPE VOR 111.0T 122.1R HAWTHORNE RCO 122.0 122.2 122.5 PASO ROBLES RCO 122.4 SAN MARCUS VORTAC 114.9T 122.1R 122.3

OAKLAND AFSS

ARCATA RCO 122.6 CRESCENT CITY RCO 122.3 EUREKA RCO 122.35 GARBERVILLE RCO 122.3 MOUNTAIN VIEW RCO 122.5 MOUNT TAMALPAIS RCO 122.35 OAKLAND RCO 122.0 122.2 122.5 129.4 131.95 POINT ARENA RCO 122.6 SALINAS RCO 122.6 UKIAH RCO 122.35

PRESCOTT AFSS

AJO RCO 122.65 BAGDAD RCO 122.5 BISBEE RC0 122 4 BLACK METAL PEAK RCO 122.55 BUCKEYE VORTAC 110.6T 122.1R COCHISE VORTAC 115.8T 122.1R DOUGLAS RCO 122.6 FLAGSTAFF VOR/DME 113.85T 123.65R GILA BEND VORTAC 116.6T 122.1R GLOBE RCO 122.3 GRAND CANYON RCO 123.65 KAYENTA RCO 122.45 KINGMAN VOR/DME 108.8T 122.1R MINGUS MOUNTAIN RCO 122.3 MOUNT LEMMON RCO 122.4 NEEDLES VORTAC 115.2T 122.1R NOGALES RCO 122.4 PAGE RCO 122.6 PEACH SPRINGS RC0 122.25 PHOENIX RCO 122.2 122.6 PRESCOTT RC0 122.2 122.4 SAFFORD RC0 122.3 ST JOHNS VORTAC 112.3T 122.1R STANFIELD VORTAC 114.8T 122.1R TUBA CITY VORTAC 113.5T 122.05R TUCSON RCO 122.2 WINSLOW RC0 122.6 YUMA RC0 122.2

RANCHO MURIETA AFSS

ANGELS CAMP RCO **122.3** ANTELOPE MOUNTAIN RCO 122.4 BAKERSFIELD RCO **122.45** CHICO VOR/DME 109.8T 122.1R EL NIDO VOR/DME 114.2T 122.1R FALL RIVER MILLS RCO 122.4 FELLOWS VORTAC 117.5T 122.1R FORT JONES VOR/DME 109.6T 122.1R

FLIGHT SERVICE STATION COMMUNICATION FREQUENCIES

FRESNO RCO 122 2 122.55 GORMAN VORTAC 116.1T 122.1R HANGTOWN VOR/DME 115.5T 122.1R MARYSVILLE VOR/DME 110.8T 122.1R 122.6 MAXWELL VORTAC 110.0T 122.1R MODESTO VOR/DME 114.6T 122.1R PANOCHE VORTAC 112.6T 122.1R QUINCY RCO 122.4 RANCHO MURIETA RCO 122.2 RED BLUFF RCO 122.4 REDDING VOR/DME 108.4T 122.1R SACRAMENTO RCO 122.05 STOCKTON RCO 122.65 TULE PORTERVILLE VOR/DME 109.2T 122.1R VISALIA VOR/DME 109.4T 122.1R WEAVERVILLE RCO 122.4

RENO AFSS

BEATTY VORTAC 114.7T 122.1R COALDALE VORTAC 117.7T 122.1R CURRANT RCO 122.3 ELKO RCO 122.6 ELY RC0 122.2 EUREKA RCO 122.3 HAZEN VORTAC 114.1T 122.1R JACKPOT RC0 122.5 LAS VEGAS RCO 122.4 LOVELOCK RCO 122.4 MINA VORTAC 115.1T 122.1R MORMON MESA VORTAC 114.3T 122.1R MOUNT LEWIS RCO 122.65 MOUNT POTOSI RCO 122.35 RENO RCO 122.2 122.5 SOD HOUSE RCO 122.6 SQUAW VALLEY RCO 122.25 TONOPAH RCO 122.6 WELLS VOR 114.2T 122.1R WILSON CREEK VORTAC 116.3T 122.1R WINNEMUCCA RCO 122.3

RIVERSIDE AFSS

BARSTOW RC0 122 3 BISHOP RCO 122.6 BLYTHE RCO 122.4 DAGGETT RCO 122.2 GOFFS VORTAC 114.4T 122.05R FURNACE CREEK RCO 122.2 HECTOR VORTAC 112 7T 122 1R HOMELAND VOR 113.4T 122.1R LANCASTER RC0 122 2 MAMMOTH RCO 122 15 NEEDLES RC0 122.2 PALM SPRINGS VORTAC 115.5T 122.1R PARKER VORTAC 117.9T 122.1R POMONA RCO 123.65 RAND MOUNTAIN RCO 122.4 RIVERSIDE RC0 122.05 122.2 SANTA ANA RCO 122.45 THERMAL RCO 122.3 TWENTYNINE PALMS VORTAC 114.2T 122.1R

SAN DIEGO AFSS

BARD VORTAC 116.8T 122.1R IMPERIAL VORTAC 115.9T 122.1R 122.5 JULIAN RCO 123.65 OCEANSIDE VORTAC 115.3T 122.1R SAN DIEGO RCO 122.2 122.4 YUMA RCO 122.6

346

FSD0 FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office–Federal Aviation Administration.

ARIZONA

17777 N. Perimeter Drive, Suite 101 Scottsdale, AZ 85255 Telephone: 480-419-0111

CALIFORNIA

Fresno Air Terminal 4955 E. Anderson, Suite #110 Fresno, CA 93727–1573 Telephone: 559–487–5306

5001 Airport Plaza Drive, Suite #100 Long Beach, CA 90815 Telephone: 562–420–1755

2250 E. Imperial Highway, Suite #140 El Segundo, CA 90245 Telephone: 310-215-2150

1420 Harbor Bay Parkway, Suite 280 Alameda, CA 94502–7083 Telephone: 510–748–0122 Fax: 510–748–9559

6961 Flight Rd. Riverside, CA 92504 Telephone: 951–276–6701

6650 Belleau Wood Lane Sacramento, CA 95822 Telephone: 916-422-0272

8525 Gibbs Drive, Suite 120 San Diego, CA 92123 Telephone: 619–557–5281

San Francisco IFO 831 Mitten Road, Room 105 Burlingame, CA 94010–1303 Telephone: 650–876–2771

San Francisco CMO 863 Mitten Road, Building B Burlingame, CA 94010–1303 Telephone: 650–876–9013 1250 Aviation Ave., Suite 295 San Jose, CA 95110-1130 Telephone: 408-291-7681

16501 Sherman Way, Suite 330 Van Nuys, CA 91406 Telephone: 818–904–6291

COLORADO

26805 E. 68th Avenue, Suite 200 Denver, CO 80249-6361 Telephone: 303-342-1100

NEVADA

7181 Amigo Street, Suite 180 Las Vegas, NV 89119 Telephone: 702–269–1445 Fax: 702–269–8013

4900 Energy Way Reno, NV 89502 Telephone: 775–858–7700

NEW MEXICO

1601 Randolph Road SE, Suite 200N Albuquerque, NM 87106 Telephone: 505–764–1200 1–800–531–8999 (NM only) 1–800–531–1124

UTAH

1020 North Flyer Way Salt Lake City, UT 84116 Telephone: 801-257-5020

ROUTES PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.

2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).

3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area: e.g., New York Metro Area.

4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.

5. Where more than one route is listed the routes have equal priority for use.

6. Official location identifiers are used in the route description for VOR/VORTAC navaids.

7. Intersection names are spelled out.

8. Navaid and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).

9. Where two navaids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.

10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.

11. (90-170 incl) altitude flight level assignment in hundred of feet.

12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.

| 13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted. | | |
|--|-----------------------|--|
| Sun | | |
| Mon thru Fri | 0701–2259 local time. | |
| Sat | 0701–1459 local time. | |
| 14. Use current SIDs and STARSs for flight planning. | | |

15. For high altitude routes, the portion of the routes contained in brackets [] is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

LOW ALTITUDE

| Terminals | Route | Effective Times (UTC) |
|---|---|-----------------------------|
| SAN FRANCISCO/OAKLAND METRO AREA From SAN FRANCISCO Area: West Bay Airports | | |
| Los Angeles Area | (70–90–110–130–150–170) V27 VTU V299 SADDE V107 LAX | 1400-0800 |
| From OAKLAND Area: East Bay Airports Los Angeles Area | (70–90–110–130–150–170) V109 PXN V113 V485 V299 SADDE V107 LAX | 1400-0800 |

PREFERRED IFR ROUTES HIGH ALTITUDE

| | IIIGH AEITIODE | |
|--|---|--------------------|
| | | Effective Times |
| Terminals ALBUQUERQUE (ABQ) | Route | (UTC) |
| Chicago O'Hare (ORD) | J18 GCK J96 IRK BDF–STAR | 1100-0400 |
| Houston (HOU) | (Turbojets) LLO TEXNN-STAR | |
| Houston (IAH) | LLO RIICE-STAR | |
| ASPEN (ASE) | | |
| Cleveland Metro Area (CLE) (CGF) (BKL) | | |
| (LNN) (LPR) | OBK CRL HIMEZ-STAR | |
| BURBANK (BUR) | | |
| Chicago O'Hare (ORD) | (all B747, B767, B727, DC10, DC87, L1011) | |
| | DAG LAS BCE MTU OCS J94 ONL J148 MCW | |
| | JVL-STAR | 0000-2359 |
| | or | |
| | (all other jets) DAG EED DRK J96 IRK BDF-STAR | 0000-2359 |
| Detroit Metro-Wayne Co (DTW) | [BUR OBH] OBH J100 DBQ BAE MKG | |
| | POLAR–STAR | |
| Detroit Metro Area (PTK), (YIP), (ARB) | [BUR OBH] OBH J100 DBQ BAE MKG LAN | |
| (DET), (CYQG) | SPRTN-STAR | 1100-0300 |
| DENVER (DEN) | | |
| Boca Raton (BCT) | [DEN ONL] (Turbojets-GPS or DME/DME-IRU | |
| | equipped) RZC MEM VUZ MGM SZW PRRIE | |
| | (RNAV)–STAR | |
| Boston (BOS) | [DEN ONL] J94 DBQ BAE J16 ALB GDM-STAR | |
| Chicago O'Hare (ORD) | [DEN ONL] MCW JVL-STAR | |
| Cleveland Metro Area (CLE) (CGF) (BKL) | | |
| (LNN) (LPR) | OBK CRL HIMEZ-STAR | |
| Dallas/Fort Worth (DFW) | J17 AMA J58 SPS UKW | |
| Detroit Metro-Wayne Co (DTW) | [DEN OBH] J100 DBQ BAE MKG POLAR-STAR | |
| Fort Lauderdale (FLL) | (all others) [DEN ICT] RZC VUZ MGM SZW J41 PIE | |
| | FORTL-STAR | |
| | or | |
| | (GPS or DME/DME-IRU equipped) [DEN ICT] RCZ | |
| | VUZ MGM SZW JINGL (RNAV)–STAR | |
| Ft Myers (RSW) | TTT J58 HRV Q105 BLVNS Q102 BAGGS TYNEE | |
| Harradar (HOH) | (RNAV)-STAR | |
| Houston (HOU) | (Turbojets) PNH MQP ELLVR TEXNN–STAR | |
| Houston (IAH) | | |
| Kennedy (JFK) | [DEN ONL] J94 OBK J584 CRL J554 JHW J70 LVZ LENDY-STAR | |
| Miami (MIA) | (all others) [DEN ICT] RZC VUZ MGM SZW J41 PIE | |
| | CYY-STAR | |
| | or | |
| | (Turbojets-GPS or DME/DME-IRU equipped) [DEN | |
| | ICT] ICT RZC VUZ MGM SZW SSCOT | |
| | (RNAV)-STAR | |
| Newark (EWR) | IOW GIJ J554 CRL J584 SLT FQM-STAR | |
| Orlando Intl (MCO) | [DEN ICT] RZC MEM J41 PIE LAL | 1100-0400 |
| | or | |
| | (GPS or DME/DME-IRU equipped) ICT RZC MEM | |
| | J41 PIE COSTR (RNAV)-STAR | 1100-0400 |
| Palm Beach (PBI) | [DEN ICT] (Turbojets–GPS or DME/DME–IRU | |
| | equipped) RZC MEM VUZ MGM SZW WLACE | |
| | (RNAV)–STAR | |
| | or | |
| | [DEN ICT] (Turbojets-GPS or DME/DME-IRU | |
| | equipped) RZC MEM VUZ MGM SZW CTY | |
| | WLACE (RNAV) -STAR | |
| Pittsburgh (PIT) | [DEN JOT] JOT J146 J34 DJB V30 ACO V337 | 4500 0400 |
| Serenate (Bradenten (CDO) | | 1500-0100 |
| Sarasota/Bradenton (SRQ) | DFW J58 COVIA SRQ-STAR | |
| Татра (ТРА) | [DEN ICT] RZC VUZ MGM SZW DARBS-STAR or | |
| | or [DEN ICT optional] (GPS or DME/DME–IRU | |
| | equipped) ICT RZC VUZ MGM SZW FOXX | |
| | (RNAV)–STAR | |
| | (| |

PREFERRED IFR ROUTES

| | | Effective Times |
|---|---|----------------------------|
| Terminals West Palm Beach (PBI) | Route [DEN ICT] (Turbojets-GPS or DME/DME-IRU equipped) RZC MEM VUZ MGM SZW WLACE (RNAV)-STAR or | (UTC) |
| | [DEN ICT] (Turbojets–GPS or DME/DME–IRU equipped) RZC MEM VUZ MGM SZW CTY GULLO (RNAV)–STAR | |
| FRESNO (FAT) | | |
| Denver LAS VEGAS (LAS) | OAL J148 DTA J84 EKR TOMSN-STAR | 1400-0000 |
| Chicago O'Hare (ORD) | (FL240 and above, All) BCE MTU OCS J94 ONL J94 DBQ JVL JVL-STAR | 0000-2359 |
| Cleveland Metro Area (CLE) (CGF) (BKL) | - | |
| (LNN) (LPR) Detriot/Wayne Co (DTW) | OBK CRL HIMEZ–STAR BAE MKG POLAR–STAR | |
| | or PXV VHP FWA MIZAR-STAR | |
| Houston (HOU) | (Turbojets) LLO TEXNN-STAR or | |
| Houston (IAH) | FST SAT LISSE-STAR LLO RIICE-STAR | |
| | or FST SAT GLAND-STAR | |
| LONG BEACH (LGB) | | |
| Dallas/Fort Worth (DFW) Detroit Metro-Wayne Co (DTW) Detroit Metro Area (PTK), (YIP), (ARB) | TRM J169 TFD J50 SSO J4 INK JEN J100 DBQ BAE MKG POLAR-STAR | 1400-2300 |
| (DET), (CYQG) | J100 DBQ BAE MKG LAN SPRTN-STAR | 1100-0300 |
| Portland, OR (PDX) Seattle/Tacoma (SEA) LOS ANGELES (LAX) | EHF J65 RBL EHF CZQ LIN | 1300–0600 1300–0500 |
| Boston (BOS) | J9 MLF J107 OCS J94 DBQ BAE J16 ALB GDM-STAR or J9 MLF J107 DDY J158 ABR J70 GEP J106 GRB | |
| Chicago O'Hare (ORD) | J38 ECK J16 ALB GDM–STAR (all B747, B767, B727, DC10, DC87, L1011) DAG LAS BCE MTU OCS J94 ONL J148 MCW JVL–STAR | 1100-0300 |
| | or | |
| Cleveland Metro Area (CLE) (CGF) (BKL) (LNN) (LPR) | (all other jets) TRM J78 DRK J96 IRK BDF–STAR OBK CRL HIMEZ–STAR | 1100-0300 |
| Detroit Metro-Wayne (DTW) | BAE MKG POLAR-STARor | |
| Detroit Metro Area (PTK), (YIP), (ARB) | PXV VHP FWA MIZAR-STAR | |
| (DET), (CYQG) | J100 DBQ BAE MKG LAN SPRTN–STAR FST J138 SAT LISSE–STAR | 1100-0300 |
| Houston (HOU) Houston (IAH) | FST J138 SAT GLAND-STAR | |
| Kennedy (JFK) | DAG J100 OBK J584 CRL J554 JHW J70 LVZ LENDY-STARor | |
| | J146 DVC J197 GLD J146 GIJ J554 JHW J70 LVZ LENDY-STARor | 0000-1400 |
| | DAG J100 OBK J584 CRL J554 JHW J70 LVZ LENDY-STAR | 1700-2359 |
| Newark (EWR) | DAG J100 0BH J10 IOW J60 J0T J146 GIJ J554 CRL J584 SLT FOM–STAR | 1700-1759 and 2100-2159 |
| Pittsburgh (PIT) | OR J384 SLI FQM-STAR JOT J146 J34 DJB V30 ACO V337 CUTTAor or J146 DVC J197 GLD J192 IOW J146 J34 DJB V30 | and 2100-2159 1300-0100 |
| | ACO V337 CUTTA | |
| Portland, OR (PDX) Seattle/Tacoma (SEA) | EHF J65 RBL EHF CZQ LIN | 1300-0600 1300-0500 |

PREFERRED IFR ROUTES

| | | Effective Times |
|--|--|------------------------|
| Terminals MONTEREY (MRY) | Route | (UTC) |
| Denver (DEN) | OAL J148 DTA J84 EKR TOMSN-STAR | 1400-0000 |
| OAKLAND (OAK) | | |
| Chicago O'Hare (ORD) | (FL240 and above, Jets) to join ONL J94 DBQ JVL | 0000 0050 |
| Denver (DEN) | JVL–STAR J84 EKR TOMSN–STAR or | 0000-2359 1400-0000 |
| Detroit Metro-Wayne Co (DTW) | FMG J94 BAM J154 TCH J56 CHE TOMSN-STAR SAC FMG J94 DBQ BAE MKG POLAR-STAR | 1400-0000 |
| Detroit Metro Area (PTK), (YIP), (ARB) | | |
| (DET), (CYQG) Houston (HOU) | SAC FMG J94 DBQ BAE MKG LAN SPRTN-STAR (Turbojets) PNH MQP ELLVR TEXNN-STAR | 1400-0400 |
| Houston (IAH) Newark (EWR) | PNH MQP RIICE-STAR SAC FMG J94 OBK J584 SLT FQM-STAR | 0000-2359 |
| | or | |
| | FMG J94 OBK J584 CRL J584 SLT FQM-STAR | |
| Phoenix (PHX) ONTARIO (ONT) | OAL J92 DRK | 1600-0500 |
| Chicago O'Hare (ORD) | (FL240 and above, All DC8, B747, B767, B727, | |
| | DC10, L1011) DAG LAS BCE MTU OCS J94 ONL | |
| | J94 DBQ JVL JVL–STAR | 0000-2359 |
| | or | |
| | (FL240 and above, All others) TRM J78 DRK J96 | |
| Delles (Fast Masth (DDM)) | | 0000-2359 |
| Dallas/Fort Worth (DFW) Detroit Metro-Wayne Co (DTW) | TRM J169 TFD J50 SSO J4 INK JEN DAG OBH J100 DBQ BAE MKG POLAR–STAR | 1400-2300 |
| Detroit Metro Area (PTK), (YIP), (ARB) | | |
| (DET), (CYQG) | OBH J100 DBQ BAE MKG LAN SPRTN-STAR | 1100-0300 |
| Houston (HOU) | FST J138 SAT LISSE-STAR | |
| Houston (IAH) | FST J138 SAT GLAND-STAR | |
| Kennedy (JFK) | DAG J100 OBK J584 CRL J554 JHW J70 LVZ LENDY–STAR | 1400-2200 |
| Pittsburgh (PIT) | DAG J146 DVC J197 GLD J192 IOW J146 J34 | 1400-2200 |
| | DJB V30 ACO V337 CUTTA | 1300-0100 |
| Portland (PDX) | EHF J65 RBL | 1300-0600 |
| Seattle/Tacoma (SEA) Vancouver (CYVR) | EHF CZQ LIN EHF CZQ LIN | 1300–0500 1800–2100 |
| | | and 2330-0200 |
| PALM SPRINGS (PSP) | | |
| Chicago O'Hare (ORD) | (FL240 and above, All DC8, B747, B767, B727, DC10, L1011) join ONL J94 DBQ JVL JVL–STAR | 0000-2359 |
| | Or (EL240 and above All athers) join DBK 106 IBK | |
| | (FL240 and above, All others) join DRK J96 IRK J26 BDF V10 PLANO | |
| PHOENIX (PHX) | | |
| Chicago O'Hare (ORD) Cleveland Metro Area (CLE) (CGF) (BKL) | J18 SLN J96 IRK BDF–STAR | 0000–2359 |
| (LNN) (LPR) | OBK CRL HIMEZ-STAR | |
| Dallas/Fort Worth (DFW) | CIE J2 ELP J50 INK JEN | 1400-2300 |
| Detroit Metro-Wayne (DTW) | BAE MKG POLAR-STAR | |
| | or PXV VHP FWA MIZAR-STAR | |
| | | |
| Detroit Metro Area (PTK), (YIP), (ARB) | PAYSO GUP J102 ALS J13 FOF J128 DBQ BAE | |
| (DET), (CYQG) | MKG LAN SPRTN-STAR | 1100-0300 |
| Houston (HOU) | FST J138 SAT LISSE–STAR | 1100 0000 |
| Houston (IAH) | FST J138 SAT GLAND-STAR | |
| Kennedy (JFK) | J18 GCK HYS PWE J192 IOW J60 J0T J146 GIJ | |
| | J554 JHW J70 LVZ LENDY-STAR | 0000-1429 |
| | or GUP J102 ALS PUB GLD J146 GIJ J554 JHW J70 | |
| | LVZ LENDY-STAR | 0000-1429 |
| | or | |
| | GUP J102 ALS PUB GLD J197 OBH J100 OBK | |
| | IS84 CDL IS54 IUW IZO LVZ LENDV STAD | 1/20 2250 |

J584 CRL J554 JHW J70 LVZ LENDY-STAR 1430-2359

351

PREFERRED IFR ROUTES

| Toursiaala | Posta | Effective Times |
|--|--|--------------------|
| | Route J18 GCK HYS PWE J192 IOW J60 JOT J146 GIJ | (UTC) |
| Newark (EWR) | | |
| | J554 CRL J584 FQM-STARor | |
| | GUP J102 ALS PUB GLD J146 GIJ J554 CRL J584 | |
| | FOM-STAR | 0000-1459 |
| Oakland (OAK) | • | 1600-0500 |
| Oakland (OAK) San Francisco (SFO) | J92 OAL ECA V195 J92 OAL MOD | 1600-0500 |
| San Jose (SJC) | J92 OAL MOD | 1600-0500 |
| RENO (RNO) | J92 OAL ITTF | 1000-0300 |
| Chicago O'Hare (ORD) | J32 CZI J82 FSD J16 MCW JVL-STAR | 0000-2359 |
| Denver (DEN) | MVA EKR TOMSN–STAR | 1400-0000 |
| Denver (DEN) | or | 1400 0000 |
| | FMG J94 BAM J154 TCH J56 CHE TOMSN-STAR | 1400-0000 |
| SACRAMENTO (SAC) | | 1100 0000 |
| Chicago O'Hare (ORD) | (FL240 and above, Jets) to join ONL J94 DBQ JVL | |
| | JVL–STAR | 0000-2359 |
| Denver (DEN) | J84 EKR TOMSN–STAR | 1400-0000 |
| | or | |
| | FMG J94 BAM J154 TCH J56 CHE TOMSN-STAR | 1400-0000 |
| Phoenix (PHX) | OAL J92 DRK | |
| SALT LAKE CITY (SLC) | | |
| Boston (BOS) | TCH MCW J16 ECK BUF J16 ALB GDM | |
| | GDM-STAR | |
| | or | |
| | OCS J107 DDY J158 ABR J70 GEP J106 GRB J38 | |
| | ECK J16 ALB GDM–STAR | |
| | or | |
| | OCS J94 DBQ BAE J16 ALB GDM-STAR | |
| Chicago O'Hare (ORD) | (FL240 and above, All) OCS J94 ONL J94 DBQ JVL | |
| | JVL–STAR | 0000-2359 |
| Houston (HOU) | (Turbojets) PNH MQP ELLVR TEXNN-STAR | |
| Houston (IAH) | PNH MQP RIICE-STAR | |
| Kennedy (JFK) | OCS J94 OBK J584 CRL J554 JHW J70 LVZ | |
| | LENDY–STAR | 0700-2359 |
| SAN DIEGO (SAN) | | |
| Chicago O'Hare (ORD) | IPL J18 SLN J96 IRK BDF–STAR | 0000-2359 |
| Cleveland Metro Area (CLE) (CGF) (BKL) | | |
| (LNN) (LPR) | OBK CRL HIMEZ-STAR | |
| Dallas/Fort Worth (DFW) | IPL J18 GBN J50 SSO J4 INK JEN | 1400-2300 |
| Detroit/Wayne (DFW) | BAE MKG POLAR–STAR | |
| | or | |
| | PXV VHP FWA MIZAR-STAR | |
| Houston (HOU) | FST J138 SAT LISSE-STAR | |
| Houston (IAH) | FST J138 SAT GLAND-STAR | |
| Kennedy (JFK) | IPL J18 PXR J102 ALS PUB GLD J197 OBH J100 | |
| | OBK J584 CRL J554 JHW J70 LVZ | |
| | LENDY–STAR | 1430-2359 |
| Pittsburgh (PIT) | JOT J146 J34 DJB V30 ACO V337 CUTTA | 1300-0100 |
| | or | |
| | DVC J197 GLD J192 IOW J146 J34 DJB V30 AC0 | |
| | V337 CUTTA | |
| Portland (PDX) | EHF J65 RBL J1 | 1300-0600 |
| Seattle/Tacoma (SEA) | EHF CZQ LIN J189 BTG OLM-STAR | 1300-0500 |
| Vancouver (CYVR) | EHF CZQ LIN J189 LMT J65 SEA PAE | |
| | ACORD-STAR | 1800-2100 |
| | | and 2330-0200 |
| SAN FRANCISCO (SFO) | | |
| Boston (BOS) | FMG J94 DBQ BAE J16 ALB GDM-STAR | |
| Chicago O'Hare (ORD) | FMG J32 CZI J82 FSD J16 MCW JVL-STAR | 1500-0400 |
| Cleveland Metro Area (CLE) (CGF) (BKL) | | |
| (LNN) (LPR) | OBK CRL HIMEZ-STAR | |
| Denver (DEN) | J84 EKR TOMSN-STAR | 1400-0000 |
| | or | |
| | FMG J94 BAM J154 TCH J56 CHE TOMSN-STAR | 1400-0000 |
| Detroit Metro-Wayne (DTW) | PXV VHP FWA MIZAR-STAR | |

352

Detroit Metro-Wayne (DTW)

SW, 08 APR 2010 to 03 JUN 2010

or

PXV VHP FWA MIZAR-STAR

BAE MKG POLAR-STAR

PREFERRED IFR ROUTES

Те

Effective Times

| Terminals | Route | (UTC) |
|--|--|-----------|
| Detroit Metro Area (PTK), (YIP), (ARB) | | |
| (DET), (CYQG) | SAC FMG J94 DBQ BAE MKG LAN SPRTN–STAR | 1400-0400 |
| Houston (HOU) | (Turbojets) PNH MQP ELLVR TEXNN-STAR | |
| Houston (IAH) | PNH MQP RIICE-STAR | |
| Kennedy (JFK) | FMG J94 OBK J584 CRL J554 JHW J70 LVZ | |
| | LENDY–STAR | 0000-2359 |
| Newark (EWR) | FMG J94 OBK J584 SLT FQM-STAR | 0000-2359 |
| Phoenix (PHX) | OAL J92 DRK | 1600-0500 |
| Pittsburgh (PIT) | FMG J94 BFF OBH DSM IOW J60 JOT J146 J34 | |
| | DJB V30 ACO V337 CUTTA | 1300-0100 |
| Toronto (CYYZ) | FMG J32 ABR J70 GEP J106 GRB J38 ECK YWT-STAR | |
| SAN JOSE (SJC) | | |
| Chicago O'Hare (ORD) | (FL240 and above, All) J32 BAM J94 DBQ JVL | |
| | JVL–STAR | 0000-2359 |
| Denver (DEN) | J84 EKR TOMSN–STAR | 1400-0000 |
| Houston (HOU) | (Turbojets) LLO TEXNN-STAR | |
| Houston (IAH) | LLO RIICE-STAR | |
| Phoenix (PHX) | OAL J92 DRK | 1600-0500 |
| SANTA ANA (SNA) | | |
| Chicago O'Hare (ORD) | TRM J78 DRK J96 IRK J26 BDF V10 PLAN0 | |
| Dallas/Fort Worth (DFW) | TRM J169 TFD J50 SSO J4 INK JEN | 1400-2300 |
| Detroit Metro-Wayne Co (DTW) | TRM PKE J96 DRK FLG J10 FQF J128 DBQ BAE | |
| | MKG POLAR–STAR | 1100-0300 |
| Portland (PDX) | EHF J65 RBL J1 OED | 1300-0600 |
| Seattle/Tacoma (SEA) | EHF CZQ LIN J189 LMT | 1300-0500 |
| TUCSON (TUS) | | |
| Cleveland Metro Area (CLE) (CGF) (BKL) | | |
| (LNN) (LPR) | OBK CRL HIMEZ-STAR | |
| Houston (HOU) | FST J138 SAT LISSE–STAR | |
| Houston (IAH) | FST J138 SAT GLAND-STAR | |

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR DENVER TERMINAL AREA

SOUTHEAST

| Denver | over LAA QUAIL–STAR |
|-----------|--------------------------------|
| SOUTH | |
| Denver | over TBE J171 TODDE QUAIL-STAR |
| | over ALS LARKS-STAR |
| | over HBU POWDR-STAR |
| SOUTHWEST | |
| | |
| Denver | over DVC J146 HBU POWDR-STAR |
| | over TBC ABOTS LARKS-STAR |
| | or |
| | over TBC J128 HBU POWDR-STAR |
| | over FMN LARKS-STAR |
| | over ALS LARKS-STAR |
| WEST | |
| Designed | EKR TOMON OTAR |
| Denver | over EKR TOMSN-STAR |
| | over TCH J56 CHE TOMSN–STAR |
| | over OCS J154 ALPOE RAMMS-STAR |
| NORTHWEST | |
| Denver | over MBW RAMMS-STAR |
| NORTH | |
| | |
| Denver | over BFF LANDR-STAR |
| NORTHEAST | |
| Denver | over ONL J114 SNY LANDR-STAR |
| | over OBH J10 LBF SAYGE-STAR |
| EAST | |
| Denver | |
| Denver | over OBH J10 LBF SAYGE-STAR |
| | over GCK J154 RYLIE DANDD-STAR |
| | |

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR SALT LAKE CITY TERMINAL AREA

| SOUTHEAST | |
|----------------|-------------------------------|
| Salt Lake City | over JNC J12 HELPR SPANE-STAR |
| | over EKR MTU SPANE-STAR |
| SOUTH | |
| Salt Lake City | over BCE DTA-TCH |
| | over MLF DTA-TCH |
| WEST | |
| Salt Lake City | over BVL BVL-STAR |
| NORTHWEST | |
| Salt Lake City | over BYI BEARR-STAR |
| NORTH | |
| Salt Lake City | over PIH BEARR-STAR |
| | over DBS BRIGHAM CITY-STAR |
| NORTHEAST | |
| Salt Lake City | over JAC BRIGHAM CITY-STAR |
| EAST | |
| Salt Lake City | over OCS BRIGHAM CITY-STAR |

SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

Effective

Effective

| Terminals | Route | Times (UTC) |
|---|---|----------------|
| Traffic overflying Salt Lake Center, westbound (MVA): | I south of a line from Rock Springs VORTAC (OCS) to | Mina VORTAC |
| Salt Lake City (ZLC) | TATOO DOUGLE MADWIN-STARor | |
| | RUMPS OAL MODESTO-STARor | |
| | TPH CANDA HYPER (RNAV)-STAR | |
| Traffic overflying Salt Lake Center, westbound (MVA): | I north of a line from Rock Springs VORTAC (OCS) to I | Mina VORTAC |
| Salt Lake City (ZLC) | FMG RAIDR (RNAV)–STARor | |
| | FMG ILA PYE GOLDEN GATE-STAR | |
| | or FMG HYPER (RNAV)–STAR | |
| Transcon flights overflying Salt Lake City Cent | ter, westbound south of Wasatch VORTAC (TCH): | |
| Salt Lake City (ZLC) | DTA TATOO DUGLE MADWIN-STAR | |
| Salt Lake City (ZLC) | DTA RUMPS OAL MODESTO-STAR | |
| Salt Lake City (ZLC) | ILC TATOO DUGLE MADWIN-STAR | |
| Salt Lake City (ZLC) | ILC RUMPS OAL MODESTO-STAR | |
| | ter, westbound Wasatch VORTAC (TCH) or north of (TC | CH): |
| Salt Lake City (ZLC) | FMG RAIDR (RNAV)-STAR | |
| Salt Lake City (ZLC) | FMG ILA PYE GOLDEN GATE-STAR | |
| Traffic departing Salt Lake City Center, westb | | |
| Salt Lake City (ZLC) | TPH CANDA EL NIDO-STAR | |
| Traffic departing Salt Lake City Center, westbo Salt Lake City (ZLC) | ound from or north of Wasatch VORTAC (TCH): FMG EL NIDO-STAR | |
| | | |

HIGH ALTITUDE—SINGLE DIRECTION ROUTES

| | | Direction | Times |
|--------|------------------------------------|-----------|-----------|
| Airway | Segment Fixes | Effective | (UTC) |
| J110 | Farmington, NM to Boulder City, NV | West | 1500-0300 |

Q-ROUTES

Q-ROUTES REGULATORY

Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this A/FD volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

| Route | Segment | DME |
|-------|----------------------|--|
| Q1 | ELMAA–ERAVE | BTG, OLM, HQM, HUH, UBG |
| | ERAVE-EASON | BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG |
| | EASON-EBINY | CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT |
| | EBINY-ENVIE | CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS |
| | ENVIE-ETCHY | OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS |
| | ETCHY-POINT REYES | LIN, ECA, RBL, ENI, SAC, OAK |
| Q2 | BOILE-HEDVI | HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR |
| | HEDVI-HOBOL | BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS |
| | HOBOL-ITUCO | TFD, GBN, BLH, PXR, TUS, CIE, SSO |
| | ITUCO-NEWMAN | EWM, TFD, PXR, CIE, SSO, TUS, TCS |
| Q3 | FEPOT-FAMUK | OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG |
| | FAMUK-FRFLY | BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT |
| | FRFLY-FINER | OED, EUG, RBL, LMT, ENI, CVO, FJS |
| | FINER-FOWND | OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS |
| | FOWND-POINT REYES | LIN, ECA, PYE, RBL, SAC, ENI |
| Q4 | BOILE-HEDVI | HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR |
| | HEDVI-SCOLE | EED, BLH, BZA, GBN, TRM, IPL, TFD |
| | SCOLE-SPTFR | EED, BLH, BZA, GBN, TRM, IPL, TFD |
| | SPTFR-ZEBOL | EED, IPL, BZA, GBN, TFD, PXR, BLH |
| | ZEBOL-SKTTR | PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS |
| | SKTTR-EL PASO | EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME |
| Q5 | HAROB–HISKU | OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH |
| | HISKU–HARPR | ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV |
| | HARPR-HOMEG | CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV |
| | HOMEG-HUPTU | SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS |
| | HUPTU-STIKM | OAK, ECA, PYE, LIN, SAC, ENI, RBL |
| Q7 | JINMO–JOGEN | CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA |
| | JOGEN-JUNEJ | LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG |
| | JUNEJ–JAGWA | RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS |
| | JAGWA–AVENAL | OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ |
| Q9 | SUMMA-SMIGE | OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED, |
| | | EPH, MWH |
| | SMIGE-SUNBE | IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG |
| | SUNBE-REBRG | RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED, |
| | | SWR |
| | REBRG-DERBB | CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA |
| Q11 | PAAGE-PAWLI | EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV, |
| | | OED, SEA |
| | PAWLI-PITVE | EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO |
| | PITVE-PUSHH | FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ |
| | PUSHH-LOS ANGELES | SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS |
| Q13 | All segments | None; GNSS required |
| Q15 | All segments | None; GNSS required |
| Q19 | PLESS-NASHVILLE | ENL, GQO, PXV, BNA, IIU, FAM, BWG, CSX |
| Q20 | CORONA-HONDS | CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME |
| | HONDS-UNNOS | CNX, INK, CME, TXO, TCC |
| | UNNOS-FUSCO | FST, ACH, INK, CME, SJT, TXO, TCC |
| | FUSCO-JUNCTION | ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST |
| Q21 | JONEZ-RAZORBACK | BYP, EOS, TUL, TXK, ADM, RZC, OKM |
| Q22 | GUSTI-OYSTY | AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV |
| | OYSTY-ACMES | RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI |
| | ACMES-CATLN | SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI |
| Q23 | FORT SMITH-RAZORBACK | OKM, RZC, EOS, TUL |


356

Q-ROUTES

| Route | Segment | |
|-------------|---|--|
| Q24 | LAKE CHARLES-BATON ROUGE | AEX, DAS, LCH, MCB, LFT, BTR |
| | BATON ROUGE-IRUBE | AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY |
| | IRUBE-PAYTN | GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI |
| Q25 | MEEOW-WALNUT RIDGE | ELD, MEM, LIT, FAM, RZC |
| | WALNUT RIDGE–WLSUN WLSUN–POCKET CITY | MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH |
| Q26 | WALNUT RIDGE-DEVAC | BWG, PXV, ENL, BNA, TTH LIT, JKS,GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG |
| Q27 | FORT SMITH-ZALDA | OKM, SGF, RZC, EOS, TUL |
| Q28 | GRAZN-PYRMD | EIC, LIT, ELD, OKM, TXK |
| | PYRMD-HAKAT | ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK |
| | HAKAT-ESTEE ESTEE-POCKET CITY | ARG, LIT, FAM, SGF, MEM ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA |
| Q29 | HARES-MEMPHIS | MEM, ARG, LIT, JAN, ELD, SQS |
| - | MEMPHIS-SIDAE | MEM, PXV, BNA, BWG, ARG, ENL |
| | SIDAE-POCKET CITY | PXV, TTH, BWG, ENL |
| Q30 | SIDON-VULCAN | GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG |
| Q31 | DHART–JODOX JODOX–MARVELL | SQS, LIT, TXK SQS, LIT, ELD, MEM, ARG |
| | MARVELL-TIIDE | ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH |
| | TIIDE-POCKET CITY | BWG, PXV, ENL, TTH |
| Q32 | EL DORADO-GAGLE | AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK |
| | GAGLE–CRAMM CRAMM–NASHVILLE | JAN, SQS, MEM, ARG, VUZ, BNA, LIT BWG, MEM, VUZ, BNA, GQO |
| | NASHVILLE-SWAPP | BWG, IIU, PXV, VXV, BNA, GOO |
| Q33 | DHART-LITTLE ROCK | AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS |
| | LITTLE ROCK-PROWL | ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL |
| Q34 | TEXARKANA-MATIE | LIT, SWB, TXK, BYP, EIC, ELD, SQS |
| | MATIE-MEMPHIS MEMPHIS-SWAPP | LIT, ARG, MEM, ELD, SQS BWG, ARG, MEM, MKL, SQS,PXV, BNA, GQO, IIU, VXV |
| Q35 | KIMBERLY-NEERO | LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO |
| | NEERO-WINEN | BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE |
| | WINEN-CORKR | CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK |
| Q36 | CORKR–DRAKE RAZORBACK–TWITS | TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT |
| Q 30 | TWITS-DEPEC | MEM, GQO, BNA, BWG, FAM, ARG, PXV, IIU |
| | DEPEC-NASHVILLE | GQO, BWG, BNA, PXV, IIU |
| | NASHVILLE-SWAPP | VXV, BWG, BNA, GQO, PXV, IIU |
| Q38 | ROKIT-INCIN | DAS, LCH, SWB, IAH, LFK, HUB, AEX JAN, MCB, SWB, AEX |
| | INCIN–LAREY LAREY–BESOM | JAN, INCE, SWE, AEA JAN, JYU, MEI, SQS, VUZ |
| Q40 | ALEXANDRIA-DOOMS | AEX, SWB, LCH, JAN, HEZ, MCB |
| | DOOMS-WINAP | JAN, SQS, MEI, MCB |
| | WINAP-MISLE | MEI, VUZ, JYU |
| Q42 | KIRKSVILLE–STRUK STRUK–DANVILLE | CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK, |
| | ONION DANVIELE | OBK, GIJ, FWA, GSH, IRK |
| | DANVILLE-MUNCIE | GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM |
| | MUNCIE-HIDON | FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, |
| | HIDON-BUBAA | AIR, HVQ, CXR, EWC AIR, APE, HNN, CXR, HVQ, EWC, DJB |
| | BUBAA-PSYKO | AIR, APE, HINN, CAR, HVQ, EWC, DJB AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB |
| | PSYKO-BRNAN | PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT |
| | BRNAN-MAALS | EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE |
| | MAALS-SUZIE | ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK |
| | SUZIE–EAST TEXAS EAST TEXAS–ELIOT | JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK |
| Q104 | DEFUN-HEVVN | PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG |
| | HEVVN-PLYER | PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD |
| | PLYER-SWABE | PIE, ORL, OMN, SRQ, TAY |
| | SWABE-ST PETERSBURG ST PETERSBURG- | LAL, ORL, OMN, SRQ, PHK, PIE |
| | CYPRESS | PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN |

Q-ROUTES

| Route | Segment | DME |
|-------|--------------|--|
| Q106 | SMELZ-BULZI | LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW |
| | BULZI–DRABK | AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI |
| | DRABK–GADAY | MGM, PZD, OTK, JYU, SZW, CEW, SJI |
| Q108 | GADAY–HKUNA | CEW, JYU, MGM, SZW, RRS, PZD, MAI, OTK, GEF, MGR, TAY, AMG, CRG |
| Q110 | THNDR–JAYMC | SRQ, VRB, PIE, LAL, VKZ, ORL, PBI |
| | JAYMC-RVERO | VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP |
| | RVERO-KPASA | OMN, PIE, PBI, SRQ, ORL, LAL |
| | KPASA-BRUTS | SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG |
| | BRUTS-GULFR | OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK |
| | GULFR-FEONA | TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM |
| Q112 | DEFUN-HEVVN | PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB |
| | HEVVN–INPIN | JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG |
| Q116 | KPASA-BRUTS | SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG |
| | BRUTS-GULFR | OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK |
| | GULFR-CEEYA | MCN, AMG, PZD, OTK, SZW, TAY |
| Q118 | KPASA–BRUTS | SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG |
| | BRUTS-LENIE | OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN |
| Q501 | VIXIS-GOPHER | ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU, |
| | | DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF |
| | GOPHER-SOBME | FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD |
| Q502 | KENPA–GOPHER | SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW, |
| | | MSP, MNM, ASP, TVC, GEP, RWF, BRD |
| | GOPHER-SOBME | FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD |
| Q504 | NOTAP-CESNA | SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC, |
| | | SAW, GRB, BRD |
| | CESNA-HEMDI | ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD |
| Q505 | OMAGA-RIMBE | SSM, TVC, ASP, SAW, GRB |
| | RIMBE-CESNA | SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI |
| | CESNA-HEMDI | GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB |



TOWER ENROUTE CONTROL (TEC)

Within the national airspace system it is possible for a pilot to fly IFR from one point to another without leaving approach control airspace. This is referred to as "Tower Enroute" which allows flight beneath the enroute structure. The tower enroute concept has been expanded (where practical) by reallocating airspace vertically/geographically to allow flight planning between city pairs while remaining within approach control airspace. Pilots are encouraged to use the TEC route descriptions provided in the Southwest U.S. Airport/Facility Directory when filing flight plans. Other airways which appear to be more direct between two points may take the aircraft out of approach control airspace thereby resulting in additional delays or other complications. All published TEC routes are designed to avoid enroute airspace and the majority are within radar coverage. The following items should be noted before using the graphics and route descriptions.

1. The graphic is not to be used for navigation nor detailed flight planning. Not all city pairs are depicted. It is intended to show geographic areas connected by tower enroute control. Pilots should refer to route descriptions for specific flight planning.

2. The route description contains four columns of information after geographic area listed in the heading, where the departure airport is located; i.e., the airport/airports of intended landing using FAA three letter/letter-two number identifiers, the coded route number (this should be used when filing the flight plan and will be used by ATC in lieu of reading out the full route description), the specific route (airway, radial, etc.), the altitude allowed for type of aircraft and the routes.

3. The word "DIRECT" will appear as the route when radar vectors will be used or no airway exists. Also this indicates that a Standard Instrument Departure (SID) or Standard Terminal Arrival (STAR) may be applied by ATC.

4. When a NAVAID or intersection identifier appears with no airway immediately preceding or following the identifier, the routing is understood to be DIRECT to or from that point unless otherwise cleared by ATC or radials are listed (See item 5).

5. Routes beginning and ending with an airway indicate that the airway essentially overflies the airport or radar vectors will be applied.

6. Where more than one route is listed to the same destination, ensure you file correct route for type of aircraft which is denoted after the route in the altitude column using J,M,P, or Q. These are listed after item 10 under Aircraft Classification.

7. Although all airports are not listed under the destination column, IFR flight may be planned to satellite airports in the proximity of major airports via the same routing.

8. Los Angeles International Airport (LAX) and four other airports (ONT–SAN–TOA–SNA) have two options due to winds and these affect the traffic flows and runways in use. To indicate the difference the following symbols are used after the airport: Runway Number, W for west indicating normal conditions, E for East, and N for North indicating other than normal operation. If nothing follows the airport use this route on either West, East, or North plan. Other destinations have different arrivals due to LAX being East and they have the notation ''(LAXE).'' Torrance Airport is also unique in that the airport is shared between Los Angeles and Coast area of Southern California TRACON; for Runway 11 departures use Coast area routings and for Runway 29 departures use Los Angeles area routings.

9. When filing flight plans, the coded route identifier, i.e. SANL2, VTUL4, POML3 may be used in lieu of the route of flight.

10. Aircraft types i.e. J, M, P, and Q are listed at the beginning of the altitude and should be used with the route of flight filed. (See Aircraft Classification below). The altitudes shown are to be used for the route. This allows for separation of various arrival routes, departure routes, and overflights to, from, and over all airports in the Southern California area.

LEGENDS

AIRCRAFT CLASSIFICATION

(J) = Jet powered

(M) = Turbo Props/Special (cruise speed 190 knots or greater)

- (P) = Non-jet (cruise speed 190 knots or greater)
- (Q) = Non-jet (cruise speed 189 knots or less)

360

| FROM: BUR VNY WHP To: | ROUTE ID | ROUTE |
|--|----------------|------------------------|
| HHR | BURN1 | V186 AD/ |
| HHR | BURN2 | V186 V26 |
| HHR (LAXE) | BURN3 | VNY095R |
| LAX | BURN4 | VNY095R |
| LAX (LAXE) | BURN5 | VNY SMO |
| SM0 | BURN6 | VNY095R |
| ССВ | BURN7 | V186 V26 |
| CNO EMT REI L65 AJO ONT POC RAL RIR | | |
| RIV SBD | BURN8 | V186 PD2 |
| CNO EMT REI L65 AJO ONT POC RAL RIR | | |
| RIV SBD | BURN9 | V186 V26 |
| НМТ | BURN10 | V186 PD2 |
| НМТ | BURN11 | V186 V26 |
| | | WESIN |
| L67 | BURN12 | V186 PD2 |
| L67 | BURN13 | V186 V26 |
| | | EDITS |
| F70 | BURN14 | V186 PD2 |
| F70 | BURN15 | V186 V26 |
| | | NIKKL |
| AVX | BURN16 | V186 BAY |
| | | SXC |
| AVX | BURN17 | TWINE V5 |
| AVX (LAXE) | BURN18 | V186 BAY |
| | | SXC |
| LGB FUL SLI TOA | BURN19 | V186 AD/ |
| SNA | BURN20 | V186 BAY |
| LGB SNA FUL SLI TOA | BURN21 | TWINE V5 |
| FUL SLI TOA (LAXE) | BURN22 | V186 AD/ |
| SNA (LAXE) | BURN23 | V186 BAY |
| LGB (LAXE) | BURN24 | V186 AD/ |
| LGB (LAXE) | BURN25 | V186 BAY |
| CRQ NFG NKX OKB | BURN26 | V186 ROI |
| CRQ NFG NKX OKB | BURN27 | TWINE V5 |
| | BU BU BO | OCN |
| CRQ NFG NKX OKB (LAXE) | BURN28 | V186 BAY |
| MYF NRS NZY SAN SDM SEE | BURN29 | V186 HAI |
| MYF NRS NZY SAN SDM SEE | BURN30A | TWINE V5 |
| | | KELPS M |
| MYF NRS NZY SAN SDM SEE | BURN30B | TWINE V5 |
| | DUDNO4 | LAX118 C |
| MYF NRS NZY SAN SDM SEE (LAXE) | BURN31 | V186 BAY |
| | DUDNOO | MZB |
| SAN (SANE) | BURN32 | V186 BAY |
| SAN (SANE) | BURN33 | TWINE V5 |
| | DUDNO 4 | SARGS |
| SAN (SANE) (LAXE) | BURN34 | V186 PO |
| DNM | DUDNOE | SARGS |
| RNM | BURN35 | V186 R0 |
| RNM | BURN36 | TWINE V5 |
| | DUDNO7 | V208 JLI |
| RNM (LAXE) | BURN37 | V186 BAY |
| | 5.U5N00 | V208 JLI |
| OXR CMA NTD | BURN38 | FIM |
| SBA | BURN39 | FIM V186 |
| 00407 4054 | | |
| COAST AREA | | |
| FROM: FUL LGB SLI SNA TOA (RWY11) To: | ROUTE ID | DOUTE |
| | | ROUTE |
| BUR | CSTN1 | SLI V23 F |
| PUR | OSTNO | SM0311F |
| | CSTN2 | SLI V23 L |
| WHP VNY | CSTN3 | SLI V23 F |
| | OCTN/ | SM0317F |
| WHP VNY BUR VNY WHP (LAXE) | CSTN4 | SLI V23 L SLI SLI33 |
| HHR | CSTN5 CSTN6 | SLI SLI33 |
| 1111N | 031110 | 311 31134 |
| | | |

| ROUTE | ALTITUDE |
|---|---------------|
| V186 ADAMM V394 HHR RY25 LOC | PQ50 |
| V186 V264 POM V394 HHR RY25 LOC | JM70 |
| VNY095R ELMO0 | JMPQ50 |
| VNY095R PURMS | JMPQ50 |
| VNY SMO | JM50PQ40 |
| VNY095R DARTS | JMPQ50 |
| V186 V264 POM | JM70PQ50 |
| V186 PDZ | PQ50 |
| V100 D2 | 1 000 |
| V186 V264 POM V197 PDZ | JM70 |
| V186 PDZ V186 WESIN | PQ50 |
| V186 V264 POM V197 PDZ V186 | |
| WESIN | JM70 |
| V186 PDZ PDZ078R EDITS | PQ50 |
| V186 V264 POM V197 PDZ PDZ078R | |
| EDITS | JM70 |
| V186 PDZ V186 NIKKL | PQ50 |
| V186 V264 POM V197 PDZ V186 | |
| NIKKL | JM70 |
| V186 BAYJY V363 DANAH SXC065R | |
| SXC | PQ50 |
| TWINE V518 KIMMO V459 SLI V21 SXC. | JM90 |
| V186 BAYJY V363 DANAH SXC065R | |
| SXC | JM50 |
| V186 ADAMM V394 SLI | PQ50 |
| V186 BAYJY V363 POXKU V8 SLI | PQ50 |
| TWINE V518 KIMMO V459 SLI | JM90 |
| V186 ADAMM V394 SLI | JM50 |
| V186 BAYJY V363 POXKU V8 SLI | JM50 |
| V186 ADAMM V394 SLI | M50 |
| V186 BAYJY V363 DANAH V23 SLI | J70 |
| V186 ROBNN V458 OCN | PQ70 |
| TWINE V518 KIMMO V459 SLI V23 | |
| OCN | JM90 |
| V186 BAYJY V363 DANAH V23 OCN | JM70 |
| V186 HAILE V66 MZB | PQ90 |
| TWINE V518 KIMMO V459 SLI V23 | |
| KELPS MZB TWINE V518 KIMMO V459 SLI SLI171 | M90 |
| | 14.4.0 |
| LAX118 CARDI MZB320 MZB V186 BAYJY V363 DANAH V23 KELPS | J110 |
| | 14.4.01400 |
| MZB V186 BAYJY V363 DANAH V165 SARGS. | J110M90 |
| V186 BAYJY V363 DANAH V165 SARGS. TWINE V518 KIMMO V459 SLI V165 | PQ50 |
| | 14.4 0 14 0 0 |
| SARGS V186 POM164R V25 REDIN V165 | J110M90 |
| | 11470 |
| SARGS V186 ROBNN V208 JLI | JM70 PQ70 |
| TWINE V518 KIMMO V459 SLI V23 OCN | FQTO |
| V208 JLI | JM90 |
| V186 BAYJY V363 DANAH V23 OCN | 214120 |
| V208 JLI | JM70 |
| FIM | JMPQ40 |
| FIM V186 DEANO V27 KWANG | JMPQ60 |
| | 400 |

| ROUTE | ALTITUDE |
|--------------------------------|----------|
| SLI V23 POPPR SM0125R SM0 | |
| SM0311R SILEX | PQ40 |
| SLI V23 LAX LAX316R SILEX | JM60 |
| SLI V23 POPPR SM0125R SM0 | |
| SMO317R CANOG | PQ40 |
| SLI V23 LAX LAX320R CANOG | JM60 |
| SLI SLI333R V186 VNY | JMPQ60 |
| SLI SLI340R WELLZ HHR RY25 LOC | JM70PQ40 |

| T0: | ROUTE ID |
|--|--|
| LAX | CSTN7 |
| LAX (LAXE) | CSTN8 |
| SMO | CSTN9 |
| SMO | CSTN10 |
| SMO (LAXE) | CSTN11 |
| CCB EMT POC | CSTN12 |
| CNO REI L65 AJO ONT RAL RIR RIV SBD | CSTN13 |
| HMT | CSTN14 |
| L67 | CSTN15 |
| F70 | CSTN16 |
| CRQ NFG NKX OKB RNM MYF NRS NZY SAN SDM SEE | CSTN10 CSTN17 CSTN18 CSTN19 |
| SAN (SANE) | CSTN20 |
| SBA | CSTN21 |
| SBA (LAXE) | CSTN22 |
| SBA (LAXE) | CSTN23 |
| NTD OXR CMA | CSTN24 |
| NTD CMA OXR (LAXE) | CSTN25 |
| FROM: LGB T0: SBA NTD OXR CMA | ROUTE ID CSTN26 CSTN27 |
| FROM: FUL SLI SNA TOA (RWY11) TO: | ROUTE ID CSTN28 CSTN29A CSTN29B |
| FROM: SNA | ROUTE ID |
| TO: | CSTN30 |
| CRQ NFG NKX OKB | CSTN31 |
| MYF NRS NZY SAN SDM SEE | CSTN32 |
| SAN (SANE) | CSTN33 |
| FROM: FUL LGB SLI TOA (RWY11) when SNA South traffic TO: CRQ NFG NKX OKB | ROUTE ID CSTN34 |
| RNM | CSTN35 |
| MYF NRS NZY SAN SDM SEE | CSTN36 |
| SAN (SANE) | CSTN37 |
| FROM: FUL LGB SLI TOA (RWY 11) when SNA North traffic TO: CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE RNM SAN (SANE) | ROUTE ID CSTN38 CSTN39 CSTN40 CSTN41 |
| FROM: AVX TO: Bur | ROUTE ID CSTN42 |
| BUR (LAXE) | CSTN43 |
| BUR | CSTN44 |
| WHP VNY | CSTN45 |
| WHP VNY (LAXE) | CSTN46 |
| WHP VNY | CSTN47 |
| CCB EMT POC | CSTN48 |

| ROUTE SLI SLI V8 TANDY SLI V23 POPPR SM0125R SM0 SM0059R ELM00 SLI V459 DARTS SLI SLI333R V186 DARTS SLI SLI333R V186 DARTS SLI V459 DARTS SLI V8 POXKU V363 POM SLI V8 PDZ SLI V8 PDZ V186 WESIN SLI V8 PDZ V186 NIKKL V25 PACIF V208 JLI V25 PACIF V208 JLI V25 PACIF V208 LAX118R CARDI MZB320R MZB V25 REDIN V165 SARGS SLI V33 LAX V299 VTU VTU282R KWANG SLI SLI333R V186 DEANO V27 KWANG SLI V23 POPPR SM0125R SM0 VNY SLI V33 RV186 FIM | ALTITUDE JM70PQ40 JM50PQ40 JM80 JMPQ60 JM60PQ50 JM60PQ50 JM60PQ50 JM60PQ50 JM60PQ50 JM60PQ50 JM60PQ50 JM60PQ50 JM70 JM70 J110M90 J110M90 PQ60 MPQ60 J100 PQ40 MPQ60 |
|---|--|
| ROUTE LAX V299 VTU VTU282R KWANG SLI V23 LAX VNY | ALTITUDE J100M80 JM60 |
| ROUTE SXC V208 VTU VTU282R KWANG SLI V23 LAX VNY SXC V208 VTU | ALTITUDE J100M80 M60 J80 |
| ROUTE V23 OCN V23 MZB V23 OCN V208 JLI V23 OCN V165 SARGS | ALTITUDE PQ50 PQ50 PQ70 PQ50 |
| ROUTE SLI V64 V363 DANAH V23 OCN SLI V64 V363 DANAH V23 OCN V208 JLI SLI V64 V363 DANAH V23 MZB SLI V64 V363 DANAH V165 SARGS | ALTITUDE PQ50 PQ70 PQ50 PQ50 |
| ROUTE V23 OCN | ALTITUDE PQ50 PQ50 PQ70 PQ50 |
| ROUTE SXC V21 SLI V23 POPPR SM0125R SM0 SM0311R SILEX SXC V21 SLI V23 LAX LAX316R SILEX SXC V21 SLI V23 LAX LAX316R SILEX SXC V21 SLI V23 POPPR SM0125R SM0 SM0317R CAN0G SXC V21 SLI V23 LAX LAX320R CAN0G . SXC V21 SLI V23 LAX LAX320R CANOG . SLI V8 POXKU V363 POM | ALTITUDE PQ40 PQ40 JM60 PQ40 JM60 JM60 JMPQ50 |

361

I

362

TOWER ENROUTE CONTROL

| 002 | IONER E |
|--|----------------|
| T0: | ROUTE ID |
| CNO REI L65 AJO ONT RAL RIR RIV SBD | CSTN49 |
| L67 | CSTN50 |
| F70 | CSTN51 |
| НМТ | CSTN52 |
| CRQ NFG NKX OKB | CSTN53 |
| MYF NRS NZY SAN SDM SEE | CSTN54 |
| RNM | CSTN55 |
| MYF NRS NZY SAN SDM SEE | CSTN56 |
| SAN (SANE) | CSTN57 |
| NTD OXR CMA | CSTN58 |
| SBA | CSTN59 |
| LOS ANGELES AREA | |
| FROM: LAX West (J Class) | |
| TO: | ROUTE ID |
| BUR | LAXN1 |
| WHP VNY | LAXN2 |
| AVX | LAXN3 |
| FUL LGB SLI SNA TOA | LAXN4 |
| CCB EMT POC CNO REI L65 AJO RAL RIR RIV SBD ONT | LAXN5 LAXN6 |
| HMT | LAXNO LAXN7 |
| L67 | LAXN8 |
| F70 | LAXN9 |
| CRO NFG NKX OKB | LAXN10 |
| | 2000120 |
| MYF NRS NZY SAN SDM SEE | LAXN11 |
| RNM | LAXN12 |
| SAN (SANE) | LAXN13 |
| × / | |
| OXR CMA NTD | LAXN14 |
| SBA | LAXN15 |
| FROM: LAX East (J Class) | |
| TO: | ROUTE ID |
| BUR | LAXN16 |
| WHP VNY | LAXN17 |
| AVX | LAXN18 |
| FUL LGB SLI SNA TOA | LAXN19 |
| CCB EMT POC CNO REI L65 AJO RAL RIR RIV SBD ONT | LAXN20 |
| UNU REI 165 AJU RAL RIK RIV SBD UNI | LAXN21 |

HMT

L67

F70.....

CRQ NFG NKX OKB

MYF NRS NZY SAN SDM SEE

RNM

SAN (SANE)

OXR CMA NTD.....

SBA.....

| ROUTE | ALTITUDE |
|--------------------------------|-------------|
| SLI V8 PDZ | JM60PQ50 |
| SLI V8 PDZ PDZ078R EDITS | JM60PQ50 |
| SLI V8 PDZ V186 NIKKL | JM60PQ50 |
| SLI V8 PDZ V186 WESIN | JM60PQ50 |
| SXC V208 OCN | JMPQ50 |
| SXC V208 LAX118R CARDI MZB320R | |
| MZB | J110M90 |
| SXC V208 JLI | JMPQ70 |
| SXC V208 OCN V23 MZB | PQ50 |
| SXC V208 OCN V165 SARGS | PQ50 |
| SXC V208 VTU | JM80PQ60 |
| SXC V208 VTU VTU282R KWANG | J100M80PQ60 |

| ROUTE | ALTITUDE |
|-------------------------------------|----------|
| LAX316R SILEX | J50 |
| LAX320R CANOG | J50 |
| LAXX DP SLI V21 SXC | J50 |
| LAXX DP SLI | J50 |
| LAXX DP SLI V8 POXKU V363 POM | J90 |
| LAXX DP SLI V8 PDZ | J90 |
| LAXX DP SLI V8 PDZ V186 WESIN | J90 |
| LAXX DP SLI V8 PDZ PDZ078R EDITS | J90 |
| LAXX DP SLI V8 PDZ V186 NIKKL | J90 |
| LAXX DP SLI SLI171R ALBAS V25 PACIF | |
| V208 OCN | J110 |
| LAXX DP MZB | J110 |
| LAXX DP SLI SLI171R ALBAS V25 PACIF | |
| V208 JLI | J110 |
| LAXX DP SLI SLI171R ALBAS V25 REDIN | |
| V165 SARGS | J110 |
| VENTURA DP VTU | J60 |
| VENTURA DP VTU VTU282R KWANG | J100 |

ALTITUDE ROUTE LAX316R SILEX..... J50 LAX320R CANOG..... J50 LAXX DP SLI V21 SXC J50 140 LAXX DP SLI LAXX DP SLI V8 POXKU V363 POM J90 LAXX DP SLI V8 PDZ J90 LAXX DP SLI V8 PDZ V186 WESIN J90 LAXX DP SLI V8 PDZ PDZ078R EDITS..... 190 LAXX DP SLI V8 PDZ V186 NIKKL J90 LAXX DP SLI SLI148R V25 PACIF V208 OCN J110 LAXX DP SLI SLI148R V25 PACIF V208 LAX118R CARDI MZB320R MZB J110 LAXX DP SLI SLI148R V25 PACIF V208 JLI..... J110 LAXX DP SLI SLI148R V25 REDIN V165 SARGS..... J110 VENTURA DP VTU J60 VENTURA DP VTU VTU282R KWANG...... J100

| FROM: LAX West and East (M Class) | | | |
|-------------------------------------|----------|---------------------------------|----------|
| TO: | ROUTE ID | ROUTE | ALTITUDE |
| BUR | LAXN31 | LAX316R SILEX | M50 |
| WHP VNY | LAXN32 | LAX320R CANOG | M50 |
| AVX | LAXN33 | SEAL BEACH DP SLI V21 SXC | M50 |
| FUL LGB SLI SNA TOA | LAXN34 | SEAL BEACH DP SLI | M50 |
| CCB EMT POC | LAXN35 | SEAL BEACH DP SLI V8 POXKU V363 | |
| | | POM | M50 |
| CNO REI L65 AJO RAL RIR RIV SBD ONT | LAXN36 | SEAL BEACH DP SLI V8 PDZ | M50 |

LAXN22

LAXN23

LAXN24

LAXN25

LAXN26

LAXN27

LAXN28

LAXN29

LAXN30

| TO: HMT | ROUTE ID Laxn37 |
|---|--|
| L67 | LAXN38 |
| F70 | LAXN39 |
| CRQ NFG NKX OKB (LAXW) | LAXN40 |
| CRQ NFG NKX OKB (LAXE) | LAXN41 |
| MYF NRS NZY SAN SDM SEE (LAXW) | LAXN42 |
| MYF NRS NZY SAN SDM SEE (LAXE) | LAXN43 |
| SAN (SANE) (LAXW) | LAXN44 |
| SAN (SANE) (LAXE) | LAXN45 |
| RNM(LAXW) | LAXN46 |
| RNM(LAXE) | LAXN47 |
| OXR CMA NTD (LAXW) OXR CMA NTD (LAXE) SBA (LAXW) SBA (LAXE) | LAXN48 LAXN49 LAXN50 LAXN51 |
| FROM: LAX West and East (P and Q Class) T0: BUR WHP VNY AVX FUL LGB SLI SNA TOA CCB EMT POC | ROUTE ID LAXN52 LAXN53 LAXN54 LAXN55 LAXN56 |
| CNO REI L65 AJO RAL RIR RIV SBD ONT HMT | LAXN57 LAXN58 |
| L67 | LAXN59 |
| F70 | LAXN60 |
| CRQ NFG NKX OKB | LAXN61 |
| CRQ NFG NKX OKB (SNAN) MYF NRS NZY SAN SDM SEE | LAXN62 LAXN63 |
| MYF NRS NZY SAN SDM SEE (SNAN) RNM | LAXN64 LAXN65 |
| RNM (SNAN) SAN (SANE) | LAXN66 LAXN67 |
| OXR CMA NTD SBA (LAXW) SBA (LAXE) | LAXN68 LAXN69 LAXN70 |
| FROM: HHR TOA (RWY29) T0: BUR BUR AVX FUL LGB SLI SNA TOA FUL LGB SLI SNA TOA (LAXE) FUL LGB SLI SNA TOA (LAXE) CCB EMT POC CNO REI L65 AJO RAL RIR RIV SBD ONT HMT | ROUTE ID SCTN1 SCTN2 SCTN3 SCTN4 SCTN5 SCTN6 SCTN7 SCTN8 |

| ROUTE | ALTITUDE |
|---|--------------|
| SEAL BEACH DP SLI V8 PDZ V186 | |
| WESIN | M50 |
| SEAL BEACH DP SLI V8 PDZ PDZ078R | |
| EDITS | M50 |
| SEAL BEACH DP SLI V8 PDZ V186 | |
| NIKKL | M50 |
| SEAL BEACH DP SLI SLI171R ALBAS | |
| V25 PACIF V208 OCN | M90 |
| SEAL BEACH DP SLI SLI148R V25 PACIF V208 OCN | M90 |
| SEAL BEACH DP SLI SLI171R ALBAS | 10190 |
| V25 PACIF V208 LAX118R | |
| CARDI MZB320R MZB | M90 |
| SEAL BEACH DP SLI SLI148R V25 PACIF | |
| V208 MZB320R MZB | M90 |
| SEAL BEACH DP SLI SLI171R ALBAS | |
| V25 REDIN V165 SARGS | M90 |
| SEAL BEACH DP SLI SLI148R V25 | |
| REDIN V165 SARGS | M90 |
| SEAL BEACH DP SLI SLI171R ALBAS | |
| V25 PACIF V208 JLI | M90 |
| SEAL BEACH DP SLI SLI148R V25 PACIF | |
| V208 JLI | M90 |
| VENTURA DP VTU | M60 |
| CHATY DP VTU VENTURA DP VTU VTU282R KWANG | M60 |
| CHATY DP KWANG | M60 M60 |
| CHATT DF RWANG | WIOO |
| | |
| ROUTE | ALTITUDE |
| LAX316R SILEX | PQ40 |
| LAX320R CANOG | PQ40 |
| SEAL BEACH DP SLI V21 SXC | PQ40 |
| SEAL BEACH DP SLI | PQ40 |
| SEAL BEACH DP SLI V8 POXKU V363 | DOEO |
| POM SEAL BEACH DP SLI V8 PDZ | PQ50 PQ50 |
| SEAL BEACH DP SLI V8 PDZ SEAL BEACH DP SLI V8 PDZ V186 | FQSU |
| WESIN | PQ50 |
| SEAL BEACH DP SLI V8 PDZ PDZ078R | . 200 |
| EDITS | PQ50 |
| SEAL BEACH DP SLI V8 PDZ V186 | |

| SEAL BEACH DP SLI V8 POXKU V363 | - |
|------------------------------------|------|
| POM | PQ50 |
| SEAL BEACH DP SLI V8 PDZ | PQ50 |
| SEAL BEACH DP SLI V8 PDZ V186 | |
| WESIN | PQ50 |
| SEAL BEACH DP SLI V8 PDZ PDZ078R | |
| EDITS | PQ50 |
| SEAL BEACH DP SLI V8 PDZ V186 | |
| NIKKL | PQ50 |
| SEAL BEACH DP SLI V64 V363 DANAH | |
| V23 OCN | PQ50 |
| SEAL BEACH DP SLI V23 OCN | PQ50 |
| SEAL BEACH DP SLI V64 V363 DANAH | |
| V23 MZB | PQ50 |
| SEAL BEACH DP SLI V23 MZB | PQ50 |
| SEAL BEACH DP SLI V64 V363 DANAH | |
| V23 OCN JLI | PQ70 |
| SEAL BEACH DP SLI V23 OCN V208 JLI | PQ70 |
| SEAL BEACH DP SLI V64 V363 DANAH | |
| V165 SARGS | PQ50 |
| VNY | PQ40 |
| VENTURA DP VTU VTU282R KWANG | PQ60 |
| CHATY DP KWANG | PQ60 |
| | |

| ROUTE | ALTITUDE |
|---------------------------------|----------|
| SM0 SM0311R SILEX | JM50PQ40 |
| SMO SMO317R CANOG | JM50PQ40 |
| SXC | JM50PQ40 |
| LIMBO V64 SLI | JM50PQ40 |
| SLI | JMPQ40 |
| LIMBO V64 SLI V8 POXKU V363 POM | J90MPQ50 |
| LIMBO V64 SLI V8 PDZ | J90MPQ50 |
| LIMBO V64 SLI V8 PDZ V186 WESIN | J90MPQ50 |

| TO: | ROUTE ID |
|--|------------------|
| L67 | SCTN9 |
| F70 | SCTN10 |
| CRQ NFG NKX OKB | SCTN11 |
| CRQ NFG NKX OKB | SCTN12 |
| | |
| CRQ NFG NKX OKB (LAXE) | SCTN13 |
| CRQ NFG NKX OKB (SNAN) | SCTN14 |
| MYF NRS NZY SAN SDM SEE | SCTN15 |
| MYF NRS NZY SAN SDM SEE (LAXE) | SCTN16 |
| MYF NRS NZY SAN SDM SEE | SCTN17 |
| | |
| MYF NRS NZY SAN SDM SEE (LAXE) | SCTN18 |
| MYF NRS NZY SAN SDM SEE (SNAN) | SCTN19 |
| | |
| RNM | SCTN20 |
| | |
| RNM (SNAN) | SCTN21 |
| RNM | SCTN22 |
| RNM (LAXE) | SCTN23 |
| SAN (SANE) | SCTN24 |
| SAN (SANE) | SCTN25 |
| | |
| OXR CMA NTD | SCTN26 |
| | |
| OXR CMA NTD | SCTN27 |
| SBA | SCTN28 |
| | |
| SBA (LAXE) | SCTN29 |
| EDW LOO MHV PMD WJF IYK NID TSP | |
| VCV | SCTN30 |
| | |
| FROM: SMO | |
| TO: | ROUTE ID |
| BUR | |
| | SMON1 |
| WHP VNY | SMON2 |
| AVX | SMON3 |
| FUL LGB SLI SNA TOA | SMON4 |
| FUL LGB SLI SNA TOA | SMON5 |
| FUL LGB SLI SNA TOA (LAXE) | SMON6 |
| CCB EMT POC | SMON7 |
| | |
| CCB EMT POC | SMON8 |
| CNO REI L65 AJO RAL RIR RIV SBD ONT | SMON9 |
| | |
| CNO REI L65 AJO RAL RIR RIV SBD ONT | SMON10 |
| НМТ | SMON11 |
| | |
| НМТ | SMON12 |
| L67 | SMON13 |
| | |
| L67 | SMON14 |
| F70 | SMON15 |
| | |
| E70 | SMON16 |
| F70 | |
| CRQ NFG NKX OKB | SMON17 |
| | |
| CRQ NFG NKX OKB | SMON18 |
| CRQ NFG NKX OKB | SMON19 |
| CRQ NFG NKX OKB (LAXE) | SMON20 |
| | |
| CRQ NFG NKX OKB (SNAN) | SMON21 |
| MYF NRS NZY SAN SDM SEE | SMON22 |
| | 011101122 |
| MYF NRS NZY SAN SDM SEE (LAXE) | |
| WITE NES NET SAN SDIVI SEE (LAKE) | |
| | SMON23 |
| | |
| MYF NRS NZY SAN SDM SEE | SMON24 |
| MYF NRS NZY SAN SDM SEE MYF NRS NZY SAN SDM SEE | |
| MYF NRS NZY SAN SDM SEE MYF NRS NZY SAN SDM SEE | SMON24 |
| MYF NRS NZY SAN SDM SEE | SMON24 SMON25 |
| MYF NRS NZY SAN SDM SEE MYF NRS NZY SAN SDM SEE MYF NRS NZY SAN SDM SEE (LAXE) | SMON24 SMON25 |
| MYF NRS NZY SAN SDM SEE | SMON24 SMON25 |

| UIE GUNIKUL | |
|---|--------------|
| ROUTE | ALTITUDE |
| LIMBO V64 SLI V8 PDZ PDZ078R EDITS. | J90MPQ50 |
| LIMBO V64 SLI V8 PDZ V186 NIKKL | J90MPQ50 |
| LIMBO V64 V363 DANAH V23 OCN | PQ50 |
| LIMBO V64 SLI V23 OCN | J110M90 |
| SLI SLI148R V25 PACIF V208 OCN | J110M90 |
| LIMBO V64 SLI V23 OCN | PQ50 |
| LIMBO V64 V363 DANAH V23 MZB | PQ50 |
| SLI V64 V363 DANAH V23 MZB | PQ50 |
| LIMBO V64 WILMA V25 PACIF V208 | |
| LAX118R CARDI MZB320R MZB SLI SLI148R V25 PACIF V208 MZB320R | J110M90 |
| MZB LIMBO V64 SLI V23 MZB | J110M90 |
| LIMBO V64 V363 DANAH V23 OCN V208 JLI | PQ50 PQ70 |
| LIMBO V64 SLI V23 OCN V208 JLI | PQ70 |
| LIMBO V64 SLI V23 OCN V208 JLI | J110M90 |
| SLI SLI148R V25 PACIF V208 JLI | J110M90 |
| LIMBO V64 V363 DANAH V165 SARGS LIMBO V64 WILMA V25 REDIN V165 | PQ50 |
| SARGS | J110M90 |
| SMO VNY | PQ40 |
| LAX VTU | JM60 |
| SMO V107 SADDE V299 VTU VTU282R | 511100 |
| KWANG | J100MPQ60 |
| LAX V23 V186 DEANO V27 KWANG | JM50PQ40 |
| LAX V165 LANGE V518 PMD | JMPQ70 |
| ROUTE | ALTITUDE |
| SMO SMO311R SILEX | JM50PQ40 |
| SMO SMO317R CANOG | JM50PQ40 |
| SMO SM0125R SXC350R SXC | M50PQ40 |
| SMO SM0125R V64 SLI | M50PQ40 |
| SLI | J50 |
| SMO LAX V23 SLI | JMPQ40 |
| SMO SM0125R V64 SLI V8 POXKU | |
| V363 POM | MPQ50 |
| SLI V8 POXKU V363 POM SMO SM0125R V64 SLI V8 PDZ | J90 |
| SII V8 PDZ | MPQ50 J90 |
| SM0 SM0125R V64 SLI V8 PDZ V186 | 150 |
| WESIN | MPQ50 |
| SLI V8 PDZ V186 WESIN | J90 |
| SMO SM0125R V64 SLI V8 PDZ | |
| PDZ078R EDITS | MPQ50 |
| SLI V8 PDZ PDZ078R EDITS | J90 |
| SMO SM0125R V64 SLI V8 PDZ V186 | |
| NIKKL | MPQ50 |
| SLI V8 PDZ V186 NIKKL | J90 |
| SMO SM0125R V64 V363 DANAH V23 | |
| | PQ50 |
| SMO SM0125R V64 SLI V23 OCN | M90 |
| SXC V208 OCN SMO LAX V23 SLI SLI148R V25 PACIF | J110 |
| V208 OCN | J110M90 |
| SMO SM0125R V64 SLI V23 OCN | PQ50 |
| SMO SM0125R V64 V363 DANAH V23 | 1 200 |
| MZB | PQ50 |
| SMO LAX V23 SLI V64 V363 DANAH | |
| V23 MZB | PQ50 |
| SM0 SM0125R V64 SLI V23 MZB | M90 |
| SXC V208 LAX118R CARDI MZB320R | |
| MZB | J110 |
| SMO LAX V23 SLI SLI148R V25 PACIF | |
| | |

V208 LAX118R CARDI MZB320R MZB ...

SMO SM0125R V64 SLI V23 MZB.....

J110M90

PQ50

364

| TO: | ROUTE ID |
|--|----------|
| RNM | Smon28 |
| RNM (SNAN) | SMON29 |
| RNM | SMON30 |
| RNM | SMON31 |
| RNM (LAXE) | SMON32 |
| SAN (SANE) | SMON33 |
| SAN (SANE) | SMON34 |
| SAN (SANE) | SMON35 |
| OXR CMA NTD | SMON36 |
| OXR CMA NTD | SMON37 |
| SBA | SMON38 |
| SBA (LAXE) | SMON39 |
| EMPIRE AREA FROM: CCB CNO EMT HMT REI L65 AJO L67 RAL RIR RIV SBD F70 ONT POC TO: | ROUTE ID |

| 10: | RUUIEID |
|--|--|
| BUR VNY WHP | ONTN1 |
| BUR VNY WHP | ONTN2 |
| HHR | ONTN3 |
| LAX | ONTN4 |
| LAX (LAXE) | ONTN5 |
| LAX (LAXE) | ONTN6 |
| | |
| SM0 | ONTN7 |
| AVX | ONTN8 |
| | |
| | |
| FUL LGB SLI TOA | ONTN9 |
| FUL LGB SLI TOA SNA | ONTN9 ONTN10 |
| | |
| SNA | ONTN10 |
| SNA CRQ NFG NKX OKB | ONTN10 ONTN11 |
| SNA CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE | ONTN10 ONTN11 ONTN12 |
| SNA CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE RNM | ONTN10 ONTN11 ONTN12 ONTN13 |
| SNA CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE RNM CMA OXR NTD | ONTN10 ONTN11 ONTN12 ONTN13 ONTN14 |
| SNA CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE RNM CMA OXR NTD CMA OXR NTD | ONTN10 ONTN11 ONTN12 ONTN13 ONTN14 ONTN15 |

PT MUGU AREA

| FROM: OXR CMA | |
|-----------------------------|----------|
| T0: | ROUTE ID |
| SBA | VTUN1 |
| BUR | VTUN2 |
| WHP VNY | VTUN3 |
| PMD WJF EDW NID VCV IYK LOO | |
| MHV TSP | VTUN4 |
| AVX | VTUN5 |
| FUL LGB SLI TOA | VTUN6 |
| | |
| SNA | VTUN7 |
| | |
| HHR | VTUN8 |
| | |
| FUL LGB SLI TOA SNA HHR | VTUN9 |
| HHR (LAXE) | VTUN10 |
| | |
| LAX | VTUN11 |
| LAX (LAXE) | VTUN12 |
| SM0 | VTUN13 |
| | |
| ССВ | VTUN14 |
| | |

| ROUTE | ALTITUDE |
|----------------------------------|-----------|
| SM0 SM0125R V64 V363 DANAH V23 | |
| OCN V208 JLI | PQ70 |
| SM0 SM0125R V64 SLI V23 OCN V208 | |
| JLI | PQ70 |
| SM0 SM0125R V64 SLI V23 OCN V208 | |
| JLI | M90 |
| SXC V208 JLI | J110 |
| SMO LAX V23 SLI V23 OCN V208 JLI | J110M90 |
| SMO SM0125R V64 V363 DANAH V165 | |
| SARGS | PQ50 |
| SMO SM0125R V64 SLI V165 SARGS | M90 |
| SXC V208 PACIF V25 REDIN V165 | |
| SARGS | J110 |
| SMO VNY | PQ40 |
| VTU | JM60 |
| SMO V107 SADDE V299 VTU VTU282R | |
| KWANG | J100MPQ60 |
| LAX V23 V186 DEANO V27 KWANG | JM50PQ40 |
| | |

| ROUTE PDZ V186 VNY PDZ V197 POM V264 V186 VNY PDZ PDZ270R HHR RY25 LOC PDZ PDZ270R LAX RWY 24R LOC PDZ PDZ270R V394 AHEIM V8 TANDY PDZ V16 PRADO V363 DANAH V23 SLI | ALTITUDE PQ60 JM80 JMPQ30 JMPQ40 PQ40 |
|---|--|
| V8 TANDY PDZ V186 DARTS PDZ V16 PRADO V363 DANAH SXC065R | JM80 JMPQ60 |
| SXC PDZ PDZ270R V394 SLI PDZ PDZ270R V363 POXKU V8 SLI PDZ V186 ROBNN V458 OCN | JMPQ70 JMPQ40 JMPQ40 JM110PQ70 |
| PDZ V186 HAILE V66 MZB PDZ V186 ROBNN V208 JLI PDZ V186 FIM PDZ V186 FIM | JM110PQ90 JM110PQ70 PQ60 JM80 |
| PDZ V186 DEANO V27 KWANG PDZ V197 POM V264 V186 DEANO V27 KWANG | PQ60 JM80 |

| ROUTE KWANG VTU054R TOAKS CMA CMA072R GINNA | ALTITUDE JMPQ40 JMPQ50 JMPQ50 |
|--|---|
| FIM V386 PMD VTU V208 SXC VTU044R GINNA V326 VNY V186 | JMPQ70 JM70PQ50 |
| ADAMM V394 SLI VTU044R GINNA V326 VNY V186 BAYJY | PQ50 |
| V363 POXKU V8 SLI VTU V299 SADDE V107 SMO SMO125R | PQ50 |
| POPPR V23 SLI VTU V208 SXC SLI VTU044R GINNA V326 VNY V186 | PQ50 JM70 |
| ELMO0 VTU V299 SADDE V107 SM0 VTU V25 EXERT VTU044R GINNA V326 VNY V186 | JM70PQ50 JMPQ50 JMPQ50 |
| DARTS VTU044R GINNA V326 VNY V186 V264 | JMPQ50 |
| POM | JM70PQ50 |

| TO: CNO EMT REI L65 AJO ONT POC RAL RIR | ROUTE ID |
|--|----------------------------|
| RIV SBD CNO EMT REI L65 AJO ONT POC RAL RIR | VTUN15 |
| RIV SBD | VTUN16 |
| HMT | VTUN17 |
| HMT | VTUN18 |
| L67 | VTUN19 |
| L67 | VTUN20 |
| F70 | VTUN21 |
| F70 | VTUN22 |
| CRQ NFG NKX OKB | VTUN23 |
| CRQ NFG NKX OKB (LAXE) | VTUN24 |
| CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE | VTUN25 VTUN26 |
| MYF NRS NZY SAN SDM SEE (LAXE) | VTUN27 |
| MYF NRS NZY SAN SDM SEE | VTUN28 |
| RNM | VTUN29 |
| RNM (LAXE) | VTUN30 |
| RNM SAN (SANE) | VTUN31 VTUN32 |
| SAN (SANE) | VTUN33 |
| SMX IZA LPC | VTUN34 VTUN35 VTUN36 |

SAN DIEGO AREA

| FROM: CRQ MYF NFG NKX NRS NZY SAN | |
|-----------------------------------|----------|
| SDM SEE RNM OKB L18 TIJ | |
| TO: | ROUTE ID |
| AVX | SANN1 |
| AVX | SANN2 |
| FUL LGB SNA SLI TOA LAX | SANN3 |
| FUL LGB SNA SLI TOA LAX | SANN4 |
| LAX (LAXE) | SANN5 |
| LAX (LAXE) | SANN6 |
| HHR | SANN7 |
| HHR | SANN8 |
| SM0 | SANN9 |
| SM0 | SANN10 |
| SMO (LAXE) | SANN11 |
| SMO (LAXE) | SANN12 |
| BUR | SANN13 |
| BUR | SANN14 |
| WHP VNY | SANN15 |

| ROUTE | ALTITUDE |
|---|---------------------------------------|
| VTU044R GINNA V326 VNY V186 PDZ | PQ50 |
| VTU044R GINNA V326 VNY V186 V264 POM V197 PDZ VTU044R GINNA V326 VNY V186 PDZ | JM70 |
| V186 WESIN VTU044R GINNA V326 VNY V186 V264 | PQ50 |
| POM V197 PDZ V186 WESIN VTU044R GINNA V326 VNY V186 PDZ | JM70 |
| PDZ078R EDITS VTU044R GINNA V326 VNY V186 V264 | PQ50 |
| POM V197 PDZ PDZ078R EDITS VTU044R GINNA V326 VNY V186 PDZ | JM70 |
| V186 NIKKL VTU044R GINNA V326 VNY V186 V264 | PQ50 |
| POM V197 PDZ V186 NIKKL VTU044R GINNA V326 VNY V186 | JM70 |
| ROBNN V458 OCN VTU044R GINNA V326 VNY V186 | PQ70 |
| ROBNN V458 OCN VTU V208 SXC V208 OCN VTU044R GINNA V326 VNY V186 HAILE | PQ70 J110M90 |
| V66 MZB VTU044R GINNA V326 VNY V186 HAILE | PQ90 |
| V66 MZB VTU V208 SXC V208 LAX118R CARDI | PQ70 |
| MZB320R MZB VTU044R GINNA V326 VNY V186 | J110M90 |
| ROBNN V208 JLI VTU044R GINNA V326 VNY V186 | PQ70 |
| ROBNN V208 JLI VTU V208 SXC V208 JLI VTU044R GINNA V326 VNY V186 BAYJY | PQ70 J110M90 |
| V363 DANAH V165 SARGS VTU V208 SXC V27 REDIN V165 | PQ50 |
| SARGS V25 RZS RZS286R KOAKS V25 RZS RZS277R CALLI V27 GVO | J110M90 JMPQ80 JMPQ60 JMPQ60 |

ALTITUDE ROUTE MZB V23 OCN V208 SXC PQ60 MZB293R V27 SXC J100M80 OCN V23 SLI P060 MZB293R SLI148R SLI J100M80 OCN V23 SLI V8 TANDY PQ60 MZB293R SLI148R VTU114R V8 TANDY J100M80 OCN V23 SLI SLI340R WELLZ HHR RY25 LOC PQ60 MZB293R SLI148R SLI SLI340R WELLZ HHR RY25 LOC J100M80 OCN V23 POPPR SM0125R SM0 SM0059R ELM00 PQ60 MZB293R SLI148R SLI V459 DARTS J100M80 OCN V23 SLI SLI333R V186 DARTS PQ60 MZB293R SLI148R SLI SLI333R V186 DARTS J100M80 OCN V23 POPPR SM0125R SM0 SM0311R SILEX P060 MZB293R SLI148R SLI V23 LAX LAX316R SILEX..... J100M80 OCN V23 POPPR SM0125R SM0 SM0317R CANOG PQ60

366

| TO: | ROUTE ID |
|-------------------------------------|----------|
| WHP VNY | Sann16 |
| BUR VNY WHP (LAXE) | SANN17 |
| BUR VNY WHP (LAXE) | SANN18 |
| CNO AJO L65 REI ONT RAL RIR SBD RIV | SANN19 |
| ONT SBD | SANN20 |
| CNO AJO RAL RIR | SANN21 |
| L65 REI RIV | SANN22 |
| CCB EMT POC | SANN23 |
| CCB EMT POC | SANN24 |
| HMT | SANN25 |
| HMT | SANN26 |
| L67 | SANN27 |
| L67 | SANN28 |
| F70 | SANN29 |
| F70 | SANN30 |
| OXR CMA NTD | SANN31 |
| OXR CMA NTD | SANN32 |
| CMA OXR NTD (LAXE) | SANN33 |
| CMA OXR NTD (LAXE) | SANN34 |
| SBA | SANN35 |
| SBA | SANN36 |
| SBA (LAXE) | SANN37 |

SANTA BARBARA AREA

| SANTA DARDARA AREA | |
|-------------------------------------|-------------------|
| FROM: SBA To: Bur | ROUTE ID Sban1 |
| WHP VNY | SBAN2 |
| BUR VNY | SBAN3 |
| AVX | SBAN4 |
| FUL LGB SLI TOA | SBAN5 |
| TOE EGB SETTOR | SDANS |
| SNA | SBAN6 |
| HHR | SBAN7 |
| FUL LGB SLI TOA SNA HHR | SBAN8 |
| HHR (LAXE) | SBAN9 |
| LAX | SBAN10 |
| LAX (LAXE) | SBAN11 |
| SM0 | SBAN12 |
| SM0 | SBAN13 |
| ССВ | SBAN14 |
| ССВ | SBAN15 |
| CNO EMT REI L65 AJO POC ONT RAL RIR | |
| RIV SBD | SBAN16 |
| CNO EMT REI L65 AJO POC ONT RAL RIR | |
| RIV SBD | SBAN17 |
| НМТ | SBAN18 |
| | |
| НМТ | SBAN19 |
| L67 | SBAN20 |
| L67 | SBAN21 |
| | |

| ROUTE | ALTITUDE |
|----------------------------------|---------------|
| MZB293R SLI148R SLI V23 LAX | |
| LAX320R CANOG | J100M80 |
| OCN V23 SLI SLI333R V186 VNY | PQ60 |
| MZB293R SLI148R SLI SLI333R V186 | |
| VNY | J100M80 |
| OCN V23 DANAH V363 POXKU V8 PDZ | PQ60 |
| V186 TANNR HDF PETIS | JM100 |
| V186 PDZ | JM100 |
| V186 TANNR HDF | JM100 |
| OCN V23 DANAH V363 POM | PQ60 |
| MZB293R POM164R POM | J100M80 |
| OCN V23 DANAH V363 POXKU V8 PDZ | |
| V186 WESIN | PQ60 JM100 |
| OCN V23 DANAH V363 POXKU V8 PDZ | JMITOO |
| PDZ078R EDITS | PQ60 |
| V186 PDZ PDZ078R EDITS | JM100 |
| OCN V23 DANAH V363 POXKU V8 PDZ | JIMITOO |
| V186 NIKKL | PQ60 |
| V186 NIKKL | JM100 |
| 0CN V23 SLI SLI272R SM0125R SM0 | JIMITOO |
| VNY. | PQ60 |
| MZB293R V27 SXC V208 VTU | J100M80 |
| 0CN V23 SLI SLI333R V186 FIM | PQ60 |
| MZB293R SLI148R SLI SLI333R V186 | |
| FIM | J100M80 |
| OCN V23 LAX V299 VTU VTU282R | |
| KWANG | PQ60 |
| MZB293R V27 SXC V208 VTU VTU282R | |
| KWANG | J100M80 |
| OCN V23 DANAH V363 BAYJY V186 | |
| DEANO V27 KWANG | PQ60 |
| | |

| ROUTE KWANG CMA CMAO78R TOAKS KWANG CMA CMAO72R GINNA HENER V186 FIM FERNANDO STAR | ALTITUDE PQ50 PQ50 J110M90 |
|---|-------------------------------------|
| KWANG VTU V208 SXC KWANG CMA VNY V186 ADAMM V394 | JM70PQ50 |
| SLI KWANG CMA VNY V186 BAYJY V363 | PQ50 |
| POXKU V8 SLI KWANG VTU V299 SADDE V107 SMO | PQ50 |
| SM0125R POPPR V23 SLI KWANG VTU V208 SXC SLI KWANG CMA VNY V186 ELMO0 | PQ50 J110M90 P050 |
| KWANG VTU V299 SADDE V107 SMO KWANG VTU V25 EXERT | JM110PQ50 JM70PQ50 |
| KWANG CMA VNY V186 DARTS HENER FIM V186 DARTS KWANG CMA VNY V186 V264 POM | PQ50 J110M90 P050 |
| HENER V186 FIM V186 V264 POM | JM70 |
| KWANG CMA VNY V186 PDZ | PQ50 |
| HENER FIM V186 V264 POM V197 PDZ . KWANG CMA VNY V186 PDZ V186 | |
| WESIN HENER V186 V264 POM V197 PDZ V186 WESIN | PQ50 J110M90 |
| KWANG CMA VNY V186 PDZ PDZ078R EDITS | PQ50 |
| HENER FIM V186 V264 POM V197 PDZ PDZ078R EDITS | |
| FULUIOR EDITO | 11101/180 |

| T0: F70 | ROUTE ID SBAN22 |
|--|--|
| F70 | SBAN23 |
| CRQ NFG NKX OKB CRQ NFG NKX OKB (LAXE) | SBAN24 SBAN25 |
| CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE MYF NRS NZY SAN SDM SEE (LAXE) | SBAN26 SBAN27 SBAN28 |
| MYF NRS NZY SAN SDM SEE | SBAN29 |
| SAN (SANE) | SBAN30 |
| SAN (SANE) | SBAN31 |
| RNM | SBAN32 |
| RNM (LAXE) | SBAN33 |
| RNM OXR CMA NTD PSP UDD TRM | SBAN34 SBAN35 SBAN36 |
| SANTA BARBARA AREA From: SBP SMX VBG LPC IZA | |
| T0: BUR VNY WHP BUR VNY AVX FUL LGB SLI TOA SNA HHR | ROUTE ID SBAN37 SBAN38 SBAN39 SBAN40 SBAN41 SBAN42 |
| FUL LGB SLI TOA SNA HHR HHR (LAXE) LAX LAX (LAXE) SMO CCB | SBAN43 SBAN44 SBAN45 SBAN46 SBAN47 SBAN48 SBAN49 SBAN50 |
| CNO EMT REI L65 AJO POC ONT RAL RIR RIV SBD CNO EMT REI L65 AJO POC ONT RAL RIR | SBAN51 |
| RIV SBD | SBAN52 SBAN53 SBAN54 |
| L67 | SBAN55 SBAN56 |
| F70 F70 | SBAN57 SBAN58 |
| CRQ NFG NKX OKB CRQ NFG NKX OKB (LAXE) CRQ NFG NKX OKB MYF NRS NZY SAN SDM SEE MYF NRS NZY SAN SDM SEE (LAXE) MYF NRS NZY SAN SDM SEE | SBAN59 SBAN60 SBAN61 SBAN62 SBAN63 SBAN64 |
| SAN (SANE) | SBAN65 |
| SAN (SANE) | SBAN66 |
| RNM | SBAN67 |

| ROUTE | ALTITUDE |
|---|------------------------------------|
| KWANG CMA VNY V186 PDZ V186 NIKKL HENER FIM V186 V264 POM V197 PDZ | PQ50 |
| V186 NIKKL HENER V186 DARTS V597 OCN KWANG CMA VNY V186 ROBNN V458 | J110M90 PQ90 |
| OCN KWANG VTU V208 SXC V208 OCN HENER V186 DARTS V597 MZB KWANG CMA VNY V186 HAILE V66 | PQ70 J110M90 PQ90 |
| MZB KWANG VTU V208 SXC V208 LAX118R | PQ70 |
| CARDI MZB320R MZB KWANG CMA VNY V186 BAYJY V363 | J110M90 |
| DANAH V165 SARGS | PQ50 |
| SARGS HENER V186 DARTS V597 OCN V208 | J110M90 |
| JLI KWANG CMA VNY V186 ROBNN V208 | PQ90 |
| JLI KWANG VTU V208 JLI KWANG CMA FIM V186 NIKKL V64 TRM PSP | PQ70 J110M90 JMPQ30 PQ110 |

| ROUTE RZS V186 FIM RZS V386 FIM FERNANDO STAR RZS V10 V208 SXC RZS V186 ADAMM V394 SLI RZS V186 ADAYJY V363 POXKU V8 SLI RZS V186 DAYJY V363 POXKU V8 SLI RZS V10 V299 SADDE V107 SMO | ALTITUDE PQ70 J110M90 JMPQ70 PQ70 PQ70 |
|---|--|
| SM0125R POPPR V23 SLI RZS VTU V208 SXC SLI RZS V186 ELMOO RZS V186 DARTS RZS V186 DARTS RZS V386 FIM V186 DARTS RZS V386 FIM V186 V264 POM | PQ70 J110M90 PQ70 JM110PQ70 JM70PQ50 PQ70 J110M90 PQ70 J110M90 |
| RZS V186 PDZ | PQ70 |
| RZS V386 FIM V186 V264 POM V197 PDZ RZS V186 PDZ V186 WESIN RZS V386 FIM V186 V264 POM V197 | J110M90 PQ70 |
| PDZ V186 WESIN RZS V186 PDZ PDZ078R EDITS RZS V386 FIM V186 V264 POM V197 | J110M90 PQ70 |
| PDZ PDZ078R EDITS RZS V186 PDZ V186 NIKKL RZS V386 FIM V186 V264 POM V197 | J110M90 PQ70 |
| PDZ V186 NIKKL RZS V597 OCN RZS V186 ROBNN V458 OCN RZS V10 V208 SXC V208 OCN RZS V597 MZB RZS V186 HAILE V66 MZB RZS V10 V208 SXC V208 LAX118R | J110M90 PQ90 PQ70 J110M90 PQ90 PQ70 |
| CARDI MZB320R MZB RZS V186 VNV V186 BAYJY V363 DANAH V165 SARGS RZS VTU V208 SXC V27 REDIN V165 | J110M90 PQ70 |
| SARGS RZS V597 OCN V208 JLI | J110M90 PQ90 |

368

| TO: | ROUTE ID |
|-------------|----------|
| RNM (LAXE) | SBAN68 |
| RNM | SBAN69 |
| OXR CMA NTD | SBAN70 |
| PSP UDD TRM | SBAN71 |

PALM SPRINGS AREA

| FROM: PSP UDD TRM | |
|-----------------------------|----------|
| TO: | ROUTE ID |
| BUR VNY WHP | PSPN1 |
| BUR VNY WHP | PSPN2 |
| AJO CNO RAL RIR ONT RIV SBD | PSPN3 |
| НМТ | PSPN4 |
| EMT POC CCB | PSPN5 |
| L67 | PSPN6 |
| F70 | PSPN7 |
| FUL LGB SLI TOA SNA | PSPN8 |
| HHR | PSPN9 |
| LAX | PSPN10A |
| LAX | PSPN10B |
| LAX (LAXE) | PSPN11 |
| | |
| LAX (LAXE) | PSPN12 |
| SM0 | PSPN13 |
| CMA OXR NTD | PSPN14 |
| CMA OXR NTD | PSPN15 |
| SBA | PSPN16 |
| SBA | PSPN17 |
| | |
| | |
| PALMDALE AREA | |

| FROM: EDW LOO MHV PMD WJF TO: HHR | ROUTE ID Edwn1 |
|---|-------------------|
| FUL LGB SLI SNA TOA | EDWN2 |
| FUL LGB SLI SNA TOA (LAXE) | EDWN3 |

| ROUTE | ALTITUDE |
|---------------------------------|----------|
| RZS V186 ROBNN V208 JLI | PQ70 |
| RZS VTU V208 JLI | J110M90 |
| RZS VTU | JMPQ70 |
| RZS V386 FIM V186 NIKKL V64 TRM | |
| PSP | PQ110 |

| ROUTE | ALTITUDE |
|---------------------------------|------------|
| V388 PDZ V186 VNY | PQ100 |
| V388 PDZ V197 POM V264 V186 VNY | JM120 |
| V388 PDZ | JM120PQ100 |
| V388 PDZ V186 WESIN | JM120PQ100 |
| V388 PDZ PDZ270R V363 POM | JM120PQ100 |
| V388 PDZ PDZ078R EDITS | JM120PQ100 |
| V388 PDZ V186 NIKKL | JM120PQ100 |
| V388 ACINS V283 SLI | JM120PQ100 |
| V388 PDZ PDZ270R HHR RY25 LOC | JM120PQ100 |
| V388 PDZ V16 LAHAB | M120PQ100 |
| V388 LENHO SEAVU SEAVU ARRIVAL | J120 |
| V388 PDZ PDZ270R V394 SLI V8 | |
| TANDY | PQ100 |
| V388 ACINS V283 SLI V8 TANDY | JM120 |
| V388 PDZ V186 DARTS | JM120PQ100 |
| V388 PDZ V186 FIM | PQ100 |
| V388 PDZ V197 POM V264 V186 FIM | JM120 |
| V388 PDZ V186 DEANO V27 KWANG | PQ100 |
| V388 PDZ V197 POM V264 V186 | |
| DEANO V27 KWANG | M120 |

| ROUTE | ALTITUDE |
|--------------------------------|----------|
| PMD V518 KIMMO V459 DARTS V186 | |
| ADAMM V394 HHR RY25 LOC | JMPQ80 |
| PMD V201 BERRI V459 SLI | JMPQ90 |
| PMD V386 V23 LAX V25 ALBAS SLI | MPQ80 |

370

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

RNAV Routing Pitch and Catch Points

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by **pitch** (entry into) and **catch** (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IRR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.


The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.

Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: http://sua.faa.gov/sua/Welcome.do. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.



High Altitude Redesign (HAR) Phase One Expansion Airspace

Except as noted, flights entering HAR expansion airspace may pitch at the airspace boundary, at the vertical pitch line, or at the fixes listed on the following page.

HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIE.

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

| Albuquerque | ABQ, GUP, HANOS or ZUN |
|----------------------------------|---|
| Austin | ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV |
| Boca Raton, FL | TBIRD KPASA Q118 LENIE or |
| | TBIRD KPASA Q116 CEEYA |
| | or TBIRD KPASA Q110 FEONA |
| | or TBIRD SMELZ Q106 BULZI |
| | or |
| | TBIRD SMELZ Q106 GADAY |
| Burbank includes Santa Monica | GMN, MARKS or |
| and Van Nuys | DAG LAS |
| | or HEC EED |
| | or |
| | PMD BLH |
| Chicago Terminal Area | IOW, PLL275065, MZV or BAE |
| Dallas/Fort Worth Terminal Area | ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK ELD, SWB |
| | or Aircraft destined the Chicago terminal area Except MDW |
| | EAKER MIDEE BDF BRADFORD-STAR or |
| | MLC J105 SGF BDF BRADFORD-STAR |
| Denver Terminal Area | PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE, CABET, WEEDS, OR BINKE |
| Fort Lauderdale (or) | THNDR KPASA Q118 LENIE |
| Fort Lauderdale Executive | or THNDR KPASA Q116 CEEYA |
| | or |
| | THNDR KPASA Q110 FEONA or |
| | THNDR SMELZ Q106 GADAY |
| | or THNDR SMELZ Q106 BULZI |
| Houston Bush | LIT, ELD, MLC, JCT |
| | or Aircraft destined Atlanta Terminal Area |
| | LCH Q24 PAYTN HONIE–RNAV STAR |
| | or Aircraft joining J37 to the northeast, GUSTI SID GUSTI Q22 CATLN |
| | or |
| | Aircraft joining J42 to the northeast, EL DORADO SID ELD Q32 J42 |

| Houston Hobby | LIT, ELD, MLC, JCT, |
|----------------------------------|--|
| | or Aircraft joining J42 to the northeast, EL DORADO SID ELD Q32 J42 |
| Jacksonville, FL | TAY |
| Kansas City Terminal Area | TIFTO, CATTS or KENTN |
| Los Angeles, includes Ontario | GMN, RZS or DAG LAS or TRM EED or TRM PKE |
| Las Vegas | DOBNE, MOSBI, NICLE, TRALR or ZELOT |
| Long Beach includes | GMN SNS, EHF, LANDO |
| Orange County | or TRM PKE or TRM EED |
| Memphis | BNA, HAAWK, SALMS or SQS |
| Miami Terminal Area | WINCO KPASA Q118 LENIE |
| | or WINCO KPASA Q116 CEEYA or WINCO KPASA Q110 FEONA |
| | or |
| | WINCO SMELZ Q106 GADAY or WINCO SMELZ Q106 BULZI |
| Milwaukee | GREAS |
| Minneapolis Terminal Area* | ONL, ABR, FAR, OBH, OVR, FOD |
| New Orleans Terminal Area | AEX, MEI, SQS, KAPLN |
| Orlando Terminal Area | WEBBS BRUTS Q118 LENIE |
| | or WEBBS GULFR Q116 CEEYA or |
| | WEBBS BULZI Q106 GADAY or |
| | WEBBS FEONA or |
| | WEBBS BULZI |
| Palm Beach, FL | TBIRD KPASA Q118 LENIE |
| | or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA |
| | or |
| | TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY |
| | TRM JOTNU BLD |
| Palm Springs | |
| Palm Springs | or TRM EED or |
| Palm Springs Phoenix | or TRM EED |

| Salt Lake City | HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI or TCH J56 CHE or TCH J173 EKR |
|---|--|
| Saint Louis | VIH, MAP, MYERZ, MCM or HLV MCI |
| San Antonio Terminal Area | FUZ, SJT, MQP, ABI or Aircraft North of LFK, LFK or Aircraft South of HUB, ELA or Aircraft South of LFK and North of HUB LCH |
| San Diego | TRM EED or TRM PKE or TRM JOTNU BLD |
| San Francisco Bay Area Oakland San Jose | GALLI, INSLO, HAROL JSICA GALLI, INSLO, HAROL JSICA GALLI or INSLO |
| Seattle | BLUIT |
| Southwest Florida Airports (RSW/FMY) | JOCKS KPASA Q118 LENIE or JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA or JOCKS SMELZ Q106 GADAY or JOCKS SMELZ Q106 BULZI |
| Tampa Terminal Area | FEONA, BULZI or BRUTS Q118 LENIE or GULFR Q116 CEEYA or BULZI Q106 GADAY |

*MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

| Atlanta Terminal Area | Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA |
|-----------------------|--|
| | or |
| | Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC |
| | or |
| | MEM |
| | or |
| | Aircraft through ZME airspace from ZID airspace west of a line from VHP to |
| | BWG, BNA |
| | or |
| | Aircraft through ZME airspace from ZID airspace east of a line from VHP to |
| | BWG, BWG |
| | or |
| | Aircraft through ZME airspace from ZFW airspace, MEM |
| | or |
| | MEI HONIE (RNAV)-STAR |
| | or |
| | PATYN HONIE (RNAV)–STAR |
| | |

| Baltimore–Washington* | GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA or VUZ |
|---|---|
| Boston* | GEP, CRL, ECK, IIU, BNA or VUZ |
| Buffalo* | GEP, CRL |
| Hartford Bradley* | GEP, CRL |
| Canton-Akron* | GIJ, VHP, GEP |
| Charlotte | BNA, VUZ |
| Cincinnati Terminal Area | BNA, PXV or Aircraft north of SLC, JOT or Aircraft over or south of SLC, ENL or SLC or SFO departures, ENL, JOT |
| Cleveland Terminal Area* | ОВК |
| Detroit Terminal Area | BAE MKG POLAR–STAR or VHP FWA MIZAR–STAR |
| Detroit Young | VHP FWA or LAN SPRTN–STAR |
| Indianapolis Terminal Area | BIB, SPI, JOT |
| Louisville | ENL, MEM |
| Newark* | GEP, VHP, FLM, IIU, BNA, VUZ or IOW GIJ J554 CRL J584 SLT FQM |
| New York Kennedy* | GEP, VHP, FLM, IIU, BNA, VUZ or |
| | DBQ J94 PMM J70 LVZ LENDY–STAR |
| New York LaGuardia* | GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ |
| Philadelphia Terminal Area* | GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ |
| Pittsburgh Terminal Area* | VHP, GIJ, BAE, GEP |
| Pontiac | LFD, LAN, VHP, FWA, GEP |
| Providence | JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ |
| Raleigh-Durham | FLM, IIU, BNA, VUZ |
| Toronto Terminal Area | ECK, SVM, SSM, GEP |
| Teterboro* | GEP, VHP, CRL, BNA, VUZ |
| Washington Dulles/National* | GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ |
| White Plains* | GEP, VHP, CRL, FLM, IIU, BNA, VUZ |
| Willow Run* | LAN, LFD, VHP, FWA, GEP |
| * Fasthering algorate size flying 7MD and | the simples entering Tereste center sizes of file direct CCM or via 102, 1500 |

*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

376

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

| Albuquerque Terminal Area | CURLY CURLY-STAR or ESPAN FRIHO-STAR or LAVAN LAVAN-STAR or FTI FRIHO-STAR or MIERA MIERA-STAR |
|---------------------------------|--|
| Austin Terminal Area | Aircraft west of a north-south line at LFK, BLEWE or Aircraft east of a north-south line at LFK,IDU or LLO |
| Boca Raton, FL | CEW DEFUN Q112 INPIN SHDAY (RNAV)–STAR Aircraft through ZHU remain south of ZME and ZTL airspace or DEFUN Q112 INPIN SHDAY (RNAV)–STAR Aircraft through ZHU remain south of ZME and ZTL airspace or SZW INPIN SHDAY (RNAV)–STAR |
| Chicago Midway | CVA MOTIF-STAR or PIA MOTIF-STAR or DBQ CVA MOTIF-STAR or LMN MOTIF-STAR |
| Chicago O'Hare Terminal Area | GEP DLL MSN JVL JANESVILLE-STAR or TVC PULLMAN-STAR or FOD DBQ JVL JANESVILLE-STAR or MCW JANESVILLE-STAR or GCK IRK BRADFORD-STAR |
| Dallas/Fort Worth Terminal Area | IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM or Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW or Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS or Aircraft through ZME airspace from J52 and south of J52, SQS |

Denver Terminal Area

OATHE DANDD-STAR or HGO QUAIL-STAR or LOPEC-STAR or ALS LARKS-STAR or HBU POWDR-STAR or EKR TOMSN-STAR or CHE TOMSN-STAR or BFF LANDR-STAR or LBF SAYGE-STAR or HCT SAYGE-STAR or RSK LARKS-STAR or LAA QUAIL-STAR or GCK J154 RYLIE DANDD-STAR or OCS J154 ALPOE RAMMS-STAR or YANKI J114 SNY LANDR-STAR or Aircraft filed BIL or east, MBW RAMMS-STAR CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or SZW HEVVN 0104 PIE SWAGS (RNAV)-STAR CRP. CVE. LLO. LUKIY. SAT or Aircraft south and east of LLA, JEPEG or MISLE Q40 AEX or Aircraft north and east of SJI. SJI or Aircraft east of PXV, PXV 031 DHART SWB or Aircraft north and west of PXV, PROWL Q33 DHART SWB CRP, ELLVR, SAT, SWB or Aircraft south and east of GIRLY, KCEEE or Aircraft north and east of SJI, SJI or BESOM Q38 ROKIT ROKIT-STAR or Aircraft east of PXV, PXV Q29 HARES SWB or Aircraft north and west of PXV, PROWL Q33 DHART SWB GADAY ZOOSS TAY Aircraft through ZHU airspace remain south of ZME and ZTL airspace or ZOOSS TAY

Houston Bush Houston Hobby

Ft Lauderdale or

Ft Lauderdale Executive

Jacksonville

378

| John Wayne–Orange County | HEC, PGS, BLD or |
|---------------------------|---|
| | Aircraft south of TBC from ZAB airspace, HIPPI |
| Kansas City Terminal Area | LMN BRAYMER-STAR |
| | or PWE ROBINSON–STAR |
| | or EMP JHAWK–STAR |
| Las Vegas | DILCO, LIDAT, IGM |
| | or Aircraft over PGA or north of PGA KSINO |
| | or |
| Loo Angoloo Terminal Area | Aircraft south of PGA, PGS, LYNSY |
| Los Angeles Terminal Area | Aircraft North of TBC, HEC, PGS or |
| | Aircraft South of TBC from ZAB airspace, HIPPI, MESSI |
| Miami Terminal Area | CEW DEFUN Q104 CYY DEEDS (RNAV)–STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or |
| | SZW HEVVN Q104 CYY DEEDS (RNAV)–STAR |
| Minneapolis Terminal Area | Aircraft from north, west, south, FAR GOPHER–STAR |
| | or RWF SKETR-STAR |
| | or |
| | ALO KASPR-STAR or |
| | BRD GOPHER-STAR |
| | or BAE EAU CLAIRE–STAR |
| | or |
| Managhia Tanada di Anag | FOD TWOLF-STAR |
| Memphis Terminal Area | ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD |
| Naples, FL | CEW DEFUN Q104 PLYER PIKKR (RNAV)–STAR Aircraft through ZHU AIRSPACE remain south of ZME and ZTL airspace |
| | or SZW HEVVN Q104 PLYER PIKKR (RNAV)–STAR |
| Nashville | CCT, GHM, GUITR, TINGS, VOLLS |
| New Orleans Terminal Area | BLUEZ, GPT, LCH, MCB, TBD, FATSO |
| Oakland | ILA |
| | or KATTS PAMMY |
| | or |
| | Aircraft over or south of a line ILC J16 DVC REANA KATTS PAMMY |
| | or |
| | Aircraft from north of ILC, JOPER PAMMY or |
| | KATTS PAMMY |
| | or Aircraft over or south of ILC, REANA KATTS PAMMY |
| Orlando Terminal Area | GADAY Q108 CLAWZ LEESE-STAR |
| | Aircraft through ZHU airspace remain south of ZME/ZTL airspace |
| | or OTK LEESE–STAR |
| | |

| Palm Beach, FL | CEW DEFUN Q112 INPIN GULLO (RNAV)–STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace | |
|------------------------------|---|--|
| | or SZW INPIN GULLO (RNAV)–STAR | |
| Phoenix | CORKR DRK or Aircraft from ZDV airspace, GUP | |
| | or Aircraft from ZAB airspace, ZUN, MOHAK, SSO or | |
| | VYLLA TUS | |
| Phoenix Satellites | FLG, SSO, MOHAK or | |
| | VYLLA, TUS | |
| Portland, OR Terminal Area | ARNIT BONVL-STAR | |
| | LARNO BONVL–STAR or | |
| | MOXEE MOXEE-STAR | |
| St. Louis Terminal Area | SGF TRAKE-STAR or | |
| | BUM TRAKE-STAR | |
| | or ANX TRAKE–STAR | |
| | or LMN IRK RIVRS-STAR | |
| | or RBS VANDALIA–STAR | |
| Salt Lake City Terminal Area | JNC J12 HELPR SPANE-STAR | |
| | or | |
| | EKR MTU SPANE-STAR or | |
| | BCE DTA-TCH or | |
| | MLF DTA-TCH | |
| | or BVL BONNEVILLE–STAR | |
| | or BYI BEARR–STAR | |
| | | |
| | PIH BEARR-STAR or | |
| | DBS BRIGHAM CITY-STAR or | |
| | JAC BRIGHAM CITY-STAR | |
| | or BPI BRIGHAM CITY–STAR | |
| | | |
| San Diego Terminal Area | OCS BRIGHAM CITY-STAR EED, LAX, GBN | |
| Santa Ana | | |
| San Antonio Terminal Area | | |
| | HEC, PGS, BLD, HIPPI | |
| | IDU, CSI, JCT, LLO, CRP, LRD or West of a north-south line at LFK, BLEWE | |

380

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

| San Francisco | FMG GOLDEN GATE-STAR or MVA MODESTO-STAR or ENI GOLDEN GATE-STAR or OAL MODESTO-STAR or |
|---|---|
| | South of a line ILC to DVC, REANA KATTS OAL MODESTO–STAR |
| San Jose | FMG HYP EL NIDO-STAR or OAL HYP EL NIDO-STAR or ENI GOLDEN GATE-STAR or South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO-STAR |
| Seattle Terminal Area | Aircraft from northeast, southeast, south, TEMPL GLASR–STAR or SUNED CHINS–STAR or BTG OLMYPIA–STAR |
| Southwest Florida Airports RSW and FMY | CEW DEFUN Q104 SWABE JOSFF–STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW HEVVN Q104 SWABE JOSFF–STAR |
| Tampa Terminal Area | CEW DEFUN Q104 HEVVN DARBS–STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW DARBS–STAR |
| Tucson | DRK PXR or MOHAK GBN |

VISUAL FLIGHT RULES (VFR) WAYPOINTS

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

BALTIMORE-WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

| WAYPOINT | IDENT |
|----------|-------|
| VPAXI | |
| VPONX | |
| VPOOP | |

VPZIE

COLLOCATED VFR CHECKPOINT

LOCATION

N38°34.57'/W076°20.38' N39°06.65'/W076°55.92' N38°56.32'/W076°36.90'

N32°01.62'/W080°53.42'

| BOSTON HELICOPTER CHART |
|--------------------------------|
|--------------------------------|

| VPBAY | | N42°16.17'/W070°49.48' |
|---------|----------------------------|--|
| VPBLT | | N42°19.67'/W070°53.40' |
| VPCGS | | N42°22.08'/W071°03.13' |
| VPEVS | | N42°23.52'/W071°04.10' |
| VPFEN | | N42°12.58'/W071°08.88' |
| VPFRE | | N42°25.03'/W071°12.32' |
| VPGVL | | N42°21.88'/W070°52.18' |
| VPHAM | | N42°30.13'/W071°07.15' |
| VPPIK | | N42°20.37'/W071°15.93' |
| VPQUA | | N42°12.10'/W071°04.78' |
| VPQUB | | N42°12.60'/W070°59.83' |
| VPSPF | | N42°24.20'/W071°09.47' |
| VPTOB | | N42°31.42′/W070°59.82′ |
| VPWAN | | N42°36.88'/W071°19.45' |
| | BOSTON TERMINAL AREA CHART | |
| VPCOH | Cohasset | N42°13.58'/W070°48.94' |
| VPCUT | Cuttyhunk Harbor | N42 13.58 / W070 48.94 N41°25.50' / W070°55.03' |
| VPERA | Framingham Shopping Center | N42°18.16′/W071°23.65′ |
| VPHOL | Woods Hole | N42 18.10 / W071 23.03 N41°31.06'/W070°40.60' |
| VPHUL | Hull | · · |
| VPHOL | Nantucket Great Point | N42°18.20′/W070°55.30′ |
| | | N41°23.41′/W070°02.78′ |
| VPNED | Needham Towers | N42°18.51′/W071°14.64′ |
| VPPEA | Peabody Shopping Center | N42°32.52′/W070°56.69′ |
| VPROC | Rockingham Race Track | N42°46.29′/W071°13.57′ |
| VPSCI | Scituate | N42°11.89'/W070°43.69' |
| VPTPT | Nantucket Third Point | N41°18.51'/W070°03.37' |
| VPTUC | Tuckernuck | N41°18.31'/W070°15.43' |
| VPWAK | Wakefield | N42°30.72'/W071°05.24' |
| VPWAN | Wang Towers | N42°36.88'/W071°19.45' |
| | CHARLOTTE SECTIONAL CHART | |
| VPATO | | N34°37.37′/W076°31.47′ |
| VPAVA | | N34°57.00'/W077°16.50' |
| VPBFE | | N32°16.38'/W080°47.50' |
| VPBRA | | N36°13.75′/W076°08.08′ |
| VPGCE | | N36°03.90'/W076°36.42' |
| VPGHI | | N35°15.30'/W075°31.25' |
| VPGIO | | N35°32.50′/W076°37.33′ |
| VPKJU | | N35°26.58'/W076°10.22' |
| VPLMN | | N34°55.43′/W077°46.42′ |
| VPMAB | | N34°42.20′/W077°03.50′ |
| VPNPO | ISLE OF PALMS | N32°47.78′/W079°46.45′ |
| VPOKY | | N35°06.53′/W075°59.17′ |
| VPREP | | N32°33.98′/W080°21.82′ |
| VPRRS | | N33°25.45′/W079°07.60′ |
| VPUMO | | N35°35.63′/W075°28.08′ |
| VPWZO | | N36°00.87'/W075°40.07' |
| 11 1120 | | 100 00.01 / 1010 40.01 |

CHICAGO SECTIONAL CHART

COLLOCATED VFR CHECKPOINT

WAYPOINT IDENT VPCOH LOCATION N31°49.35'/W081°51.07'

DENVER TERMINAL AREA CHART/FLYWAY CHART

VPBEN VPFTG VPNIC

VPMKE VPROV

VPUTT

NORTH INTERCHANGE

N39°44.28'/W104°26.00' N39°44.35'/W104°32.75' N39°58.90'/W104°59.27'

HOUSTON TERMINAL AREA CHART/FLYWAY CHART

| WAYPOINT IDENT | COLLOCATED VFR CHECKPOINT | LOCATION |
|----------------|---------------------------|------------------------|
| VPBWY | | N29°46.25'/W095°09.24' |
| VPDTN | | N29°46.59'/W095°22.01' |
| VPGLA | | N30°08.32'/W095°06.62' |
| VPGLB | | N30°07.80'/W094°55.70' |
| VPKTY | | N29°47.05'/W095°44.92' |
| VPPLN | | N30°08.80'/W095°50.42' |
| VPRSN | | N29°30.00'/W095°41.00' |
| VPSND | | N29°23.13'/W095°28.86' |
| VPSNT | | N29°49.29'/W094°53.94' |
| VPTNE | | N29°47.48'/W095°03.34' |
| VPTNW | | N29°47.06'/W095°33.81' |
| VPTRK | | N29°24.06'/W095°10.44' |

JACKSONVILLE SECTIONAL CHART

| VPAFI | | N31°49.35'/W081°51.07 |
|-------|----------------------|-----------------------|
| VPAFY | | N30°07.00'/W081°21.33 |
| VPBEC | | N29°46.25'/W081°15.10 |
| VPCJA | | N29°30.00'/W081°06.00 |
| VPCKY | | N28°46.50'/W082°34.00 |
| VPCNY | | N28°30.00'/W080°45.00 |
| VPDAD | DADE CITY | N28°22.57'/W082°11.25 |
| VPDAR | | N31°22.38'/W081°24.13 |
| VPDFI | | N29°00.17'/W081°20.85 |
| VPDUT | | N27°37.70'/W082°09.10 |
| VPEAR | CLEARWATER BEACH | N27°58.67′/W082°49.83 |
| VPEGV | | N29°39.97'/W081°24.87 |
| VPFFU | | N28°57.08'/W081°00.33 |
| VPGPE | ST PETE BEACH | N27°43.50′/W082°44.67 |
| VPHAA | | N30°04.02'/W083°40.02 |
| VPHUC | | N28°19.87'/W082°43.77 |
| VPIWA | MIDWAY | N31°48.33'/W081°25.85 |
| VPJMY | | N29°26.92'/W081°18.27 |
| VPKER | LAKE PARKER | N28°04.00'/W081°56.00 |
| VPLEV | | N28°48.00'/W080°52.00 |
| VPLJA | | N29°00.00'/W080°51.00 |
| VPMAI | | N30°50.02′/W084°56.63 |
| VPTLH | | N30°32.70′/W083°52.22 |
| VPXZY | | N29°35.00'/W083°10.00 |
| VPYIW | | N30°42.28'/W081°27.25 |
| VPZIE | | N32°01.62′/W080°53.42 |
| | KANSAS CITY SECTIONA | AL CHART |
| VPAGO | | N37°50.33′/W090°29.03 |
| VPBEK | | N37°15.07′/W092°30.67 |
| VPDEN | | N37°46.75'/W092°19.20 |
| VPENE | | N37°44.75'/W091°55.78 |
| VPESS | | N36°59.48'/W091°00.88 |
| VPFME | | N37°41.00′/W092°38.33 |
| VPGXY | | N37°15.50′/W091°40.17 |
| VPMBE | | N37°11.08′/W090°27.92 |

N37°11.08'/W090°27.92' N37°24.47'/W092°40.00' N38°01.72'/W091°12.81' N37°52.05'/W092°01.20'

WAYPOINT IDENT VPWOC VPWRO VPXIZ COLLOCATED VFR CHECKPOINT

LOCATION

N37°18.03'/W092°18.63' N37°39.12'/W091°45.68' N37°26.60'/W092°05.42'

KANSAS CITY TERMINAL AREA CHART

| VPATN | ATCHISON | N39°33.62'/W095°07.65' |
|-------|----------------------|------------------------|
| VPBGS | BLUE SPRINGS | N39°01.82'/W094°16.32' |
| VPBSP | BONNER SPRINGS | N39°03.78'/W094°53.10' |
| VPCHB | CHOUTEAU BRIDGE | N39°08.77'/W094°32.03' |
| VPDSO | DE SOTO | N38°58.68'/W094°58.48' |
| VPESG | EXCELSIOR SPRINGS | N39°20.68'/W094°13.77' |
| VPGTB | GARRETSBURG | N39°40.92'/W094°41.45' |
| VPLAT | LATHROP WATER TANK | N39°32.87'/W094°20.00' |
| VPLEN | LENEXA | N38°57.77'/W094°43.68' |
| VPLVL | LONGVIEW LAKE | N38°54.63'/W094°28.28' |
| VPMCL | MC LOUTH | N39°11.65′/W095°12.50′ |
| VPNHA | NASHUA | N39°17.83'/W094°34.80' |
| VPSCX | SPORTS COMPLEX | N39°03.00'/W094°29.02' |
| VPSKR | SUGAR CREEK REFINERY | N39°07.00'/W094°27.02' |
| VPSPK | SWOPE PARK | N39°00.47'/W094°31.93' |
| VPTSK | TWIN STACKS | N39°09.05'/W094°38.22' |
| VPWOF | WORLDS OF FUN | N39°10.42'/W094°29.12' |
| | | |

KLAMATH FALLS SECTION CHART

VPORO

LOS ANGELES HELICOPTER CHART

| VPANA | |
|-------|-------------------------|
| VPART | MAGNOLIA |
| VPAUT | HWY 91 & 55 |
| VPBOB | |
| VPCAR | |
| VPCNG | CONEJO GRADE US HWY 101 |
| VPCOR | |
| VPCRX | |
| VPCSU | CSU CHANNEL ISLANDS |
| VPDOW | |
| VPELA | |
| VPETY | |
| VPFCB | |
| VPFPL | OXNARD FINANCIAL PLAZA |
| VPGOL | |
| VPIMP | |
| VPKAT | |
| VPKEL | |
| VPLAC | |
| VPLLU | |
| VPLQM | QUEEN MARY |
| VPLRT | SANTA ANITA RACE TRACK |
| VPLVT | VINCENT THOMAS BRIDGE |
| VPMDR | |
| VPNEW | NEWHALL PASS |
| VPNUY | |
| VPPCH | |
| VPPKC | |
| VPPOR | |
| VPRRT | |
| VPSEP | |
| VPSFR | |
| VPSTC | SATICOY BRIDGE |
| VPSTK | |
| | |

N33°44.43'/W117°50.03' N33°51.45'/W117°58.92' N33°50.63'/W117°49.57' N33°59.60'/W117°21.45' N33°49.90'/W118°17.23' N34°12.54'/W118°59.61' N33°52.90'/W117°32.95' N34°01.40'/W117°44.88' N34°09.76'/W119°02.53' N33°56.47'/W118°05.80' N34°00.98'/W118°10.35' N33°38.70'/W117°44.12' N34°02.03'/W118°01.63' N34°13.71'/W119°10.39' N34°09.33'/W118°17.37' N33°55.85'/W118°16.85' N33°48.23'/W117°54.22' N34°03.92'/W117°48.40' N34°03.75'/W118°14.93' N34°03.85'/W117°17.82' N33°45.17'/W118°11.37' N34°08.45'/W118°02.65' N33°44.97'/W118°16.32' N33°59.27'/W118°23.97' N34°20.18'/W118°30.72' N34°09.63'/W118°28.18' N33°28.07'/W117°40.32' N34°03.32'/W118°12.83' N34°00.10'/W117°50.12' N33°59.37'/W118°16.83' N34°05.80'/W118°28.63' N34°17.45'/W118°28.07' N34°16.62'/W119°08.34' N34°13.97'/W118°24.60'

N43°57.38'/W123°02.22'

LOS ANGELES SECTIONAL CHART

| WAYPOINT IDENT | COLLOCATED VFR CHECKPOINT | LOCATION |
|----------------|---------------------------|------------------------|
| VPCNG | CONEJO GRADE US HWY 101 | N34°12.54'/W118°59.61' |
| VPCSU | CSU CHANNEL ISLANDS | N34°09.76'/W119°02.53' |
| VPFPL | OXNARD FINANCIAL PLAZA | N34°13.71'/W119°10.39' |
| VPSTC | SATICOY BRIDGE | N34°16.62'/W119°08.34' |
| | | |

LOS ANGELES TERMINAL AREA CHART/FLYWAY CHART

| LUS | ANGELES IERMINAL AREA GHARI/FLIWI | AT GRAKI |
|-------|---|------------------------|
| VPCNG | CONEJO GRADE US HWY 101 | N34°12.54′/W118°59.61′ |
| VPCSU | CSU CHANNEL ISLANDS | N34°09.76'/W119°02.53' |
| VPGTY | GETTY CENTER | N34°04.84′/W118°28.66′ |
| VPLBP | BANNING PASS | N33°56.05'/W116°59.63' |
| VPLCC | CHAFFEY COLLEGE | N34°08.87'/W117°34.33' |
| VPLCP | CAJON PASS | N34°18.07'/W117°27.68' |
| VPLDL | DISNEYLAND | N33°48.72'/W117°55.13' |
| VPLDP | DANA POINT | N33°27.62′/W117°42.87′ |
| VPLDS | DODGER STADIUM | N34°04.42′/W118°14.42′ |
| VPLFX | 91/605 INTERCHANGE | N33°52.38'/W118°06.08' |
| VPLGP | GRIFFITH PARK OBSERVATORY | N34°07.10′/W118°18.02′ |
| VPLHF | 110/405 FWYS | N33°51.42′/W118°17.10′ |
| VPLHP | HUNTINGTON PIER | N33°39.32'/W118°00.25' |
| VPLKH | KING HARBOR | N33°50.75′/W118°23.88′ |
| VPLLC | L.A. COLISEUM | N34°00.83′/W118°17.27′ |
| VPLLM | LAKE MATHEWS | N33°50.58′/W117°26.85′ |
| VPLMM | MAGIC MOUNTAIN | N34°26.20′/W118°36.28′ |
| VPLMS | MILE SOUARE PARK | N33°43.40′/W117°56.77′ |
| VPLPD | PRADO DAM | N33°53.40′/W117°38.48′ |
| VPLPP | PACIFIC PALISADES | N34°02.13′/W118°32.15′ |
| VPLOM | QUEEN MARY | N33°45.17′/W118°11.37′ |
| VPLRB | ROSE BOWL | N34°09.67′/W118°10.05′ |
| VPLRT | SANTA ANITA RACE TRACK | N34°08.45′/W118°02.65′ |
| VPLSA | SANTA ANA CANYON | N33°52.03′/W117°42.68′ |
| VPLSB | SANTA FE FLOOD BASIN | N34°07.72′/W117°57.30′ |
| VPLSC | STATE COLLEGE | N33°52.97′/W117°53.13′ |
| VPLSF | SAN FERNANDO RESERVOIR | N34°17.87′/W118°29.00′ |
| VPLSP | SIGNAL PEAK | N33°36.33′/W117°48.63′ |
| VPLSR | HAWTHORNE & 405 FREEWAY | N33°53.07′/W118°21.13′ |
| VPLSS | SANTA SUSANA PASS | N34°16.00′/W118°38.43′ |
| VPLTW | TUJUNGA WASH & FOOTHILL | N34°16.40′/W118°20.30′ |
| VPLVT | VINCENT THOMAS BRIDGE | N33°44.97′/W118°16.32′ |
| VPLWT | WATER TANK | N34°10.82′/W118°46.27′ |
| VPNEW | NEWHALL PASS | N34°20.18′/W118°30.72′ |
| VPSTC | SATICOY BRIDGE | N34°16.62′/W119°08.34′ |
| 1 510 | | 10.02 / 10.02 / 10.04 |
| | MIAMI SECTIONAL CHART | |
| VPACH | HOLLYWOOD BEACH | N26°00.92'/W080°06.93' |
| VPBOV | | N27°57.00′/W080°46.75′ |
| VPCLE | | N26°27.07'/W082°00.88' |
| VPCTE | | N26°09.28'/W081°20.70' |
| VPDAD | DADE CITY | N28°22.57'/W082°11.25' |
| VPDUT | | N27°37.70'/W082°09.10' |
| VPDZE | | N27°19.00'/W080°44.17' |
| VPEAR | CLEARWATER BEACH | N27°58.67'/W082°49.83' |
| VPEDY | ANDYTOWN TOLLGATE | N26°08.78'/W080°28.00' |
| VPFAH | | N26°25.40'/W081°29.67' |
| VPGPE | ST PETE BEACH | N27°43.50′/W082°44.67′ |
| VPHRO | | N27°05.97'/W082°12.20' |
| VPHUC | | N28°19.87'/W082°43.77' |
| VPIBR | | N27°12.47'/W081°40.22' |
| VPKER | LAKE PARKER | N28°04.00'/W081°56.00' |
| VPKOE | | N24°40.08′/W081°20.55′ |
| VPLYY | | N24°49.07′/W080°49.17′ |
| VPMBO | GULFSTREAM PARK | N25°58.57'/W080°08.17' |
| VPOBA | PUMPING STATION | N26°28.30′/W080°26.75′ |
| VPRBI | | N25°50.67′/W080°55.18′ |
| VPRNL | RANGER STATION | N25°22.92'/W080°36.58' |
| VPWMO | the second of the second | N27°03.00′/W080°35.00′ |
| | | |

384

MIAMI TERMINAL AREA CHART/FLYWAY CHART

| WAYPOINT IDENT | COLLOCATED VFR CHECKPOINT | LOCATION |
|----------------|---------------------------|------------------------|
| VPACH | HOLLYWOOD BEACH | N26°00.92'/W080°06.93' |
| VPEDY | ANDYTOWN TOLLGATE | N26°08.78'/W080°28.00' |
| VPMBO | GULFSTREAM PARK | N25°58.57'W080°08.17' |
| VPOBA | PUMPING STATION | N26°28.30'/W080°26.75' |
| VPRBI | | N25°50.67'/W080°55.18' |
| VPRNL | RANGER STATION | N25°22.92'/W080°36.58' |

NEW ORLEANS SECTIONAL CHART

| VPGPT | |
|-------|----------------|
| VPLIP | PHILLIPS INLET |
| VPMAI | |
| VPMOB | |
| VPRAM | |
| VPRER | |
| VPRIV | |
| VPSAW | |
| VPTHR | |
| | |

N30°25.95'/W089°05.62' N30°16.23'/W085°59.25' N30°50.02'/W084°56.63' N30°23.00'/W088°31.72' N30°18.95'/W089°35.88' N30°13.87'/W085°20.67' N30°54.85'/W085°57.82' N30°49.65'/W089°07.42' N30°19.93'/W087°08.50'

NEW YORK HELICOPTER CHART

VPJAY VPLYD VPROK

N40°59.00'/W073°07.00' N40°57.37'/W073°29.59' N40°52.70'/W073°44.24'

PHOENIX TERMINAL AREA CHART/FLYWAY CHART

| VPALL | ALLENVILLE | N33°20.97'/W112°35.20' |
|-------|---------------------------|------------------------|
| VPAQU | AQUEDUCT PUMPING STATION | N33°40.05'/W112°41.38' |
| VPARM | ARROWHEAD MALL | N33°38.52'/W112°13.48' |
| VPAWG | AHWATUKEE GOLF COURSE | N33°19.98'/W111°59.08' |
| VPAZM | ARIZONA MILLS | N33°23.43'/W111°57.88' |
| VPBAR | BARTLETT DAM | N33°49.10'/W111°37.92' |
| VPCCC | COUNTRY CLUB & CANAL | N33°30.73'/W111°50.37' |
| VPCNL | CANAL | N33°33.23'/W111°46.89° |
| VPFRB | FIREBIRD LAKE | N33°16.35'/W111°58.10' |
| VPFTN | FOUNTAIN HILLS | N33°36.12'/W111°42.72' |
| VPGLX | GILA CROSSING | N33°16.55'/W112°10.08' |
| VPGPP | GLENDALE POWER PLANT | N33°33.27'/W112°13.00' |
| VPMAR | MARICOPA | N33°03.42'/W112°02.88' |
| VPMHS | MESQUITE HIGH SCHOOL | N33°20.53'/W111°49.58' |
| VPNRV | NEW RIVER | N33°55.08'/W112°08.45' |
| VPNTT | NORTH TEST TRACK | N33°03.50'/W111°55.83' |
| VPPIR | PIR | N33°22.52'/W112°18.90' |
| VPQTR | QUINTERO GOLF COURSE | N33°49.53'/W112°23.58' |
| VPRVC | RIO VERDE COMMUNITY | N33°44.37'/W111°39.62' |
| VPSMC | SOUTH MOUNTAIN COLLEGE | N33°23.02'/W112°02.12' |
| VPSQP | SQUAW PEAK | N33°32.83'/W112°01.27' |
| VPSSS | SUPERSTITION SPRINGS MALL | N33°23.50'/W111°41.37' |
| VPSTN | SANTAN MOUNTAINS | N33°09.23'/W111°40.92' |
| VPSTT | SOUTH TEST TRACK | N32°56.25'/W111°59.67' |
| VPZZZ | | N33°20.18'/W111°26.53' |
| | | |

ST LOUIS TERMINAL AREA CHART/FLYWAY CHART

| VPAGN | TV ANTENNA | N38°32.08'/W090°22.42' |
|-------|---------------------------|------------------------|
| VPBPE | | N38°23.80'/W090°20.38' |
| VPCJY | HOLIDAY SHORES | N38°55.00'/W089°56.00' |
| VPCOJ | WINFIELD DAM | N39°00.28'/W090°41.23' |
| VPDFA | JEFFERSON BARRACKS BRIDGE | N38°29.18'/W090°16.47' |
| VPEAZ | BUSCH STADIUM | N38°37.43′/W090°11.55′ |
| VPEDZ | WATER TANKS | N38°45.30′/W090°34.87′ |
| VPEGR | GAS TANKS | N38°35.80'/W090°19.32' |
| VPEOX | ST PETERS | N38°47.17'/W090°39.25' |

WAYPOINT IDENT VPFAI VPFFY VPGPF VPGVI VPHRO VPIBO VPJMU VPKNY VPLES VPLIW VPI XU VPNSY VPN7Y VPRA7 VPRMO VPWKO

386

VPXXI VPYID

VPAIR VPBEE VPBRN VPCAP VPCHS VPCOP VPCWY VPCYN VPFPC VPFPK VPGES VPHVF VPJRT VPKSL VPLGN VPMDH VPMMT VPMSH VPNSL VPNTP VPOGE VPOPS VPPFN VPPPT

VPPTM VPPVO VPRWY VPSLC VPTIP VPWBR VPWBT

HOWELL ISLAND CHAIN OF ROCKS BRIDGE WATERI OO HORSESHOE LAKE PACIFIC ST CHARLES SIX FLAGS GATEWAY ARCH WOOD RIVER REFINERIES WENT7VILLE **IFRSEYVILLE** FOREST PARK COLUMBIA MILLSTADT MOSENTHEIN ISLAND

COLLOCATED VFR CHECKPOINT

SALT LAKE CITY HELICOPTER CHART

SALTAIR SOUTH INTERCHANGE RARN STATE CAPITOL

- BINGHAM COPPER MINE CALISEWAY PARLEYS CANYON FREE PORT CENTER FRANCIS PEAK GARFIELD STACK SPAGHETTI BOWL JORDAN RIVER TEMPLE **KSL ANTENNA** LAGOON AMUSEMENT PARK MCKAY DEE HOSPITAL MICROWAVE TOWERS
- GRAIN ELEVATOR POWER STATION STATE PRISON PROMONTORY POINT POINT OF THE MOUNTAIN PROVO CANYON

I-15/I-80 INTERCHANGE SOUTH TIP WEBER CANYON

I OCATION

N38°40.00'/W090°43.00' N38°55.37'/W090°17.30' N38°35.60'/W090°26.92' N38°32.30'/W090°27.80' N38°45.88'/W090°10.42' N38°20.00'/W090°09.00' N38°41.00'/W090°05.00' N38°29.00'/W090°44.00' N38°47.00'/W090°30.00' N38°30.67'/W090°40.47' N38°37.50'/W090°11.00' N38°50.00'/W090°05.00' N38°48.83'/W090°50.98' N39°07.00'/W090°20.00' N38°38.00'/W090°17.00' N38°27.00'/W090°12.00' N38°27.50'/W090°05.68' N38°43.00'/W090°12.25'

N40°44.85'/W112°11.22' N40°38.18'/W111°54.23' N40°54.28'/W112°10.15' N40°46.67'/W111°53.25' N40°42.28'/W112°05.92' N40°31.38'/W112°09.00' N41°05.37'/W112°07.17' N40°42.67'/W111°48.10' N41°05.92'/W112°02.27' N41°01.98'/W111°50.30' N40°43.28'/W112°11.88' N40°43.50'/W111°54.22' N40°35.02'/W111°55.58' N40°46.80'/W112°05.80' N40°59.08'/W111°53.57' N41°11.50'/W111°57.08' N40°48.50'/W111°53.37' N41°01.67'/W112°02.47' N40°50.15'/W111°54.90' N41°03.57'/W112°14.23' N41°13.13'/W112°00.45' N41°20.38'/W112°02.78' N40°29.88'/W111°53.62' N41°12.28'/W112°25.73' N40°27.42'/W111°54.83' N40°18.77'/W111°39.45' N40°48.48'/W112°00.33' N40°45.83'/W111°54.85' N40°50.93'/W112°10.92' N41°08.17'/W111°54.83' N40°38.00'/W112°03.33'

SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

| VPAIR | SALTAIR |
|-------|-------------------------|
| VPBEE | SOUTH INTERCHANGE |
| VPBRN | BARN |
| VPCAP | STATE CAPITOL |
| VPCHS | |
| VPCOP | BINGHAM COPPER MINE |
| VPCVI | CENTERVILLE INTERCHANGE |
| VPCWY | CAUSEWAY |
| VPCYN | PARLEYS CANYON |
| VPFPC | FREE PORT CENTER |
| VPFPK | FRANCIS PEAK |
| VPGFS | GARFIELD STACK |
| | |

N40°44.85'/W112°11.22' N40°38.18'/W111°54.23' N40°54.28'/W112°10.15' N40°46.67'/W111°53.25' N40°42.28'/W112°05.92' N40°31.38'/W112°09.00' N40°55.30'/W111°53.43' N41°05.37'/W112°07.17' N40°42.67'/W111°48.10' N41°05.92'/W112°02.27' N41°01.98'/W111°50.30' N40°43.28'/W112°11.88'

| WAYPOINT IDENT | COLLOCATED VFR CHECKPOINT | LOCATION |
|----------------|----------------------------------|------------------------|
| VPHVE | SPAGHETTI BOWL | N40°43.50'/W111°54.22' |
| VPJRT | JORDAN RIVER TEMPLE | N40°35.02′/W111°55.58′ |
| VPKSL | | |
| VPKSL | | N40°46.80′/W112°05.80′ |
| | LAGOON AMUSEMENT PARK | N40°59.08'/W111°53.57' |
| VPMDH | MCKAY DEE HOSPITAL | N41°11.50′/W111°57.08′ |
| VPMMT | MICROWAVE TOWERS | N40°48.50′/W111°53.37′ |
| VPMSH | | N41°01.67′/W112°02.47′ |
| VPNSL | | N40°50.15′/W111°54.90′ |
| VPNTP | | N41°03.57'/W112°14.23' |
| VPOGE | GRAIN ELEVATOR | N41°13.13'/W112°00.45' |
| VPOPS | POWER STATION | N41°20.38'/W112°02.78' |
| VPPEN | STATE PRISON | N40°29.88'/W111°53.62' |
| VPPPT | PROMONTORY POINT | N41°12.28'/W112°25.73' |
| VPPTM | POINT OF THE MOUNTAIN | N40°27.42'/W111°54.83' |
| VPPVO | PROVO CANYON | N40°18.77'/W111°39.45' |
| VPRWY | | N40°48.48'/W112°00.33' |
| VPSLC | I-15/I-80 INTERCHANGE | N40°45.83'/W111°54.85' |
| VPTIP | SOUTH TIP | N40°50.93'/W112°10.92' |
| VPUOU | U OF U EVENTS CENTER | N40°45.73'/W111°50.28' |
| VPWBR | WEBER CANYON | N41°08.17'/W111°54.83' |
| VPWBT | | N40°38.00'/W112°03.33' |
| VPZOO | HOGLE ZOO | N40°45.00'/W111°48.95' |
| SAN | DIEGO TERMINAL AREA CHART/FLYWAY | CHART |
| VPLDP | DANA POINT | N33°27.62'/W117°42.87' |
| VPLSP | SIGNAL PEAK | N33°36.33'/W117°48.63' |
| VPOCN | | N33°14.15'/W117°26.63' |
| VPSBC | BARONA CASINO | N32°56.25'/W116°52.60' |
| VPSBL | | N33°05.18'/W117°18.55' |
| VPSBM | BLACK MOUNTAIN | N32°58.87'/W117°07.00' |
| VPSCF | | N32°48.55'/W117°09.17' |
| VPSCM | COWLES MOUNTAIN | N32°48.72'/W117°01.97' |
| VPSCP | CRYSTAL PIER | N32°47.77'/W117°15.42' |
| VPSCR | | N32°39.37'/W117°07.30' |
| VPSFB | IRON MOUNTAIN | N32°58.25'/W116°57.33' |
| VPSLJ | LAKE JENNINGS | N32°51.53'/W116°53.28' |
| VPSMB | | N32°45.57′/W117°12.22′ |
| VPSMP | | N33°22.70′/W117°36.75′ |
| VPSMS | MOUNT SOLEDAD | N32°50.40'/W117°15.10' |
| VPSMV | | N32°45.75'/W117°09.80' |
| VPSMW | MOUNT WOODSON | N33°00.52'/W116°58.23' |
| VPSOP | OTAY MESA PRISON | N32°35.82'/W116°55.28' |
| VPSOT | LOWER OTAY LAKE | N32°37.73'/W116°55.38' |
| VPSPL | SOUTH POINT LOMA | N32°39.90′/W117°14.55′ |
| VPSPP | POWER PLANT | N33°08.25′/W117°20.23′ |
| VPSQS | QUALCOMM STADIUM | N32°46.98′/W117°07.23′ |
| VPSRT | DEL MAR RACE TRACK | N32°58.58′/W117°15.95′ |
| VPSSM | SAN MIGUEL MOUNTAIN | N32°41.78′/W116°56.18′ |
| VPSSV | SAN MIGDLE MOONTAIN | N32°55.53′/W116°55.00′ |
| VPSTP | TORREY PINES GOLF COURSE | N32°54.17′/W117°14.68′ |
| VPSVA | | N33°11.48′/W117°16.38′ |
| | | |

SAN FRANCISCO SECTIONAL CHART

VPKBG KINGSBURY GRADE N38°58.75'/ SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

| VPALT | ALTAMONT PASS | N37°44.35 |
|-------|--------------------------|-----------|
| VPANT | ANTIOCH BRIDGE | N38°01.45 |
| VPBBR | BENICIA BRIDGE | N38°02.50 |
| VPCAL | CALAVERAS RESERVOIR | N37°28.16 |
| VPCBT | LAKE CHABOT | N37°43.68 |
| VPCOY | COYOTE HILLS | N37°32.50 |
| VPCQZ | CARQUINEZ BRIDGE | N38°03.66 |
| VPCRL | | N37°11.00 |
| VPCRY | CRYSTAL SPRINGS CAUSEWAY | N37°30.56 |
| | | |

N37°44.35'/W121°35.42' N38°01.45'/W121°45.02' N38°02.50'/W122°07.45' N37°28.16'/W121°48.93' N37°43.68'/W122°05.06' N38°03.66'/W122°05.06' N38°03.66'/W122°13.52' N37°11.00'/W121°41.06' N37°30.56'/W122°21.10'

N38°58.75'/W119°53.20'

388

VPBOV

VPCNY

VPDAD VPDFI VPDUT

VPEAR

VPFFU VPGPE VPHUC

VPKER

VPLEV

VPLJA

VFR WAYPOINTS

| VPDUB VPEMB | DUBLIN | N37°42.06'/W121°55.36' |
|----------------|---------------------------|------------------------|
| | | NS/ 42.00 / WIZI 55.30 |
| | EMBASSY SUITES | N37°26.05'/W121°53.83' |
| WAYPOINT IDENT | COLLOCATED VFR CHECKPOINT | LOCATION |
| VPCSH | CAL STATE UNIVERSITY | N37°39.52'/W122°03.52' |
| VPDAM | DEL VALLE DAM | N37°36.91'/W121°44.78' |
| VPDLR | | N37°07.00'/W121°47.06' |
| VPDUB | DUBLIN | N37°42.06'/W121°55.36' |
| VPEMB | EMBASSY SUITES | N37°26.05'/W121°53.83' |
| VPGGF | GOLDEN GATE FIELDS | N37°53.07'/W122°18.71' |
| VPGIL | GILROY | N37°01.37'/W121°33.99' |
| VPHHH | HAMILTON | N38°03.58'/W122°30.66' |
| VPKGO | KGO | N37°31.58'/W122°06.10' |
| VPLEX | LEXINGTON RESERVOIR | N37°11.66'/W121°59.18' |
| VPMID | MID-SPAN SAN MATEO BRIDGE | N37°36.28'/W122°11.81' |
| VPMOR | MORMON TEMPLE | N37°48.46'/W122°11.95' |
| VPNUM | NUMMI PLANT | N37°29.56'/W121°56.58' |
| VPPAC | | N37°38.00'/W122°32.07' |
| VPPRU | PRUNEYARD | N37°17.33'/W121°56.01' |
| VPSAR | SARATOGA | N37°15.26'/W122°02.33' |
| VPSLA | SLAC/LINEAR ACCELERATOR | N37°24.75'/W122°14.35' |
| VPSTB | STINSON BEACH | N37°54.45'/W122°40.41' |
| VPSUN | SUNOL GOLF COURSE | N37°34.85'/W121°53.23' |
| VPUTC | U.T.C. | N37°13.93'/W121°41.35' |
| VPWAL | WALNUT CREEK | N37°53.78'/W122°04.30' |
| VPWAM | | N37°30.28'/W122°10.00' |
| VPWFR | CEMENT PLANT | N37°30.88'/W122°12.26' |

| | N27°57.00'/W080°46.75' |
|------------------|------------------------|
| | N28°30.00'/W080°45.00' |
| DADE CITY | N28°22.57'/W082°11.25' |
| | N29°00.17'/W081°20.85' |
| | N27°37.70'/W082°09.10' |
| CLEARWATER BEACH | N27°58.67'/W082°49.83' |
| | N28°57.08'/W081°00.33' |
| ST PETE BEACH | N27°43.50'/W082°44.67' |
| | N28°19.87'/W082°43.77' |
| LAKE PARKER | N28°04.00'/W081°56.00' |
| | N28°48.00'/W080°52.00' |
| | N29°00.00'/W080°51.00' |
| WASHINGTON SEC | TIONAL CHART |

| VPACE | N38°07.82'/W076°48.75' |
|-------|----------------------------|
| VPAXI | N38°34.57'/W076°20.38' |
| VPBRA | N36°13.75′/W076°08.08′ |
| VPGCE | N36°03.90'/W076°36.42' |
| VPWZO | N36°00.87'/W075°40.07' |

VOR RECEIVER CHECK VOR RECEIVER CHECKPOINTS AND VOR TEST FACILITIES (VOT)

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300) or (1000–3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

ARIZONA VOR RECEIVER CHECKPOINTS

| | | Туре | | | |
|--|------------|--------|---------|-------|--|
| | | Check | Azimuth | Dist. | |
| | | Pt. | from | from | |
| | | Gnd. | Fac. | Fac. | |
| Facility Name (Arpt Name) | Freq/Ident | AB/ALT | Mag. | N.M. | Checkpoint Description |
| Bard | 116.8/BZA | A/2000 | 242 | 5.9 | Over interstate 8 freeway crossing canal. |
| Drake (Ernest A. Love Fld) | 114.1/DRK | A/7000 | 124 | 5.0 | Over apch end Rwy 30. |
| Flagstaff (Pulliam) | 113.85/FLG | A/8000 | 033 | 6.5 | Over red and white square twr. |
| Fort Huachuca (Sierra Vista Muni/Libby AAF) | 113.6/FHU | G | 80 | | Runup area Twy G at 26 end. |
| Kingman (Kingman) | 108.8/IGM | G | 220 | 1.0 | Center of runup area apch end Rwy 03. |
| Phoenix-Mesa Gateway | 113.3/IWA | G | 299 | 1.4 | On Twy G between Rwy 12R and Rwy 12C. |
| Tucson (Tucson Intl) | 116.0/TUS | G | 318 | 0.7 | On runup pad northeast of Twy A17. |
| Willie (Phoenix-Mesa Gateway) | 113.3/IWA | G | 124 | 0.6 | On Twy P runup area Rwy 30C. |
| Winslow (Winslow-Lindbergh Rgnl) | 112.6/INW | A/6000 | 106 | 5.0 | Over apch end Rwy 29. |

VOR TEST FACILITIES (VOT)

| Facility Name (Airport Name) | Freq. | Type, VOT Facility | Remarks |
|---------------------------------|-------|-----------------------|---------|
| Phoenix Sky Harbor Intl | 109.0 | G | |
| Prescott (Ernest A Love Eld) | 110.0 | G | |

CALIFORNIA VOR RECEIVER CHECKPOINTS

| | | Туре | | | |
|---|------------|--------|---------|-------|--|
| | | Check | Azimuth | Dist. | |
| | | Pt. | from | from | |
| | | Gnd. | Fac. | Fac. | |
| Facility Name (Airport Name) | Freq/Ident | AB/ALT | Mag. | N.M. | Checkpoint Description |
| Arcata (Arcata) | 110.2/ACV | G | 148 | 0.7 | On runup area apch end Rwy 32. |
| Chico (Chico Muni) | 109.8/CIC | G | 302 | 1.1 | On north runup area. |
| Clovis (Fresno Yosemite Intl) | 112.9/CZQ | A/1400 | 130 | 7.2 | Over apch end Rwy 11L. |
| Compton Woodley | 113.6/LAX | A/1000 | 091 | 10.0 | Over apch end Rwy 25L. |
| Concord (Buchanan Field) | 117.0/CCR | A/1200 | 172 | | Over apch end Rwy 19L. |
| Daggett (Barstow–Daggett) | 113.2/DAG | A/2800 | 223 | 11.7 | Over apch end Rwy 22. |
| El Nido (Merced Muni/Macready Fld) | 114.2/HYP | A/1200 | 290 | | Over apch end Rwy 30. |
| Fortuna (Murray Fld) | 114.0/FOT | A/1500 | 015 | 9.6 | Over Rwy apch end 11. |
| Fortuna (Rohnerville) | 114.0/FOT | A/1400 | 130 | 8.2 | Over apch end Rwy 11. |
| Guadalupe (Santa Maria Pub/Capt G Allan | | | | | |
| Hancock Fld) | 111.0/GLJ | A/1200 | 118 | | Over apch end Rwy 30. |
| Imperial (Imperial County) | 115.9/IPL | A/1500 | 313 | 5.7 | Over apch end Rwy 32. |
| Lake Hughes (General Wm J. Fox | | | | | |
| Airfield) | 108.4/LHS | G | 065 | 18.1 | On the main ramp at east terminal gas pit. |

VOR RECEIVER CHECK

| | | Type Check Pt. Gnd. | Azimuth from Fac. | Dist. from Fac. | |
|--|------------|------------------------------|-------------------------|-----------------------|--|
| Facility Name (Airport Name) | Freq/Ident | AB/ALT | Mag. | N.M. | Checkpoint Description |
| | | | - | | |
| Maxwell (Willows-Glenn County) | 110.0/MXW | A/1200 | 342 | 11.5 | Over apch end Rwy 34. |
| Modesto | | | | | |
| (Modesto City-Co-Harry Sham Fld) | 114.6/MOD | G | 093 | 0.6 | On ramp area next to intersection of Taxiways A and A1. |
| Oakland (Metropolitan Oakland Intl) | 116.8/0AK | G | 081 | 0.9 | On runup pad end of Rwys 27R and 27L. |
| Palmdale (General Wm. J. Fox Airfield) | 114.5/PMD | A/5000 | 296 | 10.1 | Over center taxiway/runway intersection. |
| Paradise (Ontario Intl) | 112.2/PDZ | G | 320 | 8.9 | Intersection of Twy Q, Twy P and Rwy 26L. |
| Paso Robles (Paso Robles Muni) | 114.3/PRB | G | 247 | 0.4 | Transient parking ramp front of terminal. |
| Placerville (Placerville) | 115.5/HNW | A/5200 | 076 | 8.7 | Dam on west end of lake. |
| Pomona (Cable) | 110.4/POM | A/3500 | 053 | 5.1 | Over apch end of Rwy 06. |
| Red Bluff | 115.7/RBL | A/1500 | 358 | 5.8 | Over the center of Red |
| | | | | | Bluff Fairgrounds Race Track. |
| Redding (Redding Muni) | 108.4/RDD | G | 310 | 0.5 | On runup area apch end Rwy 12. |
| Sacramento (McClellan Airfield) | 109.2/MCC | G | 358 | .9 | On Taxiway at end of Rwy 16. |
| | 109.2/MCC | G | 015 | 0.4 | On Taxiway B. |
| Sacramento (Sacramento Executive) | 115.2/SAC | A/1000 | 016 | 4.4 | Over apch end Rwy 02. |
| Salinas (Salinas Muni) | 117.3/SNS | G | 247 | 0.4 | Intersection of twys C and D. |
| San Francisco (San Francisco Intl) | 115.8/SFO | A/1800 | 153 | 6.7 | Over Crystal Springs causway 5 NM west of San Carlos arpt. |
| San Jose (Norman Y. Mineta San Jose Intl). | 114.1/SJC | G | 123 | 1.7 | On Twy B and runup area Rwy 30L. |
| San Jose (Norman Y. Mineta San Jose Intl). | 114.1/SJC | G | 132 | 0.6 | Twy V abeam Twy J. |
| Santa Barbara | 114.9/RZS | A/2000 | 279 | 11 | Over Lake Cachuma Dam spillway. |
| Santa Barbara (Santa Barbara Muni) | 114.9/RZS | G | 197 | 5.8 | At intersection of Taxiway D and H. |
| Santa Rosa (Charles M. Schulz-Sonoma Co) | 113.0/STS | A/2000 | 323 | 5.9 | River bridge on Highway 101. |
| | 113.0/STS | G | 121 | | .5 NM runup Rwy 32. |
| | 113.0/STS | G | 344 | | .4 NM runup Rwy 14. |
| Scaggs Island (Napa County) | 112.1/SGD | A/1000 | 047 | 5.4 | Over rotating beacon. |
| Thermal (Jacqueline Cochran Rgnl) | 116.2/TRM | G | 329 | 0.3 | On centerline of twy 375' in front of hangar. |
| Van Nuys | 113.1/VNY | G | 169 | 0.5 | At intersection of Twy D and Twy A. |
| | 113.1/VNY | G | 161 | 1.6 | On West runup area rwy 34L. |
| | 113.1/VNY | G | 142 | 0.4 | Runup area Rwy 16L. |
| Ventura (Camarillo) | 108.2/VTU | G | 330 | 6.1 | Runup Rwy 26. |
| | 108.2/VTU | G | 320 | 6.5 | Runup Rwy 08. |
| Ventura (Oxnard) | 108.2/VTU | G | 289 | 9.0 | On parallel Twy W of Rwy 25 runup area. |
| Visalia (Visalia Muni) | 109.4/VIS | A/1300 | 107 | 5.0 | Over apch end rwy 12. |
| Woodside (Hayward Executive) | 113.9/0SI | G | 009 | | Runup area Rwy 28L. |
| Woodside (San Carlos) | 113.9/0SI | A/2000 | 355 | 7.2 | Over Rwy 30 numbers. |
| | | | | | |

VOR RECEIVER CHECK VOR TEST FACILITIES (VOT)

| Facility Name | | Type, VOT | |
|--|-------|-----------|--|
| (Airport Name) | Freq. | Facility | Remarks |
| Bakersfield | 111.2 | G | |
| Hawthorne (Jack Northrop Fld/Hawthorne Muni) | 113.9 | G | Unusable on south taxiway. |
| Long Beach (Daugherty Field) | 113.9 | G | Unusable all areas except runup Rwy 25L at Taxiway J, runup Rwy 25R. |
| Los Angeles Intl | 113.9 | G | Unusable all areas except intersection of Twys A at G runup Rwy 25L at Twy F and intersection of Twy C at N. |
| Sacramento Executive | 111.4 | G | |
| Sacramento Intl | 111.4 | G | |
| San Diego (EL Cajon) (Gillespie Fld) | 110.0 | G | |
| San Diego (Mount Solead) (San Diego Intl) | 109.0 | G | Unusable all areas except runup area Rwy 27. |
| San Diego (Montgomery) | 109.0 | G | Unusable all areas except runup areas for Rwys 05 and 28L. |
| San Francisco Intl | 111.0 | G | |
| Santa Ana (John Wayne Airport/Orange Co) | 110.0 | G | |
| Santa Monica Muni | 113.9 | G | Unusable all areas except runup areas for Rwys 03 and 21. |
| Torrance (Zamperini Fld) | 113.9 | G | und 22. |

COLORADO VOR RECEIVER CHECKPOINTS

| Facility Name (Airport Name) | Freq/Ident | Type Check Pt. Gnd. AB/ALT | Azimuth from Fac. Mag. | Dist. from Fac. N.M. | Checkpoint Description |
|--------------------------------------|------------|--|---------------------------------|-------------------------------|--|
| Akron | 114.4/AKO | A/6000 | 179 | 7.0 | Over lgtd twr. |
| Cortez (Cortez Muni) | 108.4/CEZ | A/7000 | 196 | | Over apch end rwy 21. |
| Denver (Rocky Mountain Metropolitan) | 115.4/BJC | G | 060 | 0.6 | Runup area at Alpha 17. |
| Hayden (Craig-Moffat) | 115.6/CHE | A/7200 | 248 | 9.6 | Over apch end rwy 25. |
| Pueblo (Pueblo Memorial) | 116.7/PUB | G | 249 | 3.8 | On painted circle with arrow on runup pad S side apch end rwy 08L. |
| | 116.7/PUB | A/7300 | 294 | 7.8 | Over KOAA TV twr, 5.4 NM |

VOR TEST FACILITIES (VOT)

of arpt.

| Facility Name | | Type, VOT | | | |
|---------------------------------|-------|-----------|--|--|--|
| (Airport Name) | Freq. | Facility | Remarks | | |
| Centennial | 108.2 | G | VOT unusable east of Twy | | |
| (City of Colorado Springs Muni) | 110.4 | G | C-4. | | |
| Denver International | 110.0 | G | VOT unusable in terminal area N of Twy AA to Twy BN and W Twy L to Twy F. | | |

VOR RECEIVER CHECK NEVADA VOR RECEIVER CHECKPOINTS

| | | Туре | | | |
|--------------------------------|------------|--------|---------|-------|----------------------------|
| | | Check | Azimuth | Dist. | |
| | | Pt. | from | from | |
| | | Gnd. | Fac. | Fac. | |
| Facility Name (Airport Name) | Freq/Ident | AB/ALT | Mag. | N.M. | Checkpoint Description |
| Bullion (Elko Rgnl) | 114.5/BQU | A/7000 | 343 | 5.1 | Over center of race track. |
| Ely (Ely Arpt/Yelland Fld) | 110.6/ELY | G | 059 | | Intersection of Twy A and |
| | | | | | Twy B. |
| Mustang (Reno/Stead) | 117.9/FMG | A/7000 | 291 | 12.8 | Over atct. |
| Wells (Wells Muni/Harriet Fld) | 114.2/LWL | A/7000 | 286 | 8.3 | Over radio twr. |
| Winnemucca Muni | 108.2/INA | A/6000 | 024 | 6.5 | Over highway bridge |
| | | | | | crossing railroad tracks. |
| | 108.2/INA | G | 134 | .8 | Runup area Rwy 32. |

VOR TEST FACILITIES (VOT)

| Facility Name | | Type, VOT | |
|-----------------------------|-------|-----------|---------|
| (Airport Name) | Freq. | Facility | Remarks |
| Las Vegas (North Las Vegas) | 108.2 | G | |

Las Vegas (North Las Vegas)..... 108.2

NEW MEXICO

VOR RECEIVER CHECKPOINTS

| | | Туре | Azimuth | Dist. | |
|--|------------|-----------|---------|-------|--|
| | | Check Pt. | from | from | |
| | | Gnd. | Fac. | Fac. | |
| Facility Name (Airport Name) | Freq/Ident | AB/ALT | Mag. | N.M. | Checkpoint Description |
| Carlsbad (Carlsbad City Air Terminal) | 116.3/CNM | G | 333 | 5.4 | On Twy A in front of fire department. |
| Hobbs (Lea County Rgnl) | 111.0/HOB | G | 030 | 3.5 | On runup pad apch end Rwy 03. |
| Las Vegas (Las Vegas Muni) | 117.3/LVS | A/8500 | 233 | 6.0 | Over yellow water tank. |
| Roswell (Roswell Intl Air Center) | 116.1/CME | G | 100 | 5.2 | On middle of W ramp adjacent to twy. |
| Santa Fe (Santa Fe County Muni) | 110.6/SAF | G | 334 | 4.7 | At junction main intersection of twy and ramp. (Checkpoint unusable). |
| Silver City (Grant Co) | 110.8/SVC | G | 100 | 0.9 | Twy entrance to Rwy 26 just west of approach end. |
| Texico (Clovis Muni) | 112.2/TX0 | A/6000 | 240 | 12.7 | Over rotating beacon on steel twr adjacent to terminal bldg. |
| Truth or Consequences (Truth or Consequences Muni) | 112.7/TCS | G | 155 | 3.2 | On Twy A 2000' from AER 31. |
| Tucumcari (Tucumcari Muni) | 113.6/TCC | G | 258 | 0.5 | 100' in front of terminal on twy. |

VOR TEST FACILITIES (VOT)

| Facility Name | | Type, VOT | |
|---------------------------|-------|-----------|---------|
| (Airport Name) | Freq. | Facility | Remarks |
| | | | |
| Albuquerque Intl. Sunport | 111.0 | G | |

VOR RECEIVER CHECK UTAH

VOR RECEIVER CHECKPOINTS

| | | Type Check Pt. | Azimuth from | Dist. from | |
|--|------------|----------------------------|-------------------|-------------------|--|
| Facility Name (Airport Name) | Freq/Ident | Gnd. AB/ALT | Fac. Mag. | Fac. N.M. | Checkpoint Description |
| Cedar City (Cedar City Rgnl) Delta (Delta Muni) Vernal (Vernal Rgnl) | 116.1/DTA | A/6500 A/6000 A/8000 | 177 346 021 | 4.7 5.3 6.5 | Over apch end Rwy 20. Over apch end of Rwy 17. Over towers on knoll. |

VOR TEST FACILITIES (VOT)

| Facility Name (Airport Name) | Freq. | Type, VOT Facility | Remarks |
|---------------------------------|-------|-----------------------|---------|
| Salt Lake City Intl | 111.0 | G | |

PARACHUTE JUMPING AREAS

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

(1) Been in operation for at least 1 year.

(2) Operate year round (at least on weekends).

(3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

| LOCATION | DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC | MAXIMUM ALTITUDE | REMARKS |
|---|--|---------------------|--|
| | ARIZONA | | |
| (c) Buckeye Muni | | 14,000 | Daily SR–2 hours after SS. 2 NM radius. |
| (c) Bullhead City, Eagle Airpark | | 15,000 | 3 NM Daily 0645-1835 |
| (c) Casa Grande Muni | | 12,000 | 2 NM Daily 0600-1700. |
| (c) Coolidge Muni | 25 NM; 070° Stanfield | 17,999 | 15 NM radius, daily. High altitude, full canopy, free fall, and low level combat parachute jumping. Large military transports in vicinity of arpt. |
| (c) Cottonwood Arpt | 22.1 NM; 072° Drake | 14,000 | Continuous during dalgt hrs. Albuquerque Center 124.5 |
| (c) Eloy Muni | 17 NM; 094° Stanfield | 17,500 | 4 NM radius. Daily SR-2 hours |
| | | | after SS (ctc UNICOM for PAJA |
| | | | advisories. Landing area ¼ mile E |
| | | | of rwy centerline). |
| (c) Estrella Sailport | | 14,000 | 1 NM radius. Daily SR-SS. |
| Kingman Arpt (c) Laguna AAF/Yuma Proving | _ | 12,000 | 5 NM radius, daily SR-SS. |
| | 11.8 NM; 048° Bard | 25,000 | Continuous 24 hrs. 5 NM radius, Laguna AAF Control Zone. |
| (c) Marana Rgnl | 25 NM; 308° Tucson | 17,999 | 15 NM radius, Continuous. Tucson Tower 125.1 |
| (c) Marana, Pinal Airpark | 33 NM; 308° Tucson | 25,000 | 15 NM radius, Continuous. |
| | CALIFORNIA | | |
| Apple Valley Arpt | | 15,000 | 2 NM radius, daily SR-SS. |
| (c) Brickland's Ranch | | 3,900 | 3 NM radius, May 1 thru Nov 1 yearly. |
| (c) Byron Arpt | 23 NM: 250° Manteca | 15,000 | Daily SR–SS |
| (c) California City Muni Arpt | | 17,500 | Daily SR-SS. |
| (c) Camarillo Arpt | 8.4 NM; 000° Ventura | 14,000 | 2 NM radius, usually blo 10,000', SR–SS; Listen for 1-minute call on Camarillo Twr freg. |
| (c) Cloverdale Muni Arpt | 18 NM; 316° Santa Rosa | 12,500 | 1 NM radius, Mon-Sun 0800-2100. |
| (c) Davis/Woodland/Winters, | | | |
| Yolo Co | 16.5 NM; 283° Sacramento | 13,500 | 3 NM radius, daily SR-2300. |
| (c) Fall River Mills Arpt | | 8,700 | 2 NM radius, daily May 1–Nov 30. |
| (c) Hemet/Diamond Valley | 12.5 NM; 107° Homeland | 14,000 | 3 NM radius. Wed-Fri 0900-SS. Sat-Sun 0800-SS, other days and times by request. |
| (c) Hollister Muni | 16.6 NM; 017° Salinas | 17,999 | 1 NM. Daily, all hours. Oakland Center 128.7 |
| (c) Lake Elsinore, Skylark Fld | | 14,000 | 1 NM radius, 0800-SS daily |
| (c) Lincoln Rgnl/Karl Harder Fld. | | 15,000 | Daily 0800–SR |
| (c) Lodi Arpt | 15 NM; 285° Linden | 15,000 | Continuous 24 hrs. 1 NM radius. Other altitudes by notam. |
| Lompoc Arpt | 20 NM; 277° Gaviota | 15,000 | 4 NM radius, Thu-Mon SR-SS. |
| (c) Lompoc | 14 NM; 284° Gaviota | 17,999 | 1 NM radius, daily 1600-0400. |

PARACHUTE JUMPING AREAS

| LOCATION (c) Los Alamitos AAF | DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC At field | MAXIMUM ALTITUDE 1,500 AGL | W |
|---|---|---|----------------------------------|
| (c) Madera Muni Arpt | 15.2 NM; 277° Clovis | 15,000 | we 3 |
| (c) Marina Muni Murrieta, Bear Creek Arpt | 7.6 NM; 259° Salinas 13 NM; 178° Homeland | 12,500 11,500 | S8 SF 1 08 |
| (c) Oro Loma, Eagle Fld Palm Springs | 12 NM; 010° Panoche 12 NM; 130° Palm Springs | 12,500 14,000 | 06 2 1 SL |
| (c) Paradise Skypark Arpt (c) Perris Valley Arpt (c) Salinas, Davis Road Drop | 12 NM; 097° Chico 1 NM; 220° Homeland 6 NM; 235° Salinas | 14,500 14,500 18,000 | Da Da 1 |
| Zone (c) San Diego, Brown Fld Muni (c) San Diego, Leon Drop Zone | 2.3 NM 157° Poggi 11.5 NM; 192° Mission Bay | 14,000 2,800 | 2 Co ab |
| (c) San Diego, Otay Reservoir(c) San Diego, South Bay | | 5,800 2,800 | up er 1N Da ab re |
| (c) San Diego, Trident Santa Maria (c) Santa Ynez (c) Slate Creek | 5 NM; 111° Poggi 5 NM; 021° Guadalupe 8 NM; 293° Gaviota 30 NM; 323° Redding | 15,000 12,500 AGL 17,999 5,500 | er Da 09 1 3 |
| (c) Taft Drop Zone | 25.7 NM; 197° Shafter | 13,000 | ye 1 |
| (c) Taft-Kern Co Arpt | 21 NM; 066° Fellows | 13,000 | ni 2 oc |
| (c) Tres Pinos Drop Zone (c) Twentynine Palms | 16 NM; 045° Salinas 12 NM; 265° Twentynine Palms . | 12,500 12,500 | 1 1 ar |
| (c) Wilton Drop Zone | 17.5 NM; 080° Sacramento | 1,500 AGL | H۱ |
| N N N | COLORADO | | _ |
| C) Brush Muni | 9 NM; 328° Jeffco | 18,000 | 2 2 |
| (c) Calhan Arpt | 19.6 NM 277° Akron 17NM; 057° Black Forrest | 17,700 17,500 | 2 |
| (c) Canon City, Fremont County Arpt | 32.9 NM; 271° Pueblo | 17,500 | af 2 06 |
| (c) Colorado Springs, USAF Academy Airstrip (c) Fort Collins/Loveland Muni | 9 NM; 266° Black Forrest | 17,500 | Da |
| Arpt Greeley, Skydive the Farm (c) Hugo, Kelly Drop Zone | 19.5 NM; 248° Gill 16 NM; 308° Gill 10 NM; 254° Hugo | 17,500 14,500 8,000 | 3 2 2 pa |
| (c) Longmont, Vance Brand Arpt | 15 NM; 346° Jeffco | 17,900 | du 2 |
| (c) Trinidad, Pinon Drop Zone | 28 NM; 279° Tobe | 8,000 | SS 2 pa du |

| I | DEMARKO |
|---|---|
| | REMARKS Weekends and occasional |
| | weekdays |
| | 3 NM radius. Daily SR-1 hour after SS. |
| | SR–SS Sat and Sun |
| | 1 NM radius. Mon-Fri |
| | 0800-sunset, Sat-Sun 0630-sunset. |
| | 2 NM radius, Fri-Sun. |
| | 1 NM radius. Daily sunrise to |
| | sunset. Daily, 0800-SS. |
| | Daily SR–SS |
| | 1 NM radius, Daily 0500-1900 |
| | 2 NM radius. Mon-Fri 0800-1800. Continuous. 1NM radius. Altitudes above 2800-15000 MSL avbl upon request, (ctc SOCAL prior to |
| | entering Terminal Control Area). |
| | 1NM radius. Daily SR–SS. Daily SR–SS. 1NM radius altitudes |
| | above 2800–3300 MSL avbl upon |
| | request, (ctc SOCAL prior to |
| | entering Terminal Control Area). Daily SR–SS. 1NM radius |
| L | 0900–SS, Sat, Sun and holidays |
| | 1 NM radius, daily 1600–0400. 3 NM radius. May 1 thru Nov 1 |
| | yearly. |
| | 1 NM radius. SR–SS, occasional night jumps by NOTAM. |
| | 2 NM radius. Daily SR–SS, |
| | occasional ngt jumps by NOTAM. |
| | 1 NM radius. Daily SR–SS. 1 NM radius, 0900–SS, Sat, Sun, |
| | and holidays. |
| - | Hvy equip, paratroopers. |
| | 2 NM radius. Daylight hrs. |
| | 2 NM radius, Dayight Ins. 2 NM radius, Daily 0800–SS. |
| | 2 NM radius, 1hr before SR- 1 hr |
| | after SS daily. 2 NM radius. Weekends |
| | 0600–2100. |
| | Daily SR-SS occasionally til 2200. |
| | 3 NM Wed–Sun SR–1 hr after SS. 2 NM radius. Fri–Sun 0800–SS. 2 NM radius. Heavy equipment paratroopers possible jumps during IFR/marginal VFR. 2 NM radius. Daily SR–2 hrs after |
| | SS. |
| | 2 NM radius. Heavy equipment paratroopers possible jumps |
| | during IFR/marginal VFR. |
| | |

PARACHUTE JUMPING AREAS

MAXIMUM

ALTITUDE

LOCATION

DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC

REMARKS

NEVADA

| (c) Boulder City Arpt. (c) El Dorado Jump Zone Indian Springs AF Aux Arpt. (c) Jean Drop Zone (c) Mesquite Arpt. (c) Nelsia FB, Gunfighter Drop | 3 NM; 164° Boulder City 7 NM; 195° Boulder City 38 NM; 304° Las Vegas 24.1 NM; 191° Las Vegas 11.4 NM; 054° Mormon Mesa | 17,000 17,000 10,000 15,000 17,500 | 0.5 NM radius. Daily SR-SS. 0.5 NM radius. Daily, SR-SS. 5 NM radius. Daily SR-SS. 1 NM radius. Daily SR-SS. 2 NM radius. Continuous SR-SS. |
|---|---|--|---|
| Zone | 12.7 NM; 25° Las Vegas | 17,500 AGL | 1.3 NM east of rwys. SR–SS Sat–Sun. Other times by NOTAM. |
| (c) Pahrump Reno/Stead Arpt (c) Tonopah Arpt | 49 NM; 126° Beatty 15 NM; 292° Mustang 10 NM; 270° Tonopah | 12,500 14,000 10,000 | Tue–Sun SR–SS 1.0 NM radius. Daily SR–SS. 1 NM radius. Daily SR–SS. |
| | NEW MEXICO | | |
| Albuquerque | | 18,000 17.000 | Weekends and holidays SR-SS weekends. |
| (c) Belen, Alexander Muni (c) Santa Teresa, Dona Ana Co at | | 16,000 | 1 NM radius. Daily SR-SS. |
| Santa Teresa Arpt | 22 NM; 268° El Paso | 13,000 | 1 NM radius. SR–SS Sat–Sun. S side of arpt. |
| | UTAH | | |
| (c) Cedar Fort, Cedar Valley | | | |
| Arpt | 6.5 NM; 313° Fairfield | 17,500 | 3 NM radius. Daily SR-2300. |
| Goshen Wells, Cedar Valley (c) Hurricane, General Dick Stout | 4 NM; 270° Fairfield | 10,000 | 0.25 NM radius. Occasional use |
| Fld | 15 NM; 060° St George | 15,000 | 1 NM radius. Daily SR-SS. |
| Logan, Logan-Cache Arpt | 7.2 NM; 051° Brigham City | 15,000 | 0.5 NM radius 0900–sunset. Weekends and Holidays. |
| (c) Ogden-Hinckley | 5 NM; 085° Ogden | 17,999 | 2 NM radius. Daily SR–SS. NE corner Ogden Arpt. |
| (c) Bolinder Fld–Tooele Valley Arpt | 24 NM; 215° Wasatch | 17,000 | 2 NM radius. Daily 1300-0600. |

AERONAUTICAL CHART BULLETIN

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

ALBUQUERQUE SECTIONAL 84th Edition, 22 Oct 2009

OBSTRUCTIONS 22 Oct 2009 – 8 Apr 2010 No Major Changes. AIRPORTS 22 Oct 2009 – 8 Apr 2010 No Major Changes. NAVAIDS 22 Oct 2009 – 8 Apr 2010 No Major Changes. AIRSPACE 22 Oct 2009 – 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 22 Oct 2009 – 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 22 Oct 2009 – 8 Apr 2010 No Major Changes. MISCELLANEOUS 22 Oct 2009 – 8 Apr 2010 No Major Changes.

CG-19 WORLD AERONAUTICAL CHART 39th Edition, 4 Jun 2009

OBSTRUCTIONS 2 Jul 2009 - 8 Apr 2010 No Major Changes. AIRPORTS 2 Jul 2009 Add arpt elev 1071, lighting code *L, runway length 71 and unicom at GLENDALE arpt, 33°31'36"N, 112°17'42"W 27 Aug 2009 - 8 Apr 2010 No Major Changes. NAVAIDs 2 Jul 2009 - 8 Apr 2010 No Major Changes. AIRSPACE 2 Jul 2009 - 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 2 Jul 2009 - 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 2 Jul 2009 - 8 Apr 2010 No Major Changes. MISCELLANEOUS 2 Jul 2009 - 8 Apr 2010 No Major Changes.

CHEYENNE SECTIONAL 81st Edition, 14 Jan 2010

OBSTRUCTIONS

11 Feb 2010 Add obst 4844'MSL (350'AGL)UC, 40°21'23"N, 104°08'48"W. Add obst 6184'MSL (390'AGL)UC, 43°02'26'N, 105°58'50"W. **8 Apr 2010** Add obst 5024'MSL (367'AGL)UC, 44°11'51"N, 106°16'13"W. Add windmill farm. 7643' UC is highest MSL, 41°39'33"N, 106°03'26"W. Add windmill farm. 6269' UC is highest MSL, 43°01'45"N, 106°00'03"W. Add obst 4749'MSL (500'AGL)UC, 44°02'17"N, 105°27'34"W. Add obst 2485'MSL (306'AGL)UC, 44°02'17"N, 101°41'15"W. Add obst 7189'MSL (270'AGL)UC, 41°40'47"N, 107°03'49"W. Add obst 7832'MSL (300'AGL)UC, 41°31'41"N, 107°03'49"W. Add obst 8603'MSL (270'AGL)UC, 41°31'41"N, 107°21'18"W. Add obst 5591'MSL (389'AGL)UC, 42°53'04"N, 106°13'59"W. Add obst 5591'MSL (300'AGL)UC, 41°08'21"N, 105°01'30"W. Add obst 4489'MSL (300'AGL)UC, 41°31'41"N, 107°21'48"W.

AIRPORTS

11 Feb 2010 No Major Changes.

8 Apr 2010 Change CTAF 122.9 to 122.8 at SOUTH BIG HORN CO arpt, 44°31′01″N, 108°04′58″W. NAVAIDS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

AIRSPACE

11 Feb 2010 Revise RIVERTON, WY Class E: That airspace extending upward from 700 feet above the surface within an 8.7-mile radius of the Riverton Regional Airport and within 4 miles each side of the Riverton VOR/DME 291° radial extending from the 8.7-mile radius to 16.6 miles west of the VOR/DME, and within 3.1 miles each side of the Riverton VOR/DME 123° radial extending from the 8.7-mile radius to 10.5 miles southeast of the VOR/DME; that airspace extending upward from 1200 feet above the surface within a 21.8-mile radius of the Riverton VOR/DME within 8.7 miles east and 6.1 miles west of the Riverton VOR/DME is southeast of the VOR/DME; that airspace extending upward from 1200 feet above the surface within a 21.8-mile radius of the Riverton VOR/DME within 8.7 miles east and 6.1 miles west of the Riverton VOR/DME of the Riverton VOR/DME within 8.7 miles east and 6.1 miles west of the Riverton VOR/DME and within 6.1 miles northeast and 12.7 miles southwest of the Riverton VOR/DME 301° radial extending from the 21.8-mile radius to 32.2 miles northwest of the VOR/DME, on the east within an area bounded by a point beginning at 42°56′30″N, 107°59′45″W; to 42°54′53″N, 107°44′31″ W; to 42°42′35″N, 107°53′00″W; to 42°49′00″N, 108°06′00″W; thence to the point of beginning. **8 Apr 2010** No Major Changes.

SPECIAL USE AIRSPACE

11 Feb 2010 - 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

11 Feb 2010 - 8 Apr 2010 No Major Changes.

MISCELLANEOUS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

DENVER SECTIONAL 82nd Edition, 14 Jan 2010

OBSTRUCTIONS

11 Feb 2010 Add obst 6957'MSL (260'AGL)UC, 35°44'25"N, 109°26'49"W. Add obst 5570'MSL (350'AGL)UC, 39°53'07"N, 104°28'50"W. Add obst 5430'MSL (350'AGL)UC, 39°50'33"N, 103°53'05"W. Add obst 5441'MSL (350'AGL)UC, 39°54'44"N, 104°14'34"W. **8 Apr 2010** No Major Changes.

AIRPORTS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

NAVAIDS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

AIRSPACE

11 Feb 2010 No Major Changes.

8 Apr 2010 Revise GRAND JUNCTION, CO Class E5. That airspace extending upward from 700 feet above the surface within 7 miles northwest and 4.3 miles southeast of the Grand Junction VORTAC 247° and 067° radials extending from 11.4 miles southwest to 12.3 miles northeast of the VORTAC, and within 1.8 miles south and 9.2 miles north of the Grand Junction VORTAC 110° radial extending from the VORTAC to 19.2 miles southeast of the VORTAC; that airspace extending upward from 1,200 feet above the surface within a 30.5-miles radius of the Grand Junction VORTAC, within 6.5 miles each side of the Grand Junction VORTAC 166° radial extending from the VORTAC, and within 4.3 miles each side of the Grand Junction VORTAC 166° radial extending from the 30.5-mile radius to 33.1 miles south of the VORTAC, and within 4.3 miles northeast and 4.9 miles southwest of the Grand Junction VORTAC 168° radial extending from the 30.5-mile radius to the Grand Junction ILS localizer northwest course extending from the 30.5-mile radius to the intersection of the Iocalizer northwest course and the Grand Junction VORTAC 188° radial.

SPECIAL USE AIRSPACE

11 Feb 2010 - 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

11 Feb 2010 - 8 Apr 2010 No Major Changes.

MISCELLANEOUS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

DENVER/COLORADO SPRINGS TERMINAL AREA CHART 73rd Edition, 14 Jan 2010

OBSTRUCTIONS

11 Feb 2010 Add obst 4492'MSL (350'AGL)UC, 38°07'04"N, 103°31'00"W. Add obst 4844'MSL (350'AGL)UC, 40°21'23"N, 104°08'48"W. Add obst 5570'MSL (350'AGL)UC, 39°50'33"N, 104°28'50"W. Add obst 5430'MSL (350'AGL)UC, 39°50'33"N, 103°53'05"W. Add obst 5441'MSL (350'AGL)UC, 39°54'44"N, 104°14'34"W. 8 Apr 2010 No Major Changes.

AIRPORTS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

NAVAIDS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

AIRSPACE

11 Feb 2010 - 8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE

11 Feb 2010 - 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

11 Feb 2010 - 8 Apr 2010 No Major Changes.

MISCELLANEOUS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

EL PASO SECTIONAL 84th Edition. 11 Feb 2010

OBSTRUCTIONS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

AIRPORTS

11 Feb 2010 - 8 Apr 2010 No Major Changes.

NAVAIDs

11 Feb 2010 - 8 Apr 2010 No Major Changes.

AIRSPACE

11 Feb 2010 - 8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE

11 Feb 2010 - 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES 11 Feb 2010 – 8 Apr 2010 No Major Changes.

MISCELLANEOUS 11 Feb 2010 – 8 Apr 2010 No Major Changes.

GRAND CANYON VFR AERONAUTICAL CHART 3rd Edition, 19 Apr 2001

OBSTRUCTIONS 17 May 2001 – 8 Apr 2010 No Major Changes. AIRPORTS 5 Jul 2007 Delete TASSI arpt, 36°15′09″N, 113°57′54″W. Delete THE RANCH arpt, 36°00′37″N, 112°17′30″W. 30 Aug 2007 – 8 Apr 2010 No Major Changes. NAVAIDS 17 May 2001 – 8 Apr 2010 No Major Changes. AIRSPACE 17 May 2001 – 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 17 May 2001 – 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 17 May 2001 – 8 Apr 2010 No Major Changes.

MISCELLANEOUS

17 May 2001 Blue Direct North (BDN) west bound route, add 10,500 with a westbound arrow above the 8,500 figure just west of Supal/Diamond Creek Sector boundary.
 12 Jul 2001 – 8 Apr 2010 No Major Changes.

KLAMATH FALLS SECTIONAL 82nd Edition, 8 Apr 2010

OBSTRUCTIONS 8 Apr 2010 No Major Changes. AIRPORTS 8 Apr 2010 No Major Changes. NAVAIDs 8 Apr 2010 No Major Changes. AIRSPACE 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 8 Apr 2010 No Major Changes. MISCELLANEOUS

8 Apr 2010 No Major Changes.

LAS VEGAS SECTIONAL 83rd Edition, 11 Mar 2010

OBSTRUCTIONS

8 Apr 2010 No Major Changes.

AIRPORTS

8 Apr 2010 Change CTAF 122.8 to 123.05 at STOUT arpt, 37°08'20"N, 113°18'23"W.

NAVAIDs

8 Apr 2010 No Major Changes.

AIRSPACE

8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE

8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES 8 Apr 2010 No Major Changes.

MISCELLANEOUS

8 Apr 2010 No Major Changes.

LAS VEGAS TERMINAL AREA CHART 72nd Edition, 11 Mar 2010

OBSTRUCTIONS 8 Apr 2010 No Major Changes.

AIRPORTS 8 Apr 2010 No Major Changes.

NAVAIDs 8 Apr 2010 No Major Changes.

AIRSPACE

8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

8 Apr 2010 No Major Changes.

MISCELLANEOUS 8 Apr 2010 No Major Changes.

LOS ANGELES HELICOPTER ROUTE CHART 8th Edition. 22 Dec 2005

OBSTRUCTIONS

22 Dec 2005 - 13 Apr 2006 No Major Changes.

8 Jun 2006 Add group obst 405'MSL(390'AGL)UC, 33°43'39"N, 118°14'19"W.

3 Aug 2006 - 15 Jan 2009 No Major Changes.

12 Mar 2009 Add obst 421'MSL (348'AGL). 33°53'39"N. 118°13'31"W.

7 May 2009 - 8 Apr 2010 No Major Changes.

AIRPORTS

22 Dec 2005 - 3 Aug 2006 No Major Changes.

28 Sep 2006 Delete METHODIST heliport, 34°08'00"N, 118°02'33"W.

Delete SAN PEDRO PENINSULA heliport, 33°44'19"N, 118°18'38"W.

23 Nov 2006 - 30 Aug 2007 No Major Changes.

25 Oct 2007 Delete ANAHEIM POLICE heliport, 33°49'35"N, 117°54'05"W.

20 Dec 2007 - 20 Nov 2008 No Major Changes. 15 Jan 2009 Add SAN BERNARDINO INTL ATCT 119.45, 34°05'43"N, 117°14'06"W.

EL TORO MCAS arpt abandoned, 33°40'34"N, 117°43'52"W.

Change CTAF freq 122.975 to 119.45 at SAN BERNARDINO INTL arpt, 34°05′43″N, 117°14′06″W. 12 Mar 2009 – 17 Dec 2009 No Major Changes.

11 Feb 2010 Delete LAKE MATHEWS arpt, 33°51'11"N, 117°25'26"W.

8 Apr 2010 No Major Changes.

NAVAIDs

22 Dec 2005 - 15 Jan 2009 No Major Changes.

12 Mar 2009 Change RIVERSIDE VOR position from 33°57'07"N. 117°26'57"W to 33°57'19"N.

117°26′59″W, and magnetic variation from 15E to 14E.

7 May 2009 - 8 Apr 2010 No Major Changes.

AIRSPACE

22 Dec 2005 - 25 Sep 2008 No Major Changes.

20 Nov 2008 Add SAN BERNARDINO, CA Class D: That airspace extending upward from the surface to and including 3200 feet MSL beginning at 34°08'09"N, 117°18'40"W; to 34°08'09"N, 117°11'13"W; to 34°07′42″N, 117°10′26″W; to 34°02′24″N, 117°10′26″W; thence via the 4.5 nautical mile radius of the San Bernardino Airport clockwise to the point of beginning. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

15 Jan 2009 - 2 Jul 2009 No Major Changes.

27 Aug 2009 Change SANTA ANA Class C freq from 380.2 to 279.575

22 Oct 2009 No Major Changes.

17 Dec 2009 Change ONTARIO INTL ATCT freq. from 385.6 to 360.775, 34°03'22"N, 117°36'04"W.

11 Feb 2010 - 8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE

22 Dec 2005 - 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

22 Dec 2005 - 8 Apr 2010 No Major Changes.

MISCELLANEOUS

22 Dec 2005 - 8 Jun 2006 No Major Changes. **3 Aug 2006** Change MEF 0⁵ to 0⁶ in quadrant 33°30'-33°45'N, 118°00'-118°15'W. 28 Sep 2006 - 8 Apr 2010 No Major Changes.

LOS ANGELES SECTIONAL 86th Edition, 17 DEC 2009

OBSTRUCTIONS 17 Dec 2009 - 8 Apr 2010 No Major Changes. AIRPORTS 17 Dec 2009 - 8 Apr 2010 No Major Changes. NAVAIDs 17 Dec 2009 - 8 Apr 2010 No Major Changes. AIRSPACE 17 Dec 2009 No Major Changes. 11 Feb 2010 Change CAMP PENDLETON MCAS (MUNN) ATCT freq. from 382.2 to 340.2, 33°18'04"N, 117°21'18"W. 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 17 Dec 2009 - 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 17 Dec 2009 - 8 Apr 2010 No Major Changes. MISCELLANEOUS 17 Dec 2009 - 8 Apr 2010 No Major Changes.

LOS ANGELES TERMINAL AREA CHART 60th Edition. 17 Dec 2009

OBSTRUCTIONS 17 Dec 2009 - 8 Apr 2010 No Major Changes. AIRPORTS 17 Dec 2009 No Major Changes. 11 Feb 2010 Delete LAKE MATHEWS arpt, 33°51'11"N, 117°25'26"W. 8 Apr 2010 No Major Changes. **NAVAIDs** 17 Dec 2009 - 8 Apr 2010 No Major Changes. AIRSPACE 17 Dec 2009 - 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 17 Dec 2009 - 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 17 Dec 2009 - 8 Apr 2010 No Major Changes. **MISCELLANEOUS** 17 Dec 2009 - 8 Apr 2010 No Major Changes.

PHOENIX SECTIONAL 82nd Edition, 22 Oct 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

17 Dec 2009 Add obst 6479⁷MSL (417'AGL)UC, 34°38'19"N, 110°18'56"W. **11 Feb 2010** No Major Changes. **8 Apr 2010** Add obst 1774'MSL (255'AGL), 33°43'29"N, 113°42'12"W. Add obst 1391'MSL (260'AGL)UC, 33°50'19"N, 113°53'10"W.

Add windmill farm. 6479' is highest MSL, (417'AGL), 34°38'19"N, 110°18'56"W.

AIRPORTS

22 Oct 2009 - 17 Dec 2009 No Major Changes.

11 Feb 2010 Delete RYAN FIELD ATCT 120.35, 32°08′32″N, 111°10′28″W.

8 Apr 2010 Change FALCON FIELD ATCT freq from 124.6 to 119.7 (Arr N,W; Dep Rwy 04L/22R), 124.6 (Arr S,E; Dep Rwy 04R/22L), 33°27'39"N, 111°43'42"W.

NAVAIDs

22 Oct 2009 - 8 Apr 2010 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

17 Dec 2009 Revise LAKE HAVASU, AZ. Class E: That airspace extending upward from 700 feet above the surface within a 6.7-mile radius of Lake Havasu City Airport and within 1 mile each side of the Lake Havasu City Airport 150° bearing extending from the 6.7-mile radius to 13 miles southeast of the Lake Havasu City Airport, excluding that airspace with a 2.3-mile radius of Chemehuevi Valley Airport. That airspace extending upward from 1,200 feet above the surface bounded by a line beginning at 34°42′47″N, 114°29′37″W; to 34°42′47″N, 114°12′06″W; to 34°23′00″N,114°12′06″W; to 34°17′19″N, 114°32′12″W; thence to the point of beginning.

11 Feb 2010 - 8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 - 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 - 8 Apr 2010 No Major Changes.

MISCELLANEOUS

22 Oct 2009 - 8 Apr 2010 No Major Changes.

PHOENIX TERMINAL AREA CHART 41st Edition, 22 Oct 2009

OBSTRUCTIONS

22 Oct 2009 - 8 Apr 2010 No Major Changes.

AIRPORTS

22 Oct 2009 – 11 Feb 2010 No Major Changes. 8 Apr 2010 Change FALCON FIELD ATCT freq from 124.6 to 119.7 (Arr N,W; Dep Rwy 04L/22R), 124.6 (Arr S,E; Dep Rwy 04R/22L), 33°27'39"N, 111°43'42"W.

NAVAIDs

22 Oct 2009 - 8 Apr 2010 No Major Changes.

AIRSPACE

22 Oct 2009 - 8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 - 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 - 8 Apr 2010 No Major Changes.

MISCELLANEOUS 22 Oct 2009 – 8 Apr 2010 No Major Changes.

SALT LAKE CITY HELICOPTER ROUTE CHART 3rd Edition, 26 Oct 2006

OBSTRUCTIONS 23 Nov 2006 - 8 Apr 2010 No Major Changes. AIRPORTS 23 Nov 2006 - 10 Apr 2008 No Major Changes. 5 Jun 2008 Delete PAYNE arpt, 41°05'54"N, 112°06'56"W. Delete WARD heli, 40°35′59″N, 111°48′03″W. 31 Jul 2008 - 25 Sep 2008 No Major Changes. 20 Nov 2008 Delete CHANNEL 4 heli, 40°43'57"N, 111°57'20"W. 15 Jan 2009 - 8 Apr 2010 No Major Changes. NAVAIDs 23 Nov 2006 - 8 Apr 2010 No Major Changes. AIRSPACE 23 Nov 2006 - 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 23 Nov 2006 - 8 Apr 2010 No Major Changes. **MILITARY TRAINING ROUTES** 23 Nov 2006 - 8 Apr 2010 No Major Changes. **MISCELLANEOUS**

23 Nov 2006 - 8 Apr 2010 No Major Changes.

AERONAUTICAL CHART BULLETIN

SALT LAKE CITY SECTIONAL 83rd Edition, 8 Apr 2010

OBSTRUCTIONS

8 Apr 2010 No Major Changes.

AIRPORTS 8 Apr 2010 No Major Changes.

NAVAIDs 8 Apr 2010 No Major Changes.

AIRSPACE 8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

8 Apr 2010 No Major Changes.

MISCELLANEOUS 8 Apr 2010 No Major Changes.

SALT LAKE CITY TERMINAL AREA CHART 42nd Edition, 8 Apr 2010

OBSTRUCTIONS 8 Apr 2010 No Major Changes.

AIRPORTS 8 Apr 2010 No Major Changes.

NAVAIDs

8 Apr 2010 No Major Changes. AIRSPACE

8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE

8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES 8 Apr 2010 No Major Changes.

MISCELLANEOUS 8 Apr 2010 No Major Changes.

SAN DIEGO TERMINAL AREA CHART 59th Edition, 17 Dec 2009

OBSTRUCTIONS 17 Dec 2009 - 8 Apr 2010 No Major Changes. AIRPORTS 17 Dec 2009 - 8 Apr 2010 No Major Changes. NAVAIDs 17 Dec 2009 - 8 Apr 2010 No Major Changes. AIRSPACE 17 Dec 2009 No Major Changes. 11 Feb 2010 Change CAMP PENDLETON MCAS (MUNN) ATCT freq. from 382.2 to 340.2, 33°18'04"N, 117°21′18″W. 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 17 Dec 2009 - 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 17 Dec 2009 - 8 Apr 2010 No Major Changes. MISCELLANEOUS 17 Dec 2009 - 8 Apr 2010 No Major Changes.

SAN FRANCISCO SECTIONAL 84th Edition, 11 Mar 2010

OBSTRUCTIONS

8 Apr 2010 No Major Changes.

AIRPORTS 8 Apr 2010 No Major Changes.

NAVAIDs

8 Apr 2010 No Major Changes. AIRSPACE

8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES 8 Apr 2010 No Major Changes.

MISCELLANEOUS 8 Apr 2010 No Major Changes.

SAN FRANCISCO TERMINAL AREA CHART 76th Edition, 11 Mar 2010

OBSTRUCTIONS

8 Apr 2010 No Major Changes.

AIRPORTS 8 Apr 2010 No Major Changes.

NAVAIDs 8 Apr 2010 No Major Changes.

AIRSPACE 8 Apr 2010 No Major Changes.

SPECIAL USE AIRSPACE 8 Apr 2010 No Major Changes.

MILITARY TRAINING ROUTES

8 Apr 2010 No Major Changes.

MISCELLANEOUS 8 Apr 2010 No Major Changes.

WICHITA SECTIONAL 84th Edition, 14 Jan 2010

OBSTRUCTIONS

 $\begin{array}{l} \textbf{11 Feb 2010} \mbox{ Add obst } 1665' \mbox{MSL } (349' \mbox{AGL}) \mbox{UC}, \mbox{ 36}^\circ 21' \mbox{39}^\circ \mbox{N}, \mbox{98}^\circ 33' \mbox{03}^\circ \mbox{MSL } (350' \mbox{AGL}) \mbox{UC}, \mbox{ 38}^\circ 07' \mbox{04}^\circ \mbox{N}, \mbox{103}^\circ 31' \mbox{100}^\circ \mbox{M}. \\ \textbf{Add obst } 4492' \mbox{MSL } (350' \mbox{AGL}) \mbox{UC}, \mbox{39}^\circ 50' \mbox{33}^\circ \mbox{N}, \mbox{103}^\circ 53' \mbox{05}^\circ \mbox{M}. \\ \textbf{8 Apr 2010} \mbox{ Add obst } 1729' \mbox{MSL } (\mbox{34}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ 24' \mbox{58}^\circ \mbox{M}, \mbox{98}^\circ \mbox{44}' \mbox{43}^\circ \mbox{M}. \\ \mbox{Add obst } 2487' \mbox{MSL } (\mbox{70}^\circ \mbox{AGL}) \mbox{UC}, \mbox{37}^\circ \mbox{24}' \mbox{09}^\circ \mbox{M}, \mbox{98}^\circ \mbox{34}' \mbox{52}^\circ \mbox{M}. \\ \mbox{Add obst } 2488' \mbox{MSL } (\mbox{270}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{24}' \mbox{52}^\circ \mbox{M}. \\ \mbox{Add obst } 1755' \mbox{MSL } (\mbox{34}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{36}^\circ \mbox{34}^\circ \mbox{31}^\circ \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{MSL } (\mbox{295}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{36}^\circ \mbox{31}^\circ \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{MSL } (\mbox{295}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{36}^\circ \mbox{31}^\circ \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{MSL } (\mbox{295}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{31}^\circ \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{MSL } (\mbox{295}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{31}^\circ \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{MSL } (\mbox{295}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{31}^\circ \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{MSL } (\mbox{295}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{31}^\circ \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{MSL } (\mbox{295}^\circ \mbox{AGL}) \mbox{UC}, \mbox{36}^\circ \mbox{M} \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{M}. \\ \mbox{Add obst } 2753' \mbox{M} \mbox$

AIRPORTS

11 Feb 2010 Add RP 8 and RP 26 to MC PHERSON arpt, 38°21′08″N, 97°41′28″W. 8 Apr 2010 Change RP 8 to RP 18 at MC PHERSON arpt, 38°21′08″N, 97°41′28″W.

NAVAIDS 11 Feb 2010 – 8 Apr 2010 No Major Changes. AIRSPACE 11 Feb 2010 – 8 Apr 2010 No Major Changes. SPECIAL USE AIRSPACE 11 Feb 2010 – 8 Apr 2010 No Major Changes. MILITARY TRAINING ROUTES 11 Feb 2010 – 8 Apr 2010 No Major Changes.

MISCELLANEOUS 11 Feb 2010 – 8 Apr 2010 No Major Changes.

Contained within this tabulation, and listed alphabetically by airport name, are all private-use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

| UNITED STATES | |
|---|-------------------|
| FACILITY NAME | CHART & PANEL |
| Frankfort, IL (LL4Ø) | L-28H |
| Chicago App/Dep Con 133.1 285.6 | 2011 |
| Glasgow Industrial, MT (Ø7MT) | H–1E, 2F, L–13D |
| Salt Lake Center App/Dep Con 126.85 305.2 | ,, |
| USAF Academy Bullseye Aux Airstrip, CO (CO9Ø) | L-10F |
| ASOS 118.325 | |
| West Kentucky Airpark, KY (5KY3) | L-16I |
| Memphis Center App/Dep Con 133.65 292.15 | |
| William P Gwinn, FL (Ø6FA) | H-8I, L-23C |
| Gwinn Tower 120.4 279.25 (Mon-Fri 1300-2100Z‡) | |
| Gnd Con 121.65 279.25 | |
| CANADA | |
| FACILITY NAME CANADA | CHART & PANEL |
| Abbotsford, BC (CYXX) | H–1B, L–12F |
| ATIS 119.8 (1500–0700Z‡) | 11 10, 2 121 |
| Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8 | |
| Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500–0700Z‡) Gnd Con 121.8 | |
| MF 119.4 295.0 (0700–1500Z‡) (Shape irregular to 4500') | |
| Amos/Magny, QC (CYEY) | H-11B |
| Montreal Center App/Dep Con 125.9 | |
| Atikokan Muni, ON (CYIB) | L-141 |
| MF 122.3 (5 NM to 4500' No ground station) | |
| Barrie-Orillia (Lake Simcoe Rgnl), ON (CYLS) | H–11B, L–31D |
| AWOS 122.55 (Pvt) | |
| Toronto Center App/Dep Con 124.025 | |
| Bar River, ON (CPF2) | L-31C |
| Toronto Center App/Dep Con 132.65 | |
| Bathurst, NB (CZBF) | L-32J |
| Moncton Center App/Dep Con 134.25 | 2 023 |
| Boundary Bay, BC (CZBB) | H–1B, L–1E |
| ATIS 125.5 (1500–0700Z‡) | |
| Vancouver App/Dep Con 132.3 363.8 | |
| Tower 118.1 (Inner) 127.6 (Outer) (1500–0700Z‡) Gnd Con 124.3 | |
| MF 118.1 (0700–1500Z‡ to 2000'. Vancouver Trml 125.2 above 2000'. Shape | |
| irregular to 2500'.) | |
| Brampton, ON (CNC3) | L-31D |
| Toronto Trml App/Dep Con 119.3 253.1 | |
| Brandon Muni, MB (CYBR) | H–2H |
| Winnipeg Center App/Dep Con 132.25 285.4 | |
| MF 122.1 (5 NM to 4000') | |
| Brantford, ON (CYFD) | L-31D |
| Toronto Trml App/Dep Con 128.27 | 2 010 |
| Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3) | L-32G |
| Montreal Center App/Dep Con 134.675 | |
| Bromont, QC (CZBM) | L-32G |
| Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400') | |
| Burlington Airpark, ON (CZBA) | L-31D |
| Toronto Center App/Dep Con 119.3 253.1 | |
| Castlegar/West Kootenay Rgnl, BC (CYCG) | H-1C |
| Vancouver Center App/Dep Con 134.2 227.3 | |
| MF 122.1 (5 NM to 6500') | |
| Centralia/James T. Fld Muni, ON (CYCE) | H-10G, 11B, L-31D |
| Toronto Center App/Dep Con 135.30 | |
| Charlottetown, PE (CYYG) | H–11E, L–32J |
| Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200') | , 2 025 |
| Chatham-Kent, ON (CNZ3) | H–10G, L–30G |
| Cleveland Center App/Dep Con 132.25 | 100, 2 000 |
| · · · · · · · · · · · · · · · · · · · | |

| CILITY NAME | CHART & PANEL |
|---|-------------------|
| Collingwood, ON (CNY3) | H–11B, L–31D |
| Toronto Center App/Dep Con 124.02 Cornwall Rgnl, DN (CYCC) | L-32G |
| Boston Center App/Dep Con 135.25 377.1 | L-520 |
| ranbrook/Canadian Rockies Intl, BC (CYXC) | H-1C |
| Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100') | |
| Debert, NS (CCQ3) | H–11E, L–32J |
| Halifax Trml App/Dep Con 119.2 | |
| Digby, NS (CYID) | L-32J |
| Moncton Center App/Dep Con 123.9 | |
| Downsview, ON (CYZD) | H–11B, L–31E |
| Toronto Center App Con 133.4 | |
| Toronto Center Dep Con 133.4 | |
| MF 126.2 (1300–2300Z‡, 3 NM to 1700') | 1 2011 |
| Drummondville, QC (CSC3) Montreal Caster Ann (Den Can 132, 25 | L–32H |
| Montreal Center App/Dep Con 132.35 | H-11B |
| Earlton (Timiskaming Rgnl), ON (CYXR) MF 122.0 (5 NM to 3800') | H-IIB |
| AWOS 128.6 | |
| Elliot Lake Muni, ON (CYEL) | L-31C |
| Toronto Center App/Dep Con 135.4 | L-010 |
| Fort Frances Muni, ON (CYAG) | L-14H |
| Minneapolis Center App/Dep Con 120.9 | |
| Fredericton Intl, NB (CYFC) | H–11E, L–32I |
| ATIS 127.55 | |
| Moncton Center App/Dep Con 124.3 135.5 270.8 | |
| Tower 119.0 (1200–2000Z‡) Gnd Con 121.7 (Ltd hrs) | |
| MF 119.0 (2000–1200Z‡, 5 NM to 3500') | |
| Goderich, ON (CYGD) | H–11B, L–31D |
| Toronto Center App/Dep 135.3 266.3 | |
| Greenwood, NS (CYZX) | H–11E, L–32J |
| ATIS 128.85 244.3 (1100–0000Z‡) | |
| App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3 | |
| Gnd Con 133.75 289.4 Clnc Del 128.05 283.9 | |
| Grimsby Air Park, ON (CNZ8) | L-31E |
| Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475 #alifax/Shearwater, NS (CYAW) | H–11E, L–32J |
| ATIS 129.175 (Ltd hrs) | H-IIE, L-32J |
| App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs) | |
| Gnd Con 121.7 250.1 | |
| Halifax/Stanfield Intl, NS (CYHZ) | H–11E, L–32J |
| ATIS 121.0 | 11 112, 2 025 |
| Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8 | |
| Tower 118.4 236.6 Gnd Con 121.9 275.8 Clnc Del 123.95 | |
| Apron Advisory 122.125 | |
| Hamilton, ON (CYHM) | H-10H, 11B, L-11B |
| ATIS 128.1 | |
| Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0 | |
| Gnd Con 121.6 | |
| Kingston, ON (CYGK) | H-11C, L-31E, 32F |
| Montreal Center App/Dep Con 135.05 398.4 (0400-1115Z‡) | |
| MF 122.5 (1115–0400Z‡ 5 NM to 3300') | |
| (itchener/Waterloo, ON (CYKF) | H–11B, L–31D |
| ATIS 125.1 (1200–0400Z‡) | |
| Toronto Trml App/Dep Con 128.275 | |
| Waterloo Tower 126.0 118.55 (1200–0400Z‡) Gnd Con 121.8 | |
| MF 126.0 (0400-1200Z‡ 5 NM to 4000') | |
| Lachute, QC (CSE4) | L–32G |
| Montreal Center App Con 124.65 132.85 268.3 | |
| Montreal Center Dep Con 132.85 268.3 | H-11C |
| La Tuque, QC (CYLQ) Montroal Contor App (Dop Cop 124 5 | H-110 |
| Montreal Center App/Dep Con 134.5 | L-1E |
| Langley, BC (CYNJ) ATIS 124.5 (1630–0230Z, DT 1530–0330Z) | L-1E |
| Victoria Trml 132.7 290.8 Tower 119.0 (1630–0230Z, DT 1530–0330Z) | |
| Gnd Con 121.9 MF 119.0 (0230–1630Z, DT 0330–1530Z 3 NM to 1900') | |
| GIN CON 121.3 ME 113.0 (0230-10302, DI 0330-13302 3 MM (0 1900) | |

| CILITY NAME Leamington, ON (CLM2) | CHART & PANEL L-30F |
|---|--|
| Cleveland Center App/Dep Con 132.45 | |
| Lethbridge, AB (CYQL) | H-1C |
| ATIS 124.4 (1300–0545Z‡) | |
| Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000') | |
| Lindsay, ON (CNF4) | L–31E, L–32F |
| Toronto Center App/Dep 134.25 Liverpool/South Shore Rgnl, NS (CYAU) | L-32. |
| Moncton Center App/Dep Con 123.9 | L-02. |
| London, ON (CYXU) | H-10G, 11B, |
| ATIS 127.8 (1120-0345Z‡) | L-30G, 31D |
| Toronto Center App/Dep 135.3 135.625 | |
| Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9 | |
| MF 119.4 (0345–1120Z‡ 5 NM to 3000') | |
| Manitowaning/Manitoulin East Muni, ON (CYEM) | L-310 |
| Toronto Center App/Dep 135.4 260.9 | 1.200 |
| Maniwaki, QC (CYMW) Mantrool Contar App (Dap Cap 126 57 | L-320 |
| Montreal Center App/Dep Con 126.57 Mascouche, QC (CSK3) | L-320 |
| MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the | L-520 |
| N shore of Riviere des Milles-Iles and 1 NM around Lac Agile Mascouche arpt.) | |
| Addicine Hat, AB (CYXH) | H-10 |
| AWOS 124.875 (0345–1245Z‡) | |
| MF 122.2 (1245-0345Z‡ 5 NM to 5400') | |
| /idland/Huronia, ON (CYEE) | L-310 |
| Toronto Center App/Dep 124.025 | |
| Miramichi, NB (CYCH) | H–11E, L–32. |
| Moncton Center App/Dep Con 123.7 | |
| Anncton/Greater Moncton Intl, NB (CYQM) | H–11E, L–32 |
| ATIS 128.65 | |
| App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8 | |
| Apron Advisory 122.075 Mont–Laurier, QC (CSD4) | L-320 |
| Montreal Center App/Dep Con 126.57 | 2 020 |
| Iontreal Intl (Mirabel), QC (CYMX) | H-11C, 12K, L-320 |
| ATIS 125.7 | |
| Montreal Center App Con 124.65 132.85 268.3 | |
| Montreal Dep Con 132.85 | |
| MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15 | |
| Nontreal/Pierre Elliott Trudeau Intl, QC (CYUL) | H–11C, 12K, L–320 |
| ATIS 133.7 | |
| Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3 | |
| Tower 119.9 267.1 Gnd Con 121.9 275.8 Clnc Del 125.6 Apron 122.075 | |
| Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE) | |
| | |
| VFR Advisory 134.15 | ₩ 110 1 220 |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) | H-11C, L-320 |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 | H-11C, L-320 |
| VFR Advisory 134.15 Montreal/St-Hubert, OC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 | H-11C, L-32C |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) | H–11C, L–320 |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar | H-11C, L-320 |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 | |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 | |
| VFR Advisory 134.15 Wontreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 Wuskoka, QN (CYQA) | |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z \$ Nov-Mar 0400Z \$ Nov-Mar 0400-1045Z \$ Nov-Mar 0400Z \$ Nov-Mar 04 | H-11B, L-310 |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 Muskak, 0N (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') Mariamo, 8C (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500') | H–11B, L–310 H–1B, L–18 |
| VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 Muskoka, ON (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') Ianaimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500') Iorth Bay, ON (CYYB) | H–11B, L–31[H–1B, L–1H |
| VFR Advisory 134.15 Montreal/St-Hubert, 0C (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 Muskoka, 0N (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') fanaima, 8C (CYCD) Victoria TrmI App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500') forth Bay, 0N (CYYB) ATIS 124.9 (1130-0300Z‡) | H–11B, L–31[H–1B, L–1H |
| VFR Advisory 134.15 Wontreal/St-Hubert, 0C (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z \$ NM shape irregular to 2500') VFR Advisory 134.15 Wuskoka, 0N (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') Nanaimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MTS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 | H–11B, L–310 H–1B, L–18 |
| VFR Advisory 134.15 Wontreal/SL-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 SL Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 Wuskoka, ON (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') Varianimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500') Yorth Bay, ON (CYYB) ATIS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000') | H–11B, L–31C H–1B, L–1f H–11B, L31C |
| VFR Advisory 134.15 Montral/SL-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 Muskoka, 0N (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') Naraimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500') North Bay, 0N (CYYB) ATIS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000') Oshawa, 0N (CYOO) | H–11B, L–31C H–1B, L–1f H–11B, L31C |
| VFR Advisory 134.15 Montreal/St-Hubert, dC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0405-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0405-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0405-0400Z) Mostreal Center App/Dep 120.8 132.95 Muskoka, 0N (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') Manaina, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500') Mot 128.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000') Jshawa, 0N (CYO0) ATIS 125.675 (1130-0330Z‡) | H–11B, L–31C H–1B, L–16 H–11B, L31C |
| VFR Advisory 134.15 Montral/SL-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 Muskoka, 0N (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900') Naraimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500') North Bay, 0N (CYYB) ATIS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000') Oshawa, 0N (CYOO) | H–11C, L–320 H–11B, L–31C H–1B, L–1E H–11B, L31C L–31E |

| SUPPLEMENTAL COMMUNICATION REFERENCE | 4 |
|--|-------------------|
| ACILITY NAME | CHART & PANEL |
| Ottawa/Carp, ON (CYRP) | L-31E, 32F |
| ATIS 121.15 | |
| Ottawa Trml App/Dep Con 128.175 252.5 | |
| Ottawa/Gatineau, QC (CYND) | H-11C, L-32G |
| Ottawa Trml App/Dep Con 127.7 128.175 252.5 | |
| MF 122.3 (5 NM shape irregular to 2500') | |
| VFR Advisory Ottawa Trml 127.7 Ottawa/MacDonald-Cartier Intl, ON (CYOW) | L-11C |
| ATIS 121.15 | L-110 |
| Ottawa App Con 135.15 Tower 118.8 120.1 341.3 | |
| Gnd Con 121.9 Clnc Del 119.4 | |
| Ottawa Dep Con 128.175 | |
| Owen Sound/Billy Bishop Rgnl, ON (CYOS) | L-31D |
| Toronto Center App/Dep 132.575 290.6 | |
| Pelee Island, ON (CYPT) | L-30F |
| Cleveland Center App/Dep Con 126.35 360.0 | |
| Pembroke, ON (CYTA) | H-11C, L-31E, 32F |
| Montreal Center App/Dep Con 135.2 | |
| Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z‡, OT PPR) | |
| Penticton, BC (CYYF) | H-1B |
| Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100') | |
| Peterborough, ON (CYPQ) | H–11B, L–31E, 32F |
| AWOS 126.925 | |
| Toronto Center App/Dep 134.25 | H–1D |
| Pincher Creek, AB (CZPC) Edmonton Center App/Dep Con 132.75 265.2 | H-ID |
| Pitt Meadows, BC (CYPK) | L-1E |
| ATIS 125.0 (1500–0700Z‡) | L-IL |
| Vancouver Center App Con 128.6 352.7 (Outer) | |
| Pitt Tower 126.3 (1500–0700Z‡) Gnd Con 123.8 | |
| Vancouver Center Dep Con 132.3 363.8 (South) | |
| MF 126.3 (0700–1500Z‡) (3NM to 2500') | |
| Quebec/Jean Lesage Intl, QC (CYQB) | H–11D, L–32H |
| ATIS 134.6 | |
| Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8 | |
| Tower 118.65 236.6 | |
| Gnd Con 121.9 250.0 | |
| Riviere Du Loup, QC (CYRI) | H-11D |
| AWOS 122.025 (Pvt) | |
| Montreal Center App/Dep Con 125.1 299.6 | |
| Rouyn Noranda, QC (CYUY) | H-11B |
| Montreal Center App/Dep Con 125.9 | |
| MF 122.2 (5 NM to 4000') | |
| Saint John, NB (CYSJ) | H–11E, L–32J |
| Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400') | U 400 44B L 005 |
| Sarnia (Chris Hadfield), ON (CYZR) | H-10G, 11B, L-30F |
| Toronto Center 134.375 | 11.01/ 1.040 |
| Sault Ste Marie, ON (CYAM) ATIS 133.05 (1300–0100Z‡) | H–2K, L–31B |
| Toronto Center App/Dep Con 132.65 344.5 | |
| Tower 118.8 (1300–0100Z‡) Gnd Con 121.7 | |
| MF 118.8 (0100–1300Z‡ 5 NM irregular shape to 3000') | |
| Sherbrooke, QC (CYAM) | H–11D, L–32H |
| AWOS 126.25 | 11 110, 2 0211 |
| Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800') | |
| South Renfrew Muni, ON (CNP3) | L-31E, 32F |
| Montreal Center App/Dep 124.275 | 2 312, 021 |
| Southport, MB (CYPG) | H–2H |
| ATIS 120.85 (Mon–Fri 1400–2300Z‡ except holidays) | |
| Tower 126.2 384.2 (Mon-Fri 1400-2300Z [‡] except holidays) | |
| Gnd Con 121.7 275.8 | |
| | |

411

L

| CILITY NAME | CHART & PANE |
|--|--------------------|
| Springwater Barrie Airpark, ON (CNA3) | L-31D |
| Toronto Center App/Dep Con 124.025 | |
| t. Catherines/Niagara District, ON (CYSN) | H-10H, 11B, L-31E |
| ATIS 128.525 (1215-0200Z‡) | |
| Toronto Trml App/Dep Con 133.4 253.1 | |
| MF 123.25 (1215–0200Z‡ 5 NM to 3300') | |
| Frederic, QC (CSZ4) | L–32H |
| Montreal Center App/Dep Con 135.025 270.9 | |
| . Georges, QC (CYSG) | H–32H, L–11D |
| Montreal Center App/Dep Con 132.35 | |
| MF 122.15 (5 NM 3900' ASL) | 1 000 |
| t. Jean, QC (CYJN) Mantrool Conter Ann (Don Con 125 15 268 2 | L-32G |
| Montreal Center App/Dep Con 125.15 268.3 | |
| Tower 118.2 (Apr-Oct 1230-0230Z‡ Nov-Mar 1300-0200Z‡) Gnd Con 121.7 | |
| udbury, ON (CYSB) | H-31B, 10G, L-31D |
| ATIS 127.4 | 11-310, 100, 1-310 |
| Toronto Center App/Dep Con 135.5 | |
| MF 125.5 (7 NM to 4000') | |
| Immerside, PE (CYSU) | H–11E, L–32J |
| AWOS 122.55 (Pvt) | |
| Moncton Center App/Dep Con 124.4 384.8 | |
| nunder Bay, ON (CYQT) | H–2J, L–14J |
| ATIS 128.8 (1100–0400Z‡) | |
| Winnipeg Center App/Dep Con 132.125 (0400–1100Z‡) | |
| Tower 118.1 (1100–0400Z‡) Gnd Con 121.9 | |
| App/Dep 119.2 MF 118.1 (0400-1100Z‡ 5 NM to 4000') | |
| mmins/Victor M. Power, ON (CYTS) | H-11B |
| ATIS 124.95 (1000-0500Z‡) | |
| Toronto Center App/Dep Con 128.3 MF 122.3 (5 NM to 4000') | |
| pronto/Buttonville Muni, ON (CYKZ) | L-31E |
| ATIS 127.1 (1200-0400Z‡) | |
| Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 | |
| Tower 124.8 119.9 (1200-0400Z‡) Gnd Con 121.8 | |
| MF 124.8 (0400–1200Z‡ No gnd station. 5 NM shape irregular to below 2500') | |
| oronto/Billy Bishop Toronto City Airport, ON (CYTZ) | L-31E |
| ATIS 133.6 (1130–0400Z‡) | |
| App Con 133.4 Dep Con 133.4 | |
| Tower 118.2 119.2 (1130–0400Z‡) Gnd Con 121.7 | |
| oronto/Lester B Pearson Intl, ON (CYYZ) | H–11B, L–31D |
| ATIS 120.825 | |
| App Con 124.475 125.4 132.8 Dep Con 127.575 128.8 Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9 | |
| Cinc Del 121.3 (1200–0400Z‡) | |
| enton, ON (CYTR) | H–11C, L–31E, 32F |
| ATIS 135.45 257.7 | H=110, E=31E, 321 |
| App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 | |
| Clnc Del 124.35 286.4 | |
| renton/Mountain View, ON (CPZ3) | H–11C, L–31E, 32F |
| Trenton Mil Advisory 268.0 | 11 110, E 01E, 021 |
| rois–Rivieres, QC (CYRQ) | H-11C, L-32H |
| Montreal Center App/Dep Con 128.225 229.2 | |
| MF 123.0 (5 NM to 3200') | |
| al-D'or, QC (CYVO) | H-11B |
| Montreal Center App/Dep Con 125.9 308.3 | |
| MF 118.5 (1030–0325Z‡ 5 NM to 4000′) | |
| ancouver Inti, BC (CYVR) | H–1B, L–1E |
| ATIS 124.6 124.75 | _, |
| App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner) | |
| Dep Con 126.125 (north) 132.3 (south) 363.8 | |
| | |
| Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 | |

I

I

| FACILITY NAME | CHART & PANEL |
|--|---|
| Victoria Intl, BC (CYYJ) | H–1B, L–1E |
| ATIS 118.8 (1400-0800Z‡) | |
| App Con 125.95 308.4 Dep Con 133.85 308.4 | |
| Tower 119.1 (Outer) 119.7 (Inner) 239.6 | |
| Gnd Con 121.9 361.4 (1400–0800Z‡ OT ctc Kamloops 119.7) | |
| Cinc Del 126.4 (1400-0800Z [‡]) | |
| Victoriaville, QC (CSR3) | L–32H |
| Montreal Center App Con 132.35 | |
| Waterville/Kings Co Muni, NS (CCW3) | L–32J |
| Greenwood Trml App/Dep Con 120.6 335.9 | |
| Greenwood Tower 119.5 324.3 | |
| Wiarton, ON (CYVV) | H–11B, L–31D |
| Toronto Center App/Dep Con 132.575 | |
| MF 122.2 (5 NM to 3700') | |
| Windsor, ON (CYQG) | H–10G, L–8J |
| ATIS 134.5 (1130–0330Z‡) | , |
| Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2 | |
| Tower 124.7 (1130–0330Z‡) Gnd Con 121.7 | |
| MF 124.7 (0330–1130Z‡ 6 NM irregular shape to below 3000') | |
| VFR Advisory Detroit App Con 134.3 | |
| Yarmouth, NS (CYQI) | H-11E, L-32I |
| Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100') | 11-112, 2-521 |
| | |
| ACILITY NAME MEXICO | CHART & PANEL |
| Abraham Gonzalez Intl (MMCS) | H–4K, L–6F |
| Juarez App Con 119.9 Juarez Tower 118.9 | 11-4N, L-01 |
| Del Norte Intl (MMAN) | H–7B. L–20G |
| ATIS 127.55 (1300–0300Z‡) | n-76, L-206 |
| Monterrey App 119.75 120.4 Tower 118.6 | |
| | H–7A |
| Durango Inti (MMDO) | H-/A |
| ATIS 132.1 | |
| | |
| Tower 118.1 Durango Info 122.3 | |
| General Abelardo L Rodriguez Intl (MMTJ) | H–4H, L–4H |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 | H–4H, L–4H |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 | H–4H, L–4H |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 | |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) | H–4H, L–4H H–7B, L–20H |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 | H–7B, L–20H |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) | |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 Reynosa App Con 118.7 ATIS 127.7 | H–7B, L–20H |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 | H–7B, L–20H H–7B, L–20G |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMNY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) | H–7B, L–20H |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 | H–7B, L–20H H–7B, L–20G |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) | H–7B, L–20H H–7B, L–20G |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General Fierro Villalobos Intl (MMCU) ATIS 127.9 | H–7B, L–20H H–7B, L–20G |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 Reynosa App Con 118.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 | H–7B, L–20H H–7B, L–20G L–6I |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 Reynosa App Con 119.75 120.4 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua App Con 121.0 Chihuahua App Con 121.0 Momter TIS 18.4 | H–7B, L–20H H–7B, L–20G L–6I |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMNY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 | H–7B, L–20H H–7B, L–20G L–6I |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 | H–7B, L–20H H–7B, L–20G L–6I H–4H, L–4J, 5A |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) | H–7B, L–20H H–7B, L–20G L–6I H–4H, L–4J, 5A |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 Reynosa App Con 118.8 ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua App Con 121.0 Chihuahua App Con 118.2 Mexicali App Con 118.2 Mexicali Info 123.9 122.3 General Revicali Tower 118.2 Mexicali App Con 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 118.0 | H–7B, L–20H H–7B, L–20G L–6I H–4H, L–4J, 5A H–7C, L–21A |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Tabaada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0 Plan De Guadalupe Intl (MMIO) | H–7B, L–20H H–7B, L–20G L–6I H–4H, L–4J, 5A H–7C, L–21A |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General Referro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 128.0 Matamoros Tower 118.0 Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4 Quetzalcoati Intl (MMNL) | H–7B, L–20H H–7B, L–20G L–6I H–4H, L–4J, 5A H–7C, L–21A H–7B |
| General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa App Con 118.8 Reynosa App Con 119.75 120.4 Monterrey App Con 119.75 120.4 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 General Reirro Villalobos Intl (MMCU) ATIS 127.7 Monterrey App Con 121.0 Chihuahua App Con 121.0 Chihuahua App Con 121.0 Chihuahua App Con 121.0 ATIS 127.6 Mexicali App Con 118.2 Mexicali App Con 118.2 Mexicali App Con 118.2 Matamoros App Con 118.0 Matamoros App Con 118.0 Matamoros App Con 118.0 Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4 | H–7B, L–20H H–7B, L–20G L–6I H–4H, L–4J, 5A H–7C, L–21A H–7B |

413

AIRPORT DIAGRAMS

In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

GENERAL INFORMATION

PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

 Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., (a), (b), (c)
 Approach lighting systems that do not bear a system identification are indicated with a negative "O" beside the name. A star (*) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., O*
 To activate lights use frequency indicated in the communication section of the chart with a () or the appropriate lighting system identification e.g., UNICOM 122.8 (), (a), (c)

| 3 · | |
|--------------------------|---|
| KEY MIKE | FUNCTION |
| 7 times within 5 seconds | Highest intensity available |
| 5 times within 5 seconds | Medium or lower intensity (Lower REIL or REIL-off) |
| 3 times within 5 seconds | Lowest intensity available (Lower REIL or REIL-off) |
| | |

CHART CURRENCY INFORMATION

FAA procedure amendment number _____Amdt 11A 99365 ____ Date of latest change Orig 00365 _____

The Chart Date indentifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

MISCELLANEOUS


- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.

AIRPORT DIAGRAMS

LEGEND

INSTRUMENT APPROACH PROCEDURES (CHARTS)





LEGEND

AIRPORT DIAGRAMS HOT SPOTS

An "Airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.

A "hot spot" is a runway safety related problem area on an airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as open circles designated as "HOT¹", "HOT²", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

| been reduced of emmated. | | | |
|---|--------------------------------------|---|--|
| CITY/AIRPORT | HOT SPOT | DESCRIPTION | |
| ARIZONA | | | |
| MESA | | | |
| FALCON FLD (FFZ) | HOT ¹ | Acft approaching Twy D from the ramp and destined for Rwy 04R or Rwy 22L sometimes miss the turn into Twy D. | |
| PHOENIX PHOENIX-MESA GATEWAY (IWA) | HOT ¹ | Twy V, Twy B, and Twy K complex intersection. | |
| TUCSON RYAN FLD (RYN) | HOT ¹ | Air traffic often taxies acft via Twy B and onto Rwy 33 for departure on Rwy 06R. Use caution not to enter Rwy 6R without ATC authorization. | |
| TUCSON | 4 | | |
| TUCSON INTL (TUS) | HOT ¹ HOT ² | Complex intersection. Pilots instructed to hold short of Rwy 11L–29R or Rwy 11R–29L sometimes cross the approach area of these rwys without authorization. | |
| | HOT ³ | Rwy 29R sometimes mistaken for Rwy 29L. | |
| | CALIFORNIA | | |
| CONCORD | GALIT UNITA | | |
| BUCHANAN FIELD (CCR) | HOT ¹ | Pilots traveling southeast on Twy J and instructed to taxi via Twy E to Rwy 01L or Rwy 19R sometimes miss the turn onto Twy E and proceed onto Rwy 01L–19R at Twy J without clearance. | |
| | HOT ² | Pilots departing the Rwy 32L run–up area sometimes mistake Twy J for Twy 32L. | |
| | HOT ³ | Complex intersection at Rwy 01R-19L, Twy J, Twy A, Twy C and Twy K. Pilots on Twy A sometimes fail to comply with hold | |
| | 1101 | short instructions for Rwy 32L apch area. | |
| HAWTHORNE JACK NORTHROP FIELD/ HAWTHORNE MUNI (HHR) | HOT ¹ | Rwy 25 run-up area, do not depart the run-up area without ATC clearance. | |
| | | | |
| HAYWARD HAYWARD EXECUTIVE (HWD) | HOT ¹ | Acft approaching Twy A from the ramp sometimes fail to turn onto Twy A, proceeding onto Twy E and ultimately Rwy 10L–28R. | |
| | HOT ² HOT ³ | Area not visible from ATCT. Area not visible from ATCT. | |
| LONG BEACH | | | |
| LONG BEACH DAUGHERTY FLD (LGB) | HOT ¹ | Acft exiting Rwy 30 at Twy A turn left on Twy D, anticipate reaching their destination, and fail to hold short of Rwy 07L–25R. | |
| | HOT ² | Acft northbound on Twy B and instructed to hold short of Rwy 12–30 at Twy K sometimes miss the turn onto Twy K and proceed straight ahead onto Rwy 12–30 and Rwy 07L–25R. | |
| | HOT ³ | Acft southbound on Tw–2 and fail to hold short of destination parking ramp and fail to hold short of Rwy 07R–25L. | |

AIRPORT DIAGRAMS

| | HOT ⁴ | Acft eastbound on Twy J instructed to taxi to Rwy 25L at Twy D sometimes miss the turn onto Twy D |
|--|------------------|---|
| | HOT ⁵ | and proceed onto Rwy 12–30 without authorization. Acft taxiing to Rwy 16R from the southwest ramp sometimes miss the left turn onto Twy B, continue |
| | HOT ⁶ | eastbound onto Twy F, and enter Rwy 16R–34L. After completing a run-up on inactive Rwy 34R, acrft sometimes fail to hold short of Rwy 07R–25L. |
| | HOT ⁷ | Acft ldg Rwy 30, be aware that this rwy crosses every other rwy at the arpt. When exiting, pilots should ensure they are following a yellow, "lead-off" line onto a rwy. |
| MERCED | | |
| CASTLE (MER) | HOT ¹ | Complex area. Verify correct taxi route. Areas south of Twy A and Twy G are private ramp. |
| | HOT ² | Tfc congestion due to large volume of aircraft proceeding to and from Rwy 31. |
| NAPA NAPA COUNTY (APC) | HOT ¹ | Twy A, Twy C, Twy E, and the ramp. Complex intersection and high density tfc area. |
| | HOT ² | Rwy 24, Twy A. Acft and vehicles transiting to and from the hangars via Twy A sometimes cross Rwy 24 at Twy A without clearance. |
| | HOT ³ | Rwy 24 and Rwy 36L. Acft taxiing on Rwy 24, do not cross Rwy 36L without clearance. Acft taxiing on Rwy 36L, do not cross Rwy 24 without clearance. |
| OAKLAND | | Rwy SoL, do not cross Rwy 24 without clearance. |
| METROPOLITAN OAKLAND INTL (OAK) | HOT ¹ | Twy A and Twy B both cross Rwy 27R. Pilots sometimes mistake Twy A for Twy B, and vice versa. Verify correct taxi route. |
| | HOT ² | Acft departing the ramp sometimes miss their turn onto Twy C or Twy D, mistakenly proceeding onto Twy H or Twy G and ultimately Rwy 09L–27R. |
| | HOT ³ | Complex intersection. Pilots sometimes taxi onto Rwy 09L or Rwy 33 by mistake. |
| PALM SPRINGS PALM SPRINGS INTL (PSP) | HOT ¹ | Pilots sometimes mistake Twy C for Rwy 13R–31L or Rwy 13L–31R. |
| INTL (PSP) | HOT ² | Pilots instructed to taxi to Rwy 13R via Twy B and Twy C sometimes miss the turn onto Twy C and |
| | HOT ³ | proceed onto Rwy 31R without authorization. Pilots approaching Rwy 31R on Twy B sometimes fail to hold short of Rwy 31R. |
| SACRAMENTO | 1 | |
| SALINAS | HOT ¹ | Acft approaching Twy A from the east on Twy A-10 sometimes miss the turn onto Twy A. |
| SALINAS SALINAS MUNI (SNS) | HOT ¹ | Acft instructed to taxi from the ramp to Rwy 31 sometimes miss the turn onto Twy A and continue along Twy E, subsequently entering Rwy 31 without ATC authorization. |
| | HOT ² | Acft instructed to taxi from the ramp to Rwy 26 sometimes miss the burn onto Twy C and continue along Twy A, subsequently entering Rwy 26 at Twy A without ATC authorization. |
| SAN FRANCISCO SAN FRANCISCO | HOT ¹ | Pilots instructed to follow Twy B south sometimes |
| INTL (SFO) | HOT ² | continue onto Twy J or Twy F by mistake. Pilots taxiing east on Twy C and instructed on turn right onto Twy E sometimes miss the turn onto Twy E and continue across Rwy 01L-19R by mistake. |
| SAN JOSE | | E and continue dologs hwy off-for by mistake. |
| NORMAN Y. MINETA SAN JOSE INTL (SJC) | HOT ¹ | Pilots assigned Rwy 29 for ldg sometimes land Rwy 30L by mistake. Pilots proceeding into, or exiting, the Rwy 29 run-up area sometimes enter Rwy 29 without ATC authorization. |

418


AIRPORT DIAGRAMS

| 418 | AIRPORT DIAGRAMS | |
|--|--------------------------------------|--|
| SANTA ANA | | |
| JOHN WAYNE AIRPORT/ORANGE CO (SNA) | HOT ¹ | ATC often instructs pilots to ''Taxi up to and hold short'' of Rwy 19L and Rwy 19R. As with normal hold short instruction, one must always stop short of the Runway Holding Position Markings. |
| SANTA BARBARA SANTA BARBARA MUNI (SBA) | HOT ² | Pilots exiting Rwy 19R or Rwy 19L onto Twy H: short distance between rwys. Expect to hold short of the parallel rwy. Manage your taxi speed. Do not cross the Runway Holding Position Markings for the parallel rwy without ATC authorization. |
| | HOT ³ | Pilots taxiing via Twy A, Twy H, and Twy C sometimes miss the turn from Twy H to Twy C. |
| | HOT ¹ | Pilots are sometimes confused by the angle at which Twy C intersects Rwy 07–25. |
| | HOT ² | Very wide pavement area. Do not cross Rwy 15L or Rwy 15R without authorization. |
| | HOT ³ | ATC often utilizes Rwy 15L–33R and Rwy 15R–33L to taxi arriving aircraft off of Rwy 07–25. |
| | HOT ⁴ | Pilots instructed to taxi to Rwy 35 sometimes miss the turn onto Twy J, not realizing that the approach end of Rwy 25 begins at Twy J. |
| | COL | DRADO |
| ASPEN ASPEN-PITKIN COUNTY/SARDY | HOT ¹ | Twy A2. Short taxi distance from ramp to rwy. |
| FIELD (ASE) | HOT ² | Twy A on west edge of ramp. Passengers and |
| | | vehicles are required to stay east of Twy A unless cleared by ATC. |
| DENVER | HOT ³ | Twy A4. Short taxi distance from ramp to rwy. |
| CENTENNIAL (APA) | HOT ¹ HOT ² | Intersection Twy A–1. Hold line across run–up area. Twy A, Twy A–8, Twy A–9 and Twy C–1 congested intersections. |
| DENVER | HOT ³ | Twy C-1 and Twy D-1 close proximity to Rwy 10. |
| ROCKY MOUNTAIN METROPOLITAN (BJC) | HOT ¹ | Frequent helicopter operations on north ends of Twy B and Rwy 02–20. Use caution in this area. |
| EAGLE EAGLE COUNTY RGNL (EGE) | HOT ¹ | High density parking area on ramp east of Twy C-2. Air carrier aircraft should not leave or enter taxiway A east of Twy C-2. |
| | NE | VADA |
| LAS VEGAS MC CARRAN INTL | HOT ¹ | Eviting the rame, use solution at Two S pat to proce |
| (LAS) | HUI- | Exiting the ramp, use caution at Twy S not to cross the rwy holding position markings for Rwy 19L. Twy S intersects with Twy D, Twy Z, and Twy G, which require a turn to the north or south. |
| | HOT ² | Exiting Rwy 01R–19L use caution not to enter Twy U, and avoid entering Rwy 01L–19R without authorization. |
| | HOT ³ | Exiting Rwy 01R–19L use caution not to enter Twy Y, and avoid entering Rwy 01L–19R without authorization. |
| | HOT ⁴ | Rwy holding position markings for Rwy 07L and Rwy 01L are co-located, and located north of Rwy 07L. Verify rwy heading and alignment with proper rwy prior to doacture. |


LAS VEGAS NORTH LAS VEGAS (VGT) HOT¹ HOT¹ HOT¹ HOT¹ HOT¹ ATC often requires Rwy 12R departures to hold short of Rwy 07. Common mistake is to cross Rwy 07 without ATC authorization.


AIRPORT DIAGRAMS

| | HOT ² | Pilots sometimes enter or cross Rwy 12R without |
|---------------------------|------------------|--|
| | HOT ³ | authorization. Pilots taxiing east on Twy A and destined for Rwy |
| | | 30L sometimes miss the turn onto Twy B, proceeding onto Rwy 12R without ATC authorization. |
| | HOT ⁴ | Pilots taxiing east on Twy A sometimes fail to hold short of Rwy 12L, or neglect to turn onto Rwy 12L for departure, instead departing on Twy A. |
| RENO | | |
| RENO/TAHOO INTL (RNO) | HOT ¹ | Pilots departing the southwest ramp and instructed to hold short of Rwy 07–25 sometimes fail to comply. |
| | HOT ² | Pilots northbound on Twy C sometimes proceed |
| | 2 | straight ahead into the ramp by mistake. |
| | HOT ³ | Full length departures for Rwy 16L sometimes turn left at Twy D by mistake. |
| | U | TAH . |
| PROVO | | |
| PROVO MUNI (PVU) | HOT ¹ | Pilots taxiing to Rwy 13 often take Twy A–3 instead of Twy A. Twy A–3 leads to intersection of two rwys. |
| SALT LAKE CITY | | |
| SALT LAKE CITY INTL (SLC) | HOT ¹ | Caution do not cross hold line for Rwy 35 during taxi SE on Rwy 14–32. Hold line is on north side of Rwy 32 numbers. |
| | HOT ² | Possible confusion between ramp, twy and rwy due to large paved area. Do not cross rwy hold lines without ATC clearance. ATC clearance is needed to enter the movement area, which is immediately west of vehicle drive lanes and marked by movement/nonmovement boundary line. |





AIRPORT DIAGRAMS







AIRPORT DIAGRAMS









694

READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM

118° 22′W

RWYS 8-26, 15-33

\$30, D180, ST175, DT300

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.

BURBANK, CALIFORNIA BURBANK/BOB HOPE (BUR)

118° 21′W

-34° 11.5′N-

PASSENGER TERMINAL &

ADMINISTRATION

BURBANK/ BOB HOPE (BUR)


BURBANK, CALIFORNIA


10042


AL-67 (FAA)


ATIS


AIRPORT DIAGRAM














SW, 08 APR 2010 to 03 JUN 2010




AIRPORT DIAGRAMS


CHICO MUNI (CIC)








07354

















AIRPORT DIAGRAM


DENVER/FRONT RANGE (FTG) DENVER, COLORADO





442























































SW, 08 APR 2010 to 03 JUN 2010










462








09295














































AL-237 (FAA)


LOS ANGELES INTL (LAX)


LOS ANGELES, CALIFORNIÁ




























MIRAMAR MCAS (MITSCHER FLD) (KNKX)















492













496













10042
















































514



























08325











526





















09295










































546



09183







INTENTIONALLY LEFT BLANK

